



# EPBC Act Annual Compliance Report

*Issac Plains East – EPBC Act Referral 2016/7827*

## **Stanmore Resources Limited**

Level 15, 133 Mary Street, Brisbane QLD 4000

Prepared by:

**SLR Consulting Australia**

SLR Project No.: 626.030238.00001

6 September 2024

Revision: 01

## Revision Record

Revision	Date	Prepared By	Checked By	Authorised By
1	6 September 2024	B. Bodley	P. Tett/B. Parfitt	P. Tett

## Basis of Report

This report has been prepared by SLR Consulting Australia (SLR) with all reasonable skill, care and diligence, and taking account of the timescale and resources allocated to it by agreement with Stanmore Resources Limited (the Client). Information reported herein is based on the interpretation of data collected, which has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Client. No warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the work.



## Executive Summary

### Introduction

Stanmore Resources Limited (Stanmore) engaged SLR Consulting Australia Pty. Ltd. (SLR) to prepare the Annual Compliance Report (the Report) for the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act) Approval for Extension to the existing Isaac Plains Mine, near Moranbah, Queensland (EPBC 2016/7827), (the Approval). The Report is required by Condition 17 of the Approval and addresses the period of the 9<sup>th</sup> of June 2023 to the 8<sup>th</sup> of June 2024.

### Description of Activities and EPBC Act Approval

The Isaac Plains Complex is located in Central Queensland, approximately 145 kilometres (km) southwest of Mackay and 7 km east of the Moranbah township. The Isaac Plains East (IPE) project is located immediately to the east of the Isaac Plains Coal Mine. During the period of the Report, operations within IPE (Pits 2, 3 and 4) were limited to rehabilitation, auger coal mining (which ceased in February 2024) and water management. In June 2023 clearing for Pit 5 and associated civil works commenced within the boundaries of the EPBC Approval for Isaac Plains East and Isaac Plains East Extension (EPBC 2019/8548). Mining activities for Pit 5 commenced in late 2023 and continued throughout the period of the Report. Coal from mining operations was processed at the Coal Handling and Preparation Plant (CHPP) located within the original Isaac Plains Mining Lease.

The IPE Project is subject to the Approval resulting from referral under the EPBC Act in 2016.

The Approved Action being:

*“To undertake the Isaac Plains East Project, developing five open cut coal pits over Lot 4 SP252740, Lot 17 SP261431 and Lot 5 GV132, adjoining the existing Isaac Plains Mine mining lease near Moranbah, Queensland (see EPBC Act referral 2016/7827).”*

The action subject to the Approval officially commenced on the 9<sup>th</sup> of June 2018.

The Approval relates to the EPBC Act Controlling Provisions:

- Listed threatened species and communities (sections 18 & 18A); and
- Water resources/trigger (sections 24D & 24E).

Specifically, the Approval addresses:

- Clearing of habitat for Koala (*Phascolarctos cinereus*), Squatter Pigeon (Southern) (*Geophaps scripta scripta*), Greater Glider (*Petauroides volans*) and Ornamental Snake (*Denisonia maculata*); and
- Monitoring of surface water, groundwater, and riparian zone.

The Approval contains requirements for offsets under the EPBC Act Environmental Offsets Policy, including development of an Offset Area Management Plan (OAMP). The Approval also requires development of a Species Management Plan (SMP) outlining management and monitoring actions to minimise any impact to listed threatened species under the EPBC Act.



## Habitat Impacts and Offset area

Offset areas are required by the Approval to compensate for the habitat clearing required for the Isaac Plains East Project and include impacted habitat for the Koala (125 ha), Greater Glider (125 ha) and Squatter Pigeon (74 ha).

An initial OAMP (Base 2018) for Isaac Plains East included suitable offset area. The initial proposed offset area identified was on Byrne Valley Station near Ayr in North Queensland. However, the negotiation process for securing this offset, undertaken during the period of previous Annual Compliance Reports, was unsuccessful. The Department was routinely engaged on the matter. A variation to the Approval (14<sup>th</sup> of August 2020) was granted in order to allow sufficient time for securing the relevant offset in accordance with Condition 6 (**Section 1.1**).

Negotiations to secure a new offset to address the above habitat impacts at Mt Spencer (approximately 23 km east of Nebo) were successfully completed within the period of the 2020/2021 Annual Compliance Report. A new OAMP (Base 2020) was developed to reflect Mt Spencer offset, signed by Stanmore and the Landholder prior to submission to the Department for approval. Approval of the OAMP was received on the 21<sup>st</sup> of May 2021. The offset areas for the separate Isaac Plains East Extension (IPEE) EPBC Approval (2019/8548) and the Isaac Downs Project EPBC Approval (2019/8413) were located adjacent to the IPE offset area at Mt Spencer. Legal Securing of the Offset Area commenced on the 15<sup>th</sup> of October 2021 and was completed on the 3<sup>rd</sup> of December 2021.

## Audit Methods

The key site contact was Stanmore's Principal, Environment and Community, Belinda Parfitt. The Audit was conducted by SLR Technical Director, Paul Tett. Paul has in excess of 30 years' experience as an environmental professional associated with the mining and industrial sectors. Paul was assisted by SLR Project Consultant Brenton Bodley.

A site visit to the Isaac Plains Complex was undertaken by the auditor and assistant on the 11<sup>th</sup> of July 2024 during which interviews and evidence gathering were undertaken. A site inspection of the Isaac Plains East disturbance footprint was undertaken as part of the site visit. Selected images from the site visit are included (**Appendix B**).

Compliance status for each Approval Condition was determined in accordance with the rankings C = Complaint, NC = Non-Compliant and NA = Not Applicable.



## Key Findings and Observations

For the period of the Annual Compliance Report, Stanmore was found compliant (as qualified) for all relevant conditions except Conditions 2 and 5.

For Condition 2, mapping of habitat clearing areas within the Approval boundary for each of the listed species was reviewed and a small increase in clearing had been recorded during the Report period. Clearing was related to the Pit 5 project area.

- Koala and Greater Glider = 122.13 ha;
- Squatter Pigeon = 75.1 ha; and
- Ornamental Snake habitat = 0.27 ha

Total clearing of Squatter Pigeon (Southern) (*Geophaps scripta scripta*) habitat exceeded the limit (74 ha) identified in Condition 2 by 1.1 ha during the period of the Report. Upon investigation of the clearing exceedance, the area of 74 ha nominated in the EPBC Assessment Preliminary Documentation was incorrect and did not align with the spatial data presented in the Assessment Preliminary Documentation which showed the mapped area of Squatter Pigeon Habitat as 77.7 ha. Therefore, a Non-compliance was found, due to exceedance of the nominated area (74 ha) in Condition 2 text. However, as the approved disturbance area spatial data was representative of 77.7 ha Squatter Pigeon habitat, the intent of the approval is considered as remained in compliance with. As a result, no additional environmental harm to that permitted under the Approval is considered to have occurred.

For Condition 5, one Non-Compliant finding was made. The Offset area Management Plan implementation was not able to be satisfactorily evidenced. Two nest box monitoring records for the Report period were provided for review, undertaken by the Land Manager, however, the OAMP required nest box inspection by suitably qualified ecologists and not the landowner (land manager).

A total of ten “Non-Applicable” findings were made for this reporting period.

No new environmental risks relative to the Approval were identified during the reporting period.

Staff interviewed throughout the audit process demonstrated sound understanding of the Approval requirements and the operational system controls required to ensure compliance with the conditions of the Approval. Management commitment to compliance with the Approval was evident.

### Observations:

**Condition 3** – Weed and Pest management records were not made available for the audit period, however verbal confirmation was provided (B. Parfit) that management practices were in place with weed and pest management campaigns initiated as determined by annual rehabilitation monitoring results. Maintenance of records should be improved.

The EPSA Induction Package was provided for review. Reviews in the previous two reporting periods identified that the induction package lacked reference to the EPBC MNES and site requirements (including weeds and pests, machinery washdown, roads & tracks significant fauna, etc.). An Improvement Opportunity was highlighted in the previous two Compliance Reports, however, the current EPSA induction package continued to lack effective communication to contractors of key fauna related matters under the SMP, resulting in the inability to demonstrate full implementation of the SMP.

Detailed findings are presented (**Table 2**).



## Table of Contents

<b>Basis of Report</b> .....	<b>i</b>
<b>Executive Summary</b> .....	<b>ii</b>
<b>Acronyms and Abbreviations</b> .....	<b>vi</b>
<b>1.0 Introduction</b> .....	<b>1</b>
1.1 Description of Activities and EPBC Act Approval .....	1
1.2 Habitat Impacts and Offset Area .....	5
<b>2.0 Audit Methods</b> .....	<b>5</b>
2.1 Limitations .....	6
2.2 Declaration of Accuracy .....	6
<b>3.0 Key Findings and Observations</b> .....	<b>6</b>
<b>4.0 Detailed Findings</b> .....	<b>11</b>
<b>5.0 Reviewed Documentation</b> .....	<b>25</b>

## Tables in Text

Table 1: Audit Rankings .....	6
Table 2: Detailed Audit Findings .....	11

## Figures in Text

Figure 1-1: Mine and Offset Location Context .....	3
Figure 1-2: Regional Ecosystems within the Disturbance Footprint .....	4
Figure 3-1 Squatter Pidgeon habitat Spatial Representation .....	8
Figure 3-2 EPBC Approved Disturbance Area .....	9

## Appendices

### **Appendix A Species Management Plan and Offset Management Plan Implementation - Audit Tables**

- A.1 Specis Management Plan and Offset Management Plan – Audit Tables
- A.2 Offset Management Plan (V5) – Table 20: Proposed monitoring schedule of offset area

### **Appendix B Site Visit and Evidence Photos**

### **Appendix C Isaac Plains Complex Groundwater Analysis Results June 2023 to June 2024**



## Acronyms and Abbreviations

CHPP	Coal Handling and Preparation Plant
EcoSM	Ecological Survey and Management
EPBC Act	Environment Protection and Biodiversity Conservation Act 1999
Ha	Hectares
IPC	Isaac Plains Complex
IPE	Isaac Plains East
IPEE	Isaac Plains East Extension
Km	Kilometres
OAMP	Offset Area Management Plan
PTD	Permit to Disturb
SMP	Species Management Plan



## 1.0 Introduction

Stanmore IP Coal Pty Ltd (Stanmore) engaged SLR Consulting Australia Pty. Ltd. (SLR) to prepare the Annual Compliance Report (the Report) for the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act) Approval for Extension to the existing Isaac Plains Mine, near Moranbah, Queensland (EPBC 2016/7827), (the Approval). The Report is required by Condition 17 of the Approval, which states:

*“Within three (3) months of every 12-month anniversary of the commencement of the action, the approval holder must publish a report (the Annual Compliance Report) on its website addressing compliance with each of the conditions of this approval, during the previous 12 months. Documentary evidence providing proof of the date of publication must be provided to the Department at the same time as the Annual Compliance Report is published. Reports must remain published for the life of the approval. The approval holder must continue to publish the Annual Compliance Report each year until such time as agreed to in writing by the Minister.”*

The Report addresses the period of the 9<sup>th</sup> of June 2023 to the 8<sup>th</sup> of June 2024 and presents the findings of an audit undertaken to assess the compliance status of Stanmore’s Isaac Plains East (IPE) operations against the Approval. The audit focused on each of the conditions contained in the Approval. The audit site visit was undertaken on the 11<sup>th</sup> of July 2024, with evidence gathering and reporting finalised between July and early September 2024.

The report was prepared in general accordance with the Annual Compliance Report Guidelines, Commonwealth of Australia 2014.

### 1.1 Description of Activities and EPBC Act Approval

The Isaac Plains Complex (IPC) is located in Central Queensland, approximately 145 kilometres (km) southwest of Mackay and 7 km east of the Moranbah township (**Figure 1-1**). The IPC includes the original Isaac Plains Open Cut Mine, the adjoining Isaac Plains East Open Cut operations, the Isaac Plains East Extension Open Cut operations, the Isaac Downs Open Cut operations and the undeveloped Isaac Plains Underground Mine project. The IPE project (formerly Wotonga Project) was acquired by Stanmore in 2015. The project is located adjacent to the east of the Isaac Plains Coal Mine (no active mining operations) and opencut operations within IPE were temporarily ceased in February 2022. During the period of the Report, operations within IPE (Pits 2, 3 and 4) were limited to rehabilitation, auger coal mining (which ceased in February 2024) and water management. In June 2023 clearing for Pit 5 and associated civil works commenced within the boundaries of the EPBC Approval for Isaac Plains East and Isaac Plains East Extension (EPBC 2019/8548). Mining activities for Pit 5 commenced in late 2023 and continued throughout the period of the Report. Mining was undertaken via contract by EPSA.

Coal from mining operations was processed at the Coal Handling and Preparation Plant (CHPP) located within the original Isaac Plains Mining Lease.

The IPE Project is subject to the Approval resulting from referral under the EPBC Act in 2016. The Referral Decision was issued on the 4<sup>th</sup> of January 2017, being Controlled Action Assessment Approach Preliminary Documentation, public notification of the Preliminary Documentation was undertaken on the 19<sup>th</sup> of July 2017. The initial Approval (EPBC 2016/7827) was issued to Stanmore IP Coal Pty Ltd (ABN: 79 606 244 615) on the 28<sup>th</sup> of February 2018. The Approved Action being:



*“To undertake the Isaac Plains East Project, developing five open cut coal pits over Lot 4 SP252740, Lot 17 SP261431 and Lot 5 GV132, adjoining the existing Isaac Plains Mine mining lease near Moranbah, Queensland (see EPBC Act referral 2016/7827).”*

A variation to the Approval took effect on the 6<sup>th</sup> of August 2018. The subject of the variation was as below:

*“Delete Attachment A attached to the approval and substitute with Attachment A specified over page.”*

The variations to Attachment A included minor adjustments to the planned disturbance boundaries. The Project layout and approved disturbance area is shown (**Figure 1-2**).

A further variation to the Approval took effect on the 14<sup>th</sup> of August 2020. The subject of the variation was as below:

*“Delete condition 6 and replace it with condition 6 as specified below. Delete the definition of Squatter Pigeon (Southern) (Geophaps scripta scripta) habitat and replace it with the definition specified below.”*

*Conditions specific to the action 6.*

*“The approval holder must legally secure the environmental offset/s within three (3) years from the commencement of the clearance of habitat suitable for the Koala (Phascolarctos cinereus) (combined populations of Qld, NSW and the ACT) and Greater Glider (Petauroides volans) and Squatter Pigeon (Southern) (Geophaps scripta scripta) habitat.*

*Definitions*

*w. Squatter Pigeon (Southern) (Geophaps scripta scripta) habitat means:*

- i. breeding habitat - Any remnant or regrowth open-forest to sparse, open-woodland or scrub dominated by Eucalyptus, Corymbia, Acacia or Callitris species, on sandy or gravelly soils (including, but not limited to, areas mapped as Queensland land zones 3, 5 or 7) and where groundcover vegetation is less than 33% of the ground area, within 1 km of a suitable, permanent or seasonal waterbody;*
- ii. foraging habitat - Any remnant or regrowth open-forest to sparse, open-woodland or scrub dominated by Eucalyptus, Corymbia, Acacia or Callitris species, on sandy or gravelly soils (including, but not limited to, areas mapped as Queensland land zones 3, 5 or 7) and where groundcover vegetation is less than 33% of the ground area, within 3 km of a suitable, permanent or seasonal waterbody.”*





Figure 1-1: Mine and Offset Location Context





## 1.2 Habitat Impacts and Offset Area

Offset areas are required by the Approval to compensate for the habitat clearing required for the Isaac Plains East Project and include impacted habitat for the Koala (125 ha), Greater Glider (125 ha) and Squatter Pigeon (74 ha).

An initial OAMP (Base 2018) for Isaac Plains East included suitable offset area. The initial proposed offset area identified was on Byrne Valley Station near Ayr in North Queensland. However, the negotiation process for securing this offset, undertaken during the period of previous Annual Compliance Reports, was unsuccessful. The Department was routinely engaged on the matter. A variation to the Approval (14<sup>th</sup> of August 2020) was granted in order to allow sufficient time for securing the relevant offset in accordance with Condition 6 (**Section 1.1**).

Negotiations to secure a new offset to address the above habitat impacts at Mt Spencer (approximately 23 km east of Nebo) were successfully completed within the period of the 2020/2021 Annual Compliance Report. A new OAMP (Base 2020) was developed to reflect Mt Spencer offset, signed by Stanmore and the Landholder prior to submission to the Department for approval. Approval of the OAMP was received on the 21<sup>st</sup> of May 2021. The offset areas for the separate Isaac Plains East Extension (IPEE) EPBC Approval (2019/8548) and the Isaac Downs Project EPBC Approval (2019/8413) were located adjacent to the IPE offset area at Mt Spencer. Legal Securing of the Offset Area commenced on the 15<sup>th</sup> of October 2021 and was completed on the 3<sup>rd</sup> of December 2021.

## 2.0 Audit Methods

The Audit was conducted by SLR Technical Director, Paul Tett. Paul has in excess of 30 years' experience as an environmental professional associated with the mining and industrial sectors, including more than 11 years as a site based environmental practitioner, with the balance as a consultant focused primarily on mining and industrial projects. Paul is an experienced auditor having undertaken multiple compliance audits of mining and industrial operations. In addition, Paul has completed Environmental Management System (EMS) Auditor (ISO14001:2015) training, is a Member of the Australasian Institute of Mining and Metallurgy (AusIMM) and the Environment Institute of Australia and New Zealand (EIANZ). Paul is a Certified Environmental Practitioner (CEnvP) (Number 0638) and Queensland Commissioner for Declarations. Paul was assisted by SLR Project Consultant Brenton Bodley.

The audit was conducted through sourcing key site documents from Stanmore staff. The audit protocol was developed based on the conditions of the Approval and used as the primary basis for questioning and evidence gathering. Audit tables for the SMP and OAMP implementation are provided (**Appendix A**).

A site visit to the Isaac Plains Complex was undertaken by the auditor and assistant on the 11<sup>th</sup> of July 2024 during which interviews and evidence gathering were undertaken. A site inspection of the Isaac Plains East disturbance footprint was undertaken as part of the site visit.

The following staff were interviewed during the audit process:

- Belinda Parfitt – Stanmore Principal Environment and Community
- Hardy Wincen – Principal Land Manager
- Jason Manser – Senior Mining Engineer



- John Martin – Mine Planning Superintendent
- Dave Adams – Senior Operations Manager

Selected photographs from the site visit are included (**Appendix B**).

Compliance status for each Approval Condition was determined in accordance with the rankings shown (**Table 1**).

**Table 1: Audit Rankings**

Rankings	Description
<b>C</b> - Compliant	Evidence and/or actions completed, signified compliance with the intent and/or requirement of the condition. Where applicable qualifying text is included.
<b>NC</b> - Non-Compliant	Evidence indicated that a specific requirement of the condition had not been met.
<b>NA</b> - Not Applicable	Requirement was not triggered within the period of the Annual Compliance Report, or the requirement was met prior to the reporting period.

## 2.1 Limitations

The Report reflects the audit findings based on preliminary questioning, visual inspections undertaken during the site visit, interview responses received during the site visit, follow up questioning post site visit and information contained in the verifying/supporting documentation provided.

## 2.2 Declaration of Accuracy

In making this declaration, I am aware that sections 490 and 491 of the Environment Protection and Biodiversity Conservation Act 1999 (Cth) (EPBC Act) make it an offence in certain circumstances to knowingly provide false or misleading information or documents. The offence is punishable on conviction by imprisonment or a fine, or both. I declare that all the information and documentation supporting this compliance report is true and correct in every particular. I am authorised to bind the approval holder to this declaration and that I have no knowledge of that authorisation being revoked at the time of making this declaration.

## 3.0 Key Findings and Observations

For the period of the Annual Compliance Report, Stanmore was found compliant (as qualified) for all relevant conditions except Conditions 2 and 5.

For Condition 2, mapping of habitat clearing areas within the Approval boundary for each of the listed species was reviewed and a small increase in clearing had been recorded during the Report period. Clearing was related to the Pit 5 project area.

- Koala and Greater Glider = 122.13 ha;
- Squatter Pigeon = 75.1 ha; and
- Ornamental Snake habitat = 0.27 ha

Total clearing of Squatter Pigeon (Southern) (*Geophaps scripta scripta*) habitat exceeded the limit (74 ha) identified in Condition 2 by 1.1 ha during the period of the Report. Upon investigation of the clearing exceedance, the area of 74 ha nominated in the EPBC Assessment Preliminary Documentation was incorrect and did not align with the spatial data



presented in the Assessment Preliminary Documentation which showed the mapped area of Squatter Pigeon Habitat as 77.7 ha. Therefore, a Non-compliance was found, due to exceedance of the nominated area (74 ha) in Condition 2 text. However, as the approved disturbance area spatial data was representative of 77.7 ha Squatter Pigeon habitat, the intent of the approval is considered as remained in compliance with. As a result, no additional environmental harm to that permitted under the Approval is considered to have occurred.






Figure 3-1 Squatter Pidgeon Habitat Spatial Representation



Attachment A




Figure 3-2 EPBC Approved Disturbance Area



For Condition 5, one Non-Compliant finding was made. Offset area Management Plan implementation was not able to be satisfactorily evidenced. Two nest box monitoring records for the Report period were provided for review, undertaken by the Land Manager, however, the OAMP required nest box inspection by suitably qualified ecologists and not the landowner (land manager).

A total of ten “Non-Applicable” findings were made for this reporting period.

No new environmental risks relative to the Approval were identified during the reporting period.

Staff interviewed throughout the audit process demonstrated sound understanding of the Approval requirements and the operational system controls required to ensure compliance with the conditions of the Approval. Management commitment to compliance with the Approval was evident.

### **Observations:**

**Condition 3** – Weed and Pest management records were not made available for the audit period, however verbal confirmation was provided (B. Parfit) that management practices were in place with weed and pest management campaigns initiated as determined by annual rehabilitation monitoring results. Maintenance of records should be improved.

The EPSA Induction Package was provided for review. Review in the previous two reporting periods identified that the induction package lacked reference to the EPBC MNES and site requirements (including weeds and pests, machinery washdown, roads & tracks significant fauna, etc.). An Improvement Opportunity was highlighted in the previous two Compliance Reports, however, the current EPSA induction package continued to lack effective communication to contractors of key fauna related matters under the SMP, resulting in the inability to demonstrate full implementation of the SMP.



## 4.0 Detailed Findings

Table 2 details the findings of the audit relative to each Approval condition.

Table 2: Detailed Audit Findings

Condition Number	Condition	Findings	Compliance Status
<b>Conditions specific to the action</b>			
<b>Clearance limits</b>			
1	The approval holder must undertake the action within the <b>Isaac Plains East Project Area</b> .	<p>The action had been undertaken within the Isaac Plains East Project Area approval boundary, with areas subject to Permits to Disturb falling within EA Zones; Disturbance Authorised Subject to Permit to Disturb, and Disturbance extent reasonably necessary for Infrastructure.</p> <p>During the site visit, disturbance boundary markers were located (signage, fences) with no observed disturbance occurring outside of designated areas.</p> <p>Permits to disturb 177, 178, 188 and 189 were reviewed. These highlighted disturbance areas (maps and GIS files provided), impacts to MNES, and any additional requirements for EPBC assessment process. Disturbance footprints were overlaid with approval boundaries to check for exceedances.</p> <p><i>Evidence: Site inspection, limit of disturbance markers, fencing and pegging, Environmental Authority (EPML00932713), PTD (177, 178, 188, 189), authorised boundary spatial data, aerial photography, Google Earth imagery (viewed 30/08/2024).</i></p>	C
2	The approval holder must not <b>clear</b> more than: <ol style="list-style-type: none"> <li>a. 125 hectares (ha) of <b>habitat suitable for the Koala (<i>Phascolarctos cinereus</i>) (combined populations of Qld, NSW and the ACT) and Greater Glider (<i>Petauroides volans</i>);</b></li> </ol>	<p>Mapping of habitat clearing areas within the Approval boundary for each of the listed species was reviewed and a small increase in clearing had been recorded during the Report period. Clearing was related to the Pit 5 project area.</p> <ul style="list-style-type: none"> <li>• Koala and Greater Glider = 122.13 ha;</li> </ul>	NC



Condition Number	Condition	Findings	Compliance Status
	b. 74 ha of <b>Squatter Pigeon (Southern) (<i>Geophaps scripta scripta</i>) habitat</b> ; and c. 1.4 ha of <b>Ornamental Snake (<i>Denisonia maculata</i>) habitat</b> .	<ul style="list-style-type: none"> <li>• Squatter Pigeon = 75.1 ha; and</li> <li>• Ornamental Snake habitat = 0.27 ha</li> </ul> <p>Total clearing of Squatter Pigeon (Southern) (<i>Geophaps scripta scripta</i>) habitat exceeded the limit (74 ha) identified in Condition 2 by 1.1 ha during the period of the Report. Upon investigation of the clearing exceedance, the area of 74 ha nominated in the EPBC Assessment Preliminary Documentation was incorrect and did not align with the spatial data presented in the Assessment Preliminary Documentation which showed the mapped area of Squatter Pigeon Habitat as 77.7 ha. Therefore, a Non-compliance was found, due to exceedance of the nominated area (74 ha) in Condition 2 text. However, as the approved disturbance area spatial data was representative of 77.7 ha Squatter Pigeon habitat, the intent of the approval is considered as remained in compliance with. As a result, no additional environmental harm to that permitted under the Approval is considered to have occurred.</p> <p>No clearing outside of disturbance boundaries (delineated by post, signage and fences) was observed during site visit.</p> <p><i>Evidence: Email of GIS Reconciliation (Russell Aspland), site inspection, EPBC Act Annual Compliance Report 2023, limit of disturbance markers, fencing and pegging, Environmental Authority (EPML00932713), PTD (177, 178, 188, 189), EcoSM IPE Pit 5 Project Area Changes EPBC Act Assessment, authorised boundary spatial data, aerial photography, Google Earth imagery (viewed 30/08/2024).</i></p>	
<b>Species Management Plan</b>			
3	The approval holder must submit a Species Management Plan for the written approval of the <b>Minister</b> . The approved Species Management Plan must be implemented. The Species Management Plan must be prepared by a <b>suitably qualified person</b> in	The SMP was prepared by a suitably qualified person ( <i>A suitably qualified person is a person who has professional qualifications, training or skills and at least five (5) years of experience relevant to the nominated subject matters to give authoritative assessment, advice and analysis about performance relevant to the subject matter using relevant protocols, standards, methods and/or literature</i> ).	C (Qualified)



Condition Number	Condition	Findings	Compliance Status
	<p>accordance with the <b>Department's Environmental Management Plan Guidelines</b> and include:</p> <ol style="list-style-type: none"> <li>measures that will be implemented to avoid, mitigate and manage <b>impacts</b> to <b>EPBC Act listed threatened species</b> and their habitat during vegetation <b>clearance</b>, construction, operation and decommissioning of the action;</li> <li>a program of monitoring and periodic evaluation of monitoring data to determine the effectiveness of management measures and inform adaptive implementation of the Species Management Plan for the duration of this approval; and</li> <li>details of how proposed management measures take into account relevant <b>approved conservation advices</b> and are consistent with the measures contained in relevant <b>recovery plans</b> and <b>threat abatement plans</b>.</li> </ol>	<p>The SMP was prepared in accordance with the Department's Environmental Management Plan Guidelines.</p> <ul style="list-style-type: none"> <li>Sections 4.0 and 4.7 of the SMP include measures to avoid, mitigate and manage impacts to threatened species and their habitat throughout all stages of the Project - (a).</li> <li>Section 5.0 of the SMP provides a program of monitoring and evaluation to assess effectiveness of the management measures – (b).</li> <li>Section 4.0 and 4.7 of the SMP provided details of how management measures relate to approved conservation advice, recovery plans and treat abatement plans – (c).</li> </ul> <p>The initial version of the SMP (28/09/2018) still applied and was approved by the Department. A summary of the implementation of the SMP over the course of the applicable reporting period is shown (<b>Appendix A</b>).</p> <p>A Weed and Pest Management Plan is in place highlighting priority species and management actions, however, whilst verbal confirmation that weed management occurred, as managed by EPSA, no records of treatment were available. No significant weed outbreaks were noted in field observation.</p> <p>The EPSA Induction Package was provided for review. Reviews in the previous two reporting periods identified that the induction package lacked reference to the EPBC MNES and site requirements (including weeds and pests, machinery washdown, roads &amp; tracks significant fauna, etc.). An Improvement Opportunity was highlighted in the previous two Compliance Reports, however, the current EPSA induction package continued to lack effective communication to contractors of key fauna related matters under the SMP, resulting in the inability to demonstrate full implementation of the SMP.</p> <p><i>Evidence: SMP, copy of approval letter dated the 21<sup>st</sup> of November 2018 from the Department, CV of Dr Craig Streatfeild (suitably qualified person)</i></p>	



Condition Number	Condition	Findings	Compliance Status
		<i>who prepared the SMP, Department Environmental Management Plan Guidelines.</i>	
4	The approval holder must not <b>clear habitat suitable for the Koala (<i>Phascolarctos cinereus</i>) (combined populations of Qld, NSW and the ACT) and Greater Glider (<i>Petauroides volans</i>) or Squatter Pigeon (Southern) (<i>Geophaps scripta scripta</i>) habitat or Ornamental Snake (<i>Denisonia maculata</i>) habitat</b> until the <b>Minister</b> has approved the Species Management Plan.	As was found in previous compliance reports, the SMP was approved prior to clearing for the project.  <i>Evidence: EPBC Act Annual Compliance Report 2023, SMP, copy of approval letter dated the 21<sup>st</sup> of November 2018 from the Department.</i>	C
<b>Offset Management Plan</b>			
5	The approval holder must submit an Offset Management Plan for the written approval of the <b>Minister</b> . The approved Offset Management Plan must be implemented. The Offset Management Plan must be prepared by a <b>suitably qualified person</b> in accordance with the <b>Department's Environmental Management Plan Guidelines</b> and include: <ul style="list-style-type: none"> <li>a. details of environmental offset/s to compensate for the <b>habitat suitable for the Koala (<i>Phascolarctos cinereus</i>) (combined populations of QLD, NSW and the ACT) and Greater Glider (<i>Petauroides volans</i>) and Squatter Pigeon (Southern) (<i>Geophaps scripta scripta</i>) habitat</b> to be cleared as identified in condition 2.</li> <li>b. details of how the proposed offset/s and Offset Management Plan meet the requirements of the <b>EPBC Act Environmental Offsets Policy</b>;</li> <li>c. a field validation survey and baseline description of the current condition (prior to any management activities) of the offset area/s, including existing</li> </ul>	As per <b>Section 1.2</b> , the initial OAMP became redundant during the 2020 Compliance reporting period. A new OAMP was prepared by Base Consulting Group (19th of November 2020), submitted to the Department, and approved by the Department on the 21st of May 2021. The OAMP was prepared in accordance with the Department's Environmental Management Plan Guideline. <ul style="list-style-type: none"> <li>• Section 4.3 of the OAMP addressed details of the offsets to compensate for MNES species habitat clearing – (a).</li> <li>• Section 4.7 of the OAMP addressed the requirements of the EPBC Act Environmental Offsets Policy – (b).</li> <li>• Sections 3.0 and 4.0 and Appendices B, C and D of the OAMP detailed the field validation baseline survey for offset areas – (c).</li> <li>• Sections 1.2 and 3.2 and Figures 3 to 7 of the OAMP described and map proposed offset areas – (d).</li> <li>• Section 4.3 of the OAMP provided information on habitat connectivity of the proposed offset areas relative to other habitat and corridors – (e).</li> <li>• Sections 5.0 and 6.0 of the OAMP described management measures to be implemented in offset areas – (f).</li> </ul>	NC



Condition Number	Condition	Findings	Compliance Status
	<p>vegetation, for <b>habitat suitable for the Koala (<i>Phascolarctos cinereus</i>) (combined populations of Qld, NSW and the ACT) and Greater Glider (<i>Petauroides volans</i>) and Squatter Pigeon (Southern) (<i>Geophaps scripta scripta</i>) habitat;</b></p> <p>d. a description and map (including <b>shapefiles</b>) to clearly define the location and boundaries of the proposed offset area/s, accompanied by the <b>offset attributes</b>;</p> <p>e. information about how the proposed offset area/s provide connectivity with other relevant habitats and biodiversity corridors;</p> <p>f. a description of the management measures (including timing, frequency and duration) that will be implemented in each offset area/s;</p> <p>g. a discussion of how proposed management measures take into account relevant <b>approved conservation advices</b> and are consistent with the measures contained in relevant <b>recovery plans</b> and <b>threat abatement plans</b>;</p> <p>h. completion criteria and performance targets for evaluating the effectiveness of Offset Management Plan implementation, and criteria for triggering corrective actions;</p> <p>i. a program to monitor, report on and review the effectiveness of the Offset Management Plan;</p> <p>j. a description of potential risks to the successful implementation of the offset/s, and contingency measures that would be implemented to mitigate against these risks; and</p>	<ul style="list-style-type: none"> <li>• Sections 4.0 and 5.0 of the OAMP discussed how management measures account for relevant approved conservation advice and were consistent with recovery plans and treat abatement plans – (g).</li> <li>• Section 5.1 of the OAMP addressed completion criteria and performance targets for evaluating effectiveness of the OAMP implementation or triggering corrective actions – (h).</li> <li>• Section 7.0 and 8.0 of the OAMP discussed monitoring and reporting to review OAMP effectiveness – (i).</li> <li>• Sections 8.0 and 9.0 of the OAMP described risks to the OAMP implementation and contingency measures to mitigate risks – (j).</li> <li>• Sections 4.6 and 8.3 of the OAMP provided details of mechanisms for legally securing offsets – (k).</li> </ul> <p>Nest boxes were installed in March 2022 (Nest Box Installation Report) and the first round of twice annual monitoring occurred in November 2022. Two nest box monitoring records for the Report period were provided for review. This section of the OAMP required nest box inspection by suitably qualified ecologists and not the landowner (land manager). Considering the above not having been completed by a suitably qualified ecologists, compliance with this OAMP requirement was not able to be demonstrated.</p> <p>Four quarterly land manager reports were provided for the period applicable to this report. Viewed reports covered the majority of requirements including summaries of grazing activities, monthly rainfall, and pest fauna and weed control activities. No mention of fires was included in these reports.</p>	



Condition Number	Condition	Findings	Compliance Status
	k. details of the mechanism to <b>legally secure</b> the environmental offset/s.	<i>Evidence: OAMP, Land Manager Reports, Nest Box Reports, copy of approval letter dated the 21st of November 2018 from the Department, CV of Dr Craig Streatfeild (suitably qualified person) who prepared the OAMP, Department Environmental Management Plan Guidelines, Letter from Department approving the OAMP.</i>	
6	The approval holder must <b>legally secure</b> the environmental offset/s within three (3) years from the <b>commencement of the clearance of habitat suitable for the Koala (<i>Phascolarctos cinereus</i>) (combined populations of QLD, NSW and the ACT) and Greater Glider (<i>Petauroides volans</i>) and Squatter Pigeon (Southern) (<i>Geophaps scripta scripta</i>) habitat.</b>	<p>This condition was part of the variation effective 14<sup>th</sup> of August 2020, extending if from "...within two (2) years...", placing the deadline on the 25<sup>th</sup> of October 2021.</p> <p>As per the previous compliance report, the formal declaration was issued on the 3<sup>rd</sup> of December 2021, however, the Notice of Declaration notes the date the request was received as the 15<sup>th</sup> of October 2021, which was within the window. As there was no statutory timeframe listed under sections 19E through 19L of the VM act, it is considered that the intent of the condition had been complied with.</p> <p>Documents provided at the time were:</p> <ul style="list-style-type: none"> <li>• Declared area map DAM 2021/003927</li> <li>• Voluntary Declaration Management Plan – IPE offset area within Lot 4 SP277438 (13/7/2021) and associated Isaac Plains East – Offset Area Management Plan: EPBC 2016/7827 (Rev 6, 5<sup>th</sup> of May 2021)</li> </ul> <p><i>Evidence: Declared area notice (2021/003927), Declare Area Map DAM.</i></p>	C (Qualified)
7	The approval holder must not <b>clear habitat suitable for the Koala (<i>Phascolarctos cinereus</i>) (combined populations of Qld, NSW and the ACT) and Greater Glider (<i>Petauroides volans</i>) and Squatter Pigeon (Southern) (<i>Geophaps scripta scripta</i>) habitat</b> until the <b>Minister</b> has approved the Offset Management Plan.	<p>Not applicable to the period of this Report – Found compliant in previous Annual Compliance Reports.</p> <p><i>Evidence: EPBC Act Annual Compliance Report 2023, 21<sup>st</sup> of November 2018 letter from Department to Stanmore Clarifying approval of OAMP as of the 2<sup>nd</sup> of October 2018, Letter from DAWE approving revised OAMP (25<sup>th</sup> of May 2021).</i></p>	NA
<b>Surface water management</b>			



Condition Number	Condition	Findings	Compliance Status
8	<p>In addition to the surface water quality monitoring requirements of the Environmental Authority issued for the action under the Environmental Protection Act 1994 (Qld) (EP Act), the approval holder must construct, operate and monitor an additional surface water quality monitoring point at the Isaac River above the confluence with Smoky Creek prior to <b>commencement</b> of the action.</p>	<p>Construction - Not applicable to the period of this Report – Found compliant in previous Annual Compliance Reports.</p> <p>The constructed monitoring point surface water quality monitoring point at the Isaac River above the confluence with Smoky Creek had been maintained and operated in accordance with manufacturers recommendations.</p> <p><i>Evidence: Site EA, Email correspondence re: water quality station installation 7th of May 2019 from Melanie Ballantine (Stanmore) to Chris Oats (Department Compliance Monitoring Team), Confirmation email from Melanie Ballantine to the Auditor 17th of July 2019, Data Summary Reports for the reporting period (ALS) (November 2023, December 2023, April 2024, May 2024).</i></p>	C
<b>Groundwater monitoring and management</b>			
9	<p>The approval holder must publish annual groundwater monitoring data, required to be collected by the Environmental Authority for the action under the EP Act, in the Annual Compliance Report required under condition 17.</p>	<p>The relevant versions of the EA took effect on the 6<sup>th</sup> of June 2019 and was amended on the 26<sup>th</sup> of February 2020 and the 16<sup>th</sup> of June 2021.</p> <p>Condition 40 of the EA required the development of a Groundwater Management and Monitoring Program. Previous compliance reports have stated this report was completed and provided to the department on the 29<sup>th</sup> of June 2018.</p> <p>Condition 41 of the EA required the collection and review of this data on an annual basis by a qualified person.</p> <p>Condition 42 of the EA prescribed groundwater monitoring locations, parameters and frequencies. These were addressed in the Groundwater Management and Monitoring Program.</p> <p>The review that was applicable to the 2023 reporting period (1<sup>st</sup> of July 2022 through 30<sup>th</sup> of June 2023) has been drafted by C&amp;R Consulting.</p> <p>Annual Groundwater Monitoring Data for the period applicable to this report has been included as <b>Attachment C</b>.</p>	C



Condition Number	Condition	Findings	Compliance Status
		<i>Evidence: Environmental Authority (EPML00932713), 2023 Annual Groundwater Review Draft (C&amp;R Consulting), Ground Water Monitoring data (Sample dates 13/12/2021 to 03/5/2023), <b>Appendix C.</b></i>	
<b>Riparian zone monitoring</b>			
10	Prior to the <b>commencement of mining activities</b> , a <b>suitably qualified person</b> must undertake ecological surveys in accordance with the <b>Department's</b> survey guidelines to determine the extent (in hectares) and <b>habitat condition</b> for <b>EPBC Act listed threatened species</b> in the <b>riparian area</b> . The approval holder must report its findings in the first Annual Compliance Report required under condition 17.	<p>Ecological surveying was completed between the 17<sup>th</sup> and the 20<sup>th</sup> of April 2018 by Ecological Survey and Management (EcoSM) to determine the condition and extent of habitat for the threatened species listed under the EPBC Act within the riparian area. A subsequent report was produced (Isaac Plains East Project EPBC Act Baseline Riparian Monitoring – July 2018) and was included in Appendix D of the first Annual Compliance Report.</p> <p>The ecological surveys predated the commencement of action notification date (9<sup>th</sup> of June 2018).</p> <p>Previous Annual Compliance Reports found that the ecological survey was completed by a suitably qualified person (A suitably qualified person is a person who has professional qualifications, training or skills and at least five (5) years of experience relevant to the nominated subject matters to give authoritative assessment, advice and analysis about performance relevant to the subject matter using relevant protocols, standards, methods and/or literature.).</p> <p><i>Evidence: Isaac Plains East Project EPBC Act Baseline Riparian Monitoring – July 2018, first Annual Compliance Report (August 2019).</i></p>	C
11	For the duration of this approval, the approval holder must maintain the extent and <b>habitat condition</b> for <b>EPBC Act listed threatened species</b> in the <b>riparian area</b> , as determined by the ecological surveys required under condition 10.	<p>The monitoring regime proposed in the Isaac Plains East Project EPBC Act Baseline Riparian Monitoring (July 2018) was to be implemented to monitor habitat condition against an established baseline.</p> <p>The proposed monitoring frequency was every two years, with the first monitoring event completed in March 2021, due to seasonal conditions which would be considered comparable to the baseline.</p> <p>The 2024 monitoring report was completed by Eco Solutions &amp; Management in August 2024. The results of this assessment concluded that mining activities had no significant impact on riparian vegetation</p>	C



Condition Number	Condition	Findings	Compliance Status
		<p>quality or habitat quality for the target species compared to the baseline for the applicable period.</p> <p><i>Evidence: Isaac Plains East Project EPBC Act Baseline Riparian Monitoring – July 2018, Riparian Monitoring Report Dated 15<sup>th</sup> August 2024 (ECOSM, 2024).</i></p>	
12	<p>If it is determined that the <b>habitat condition</b> for <b>EPBC Act listed threatened species</b> in the <b>riparian area</b> has not been maintained, the approval holder must notify the <b>Department</b> within one (1) month of determining that the <b>habitat condition</b> has not been maintained.</p>	<p>The 2024 monitoring report was completed by Eco Solutions &amp; Management in August 2024. The results of this assessment concluded that mining activities had no significant impact on riparian vegetation quality or habitat quality for the target species compared to the baseline for the applicable period, therefore notification to the Department was not required.</p> <p><i>Evidence: Isaac Plains East Project EPBC Act Baseline Riparian Monitoring – July 2018, Riparian Monitoring Report Dated 15<sup>th</sup> August 2024 (ECOSM, 2024).</i></p>	NA
13	<p>Within 12 months of notification in accordance with condition 12, the approval holder must submit an Offset Management Plan for the written approval of the <b>Minister</b>. The approved Offset Management Plan must be implemented.</p> <p>The Offset Management Plan must be prepared by a <b>suitably qualified person</b> in accordance with the <b>Department's Environmental Management Plan Guidelines</b> and include:</p> <ol style="list-style-type: none"> <li>a. details of the environmental offset/s to compensate for the extent and habitat condition for <b>EPBC Act listed threatened species</b> in the <b>riparian area</b> not maintained as required under condition 11;</li> </ol>	<p>Not Triggered as Condition 12 has also not been triggered.</p> <p><i>Evidence: Isaac Plains East Project EPBC Act Baseline Riparian Monitoring – July 2018, Riparian Monitoring Report Dated 15<sup>th</sup> August 2024 (ECOSM, 2024).</i></p>	NA



Condition Number	Condition	Findings	Compliance Status
	<p>b. details of how the proposed offset/s and Offset Management Plan meet the requirements of the <b>EPBC Act Environmental Offsets Policy</b>; and</p> <p>c. details of the mechanism to <b>legally secure</b> the environmental offset/s.</p>		
14	The approval holder must <b>legally secure</b> the environmental offset/s within two (2) years from the date that the <b>Department</b> was notified in accordance with condition 12.	<p>Not Triggered as Condition 12 has also not been triggered.</p> <p><i>Evidence: Isaac Plains East Project EPBC Act Baseline Riparian Monitoring – July 2018, Riparian Monitoring Report Dated 15<sup>th</sup> August 2024 (ECOSM, 2024).</i></p>	NA
<b>Standard administrative conditions</b>			
<b>Notification of date of commencement of the action</b>			
15	Within 20 days after the <b>commencement</b> of the action, the approval holder must advise the <b>Department</b> in writing of the actual date of <b>commencement</b> .	<p>The commencement date of the action (9<sup>th</sup> of June 2018) was notified to the Department on the 27<sup>th</sup> of May 2018.</p> <p><i>Evidence: Action commencement notification email 27<sup>th</sup> of May 2018 from Richard Oldham (Stanmore) to postapproval@environmenta.gov.au. and 27<sup>th</sup> of June 2018, letter from the Department to Richard Oldham (Stanmore) acknowledging commencement date.</i></p>	C
16	The approval holder must maintain accurate records substantiating all activities associated with or relevant to the conditions of approval, including measures taken to implement management plans required by this approval, and make them available upon request to the <b>Department</b> . Such records may be subject to audit by the <b>Department</b> or an independent auditor in accordance with section 458 of the <b>EPBC Act</b> or used to verify compliance with the conditions of approval. Summaries of audits will be posted on the	<p>Evidence was sighted of commencement correspondence, PTDs, OAMP and SMP actions, environmental monitoring summaries and preclearing ecological reviews and water quality records.</p> <p>It is understood that no records were requested by Department officers during the period of this report.</p> <p>An internal data loss incident report was also provided regarding a data loss event that occurred on the 28<sup>th</sup> of May 2024. This report highlighted</p>	C



Condition Number	Condition	Findings	Compliance Status
	<p><b>Department's</b> website. The results of audits may also be publicised through the general media.</p>	<p>the cause of the incident and the internal steps taken to restore the lost data and prevent future losses.</p> <p><i>Evidence: Action Commencement Notification, PTDs (177, 178, 18 &amp; 189) Post Data Loss Incident Report (24/06/24), Water Monitoring Data Reports (ALS) (November 2023, December 2023, April 2024, May 2024), EcoSM IPE Pit 5 Project Area Changes EPBC Act Assessment.</i></p>	
17	<p>Within three (3) months of every 12-month anniversary of the <b>commencement</b> of the action, the approval holder must publish a report (the Annual Compliance Report) on its website addressing compliance with each of the conditions of this approval, during the previous 12 months. Documentary evidence providing proof of the date of publication must be provided to the <b>Department</b> at the same time as the Annual Compliance Report is published. Reports must remain published for the life of the approval. The approval holder must continue to publish the Annual Compliance Report each year until such time as agreed to in writing by the <b>Minister</b>.</p>	<p>This report was prepared and provided to Stanmore (on the 6<sup>th</sup> of September 2024) to be published on the Stanmore Website before the 9<sup>th</sup> of September 2024.</p> <p>The previous Annual Compliance Reports were located on the Stanmore website (<a href="https://www.stanmore.au/sustainability/environmental-reports/">https://www.stanmore.au/sustainability/environmental-reports/</a>) (Confirmed on the 17<sup>th</sup> of July 2024). Advice on upload of previous report (2022/2023) was given to the department on the 8<sup>th</sup> of September 2023 11:28 AM. Emails regarding notification to the Department of upload of previous Report were provided.</p> <p>The previous report was temporarily unavailable on the website as a result of a server power failure on the 28<sup>th</sup> of May 2024, resulting in widespread data loss. As of June 2024, the report was available of the website again.</p> <p><i>Evidence: This report (pending upload to Stanmore website and notice to the department), Previous Annual Reports Published on the Stanmore website, Email from the department confirming receipt of 2022/2023 Compliance Report and notification re. publishing of report, Post Data Loss Incident Report (24/06/24).</i></p>	C (Pending for this report)
18	<p>The approval holder must report any potential or actual contravention of the conditions of this approval to the <b>Department</b> in writing within five (5) business days of the approval holder becoming aware of a contravention.</p>	<p>During the period of this Compliance Report no potential or actual contravention of conditions were found.</p> <p><i>Evidence: This Report.</i></p>	NA



Condition Number	Condition	Findings	Compliance Status
19	Upon the direction of the <b>Minister</b> , the approval holder must ensure that an independent audit of compliance with the conditions of approval is conducted, and a report submitted to the <b>Minister</b> . The approval holder must not commence the audit until the <b>Minister</b> approves the independent auditor and audit criteria in writing. The audit report must address the criteria to the satisfaction of the <b>Minister</b> .	No such direction has been received from the Minister.  <i>Evidence: Verbal (Belinda Parfitt – 11<sup>th</sup> of July 2024).</i>	NA
20	The approval holder may choose to revise a management plan approved by the <b>Minister</b> under condition 3 without submitting it for approval under section 143A of the <b>EPBC Act</b> , if the taking of the action in accordance with the revised plan would not be likely to have a <b>new or increased impact</b> . If the approval holder makes this choice it must: a. notify the <b>Department</b> in writing that the approved plan has been revised and provide the <b>Department</b> , at least four (4) weeks before implementing the revised plan, with: i. an electronic copy of the revised plan; ii. an explanation of the differences between the revised plan and the approved plan; and iii. reasons the approval holder considers that the taking of the action in accordance with the revised plan would not be likely to have a <b>new or increased impact</b> .	Not Triggered as: <ul style="list-style-type: none"> <li>The SMP had not been revised since approval by the Department on the 2<sup>nd</sup> of October 2018.</li> <li>The initial approved OAMP was replaced due to a change to offset location and the new OAMP was Approved by the Minister on the 21<sup>st</sup> of May 2021.</li> </ul> <i>Evidence: SMP, OAMP, copy of approval letter dated the 21<sup>st</sup> of November 2018 from the Department, Letter from Department approving the revised OAMP (25<sup>th</sup> of May 2021).</i>	NA
20A	The approval holder may revoke its choice under condition 20 at any time by notice to the <b>Department</b> . If the approval holder revokes the choice to implement a revised plan, without approval under section 143A of the <b>EPBC Act</b> , the plan approved by the <b>Minister</b> must be implemented.	Not Triggered as Condition 20 had not triggered.  <i>Evidence: SMP, OAMP, copy of approval letter dated the 21<sup>st</sup> of November 2018 from the Department, Letter from Department approving the revised OAMP (25<sup>th</sup> of May 2021).</i>	NA



Condition Number	Condition	Findings	Compliance Status
20B	<p>If the <b>Minister</b> gives a notice to the approval holder that the <b>Minister</b> is satisfied that the taking of the action in accordance with the revised plan would be likely to have a <b>new or increased impact</b>, then:</p> <ul style="list-style-type: none"> <li>a. condition 20 does not apply, or ceases to apply, in relation to the revised plan; and</li> <li>b. the approval holder must implement the plan approved by the Minister.</li> </ul> <p>To avoid any doubt, this condition does not affect any operation of conditions 20 and 20A in the period before the day the notice is given.</p> <p>At the time of giving the notice, the <b>Minister</b> may also notify that for a specified period of time condition 20 does not apply for one or more specified plans required under the approval.</p>	<p>Not Triggered as Condition 20 had not triggered.</p> <p><i>Evidence: SMP, OAMP, copy of approval letter dated the 21<sup>st</sup> of November 2018 from the Department, Letter from Department approving the revised OAMP (25<sup>th</sup> of May 2021).</i></p>	NA
20C	<p>Conditions 20, 20A and 20B are not intended to limit the operation of section 143A of the <b>EPBC Act</b> which allows the approval holder to submit a revised plan to the <b>Minister</b> for approval.</p>	<p>Not Triggered as Condition 20 had not triggered.</p> <p><i>Evidence: SMP, OAMP, copy of approval letter dated the 21<sup>st</sup> of November 2018 from the Department, Letter from Department approving the revised OAMP (25<sup>th</sup> of May 2021).</i></p>	NA
21	<p>If, at any time after five (5) years from the date of this approval, the approval holder has not <b>commenced</b> the action, then the approval holder must not <b>commence</b> the action without the written agreement of the <b>Minister</b>.</p>	<p>Not Triggered as the action commenced within 5 years of the date of approval.</p> <p><i>Evidence: The Approval and action commencement notification Email 27<sup>th</sup> of May 2018 from Richard Oldham (Stanmore) to postapproval@environmenta.gov.au and 27<sup>th</sup> of June 2018, letter from the Department to Richard Oldham (Stanmore) acknowledging commencement date.</i></p>	NA



Condition Number	Condition	Findings	Compliance Status
22	<p>Unless otherwise agreed to in writing by the <b>Minister</b>, the approval holder must publish all management plans referred to in these conditions of approval on its website. Each management plan must be published on the website within one (1) month of being approved by the <b>Minister</b> or being submitted under condition 20. All management plans must remain on the website for the lifetime of the approval unless otherwise agreed to in writing by the <b>Minister</b>.</p>	<p>The SMP and OAMP were approved outside the period of this Annual Compliance Report. (Note: Both SMP and OAMP were published to the Stanmore website as of the 11<sup>th</sup> of July 2024).</p> <p><i>Evidence: Previous Compliance Report, Stanmore website (accessed 11<sup>th</sup> of July 2023, Email, R. Oldham to K. Devin 07 June 2021.</i></p>	C



## 5.0 Reviewed Documentation

ALS Environmental, November 2023. Isaac Plains Coal Mine Environmental Monitoring Data Summary Report.

ALS Environmental, December 2023. Isaac Plains Coal Mine Environmental Monitoring Data Summary Report.

ALS Environmental, April 2024. Isaac Plains Coal Mine Environmental Monitoring Data Summary Report.

ALS Environmental, May 2024. Isaac Plains Coal Mine Environmental Monitoring Data Summary Report.

Ausecology, January 2022. Mt Spencer Offset: Isaac Plains East -EPBC 2016/7827 Ecological Condition Report 2021.

Ausecology, June 2023. SFSE202 – Field Work Prestart Checklist and Daily Work Report 2023-06-10.

Ausecology, June 2023. SFSE202 – Field Work Prestart Checklist and Daily Work Report 2023-06-22.

Ausecology, June 2023. SFSE202 – Field Work Prestart Checklist and Daily Work Report 2023-06-26.

Ausecology, June 2023. SFSE202 – Field Work Prestart Checklist and Daily Work Report 2023-07-01.

Australian Government Department of Environment and Energy (DoEE), November 2018. Letter RE: Offset Management Plan and Species Management Plan, Extension to Isaac Plain Mine, Moranbah, Qld (EPBC 2016/7827).

Australian Government, June 2021, Environmental Authority (EPML00932713).

Base, July 2018. Isaac Plains East – Offset Area Management Plan: EPBC 2016/7827.

Base, September 2018. Isaac Plains East – Matters of National Environmental Significance Species Management Plan.

Base, March 2021. Isaac Plains East – Offset Area Management Plan: EPBC 2016/7827.

C&R Consulting, May 2021. Isaac Plain Complex – Dust Management Plan.

C&R Consulting, March 2024. DRAFT Isaac Plains Coal Mine – Rehabilitation Inspection.

C&R Consulting, August 2024. DRAFT 2023 Annual Groundwater Review.

Department of Agriculture Water and Environment, May 2021. Letter – EPBC 2016/7827: Isaac Plains East – Offset Management Plan (approving revised OAMP).

Department of Climate Change, Energy, the Environment and Water, September 2023. RE: Stanmore Resources Isaac Plains – EPBC 2016/7827 – Annual Compliance Report.

Eco Solutions and Management, July 2018. Isaac Plains East Project – EPBC Act Baseline Riparian Monitoring.

Eco Solutions and Management, October 2023. Isaac Plains East Project – Nest box inspection.

Eco Solutions and Management, August 2024. Isaac Plains East Project – EPBC Act Riparian Monitoring 2024.



ESPA, February 2024. Isaac Plains Complex – Weekly Plan 7<sup>th</sup> February 2024.

Melanie Ballantine, May 2019. Letter RE: Isaac River Auto Water Monitoring Station.

Melanie Ballantine, July 2019. Letter RE: Isaac River Auto Water Monitoring Station.

Richard Oldham, June 2018. Letter Subject: Commencement Date - Isaac Plains Mine, Queensland (EPBC 2016/7827).

Russel Aspland, September 2024. Email RE: IPCM | EPBC land clearing.

SLR, August 2019. Isaac Plains East – EPBC Act Annual Compliance Report.

SLR, August 2023. Isaac Plains East – EPBC Act Annual Compliance Report.

Stanmore, Dust Monitoring Charts Isaac Plains Complex – <https://www.stanmore.au/assets/operations/>. Viewed 6th of September 2024.

Stanmore, Environmental Reports Isaac Plains Complex – <https://www.stanmore.au/sustainability/environmental-reports/>. Viewed 17th of July 2024.

Stanmore, June 2023. Permit to Disturb Form – Permit Number: 178v3.

Stanmore, August 2023. Permit to Disturb Form – Permit Number: 177v6.

Stanmore, January 2024. Permit to Disturb Form – Permit Number: 188.

Stanmore, January 2024. Permit to Disturb Form – Permit Number: 189.

Stanmore, July to September 2023. Offset Area #1, #2 and #3 – Lot 4, Mt Spencer Station Report.

Stanmore, September 2023. Land Manager Nest Box Monitoring.

Stanmore, March 2024. Land Manager Nest Box Monitoring.

Stanmore, October to December 2023. Offset Area #1, #2 and #3 – Lot 4, Mt Spencer Station Report.

Stanmore, January to March 2024. Offset Area #1, #2 and #3 – Lot 4, Mt Spencer Station Report.


Stanmore, April to June 2024. Offset Area #1, #2 and #3 – Lot 4, Mt Spencer Station Report.

Stanmore, May 2024. SMR Technology Operations – Post Incident review report.

Stanmore/ESPA, Isaac Downs and Isaac Plains HSE Training and Induction Package.

WSP, August 2020. Isaac Plains Complex and Isaac Downs Project – Weed and Pest Management Plan.





# **Appendix A    Species Management Plan and Offset Management Plan Implementation - Audit Tables**

**EPBC Act Annual Compliance Report**

**Issac Plains East – EPBC Act Referral 2016/7827**

**Stanmore Resources Limited**

**SLR Project No.: 626.030238.000011**

## A.1 Specis Management Plan and Offset Management Plan – Audit Tables

Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
Limit or avoid loss of MNES and/or habitat for MNES.	<ul style="list-style-type: none"> <li>Clearing of habitat for MNES does not occur outside of the approved disturbance limits and does not exceed the disturbance limits detailed in Table 1 of this SMP.</li> <li>No net loss of habitat for the Koala and Greater Glider outside of the approved disturbance limits.</li> <li>No loss of permanent water sources for the Squatter Pigeon outside of the approved disturbance limits.</li> <li>Rehabilitation of disturbed areas will be rehabilitated in accordance with the Project's Rehabilitation Management Plan.</li> </ul>	<ul style="list-style-type: none"> <li>Infrastructure will be sited in accordance with the State and Commonwealth approval conditions.</li> <li>Areas requiring vegetation removal will be clearly delineated to ensure disturbance to areas being retained is avoided. Limits of clearing are to be delineated using barricading or temporary fencing and signage prior to works commencing. Exclusion areas are to be clearly shown and labelled on all operational and management drawings and plans. GIS shapefiles will be provided to clearing personnel and/or contractors prior to the commencement of clearing operations.</li> <li>Where exclusion fencing is required, consideration shall be given to fauna movement, current land uses and worker safety requirements.</li> <li>Permanent water sources for retention such as farm dams outside of the disturbance limits will be clearly delineated and shown and labelled on all operational and management drawings and plans.</li> <li>Avoid where possible and within the constraints of the mining schedule, impacting on MNES habitat during breeding periods through timing of clearing and creek disturbance activities to avoid the main breeding season of impacted MNES (i.e. mid dry season to</li> </ul>	<ul style="list-style-type: none"> <li>Clearing of MNES habitat exceeds the approved disturbance limits in Table 1 of this SMP and/or occurs outside of the Project footprint as outlined in Attachment A of EPBC Act approval.</li> <li>No disturbance to permanent water sources, which may provide habitat for Squatter Pigeons and Ornamental Snakes, outside of the disturbance areas.</li> <li>Rehabilitation and decommissioning fails to meet the objectives of the Rehabilitation Management Plan.</li> </ul>	<ul style="list-style-type: none"> <li>Fauna Spotter will monitor and record clearing activities and all fauna encountered.</li> <li>The Environmental Officer (EO) will monitor and record the total area of MNES habitat cleared every quarter and assess against the disturbance limits outlined in Table 1 of this SMP and the Project footprint as outlined in EPBC Act approval.</li> <li>Auditing of the Permit to Disturb will be undertaken quarterly by the EO to ensure any disturbance has been undertaken in accordance with the requirements of the Permit to Disturb, this SMP and approval conditions and to ensure no unauthorised disturbance has occurred.</li> <li>Rehabilitation monitoring will be undertaken in accordance with Rehabilitation Monitoring Plan that is required to be prepared in accordance with Condition F13 of the Project's EA (Appendix C).</li> </ul>	<ul style="list-style-type: none"> <li>Should clearing of habitat for MNES exceeds the approved disturbance limits in Table 1 of this SMP and/or occurs outside of the Project footprint, clearing, works are to cease immediately and DotEE notified of the incident within five business days. The incident will be recorded in the Project's environmental and incident reporting system register.</li> <li>Following clearing, the area will be assessed within 20 business days by a suitably qualified expert with corrective actions provided to the DotEE via a Corrective Action Contingency Plan.</li> <li>The Plan will include a schedule to implement the corrective actions.</li> <li>Should rehabilitation and decommissioning fail to meet the objectives and completion criteria of the Rehabilitation Management Plan and the schedule outlined in Table 19 of the Project's EA, the reasons of the failure will be investigated.</li> </ul> <p><b>Corrective Actions:</b></p> <ul style="list-style-type: none"> <li>The Corrective Actions identified in the Corrective Action Contingency Plan and approved by DotEE will be implemented and may include additional rehabilitation or offsets or</li> </ul>	<ul style="list-style-type: none"> <li>Infrastructure was as per approvals (<i>field observation</i>).</li> <li>Limits of disturbance were marked using fencing, signage, flagging and pegging (<i>field observation</i>).</li> <li>Fencing lower strand was positioned to allow fauna movement (<i>field observation</i>).</li> <li>Permits to Disturb were completed and signed off by the Principal Environment and Community prior to clearing (<i>Permits to Disturb</i>).</li> <li>Requirements for SMP and OMP addressed in the permits to Disturb. (<i>Permits to Disturb</i>).</li> <li>Shape files and maps of limits of disturbance were created for each Permit to Disturb (<i>Permits to Disturb and relevant shape files and maps</i>).</li> <li>Permits to Disturb identified potential impact to MNES species and known animal breeding areas and make use of fauna spotters during and preclearance (<i>Permits to Disturb</i>).</li> <li>Spotters were present and signed on to Permits to Disturb during all clearing activities for Pit 5 following preclearing inspections</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		<p>wet season for Squatter Pigeon.</p> <ul style="list-style-type: none"> <li>• Prior to entry to the Project area, all site personnel including contractors shall be made aware via toolbox talks and site information sheets, of the sensitive environs they will be working in and around and be advised of specific limitations to construction works being undertaken in or adjacent to threatened fauna habitat. All staff and contractors will be required to report sightings of SMP relevant fauna in the activity area to the EO immediately.</li> <li>• An internal 'Permit to Disturb' system will be used by the EO to ensure that all clearing activities are authorised prior to disturbance. Conditions listed in the Permit to Disturb must be implemented.</li> <li>• The EO or delegate will routinely inspect the disturbance limit boundaries to ensure that no clearing or disturbance of vegetation or habitat beyond the approved limits has taken place.</li> <li>• Temporary stockpile sites for soil and equipment, access routes, laydown areas and other associated infrastructure will be located in cleared areas and will not be situated in areas of MNES habitat.</li> <li>• Prior to construction activities commencing, signage, including speed limits, will be erected in the vicinity of exclusion areas to warn of the potential presence of threatened fauna in the area.</li> </ul>			<p>provision of additional permanent water sources for the Squatter Pigeon and/or Ornamental Snake prey.</p> <ul style="list-style-type: none"> <li>• Within 20 business days of a rehabilitation trigger being activated, a Contingency Plan will be developed by a suitably qualified expert to address the reason for the failure and identify appropriate Corrective Actions.</li> </ul>	<p>(Permits to Disturb).</p> <ul style="list-style-type: none"> <li>• The EPSA Induction Package was provided for review. Review in the previous two reporting periods identified that the induction package lacked reference to the EPBC MNES and site requirements (including weeds and pests, machinery washdown, roads &amp; tracks significant fauna, etc.). An Improvement Opportunity was highlighted in the previous two Compliance Reports, however, the current EPSA induction package continued to lack effective communication to contractors of key fauna related matters under the SMP, resulting in the inability to demonstrate full implementation of the SMP (EPSA Induction, previous Reports).</li> <li>• Permits to Disturb system was in use (Permits to Disturb).</li> <li>• Regular inspections were completed by EO to ensure disturbance limit boundaries maintained (verbal: B. Parfitt).</li> <li>• The maximum site speed limit was 60 km/hr with haul road speed limited to 80 km/hr (previous Report and verbal: B. Parfitt).</li> <li>• Water Infrastructure retention agreement and plan was in place (Retention of Infrastructure Agreement).</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		<ul style="list-style-type: none"> <li>• Pre-clearance surveys will be undertaken by a suitably qualified ecologist using approved State and Commonwealth survey guidelines within 48 hours before clearing activities commencing.</li> <li>• The pre-clearance survey will be undertaken in order to:</li> <li>• Record the location of all hollow bearing trees, log piles and nest using a GPS. Features of tree hollows (diameter, number and whether active/inactive) should be recorded in the Environmental Diary/Register; and</li> <li>• Relocate all captured non-breeding animals to suitable habitat adjacent to the disturbance area and within the Project Area.</li> <li>• A Fauna Spotter will be present for all clearing activities and will conduct a walk-through survey prior to commencement of clearing and prior to clearing works each day to check vegetation and other fauna habitats.</li> <li>• The Fauna Spotter will reinspect the area of cleared vegetation immediately after clearing to locate any potentially injured fauna that should then be taken to a wildlife carer or veterinarian.</li> <li>• Vegetation clearing will be undertaken progressively and trees will be felled in the direction of the clearance zone to avoid impacts to adjoining retained vegetation and habitat.</li> </ul>				<ul style="list-style-type: none"> <li>• Hollow bearing tree locations and nests were recorded, with specific considerations made in Permits to Disturb to follow the requirements under the SMP (individual removal following other clearing activities with inspection completed by spotter catcher) (<i>Permits to Disturb</i>).</li> <li>• Animals were captured and relocated (as recorded) as required by spotter catchers (<i>Permits to Disturb</i>).</li> <li>• Spotter catchers undertook pre and post clearing inspections as per the disturbance permits (<i>Permits to Disturb</i>).</li> <li>• Permits to Disturb highlighted the requirements under the SMP to relocate fauna at least 200 m from the clearing area (<i>Permits to Disturb</i>).</li> <li>• Injured native animals recorded at IPE during the period of the report were taken to the local vet (<i>verbal: B. Parfitt</i>)</li> <li>• Clearing and grubbing was carried out in one continuous direction to allow fauna a path to escape (<i>verbal: B. Parfitt</i>)</li> <li>• Fauna Spotter reports were completed, including photos of works completed during clearing activities (<i>Spotter Catcher Reports</i>).</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		<ul style="list-style-type: none"> <li>Hollow bearing trees will be clearly flagged, and surrounding vegetation removed with the hollow bearing tree left standing for at least one night to encourage fauna to relocate of its own accord. Hollow bearing trees will be inspected to determine if hollows are occupied.</li> <li>If after one night the resident fauna have not moved on, the hollow entrance will be blocked with a towel or similar and the hollow removed by cutting below the hollow section. The hollow with the animal inside will then be installed in nearby similar and adjoining vegetation to be retained at a similar height and orientation with the entrance unblocked at dusk.</li> <li>If the procedure described above is not possible for any reason, hollow-bearing trees will be felled using a tree grab or similar that can remove the tree in a controlled fashion. If possible and safe to do so, hollow trees will be felled at dusk to allow fauna the opportunity to disperse during their normal activity period. These trees will be felled away from hollow openings. The tree will be knocked at the base several times prior to felling to encourage fauna to relocate of their own accord. Once the tree is felled, it will be inspected for any fauna and any injured fauna rescued and taken to a wildlife carer or veterinarian.</li> <li>Any fauna that is captured will be relocated into the adjacent habitat at least 200 m from the</li> </ul>				<ul style="list-style-type: none"> <li>Annual rehabilitation monitoring was undertaken (<i>Draft 2024 Rehabilitation Inspection Report</i>)</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		<p>clearing area if clearing works are yet to be completed.</p> <ul style="list-style-type: none"> <li>Where threatened fauna is identified and delaying the clearing of area is not feasible, (i.e. the clearing is critical to the activity schedule), a 50 m exclusion zone will be established, and the area must not be disturbed for a minimum of 24 hours while clearing is undertaken around the exclusion zone. After 24 hours, a Fauna Spotter/Catcher may relocate the breeding animal to suitable habitat at least 200 m away from the disturbance area. Where survival of young or eggs is unlikely as a result of the disturbance, these are to be handed over to a previously identified wildlife carer or veterinarian.</li> </ul>				
Prevent habitat degradation and a decline in habitat values within the retained habitat within the Project area.	Maintain habitat quality scores within the retained MNES habitat in relation to baseline habitat quality scores.	<ul style="list-style-type: none"> <li>Areas of MNES habitat adjacent to the disturbance footprint and within the Project area (i.e. mine lease), will be clearly delineated and shown and labelled on all operational and management drawings and plans. GIS shapefiles will be provided to clearing personnel and/or contractors prior to the commencement of clearing operations.</li> <li>Site access is only to occur along designated site access tracks. No unauthorised access is permitted.</li> <li>Prior to commencement of the action signage, including speed limits, will be erected to warn of the potential presence of threatened fauna in the area.</li> </ul>	The habitat quality score in areas of retained MNES are not maintained (e.g. habitat falls below the baseline habitat quality score).	Habitat quality assessments will be undertaken annually for the first three (3) years then every two (2) years thereafter in retained vegetation that provides habitat for MNES including monitoring of the riparian area as required by Condition 10 of the EPBC Act approval. Monitoring will be undertaken in accordance with the Commonwealth survey guidelines and the State guidelines guide for determining terrestrial habitat quality. These methods are outlined in Appendix A and Appendix B.	<ul style="list-style-type: none"> <li>Where inadvertent disturbance to MNES habitat occurs, an investigation will be undertaken.</li> <li>Should a decline in the habitat quality scores be observed, the cause will be investigated, and a Corrective Actions Contingency Plan will be developed by a suitably qualified ecologist within 20 business days of the decline being detected. The Plan will include appropriate corrective actions and an implementation schedule for those actions. The DotEE will be notified within 20 business days of the decline in habitat quality.</li> </ul>	<ul style="list-style-type: none"> <li>Mine planning and disturbance permits were completed, identifying limits to disturbance and MNES habitat, and provided to clearing staff and spotter catchers (<i>Permits to Disturb</i>).</li> <li>Environmental signage was present on main access roads (<i>Field observation</i>).</li> <li>The maximum site speed limit was 60 km/hr with haul road speed limited to 80 km/hr (<i>previous Report and verbal: B. Parfitt</i>)</li> <li>Custom MNES bench seats and posters were present at administrative buildings (<i>Field observation</i>).</li> <li>The EPSA Induction Package was provided for</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		<ul style="list-style-type: none"> <li>Posters will be developed and displayed in meeting areas that reminds staff and contractors about the MNES present in the Project area.</li> <li>Prior to entry to the Project area, all site personnel including contractors shall be made aware via toolbox talks and site information sheets, of the sensitive environs they will be working in and around and be advised of specific limitations to construction and/or operational works being undertaken in or adjacent to threatened fauna habitat. All staff and contractors will be required to report sightings of MNES fauna to the EO immediately</li> <li>Where tree hollows that are suspected as being used by Greater Gliders are identified from within the disturbance area, they are to be salvaged to the greatest extent possible and relocated within retained vegetation. As far as practical, the site of the relocation is to be within retained vegetation and replicate the height and orientation of the original breeding or nesting structure. Sections of hollow branch or log will be secured in the new location by mechanical means deemed appropriate by the Fauna Spotter/Catcher (e.g. bolts, metal bands). Relocation is to be undertaken under the supervision of a spotter/catcher.</li> <li>Selected trees and/or logs will be salvaged and reused as fauna habitat to enhance retained vegetation habitat values (e.g. within Smoky Creek and Billy's Gully). Trees</li> </ul>			<p><b>Corrective Actions:</b></p> <ul style="list-style-type: none"> <li>Corrective actions identified in the Plan will be implemented within 30 days of the trigger being detected. Depending on the cause of the decline in habitat quality scores, potential corrective actions may include: <ul style="list-style-type: none"> <li>Rehabilitation of MNES habitat.</li> <li>Additional environmental awareness training to workers regarding MNES.</li> <li>Increasing pest animal and weed control measures or revising the type of measures implemented.</li> <li>Increasing the frequency of dust suppression techniques.</li> <li>Repair fences if damaged, or installation of new fencing.</li> <li>Provision of additional offsets in accordance with the EPBC Act approval Condition 13.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>review. Review in the previous two reporting periods identified that the induction package lacked reference to the EPBC MNES and site requirements (including weeds and pests, machinery washdown, roads &amp; tracks significant fauna, etc.). An Improvement Opportunity was highlighted in the previous two Compliance Reports, however, the current EPSA induction package continued to lack effective communication to contractors of key fauna related matters under the SMP, resulting in the inability to demonstrate full implementation of the SMP (<i>EPSA Induction, previous Reports</i>).</li> <li>To date only one hollow tree associated with a Greater Glider has been identified, outside of the period of this report (<i>verbal: B. Parfitt</i>)</li> <li>Logs and hollows with habitat value had previously been salvaged during clearing campaigns. (<i>Field</i>).</li> <li>12 nest boxes were located in undisturbed habitat. Inspection of the nest boxes occurred in October 2023 and use by gliders evidenced (<i>AusEcology 2021, EcoSM 2023</i>).</li> <li>Dust Management Plan is in place and was found compliant in the previous</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		<p>and other habitat features to be salvaged will be identified and flagged by the Fauna Spotter/Catcher during the walk-through survey and/or clearance activities.</p> <ul style="list-style-type: none"> <li>If an occupied tree hollow cannot be relocated the breeding habitat should be replaced nearby and in retained vegetation (but at least 200 m away from the disturbance area) in undisturbed habitat, with an artificial nesting structure at a ratio of 1:1 using current best practice nest box design.</li> <li>Implementation of dust suppression techniques in accordance with the Dust Management Plan and the CMSHA and the CMSHR.</li> <li>Maintenance of existing fences.</li> <li>Pest animals and weeds will be managed in accordance with the Project's Weed and Pest Management Plan.</li> <li>Light spill we be directed to the open cut pits to minimise light spill.</li> <li>The use of low wattage lighting with list spill guards.</li> </ul>				<p>Report. Weekly reporting of the real-time dust monitoring results was provided on the Stanmore website (<i>Stanmore website, previous Report, Dust Management Plan</i>).</p> <ul style="list-style-type: none"> <li>Fences were maintained in good order and lower strand was located to allow for fauna movement (<i>field observation</i>)</li> <li>A Weed and Pest Management Plan is in place highlighting priority species and management actions, however, whilst verbal confirmation that weed management occurs, as managed by EPSA, no records of treatment were available. No significant weed outbreaks were noted in field observation (<i>Weed and Pest Management Plan, verbal: B. Parfitt, field observation</i>).</li> <li>Permits to Disturb listed the requirement for vehicles and machinery to be washed down prior to entering site (<i>Permits to Disturb</i>).</li> <li>Lights were found to be generally facing work areas and avoiding undisturbed habitat (<i>Field observation</i>).</li> </ul>
<p>Minimise risk of weed introduction and/or the spread of existing weed species in habitat area for MNES.</p>	<ul style="list-style-type: none"> <li>No new weed species are established in areas of MNES habitat based on baseline data.</li> </ul> <p>Spreading of weeds does not occur relative to baseline data.</p>	<ul style="list-style-type: none"> <li>Weeds will be managed in accordance with the Project's Weed and Pest Management Plan.</li> <li>The Plan will include the following:</li> <li>A site induction program that provides weed management information</li> </ul>	<ul style="list-style-type: none"> <li>An increase in the average percent (%) cover score of weed species from baseline and/or previous monitoring events.</li> </ul> <p>Detection of weed species not previously recorded in the Project area during baseline and/or previous monitoring events.</p>	<ul style="list-style-type: none"> <li>Monitoring of weeds outside of the disturbance areas will be undertaken during the habitat quality assessment surveys using similar methodology to the baseline ecological survey (Appendix A) and the habitat quality assessment methodology (Appendix B)</li> </ul>	<ul style="list-style-type: none"> <li>Should an increase in weed cover or presence of new weed species be observed, an investigation will be undertaken to determine the cause. This will involve reviewing adherence to the Weed and Pest Management Plan and an assessment of the</li> </ul>	<ul style="list-style-type: none"> <li>Weeds and Pests were managed according to the findings of rehabilitation monitoring and or routine site inspections. Weeds and Pests were managed according to the Weed and Pest Management Plan (<i>verbal: B. Parfitt</i>)</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		<p>to staff, contractors and visitors.</p> <ul style="list-style-type: none"> <li>Detailed control measures aimed at eradicating where possible, or otherwise reducing the extent of weeds in accordance with the Queensland Department of Agriculture and Fisheries (DAF) guidelines and the requirements of the <i>Biosecurity Act 2014</i>.</li> <li>Weed washdown procedures for all vehicles brought to site that will be traveling beyond the site office carpark.</li> <li>Targeted weed control measures within the Project area.</li> </ul>		<p>and will be undertaken annually for the first three (3) years then every two years (refer to Section 5.0 (of SMP)).</p>	<p>distribution of weeds within the Project area in relation to baseline to determine the cause of the incursions.</p> <ul style="list-style-type: none"> <li>From the investigation, a Corrective Action Contingency Plan will be developed by a suitably qualified ecologist within 20 business days of the trigger being detected. The Contingency Plan will include appropriate corrective actions and an implementation schedule for those corrective actions.</li> </ul> <p><b>Corrective Actions:</b></p> <ul style="list-style-type: none"> <li>Corrective actions identified in the contingency plan will be implemented within 30 days of the trigger being detected.</li> <li>Potential corrective actions may include: <ul style="list-style-type: none"> <li>Increasing the frequency and/or duration of weed control efforts.</li> <li>Investigating and/or implementing alternate weed management control actions.</li> <li>Amending weed hygiene practices.</li> <li>Updating the Weed and Pest Management Plan.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>The EPSA Induction Package was provided for review. Review in the previous two reporting periods identified that the induction package lacked reference to the EPBC MNES and site requirements (including weeds and pests, machinery washdown, roads &amp; tracks significant fauna, etc.). An Improvement Opportunity was highlighted in the previous two Compliance Reports, however, the current EPSA induction package continued to lack effective communication to contractors of key fauna related matters under the SMP, resulting in the inability to demonstrate full implementation of the SMP (<i>EPSA Induction, previous Reports</i>).</li> <li>Machinery wash bay was located onsite (<i>field observation</i>).</li> <li>Permits to Disturb listed the requirement for vehicles and machinery to be washed down prior to entering site with earthmoving equipment requiring Weed Declaration Certificates (<i>Permits to Disturb</i>).</li> </ul>
Reduce habitat degradation and potential predation on MNES by pest animals.	<ul style="list-style-type: none"> <li>No new pest animal species are established in areas of MNES habitat in comparison to baseline data.</li> </ul>	<ul style="list-style-type: none"> <li>Pest animals will be managed in accordance with the Project's Weed and Pest Management Plan.</li> </ul>	<ul style="list-style-type: none"> <li>Observed increase in sightings/signs and/or the relative abundance of pest animals in areas of retained MNES habitat above baseline levels.</li> </ul>	<ul style="list-style-type: none"> <li>Monitoring of pest animals in the retained MNES habitat will be undertaken using similar methodology (or an alternate methodology proposed by a</li> </ul>	<ul style="list-style-type: none"> <li>Should evidence of pest animals show an increase compared to baseline, undertake an investigation to assess possible reasons for the increase (e.g.</li> </ul>	<ul style="list-style-type: none"> <li>The EPSA Induction Package was provided for review. Review in the previous two reporting periods identified that the induction package lacked reference to the EPBC</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
	Reduction in pest animal numbers in areas of habitat for MNES to below baseline levels.	<ul style="list-style-type: none"> <li>The Project's Weed and Pest Management Plan includes requirements for: <ul style="list-style-type: none"> <li>Appropriate waste management and waste disposal.</li> <li>A reporting framework to ensure sightings of pest animals are recorded.</li> <li>Site inductions to include information on pest animals including control requirements, importance of appropriate waste management and reporting requirements when pest animals are observed within the Project area during construction and operation activities.</li> <li>Control of pest animals.</li> </ul> </li> <li>Pest management actions outlined in the Weed and Pest Management Plan will primarily focus on those pest animals identified within the Project area and include Cane Toads, Feral Cats, Wild Dogs, House Mice and European Rabbits and that have a potential to impact on MNES and their habitat. Additional pests will be included as necessary if identified as occurring within the Project area during the habitat quality monitoring program (European Foxes and Feral Pigs).</li> </ul> <p>Pest management will include a range of best management practice actions including shooting, trapping, fencing and baiting in and will be undertaken in accordance</p>	Direct observation or signs of, a pest animal not identified as occurring within the Project area during the baseline surveys.	<p>suitably qualified ecologist) to the baseline ecological survey undertaken for the EPBC referral (Appendix A) as well as the habitat quality assessment methodology (Appendix B) and will be undertaken annually for the first three (3) years then every two (2) years thereafter (refer to Section 5.0(of SMP)).</p> <p>Potential predation of MNES will also be assessed during the habitat quality scoring assessment and the riparian monitoring program (Appendix D) outlined above.</p>	<p>inappropriate waste management leading to increased pest animals).</p> <ul style="list-style-type: none"> <li>Should predation of MNES be observed undertake an investigation to assess possible reasons for the incident(s).</li> <li>Review adherence to the Project's Weed and Pest Management Plan.</li> <li>From the investigation, a Corrective Actions Contingency Plan will be developed by a suitably qualified ecologist within 20 business days of the trigger being detected. The Contingency Plan will include appropriate corrective actions and an implementation schedule for those corrective actions.</li> </ul> <p><b>Corrective Actions:</b></p> <ul style="list-style-type: none"> <li>Corrective actions identified in the contingency plan will be implemented within 30 days of the trigger being detected.</li> <li>Potential corrective actions may include: <ul style="list-style-type: none"> <li>Increasing the frequency and/or duration of pest animal control efforts.</li> <li>Investigating and/or implementing alternate pest animal control methods in consultation with DAF.</li> <li>Updating the Weed and Pest</li> </ul> </li> </ul>	<p>MNES and site requirements (including weeds and pests, machinery washdown, roads &amp; tracks significant fauna, etc.). An Improvement Opportunity was highlighted in the previous two Compliance Reports, however, the current EPSA induction package continues to lack effective communication to contractors of key fauna related matters under the SMP, resulting in the inability to demonstrate full implementation of the SMP (<i>previous Reports</i>).</p> <ul style="list-style-type: none"> <li>A Weed and Pest Management Plan is in place highlighting priority species and management actions, however, whilst verbal confirmation that weed management occurs, as managed by EPSA, no records of treatment were available. No significant weed outbreaks were noted in field observation (<i>Weed and Pest Management Plan, verbal: B. Parfitt, field observation</i>).</li> <li>Permits to Disturb listed the requirement for vehicles and machinery to be washed down prior to entering site (<i>Permits to Disturb</i>).</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		with site safety and health requirements, and DAF guidelines and the requirements of the <i>Biosecurity Act 2014</i> and as permitted under the SHMS.			Management Plan to include new species where relevant.	
Minimise impacts of dust deposition on habitat for MNES during construction and operation of the Project.	<ul style="list-style-type: none"> <li>Dust deposition does not exceed 120 mg per square metre per day, averaged over one month when measured at any sensitive receptor as outlined in Condition B2 of the Project EA.</li> </ul> <p>Dust is monitored in accordance with the Dust Management Plan which must be developed in accordance with Condition B5 of the Project's EA.</p>	<ul style="list-style-type: none"> <li>Dust suppression will be undertaken in accordance with the Dust Management Plan and include the following actions: <ul style="list-style-type: none"> <li>Staging vegetation clearing to minimise areas of disturbed and bare ground.</li> <li>Progressively rehabilitating disturbed areas.</li> <li>Removal and dumping of overburden as soon as reasonably practical following blasting activities</li> <li>Regular watering of haul roads and access tracks in accordance with the CMSHR.</li> <li>Dust suppression spraying of stockpiles.</li> <li>Limiting grading and/or dozing in high dust generating areas.</li> <li>Limiting overburden drilling.</li> </ul> </li> </ul> <p>Enforcing speed limits in accordance with the requirements of the CMSHA and CMSHR.</p>	<ul style="list-style-type: none"> <li>Dust deposition levels exceed 120 mg per square metre per day when averaged over one month at sensitive receptors.</li> </ul> <p>Visual inspections of vegetation adjacent to the disturbance areas show visible signs of dust deposition.</p>	<ul style="list-style-type: none"> <li>Monitoring of dust deposition will be undertaken in accordance with Condition B2 and the Project's Dust Management Plan as required under Condition B5 of the Project's EA.</li> </ul> <p>Existing monitoring includes visual inspections of vegetation adjacent to the disturbance areas.</p>	<ul style="list-style-type: none"> <li>In accordance with Conditions B3 and B4 of the Project's EA, if dust deposition monitoring exceed the trigger value of 120 mg per square metre averaged over one month, Stanmore must investigate whether the exceedance is a result of Project activities and notify the administering authority within seven days of the exceedance occurring.</li> <li>Should an exceedance of dust deposition levels be attributed to Project activities Stanmore will implement dust abatement measures.</li> </ul> <p><b>Corrective Actions:</b></p> <p>Corrective actions identified in the Dust Management plan will be implemented within 10 days of the trigger being detected.</p>	<ul style="list-style-type: none"> <li>The maximum site speed limit was 60 km/hr with haul road speed limited to 80 km/hr (<i>previous Report and verbal: B. Parfitt</i>)</li> <li>Dust Management Plan is in place and was found compliant in the previous Report. Weekly reporting of the real-time dust monitoring results was provided on the Stanmore website (<i>Stanmore website, previous Report, Dust Management Plan</i>).</li> <li>Vegetation Clearing was conducted progressively to minimise bare areas (<i>Field observation, Disturbance Permits, verbal: B. Parfitt</i>).</li> <li>Rehabilitation was undertaken in accordance with legislative requirements (<i>Field observation</i>).</li> </ul>
Minimise noise and vibration impacts in areas of MNES habitat.	When measured, noise and vibration levels do not exceed criteria set out in Tables 15 and 16 of the Project EA at sensitive receptors.	<ul style="list-style-type: none"> <li>Regularly maintaining and servicing all plant equipment to minimise machinery noise.</li> <li>All engine covers will be kept closed while equipment is operating.</li> </ul>	<ul style="list-style-type: none"> <li>When measured at sensitive receptors noise and vibration levels exceed criteria set out in Table 15, Table 16 and Table 17 of the Project's EA.</li> </ul> <p>When blasting occurs outside of the approved blast times.</p>	Noise and vibration monitoring will be undertaken in accordance with monitoring Conditions outlined in Section D of the Project's EA.	<ul style="list-style-type: none"> <li>In accordance with Conditions under Section D of the Project's EA, if noise and vibration monitoring exceed the trigger values outlined, Stanmore must investigate whether the exceedances are the result of the mining activities and notify the administering</li> </ul>	<ul style="list-style-type: none"> <li>Acoustic monitoring around Pit 5, including 3 noise monitors located at the Broadlea Station Homestead (<i>Field observation, verbal: B. Parfitt</i>).</li> <li>No uncharacteristically noisy plant was noted</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		Blasting will only occur between 9am and 7pm.			<p>authority within seven days of the exceedance occurring.</p> <ul style="list-style-type: none"> <li>Should exceedance levels be attributed to mining activities, noise and vibration abatement measures will be implemented.</li> </ul> <p><b>Corrective Actions:</b></p> <p>Corrective actions identified during investigations will be implemented within 10 days of the trigger being detected.</p>	during site visit ( <i>Field observation</i> ).
Minimise degradation of habitat for MNES from an increased risk of fire due resulting from Project activities.	No uncontrolled fires within the Project area resulting from Project related activities.	<ul style="list-style-type: none"> <li>Fire management for coal mining operations in Queensland is governed by the CMSHA and the CMSHR with the CMSHR prescribing management of fires for coal mines.</li> <li>Section 37 of the CMSHR prescribes that the coal mines Safety and Health Management System (SHMS) must include standard operating procedures for action to be taken when a fire is discovered at the mine.</li> <li>Buffers will be maintained around potential ignition sources such as plant and machinery, haul roads and mine infrastructure areas.</li> <li>Prior to site entry, all relevant site personnel, including contractors, will be made aware of fire safety and risks.</li> </ul> <p>Fuel loads will be minimised and managed through the weed control measures outlined in the Weed and Pest Management Plan.</p>	<ul style="list-style-type: none"> <li>An uncontrolled fire occurs within the Project area that is due to mining activities.</li> <li>Weed cover exceeds baseline levels and groundcover biomass (e.g. vegetation) exceeds benchmark levels.</li> </ul>	<ul style="list-style-type: none"> <li>Compliance with the SHMS will be monitored in accordance with the requirements of the CMSHA and CMSHR.</li> </ul> <p>Monitoring of biomass (groundcover including organic litter) for fire management will be undertaken during the habitat quality assessments that will occur annually for the first three (3) years then every two (2) years thereafter (refer to Section (refer to Section 5.0(of SMP)).</p>	<ul style="list-style-type: none"> <li>Should an uncontrolled fire occur within the Project area, the Project's Emergency Response Plan will be enacted. Should any corrective actions and changes to fire management be required, they will be done in accordance with the CMSHA and CMSHR and incorporated into the SHMS.</li> <li>Should biomass monitoring indicate that there is a risk of an uncontrolled fire occurring, biomass control measures will be assessed by a suitably qualified ecologist within 20 business days and Corrective Actions suggested. Biomass control measures aimed at reducing fuel loads may include controlled burns, strategic grazing or modified weed management measures.</li> </ul> <p><b>Corrective Actions:</b></p> <p>Any corrective actions identified will be implemented within 30 days of the trigger being detected.</p>	<ul style="list-style-type: none"> <li>The previous Report found fire management on site was in compliance with Health and Safety Legislation and the Fire Break Map. No updated versions were provided including Pit 5 (<i>previous Report</i>). However no uncontrolled fires occurred on site during the period of the Report (<i>verbal: B. Parfitt</i>).</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
Minimise alteration of Squatter Pigeon, Ornamental Snake and the riparian habitat from changes to water quality and hydraulic activity.	<ul style="list-style-type: none"> <li>Water quality does not exceed trigger levels and at any of the monitoring sites listed in the Tables in Condition C – Water.</li> <li>Water quality monitoring is undertaken in accordance with the Receiving Environment Monitoring Program which must be developed in accordance with Condition C22 of the Project EA.</li> </ul> <p>Erosion and sediment control is undertaken in accordance with the Erosion and Sediment Control Plan (ESCP) as required by Condition C38 of the Project EA.</p>	<ul style="list-style-type: none"> <li>Site stormwater management will be undertaken in accordance with the management plans and programs required by the Project's EA including a Receiving Environment Monitoring Program (REMP) required under Condition C22, Water Management Plan (WMP) required under Condition C31 and an ESCP required under Condition C38.</li> <li>The site specific WMP, REMP and ESCP as well as other water management requirements outlined in Section C of the Project's EA will be prepared by a suitably qualified person.</li> <li>Required management plans will be developed with the aim of minimising alterations to receiving environment water quality erosion, minimising mobilisation of sediments and minimising erosion related disturbances to the current hydrological regime.</li> <li>The maintenance and cleaning of any vehicles, plant or equipment must not be carried out in areas from which contaminants can be released into any receiving waters.</li> <li>Spillage of wastes, contaminants or other materials must be cleaned up as quickly as practicable to minimise the release of wastes, contaminants or materials to any stormwater drainage system or receiving waters.</li> </ul>	<ul style="list-style-type: none"> <li>Water quality monitoring exceeds the approved receiving environment trigger levels outlined in the REMP and in Table 7 of the Projects EA and mine affected water quality levels exceed the trigger levels outlined in Table 3 of the Project's EA.</li> </ul> <p>Visual inspections of water management infrastructure show signs of failure.</p>	<ul style="list-style-type: none"> <li>Water quality monitoring will be undertaken in accordance with the REMP as required by Conditions C22 and C23 of the Project's EA.</li> <li>Monitoring of the effectiveness of the erosion and sediment control devices and the water management will be undertaken in accordance with Conditions C32 of the Project's EA.</li> </ul>	<ul style="list-style-type: none"> <li>In accordance with Condition C21 of the Project's EA, if water quality characteristics of the downstream monitoring point exceed trigger levels outlined in Table 7 of the EA, and these levels are higher than upstream monitoring locations, Stanmore must investigate the exceedance and the potential for environmental harm and provide a written report to the administering authority as part of the Project's Annual Return.</li> <li>Should an exceedance of water quality trigger levels be attributed to Project activities, an assessment on the effectiveness of the WMP and REMP will be undertaken and appropriate Corrective Actions included in Plan revisions and the Annual reports as required under Conditions C24 and C33 of the Project's EA.</li> </ul> <p><b>Corrective Actions:</b> Corrective actions identified will be implemented within 10 days of the trigger being detected.</p>	<ul style="list-style-type: none"> <li>Water management was undertaken in accordance with the Water Management Plan and had been updated to include Pit 5 (<i>previous Report, EPSA IPC Weekly Planning Report and verbal: B. Parfitt</i>).</li> <li>The machinery wash-bay was a closed system and did not discharge offsite (<i>Field observation</i>).</li> <li>Spill response and clean-up procedures and equipment were in place at site (<i>Field observation</i>).</li> </ul>
Minimise potential for mortality or injury	No mortality of, or injuries to, MNES as a result of Project activities (e.g. from clearing	<ul style="list-style-type: none"> <li>Environmental awareness training will be provided to all workers as part of site</li> </ul>	Injury or mortality to an MNES	<ul style="list-style-type: none"> <li>All personnel will be required to be report any interactions between</li> </ul>	<ul style="list-style-type: none"> <li>Should an injury to, or mortality of, an MNES, an investigation will be</li> </ul>	<ul style="list-style-type: none"> <li>The EPSA Induction Package was provided for review. Review in the</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
to MNES from Project activities (e.g. habitat clearing, vehicle strikes etc.).	activities, vehicle strikes etc.).	<p>induction and will include specific topics on MNES, risks and protective measures, and identification of the MNES.</p> <ul style="list-style-type: none"> <li>Pre-clearance surveys will be undertaken within 48 hours of clearing activities to assess the presence of MNES within the disturbance area to be cleared.</li> <li>At least one qualified Fauna Spotter/Catcher will be present during clearing activities.</li> <li>A wildlife carer will be called to collect any injured fauna.</li> <li>Speed limits of 60 km/hour will be set and enforced on all internal roads including haul roads</li> <li>Vehicles must abide by vehicle speed limits and access to any restricted areas or exclusion zones must be limited to critical site-specific activities to minimise threats to MNES.</li> <li>All injured fauna encountered during the construction and operation of the activity will be taken to a wildlife carer/facility or veterinarian within 24 hours.</li> <li>Where injured fauna is encountered, and it is unsafe to handle the animals, the following should be undertaken; <ul style="list-style-type: none"> <li>The location of the injured animal will be identified so it can be located again</li> <li>The species of animal will be identified if possible and its sex and approximate size determined</li> </ul> </li> </ul>		<p>vehicles and/or /machinery and MNES in the Project area.</p> <ul style="list-style-type: none"> <li>Visual observations during normal working hours.</li> </ul> <p>Incidental observations during habitat quality assessments.</p>	<p>undertaken to ascertain the cause of the injury or mortality.</p> <ul style="list-style-type: none"> <li>Should the injury or mortality be attributed to mining activities, a Contingency Plan will be developed by a suitably qualified ecologist within 20 business days and will include Corrective Actions and an implementation schedule for the Corrective Actions.</li> </ul> <p><b>Corrective Actions:</b></p> <p>Corrective actions identified in the contingency plan will be implemented within 30 days of the trigger being detected.</p>	<p>previous two reporting periods identified that the induction package lacked reference to the EPBC MNES and site requirements (including weeds and pests, machinery washdown, roads &amp; tracks significant fauna, etc.). An Improvement Opportunity was highlighted in the previous two Compliance Reports, however, the current EPSA induction package continues to lack effective communication to contractors of key fauna related matters under the SMP, resulting in the inability to demonstrate full implementation of the SMP (<i>previous Reports</i>).</p> <ul style="list-style-type: none"> <li>The maximum site speed limit was 60 km/hr with haul road speed limited to 80 km/hr (<i>previous Report and verbal: B. Parfitt</i>).</li> <li>Spotter catchers had completed preclearing inspections and were present during clearing activities as per the disturbance permits (<i>Permits to Disturb, EcoSM IPE Pit 5 Project Area Changes EPBC Act Assessment</i>).</li> </ul>



Habitat Management Objectives	Performance Criteria	Management and Mitigation Measures	Trigger for further action	Monitoring	Corrective Actions	Audit Comments
		<ul style="list-style-type: none"> <li>The type of injury sustained will be identified if possible</li> </ul> <p>The EO shall immediately contact Queensland's Department of Environment and Science (DES) and report the animal and arrange for its capture and transportation to a wildlife carer or veterinarian.</p>				



**A.2 Offset Management Plan (V5) – Table 20: Proposed monitoring schedule of offset area**

Habitat Quality Surveys undertaken by suitably qualified ecologists					Audit Comment SLR July 2024
Monitoring Type	Monitoring attributes	Monitoring Frequency	Monitoring Method	Monitoring Locations	
Initial habitat quality assessment	Site condition, site context and species stocking rates as outlined in this OAMP.	Initial and baseline assessment was completed in July and October 2020.	Visual inspections and detailed habitat quality assessment as per the Guide and as outlined in this OAMP.	Assessment sites outlined in Section 7.2 (of OAMP).	Had been completed as part of the OAMP.
Ecological Condition	Recruitment of woody perennial species in the ecologically dominant layer (EDL)	Year 1 (following approval of this OAMP and securing the offset area), then every 5 years until the end of the approval.	As per the methods outlined in the Guide and in Section 4.1 (of OAMP).  Visual observations and, where relevant, methods outlined in the Guide to determining terrestrial habitat quality and with reference to interim criteria as per Table 17 for the relevant RE and AU being monitored.		The OAMP was approved on the 21 <sup>st</sup> of May 2021, however the offset wasn't secured until the 3 <sup>rd</sup> of December 2021. An ecological report was completed for the IPE offset in January 2022 (AusEcology), with the following report not due until the 3 <sup>rd</sup> of December 2027.
	Native plant species richness – trees				
	Native plant species richness – shrubs				
	Native plant species richness – grasses				
	Native plant species richness – forbs				
	Tree canopy height				
	Tree canopy cover				
	Shrub canopy cover				
	Native perennial grass cover				
	Organic litter				
	Large trees				
	Course woody debris				
	Non-native plant cover (i.e. weeds)				
	Quality and availability of food and foraging habitat (e.g. tree canopy height and cover, organic litter, tree and shrub species richness).				
Quality and availability of shelter (e.g. presence of tree hollows).					
Site context	Threats to species (e.g. lack of EDL recruitment, presence				As above.




Habitat Quality Surveys undertaken by suitably qualified ecologists					Audit Comment SLR July 2024
Monitoring Type	Monitoring attributes	Monitoring Frequency	Monitoring Method	Monitoring Locations	
	of feral animals and weeds etc.). Threats to mobility capacity.				
Species stocking rates /targeted fauna surveys for the MNES	Presence/absence of MNES. MNES abundance and density (where relevant).	Every five (5) years until the completion criteria have been achieved. The survey frequency is justified as changes to vegetation communities and ecosystems and the fauna that inhabit those communities takes time and is generally a relatively slow process.	Refer to 4.1 (of OAMP).	Refer to 4.1 (of OAMP).	Due May 2026.
Nest boxes	Presence of Greater Gliders and functionality of each box.	Twice yearly for the first 5 years then yearly until the end of the approval.	Refer to Section 7.4 (of OAMP).	At nest box locations.	Nest boxes were installed in March 2022 (Nest Box Installation Report) and the first round of twice annual monitoring occurred in November 2022.  Two nest box monitoring records for the Report period were provided for review. This section of the OAMP required nest box inspection by suitably qualified ecologists and not the landowner (land manager).  Considering the above not having been completed by a suitably qualified ecologist, compliance with this OAMP requirement was not able to be demonstrated.
Visual inspection surveys undertaken by the landowner or authorised landowner representative and targeted weed and feral animal surveys undertaken by a suitably qualified ecologists.					
Photo points	General vegetation condition and vegetation cover.	Year 1 (following approval of this OAMP and securing the offset area), then every 5 years until the end of the approval.	Photographs of offset area to be taken from the same location and direction for each monitoring event.	Assessment sites outlined in Section 7.2 (of OAMP).	Four quarterly land manager reports were provided for the period applicable to this report. Viewed reports covered the majority of requirements including summaries of grazing activities, monthly rainfall, and pest fauna and weed control activities. No mention of fires was included in these reports.
Grazing	Stocking rates, ground cover and fencing.	Stocking rates will be routinely monitored until the end of the approval. Biomass will be monitored annually in the early dry season. Fencing will be monitored during routine land management of the offset area and at least quarterly.	Assessments of the offset area will be undertaken by the landowner/land manager or authorised representative to observe and record grass cover, presence of weeds and pest animals, evidence of fire and evidence of unauthorised access.	Throughout the offset Area.	
Fire	Presence of fire and extent of burning. Condition of fire breaks.	At least quarterly and following known fire events. Biomass will be monitored annually in the early dry season.	Fire break and fence maintenance activities will be recorded for inclusion in the annual report. Any unplanned fires will also be recorded as well as monitoring results for any planned cool or mosaic burns on habitat.		
Feral animals	Presence of pest animals, control measures undertaken and success of the control measures.	Visual inspections undertaken during routine land management. Year 1 (following approval of this OAMP and securing the offset area), then every 5 years until the end of the approval.	Weed cover will be recorded as per the Level 2B methodology described in the Land Manager's Monitoring Guide (DERM, 2010) (or any subsequent published version of this document or similar recognised methods). This methodology is suitable for landowners to rapidly assess whether weed management		
Weeds/ pest plants	Presence of weeds, control measures	Visual inspections undertaken during routine land management. Year 1			



Habitat Quality Surveys undertaken by suitably qualified ecologists					Audit Comment SLR July 2024
Monitoring Type	Monitoring attributes	Monitoring Frequency	Monitoring Method	Monitoring Locations	
	undertaken and success of the control measures.	(following approval of this OAMP and securing the offset area), then every 5 years until the end of the approval.	measures need to be conducted within the offset area.  Detailed assessments as outlined in Section 7.0 will also be undertaken in conjunction with the habitat quality assessments.		
Fencing and site access	Condition of fencing and access tracks.	Visual inspections undertaken during routine land management.			
Unauthorised impacts to vegetation from activities such as illegal harvesting and illegal access.	Unauthorised clearing or disturbances.	Visual inspections undertaken during routine land management and undertaken at least quarterly.	Observe and record accessibility to the offset site (i.e., condition of fencing), evidence and location of illegal clearing, fire and/or pest animal incursion.	Throughout the offset area and particularly along and adjacent to the road licence easement and the boundary to the Epsom State Forest.	Four quarterly land manager reports were provided for the period applicable to this report. Viewed reports covered the majority of requirements including summaries of grazing activities, monthly rainfall, and pest fauna and weed control activities. No mention of fires was included in these reports.
Cyclone events	Condition and damage to vegetation and any dead or injured fauna.	Following cyclones or large tropical rainfall events.	Visual throughout the offset area.	Throughout the offset area.	Not relevant to the period of this compliance report.





# **Appendix B    Site Visit and Evidence Photos**

**EPBC Act Annual Compliance Report**

**Issac Plains East – EPBC Act Referral 2016/7827**

**Stanmore Resources Limited**


SLR Project No.: 626.030238.00001

Observed Location	Field Images			
<p><b>Approved Limit of Disturbance Markers and Fences</b></p>				

Observed Location	Field Images
<p><b>Threatened Species Signage</b></p>	
<p><b>MNES Species Bench Seats</b></p>	

Observed Location	Field Images
<p><b>MNES Species Habitat</b></p>	
<p><b>Environmental Guidelines Information</b></p>	

Observed Location	Field Images		
Wash down area			
Spill kits	 		



# **Appendix C    Isaac Plains Complex Groundwater Analysis Results June 2023 to June 2024**

**EPBC Act Annual Compliance Report**

**Issac Plains East – EPBC Act Referral 2016/7827**

**Stanmore Resources Limited**

SLR Project No.: 626.030238.00001

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	1/06/2023 11:56	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	1/06/2023	1/06/2023	
	1/06/2023 12:46	TSS	5	mg/L	FALSE	REG	5	1/06/2023	5/06/2023	
	1/06/2023 12:46	TDS	10	mg/L	FALSE	REG	10	1/06/2023	2/06/2023	
	1/06/2023 15:23	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	1/06/2023	1/06/2023	
	1/06/2023 15:23	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	1/06/2023	1/06/2023	
	1/06/2023 15:23	Cobalt	0.001	mg/L	TRUE	REG	0.001	1/06/2023	1/06/2023	
	1/06/2023 15:23	Copper	0.001	mg/L	TRUE	REG	0.001	1/06/2023	1/06/2023	
	1/06/2023 15:23	Lead	0.001	mg/L	TRUE	REG	0.001	1/06/2023	1/06/2023	
	1/06/2023 15:23	Nickel	0.001	mg/L	TRUE	REG	0.001	1/06/2023	1/06/2023	
	1/06/2023 15:23	Zinc	0.005	mg/L	TRUE	REG	0.005	1/06/2023	1/06/2023	
	1/06/2023 15:23	Sodium	1	mg/L	TRUE	REG	1	1/06/2023	1/06/2023	
	1/06/2023 17:51	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/06/2023	2/06/2023	
	1/06/2023 17:52	Chloride	1	mg/L	FALSE	REG	1	1/06/2023	1/06/2023	
	1/06/2023 17:52	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	1/06/2023	1/06/2023	
	1/06/2023 19:01	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	1/06/2023	3/06/2023	
	1/06/2023 19:01	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	1/06/2023	3/06/2023	
	1/06/2023 19:01	Cobalt	0.001	mg/L	FALSE	REG	0.001	1/06/2023	3/06/2023	
	1/06/2023 19:01	Copper	0.001	mg/L	FALSE	REG	0.001	1/06/2023	3/06/2023	
	1/06/2023 19:01	Lead	0.001	mg/L	FALSE	REG	0.001	1/06/2023	3/06/2023	
	1/06/2023 19:01	Nickel	0.001	mg/L	FALSE	REG	0.001	1/06/2023	3/06/2023	
	1/06/2023 19:01	Zinc	0.005	mg/L	FALSE	REG	0.005	1/06/2023	3/06/2023	
	1/06/2023 19:01	Sodium	1	mg/L	FALSE	REG	1	1/06/2023	3/06/2023	
	2/06/2023 13:09	Antimony	0.001	mg/L	TRUE	REG	0.001	2/06/2023	2/06/2023	
	2/06/2023 13:09	Barium	0.001	mg/L	TRUE	REG	0.001	2/06/2023	2/06/2023	
	2/06/2023 13:09	Calcium	1	mg/L	TRUE	REG	1	2/06/2023	2/06/2023	
	2/06/2023 13:09	Iron	0.05	mg/L	TRUE	REG	0.05	2/06/2023	2/06/2023	
	2/06/2023 13:09	Magnesium	1	mg/L	TRUE	REG	1	2/06/2023	2/06/2023	
	2/06/2023 13:09	Mercury	0.0001	mg/L	TRUE	REG	0.0001	2/06/2023	5/06/2023	
	2/06/2023 13:09	Molybdenum	0.001	mg/L	TRUE	REG	0.001	2/06/2023	2/06/2023	
	2/06/2023 13:09	Potassium	1	mg/L	TRUE	REG	1	2/06/2023	2/06/2023	
	2/06/2023 13:09	Selenium	0.01	mg/L	TRUE	REG	0.01	2/06/2023	2/06/2023	
	2/06/2023 13:09	Silver	0.001	mg/L	TRUE	REG	0.001	2/06/2023	2/06/2023	
	2/06/2023 13:09	Strontium	0.001	mg/L	TRUE	REG	0.001	2/06/2023	2/06/2023	
	2/06/2023 13:09	Sodium	1	mg/L	TRUE	REG	1	2/06/2023	2/06/2023	
	2/06/2023 16:54	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	2/06/2023	2/06/2023	
RWD	11/06/2023 12:51	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Copper	0.004	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Copper	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Lead	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Nickel	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Zinc	0.005	mg/L	TRUE	REG	0.005	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	11/06/2023 12:51	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
RWD	11/06/2023 12:51	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
RWD	11/06/2023 12:51	Sodium	10	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Sodium	11	mg/L	TRUE	REG	1	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	TDS	72	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
S2	11/06/2023 12:52	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		19/06/2023	
S2	11/06/2023 12:52	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		19/06/2023	
S2	11/06/2023 12:52	Cobalt	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Cobalt	0.001	mg/L	TRUE	REG	0.001		19/06/2023	
S2	11/06/2023 12:52	Copper	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Copper	0.002	mg/L	TRUE	REG	0.001		19/06/2023	
S2	11/06/2023 12:52	Lead	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Lead	0.001	mg/L	TRUE	REG	0.001		19/06/2023	
S2	11/06/2023 12:52	Nickel	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Nickel	0.001	mg/L	TRUE	REG	0.001		19/06/2023	
S2	11/06/2023 12:52	Zinc	0.005	mg/L	FALSE	REG	0.005	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Zinc	0.005	mg/L	TRUE	REG	0.005		19/06/2023	
S2	11/06/2023 12:52	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
S2	11/06/2023 12:52	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
S2	11/06/2023 12:52	Sulfate as SO4 - Turbidimetric	559	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
S2	11/06/2023 12:52	Sodium	992	mg/L	FALSE	REG	1	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Sodium	988	mg/L	TRUE	REG	1	19/06/2023	19/06/2023	
S2	11/06/2023 12:52	TDS	3160	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
CHPPPP	11/06/2023 12:57	Sulfate as SO4 - Turbidimetric	565	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
CHPPPP	11/06/2023 12:57	Sodium	891	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Sodium	955	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	TDS	3010	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
	11/06/2023 13:18	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	11/06/2023 13:18	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	11/06/2023 13:18	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
	11/06/2023 13:18	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
	11/06/2023 13:18	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
	11/06/2023 13:18	Fluoride	0.5	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
	11/06/2023 13:18	Sulfate as SO4 - Turbidimetric	200	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
	11/06/2023 13:18	Sodium	339	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
	11/06/2023 13:18	Sodium	355	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
	11/06/2023 13:18	TDS	1160	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	TSS	6	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Fluoride	0.5	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
RD1	11/06/2023 13:20	Sulfate as SO4 - Turbidimetric	208	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
RD1	11/06/2023 13:20	Sodium	338	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Sodium	358	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	TDS	1130	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
S2SED	11/06/2023 13:34	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
S2SED	11/06/2023 13:34	Sulfate as SO4 - Turbidimetric	522	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
S2SED	11/06/2023 13:34	Sodium	909	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Sodium	991	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	TDS	3070	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Nickel	0.002	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	TSS	25	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Fluoride	0.3	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
Farm Dam 2	11/06/2023 14:14	Sulfate as SO4 - Turbidimetric	42	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
Farm Dam 2	11/06/2023 14:14	Sodium	57	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Sodium	63	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	TDS	267	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Fluoride	0.9	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
RD2	11/06/2023 14:31	Sulfate as SO4 - Turbidimetric	64	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
RD2	11/06/2023 14:31	Sodium	284	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Sodium	310	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	TDS	854	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA DAM	11/06/2023 15:11	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Copper	0.002	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Nickel	0.003	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	TSS	13	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Fluoride	0.3	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
MIA DAM	11/06/2023 15:11	Sulfate as SO4 - Turbidimetric	34	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
MIA DAM	11/06/2023 15:11	Sodium	77	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Sodium	83	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	TDS	289	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Copper	0.003	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Nickel	0.003	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	TSS	21	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2023	13/06/2023	
HD2	11/06/2023 15:17	Sulfate as SO4 - Turbidimetric	249	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
HD2	11/06/2023 15:17	Sodium	393	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Sodium	424	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	TDS	1500	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FPD	11/06/2023 15:35	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Nickel	0.002	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Nickel	0.002	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2023	13/06/2023	
FPD	11/06/2023 15:35	Sulfate as SO4 - Turbidimetric	479	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
FPD	11/06/2023 15:35	Sodium	1340	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Sodium	1440	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	TDS	4760	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	TSS	8	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Fluoride	0.8	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
SSD	11/06/2023 15:52	Sulfate as SO4 - Turbidimetric	120	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
SSD	11/06/2023 15:52	Sodium	567	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Sodium	614	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	TDS	1860	mg/L	FALSE	REG	10		19/06/2023	
SSD	11/06/2023 16:07	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Antimony	0.002	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Copper	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Lead	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Nickel	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Zinc	0.005	mg/L	TRUE	REG	0.005	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	TSS	8	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SSD	11/06/2023 16:07	Fluoride	0.9	mg/L	FALSE	REG	0.1	14/06/2023	14/06/2023	
SSD	11/06/2023 16:07	Sulfate as SO4 - Turbidimetric	123	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
SSD	11/06/2023 16:07	Sodium	575	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Sodium	599	mg/L	TRUE	REG	1	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	TDS	1830	mg/L	FALSE	REG	10		19/06/2023	
ROM DAM	11/06/2023 16:30	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	TSS	14	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Fluoride	0.9	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
ROM DAM	11/06/2023 16:30	Sulfate as SO4 - Turbidimetric	455	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
ROM DAM	11/06/2023 16:30	Sodium	610	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Sodium	643	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	TDS	2300	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
	13/06/2023 17:17	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/06/2023	13/06/2023	
	13/06/2023 18:19	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
	13/06/2023 18:19	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/06/2023	14/06/2023	
	13/06/2023 18:35	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
	13/06/2023 18:35	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
	13/06/2023 21:24	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/06/2023	13/06/2023	
	14/06/2023 16:29	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/06/2023	14/06/2023	
	14/06/2023 19:19	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	14/06/2023 19:19	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 19:19	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
	14/06/2023 19:19	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
	14/06/2023 19:19	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2023	16/06/2023	
	14/06/2023 19:19	Sodium	1	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 19:19	Sodium	1	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 19:19	Sodium	1	mg/L	FALSE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 23:34	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2023	16/06/2023	
	14/06/2023 23:34	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
	14/06/2023 23:34	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2023	16/06/2023	
	14/06/2023 23:34	Sodium	1	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 23:34	Sodium	1	mg/L	TRUE	REG	1	14/06/2023	16/06/2023	
	15/06/2023 11:04	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
	15/06/2023 11:04	TSS	5	mg/L	FALSE	REG	5	15/06/2023	16/06/2023	
	15/06/2023 11:04	TDS	10	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
	15/06/2023 11:04	TDS	10	mg/L	FALSE	REG	10	15/06/2023	16/06/2023	
CHPP STP	15/06/2023 15:00	TSS	5	mg/L	FALSE	REG	5	22/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Organic Nitrogen, as N	0.1	mg/L	FALSE	REG	0.1		28/06/2023	
CHPP STP	15/06/2023 15:00	Total Phosphorus as P (Organic Ph	19	mg/L	FALSE	REG	0.01		27/06/2023	
CHPP STP	15/06/2023 15:00	Alkalinity (Bicarbonate as CaCO3)	251	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Alkalinity (total) as CaCO3	251	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Ammonia as N	42	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	BOD	16	mg/L	FALSE	REG	2		22/06/2023	
CHPP STP	15/06/2023 15:00	COD	73	mg/L	FALSE	REG	10		22/06/2023	
CHPP STP	15/06/2023 15:00	Kjeldahl Nitrogen Total	41.8	mg/L	FALSE	REG	0.1		27/06/2023	
CHPP STP	15/06/2023 15:00	Nitrate (as N)	0.61	mg/L	FALSE	REG	0.01		28/06/2023	
CHPP STP	15/06/2023 15:00	Nitrite (as N)	1.14	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Nitrite + Nitrate as N	1.75	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Reactive Phosphorus as P (Orthop	18.8	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Sulfate as SO4 - Turbidimetric	28	mg/L	TRUE	REG	1	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Acidity (as CaCO3)	14	mg/L	FALSE	REG	1	23/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	TSS	67	mg/L	FALSE	REG	5	22/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Organic Nitrogen, as N	3.5	mg/L	FALSE	REG	0.1		28/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPP STP	15/06/2023 15:00	Total Phosphorus as P (Organic Ph	8.25	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Alkalinity (Bicarbonate as CaCO3)	374	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Alkalinity (total) as CaCO3	374	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Ammonia as N	72.3	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	BOD	47	mg/L	FALSE	REG	2		22/06/2023	
CHPP STP	15/06/2023 15:00	COD	167	mg/L	FALSE	REG	10		22/06/2023	
CHPP STP	15/06/2023 15:00	Kjeldahl Nitrogen Total	75.8	mg/L	FALSE	REG	0.1	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		28/06/2023	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	15/06/2023 15:00	Nitrite (as N)	0.06	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Nitrite + Nitrate as N	0.08	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Reactive Phosphorus as P (Orthop	3.8	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Sulfate as SO4 - Turbidimetric	32	mg/L	TRUE	REG	1	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	Acidity (as CaCO3)	26	mg/L	FALSE	REG	1	23/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	TSS	58	mg/L	FALSE	REG	5	22/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	Organic Nitrogen, as N	5	mg/L	FALSE	REG	0.1		28/06/2023	
Isaac Plains STP	15/06/2023 15:00	Total Phosphorus as P (Organic Ph	8.24	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	Alkalinity (Bicarbonate as CaCO3)	372	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
Isaac Plains STP	15/06/2023 15:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
Isaac Plains STP	15/06/2023 15:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
Isaac Plains STP	15/06/2023 15:00	Alkalinity (total) as CaCO3	372	mg/L	FALSE	REG	1	23/06/2023	23/06/2023	
Isaac Plains STP	15/06/2023 15:00	Ammonia as N	71.8	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	BOD	54	mg/L	FALSE	REG	2		22/06/2023	
Isaac Plains STP	15/06/2023 15:00	COD	175	mg/L	FALSE	REG	10		22/06/2023	
Isaac Plains STP	15/06/2023 15:00	Kjeldahl Nitrogen Total	76.8	mg/L	FALSE	REG	0.1	26/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		28/06/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	15/06/2023 15:00	Nitrite (as N)	0.06	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	Nitrite + Nitrate as N	0.1	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	Reactive Phosphorus as P (Orthop	4.21	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	Sulfate as SO4 - Turbidimetric	33	mg/L	TRUE	REG	1	26/06/2023	26/06/2023	
Isaac Plains STP	15/06/2023 15:00	Acidity (as CaCO3)	27	mg/L	FALSE	REG	1	23/06/2023	26/06/2023	
	15/06/2023 19:40	Antimony	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Copper	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Copper	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Lead	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Lead	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Nickel	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Nickel	0.001	mg/L	TRUE	REG	0.001	15/06/2023	16/06/2023	
	15/06/2023 19:40	Zinc	0.005	mg/L	TRUE	REG	0.005	15/06/2023	16/06/2023	
	15/06/2023 19:40	Zinc	0.005	mg/L	TRUE	REG	0.005	15/06/2023	16/06/2023	
	15/06/2023 19:40	Sodium	1	mg/L	TRUE	REG	1	15/06/2023	16/06/2023	
	15/06/2023 19:40	Sodium	1	mg/L	TRUE	REG	1	15/06/2023	16/06/2023	
	16/06/2023 20:55	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	16/06/2023	17/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	16/06/2023 20:55	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
	16/06/2023 20:55	Cobalt	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
	16/06/2023 20:55	Copper	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
	16/06/2023 20:55	Lead	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
	16/06/2023 20:55	Nickel	0.001	mg/L	FALSE	REG	0.001	16/06/2023	17/06/2023	
	16/06/2023 20:55	Zinc	0.005	mg/L	FALSE	REG	0.005	16/06/2023	17/06/2023	
	16/06/2023 20:55	Sodium	1	mg/L	FALSE	REG	1	16/06/2023	17/06/2023	
	19/06/2023 8:12	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	19/06/2023	19/06/2023	
	19/06/2023 8:12	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	19/06/2023	19/06/2023	
	19/06/2023 8:12	Cobalt	0.001	mg/L	TRUE	REG	0.001	19/06/2023	19/06/2023	
	19/06/2023 8:12	Copper	0.001	mg/L	TRUE	REG	0.001	19/06/2023	19/06/2023	
	19/06/2023 8:12	Lead	0.001	mg/L	TRUE	REG	0.001	19/06/2023	19/06/2023	
	19/06/2023 8:12	Nickel	0.001	mg/L	TRUE	REG	0.001	19/06/2023	19/06/2023	
	19/06/2023 8:12	Zinc	0.005	mg/L	TRUE	REG	0.005	19/06/2023	19/06/2023	
	19/06/2023 8:12	Sodium	1	mg/L	TRUE	REG	1	19/06/2023	19/06/2023	
N1S	20/06/2023 8:00	Antimony	0.004	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Barium	0.038	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Calcium	47	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Iron	0.05	mg/L	TRUE	REG	0.05	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Magnesium	62	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Molybdenum	0.053	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Potassium	9	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Selenium	0.01	mg/L	TRUE	REG	0.01	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Silver	0.001	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Strontium	3.11	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
N1S	20/06/2023 8:00	Alkalinity (Bicarbonate as CaCO3)	268	mg/L	FALSE	REG	1	21/06/2023	22/06/2023	
N1S	20/06/2023 8:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/06/2023	22/06/2023	
N1S	20/06/2023 8:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/06/2023	22/06/2023	
N1S	20/06/2023 8:00	Alkalinity (total) as CaCO3	268	mg/L	FALSE	REG	1	21/06/2023	22/06/2023	
N1S	20/06/2023 8:00	Chloride	974	mg/L	FALSE	REG	1	21/06/2023	21/06/2023	
N1S	20/06/2023 8:00	Fluoride	0.7	mg/L	FALSE	REG	0.1	21/06/2023	22/06/2023	
N1S	20/06/2023 8:00	Sulfate as SO4 - Turbidimetric	488	mg/L	TRUE	REG	1	21/06/2023	21/06/2023	
N1S	20/06/2023 8:00	Sodium	789	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	21/06/2023	22/06/2023	
BC2	20/06/2023 9:54	Antimony	0.001	mg/L	FALSE	REG	0.001		30/06/2023	
BC2	20/06/2023 9:54	Antimony	0.001	mg/L	TRUE	REG	0.001		30/06/2023	
BC2	20/06/2023 9:54	Barium	0.209	mg/L	FALSE	REG	0.001		30/06/2023	
BC2	20/06/2023 9:54	Barium	0.184	mg/L	TRUE	REG	0.001		30/06/2023	
BC2	20/06/2023 9:54	Calcium	190	mg/L	TRUE	REG	1		30/06/2023	
BC2	20/06/2023 9:54	Iron	0.43	mg/L	FALSE	REG	0.05		30/06/2023	
BC2	20/06/2023 9:54	Iron	0.05	mg/L	TRUE	REG	0.05		30/06/2023	
BC2	20/06/2023 9:54	Magnesium	266	mg/L	TRUE	REG	1		30/06/2023	
BC2	20/06/2023 9:54	Mercury	0.0001	mg/L	FALSE	REG	0.0001	28/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Mercury	0.0001	mg/L	TRUE	REG	0.0001	28/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Molybdenum	0.001	mg/L	FALSE	REG	0.001		30/06/2023	
BC2	20/06/2023 9:54	Molybdenum	0.001	mg/L	TRUE	REG	0.001		30/06/2023	
BC2	20/06/2023 9:54	Potassium	6	mg/L	TRUE	REG	1		30/06/2023	
BC2	20/06/2023 9:54	Selenium	0.01	mg/L	FALSE	REG	0.01		30/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
BC2	20/06/2023 9:54	Selenium	0.01	mg/L	TRUE	REG	0.01		30/06/2023	
BC2	20/06/2023 9:54	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	Silver	0.001	mg/L	TRUE	REG	0.001		30/06/2023	
BC2	20/06/2023 9:54	Strontium	6.63	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	Strontium	5.86	mg/L	TRUE	REG	0.001		30/06/2023	
BC2	20/06/2023 9:54	TSS	34	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01		29/06/2023	
BC2	20/06/2023 9:54	Alkalinity (Bicarbonate as CaCO3)	666	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Alkalinity (total) as CaCO3	666	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Chloride	1880	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
BC2	20/06/2023 9:54	Fluoride	0.2	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Sulfate as SO4 - Turbidimetric	100	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
BC2	20/06/2023 9:54	Sodium	873	mg/L	TRUE	REG	1		30/06/2023	
BC2	20/06/2023 9:54	TDS	3910	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
BC2	20/06/2023 9:54	Rubidium	0.01	mg/L	TRUE	REG	0.001		30/06/2023	
MB2	20/06/2023 11:07	Antimony	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Barium	0.144	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Barium	0.124	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Calcium	101	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Iron	1.57	mg/L	FALSE	REG	0.05	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Iron	0.99	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Magnesium	150	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Mercury	0.0001	mg/L	FALSE	REG	0.0001	28/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Mercury	0.0001	mg/L	TRUE	REG	0.0001	28/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Molybdenum	0.003	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Molybdenum	0.006	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Potassium	7	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Selenium	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Strontium	4.12	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Strontium	3.81	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	TSS	24	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Total Phosphorus as P (Organic Ph	0.03	mg/L	FALSE	REG	0.01		29/06/2023	
MB2	20/06/2023 11:07	Alkalinity (Bicarbonate as CaCO3)	759	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Alkalinity (total) as CaCO3	759	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Chloride	1790	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
MB2	20/06/2023 11:07	Fluoride	0.5	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Sulfate as SO4 - Turbidimetric	145	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
MB2	20/06/2023 11:07	Sodium	1180	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	TDS	3880	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Rubidium	0.012	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Antimony	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB14	20/06/2023 12:34	Barium	0.096	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Barium	0.079	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Calcium	72	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Iron	1.48	mg/L	FALSE	REG	0.05	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Iron	0.05	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Magnesium	183	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Molybdenum	0.002	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Potassium	12	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Selenium	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Strontium	1.81	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Strontium	1.71	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	TSS	23	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	Total Phosphorus as P (Organic Ph	0.09	mg/L	FALSE	REG	0.01		29/06/2023	
MB14	20/06/2023 12:34	Alkalinity (Bicarbonate as CaCO3)	547	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	Alkalinity (total) as CaCO3	547	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	Chloride	961	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
MB14	20/06/2023 12:34	Fluoride	0.1	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	Sulfate as SO4 - Turbidimetric	136	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
MB14	20/06/2023 12:34	Sodium	479	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	TDS	2220	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	Rubidium	0.019	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
SB2	20/06/2023 15:01	Antimony	0.001	mg/L	FALSE	REG	0.001		30/06/2023	
SB2	20/06/2023 15:01	Antimony	0.001	mg/L	TRUE	REG	0.001		30/06/2023	
SB2	20/06/2023 15:01	Barium	0.162	mg/L	FALSE	REG	0.001		30/06/2023	
SB2	20/06/2023 15:01	Barium	0.152	mg/L	TRUE	REG	0.001		30/06/2023	
SB2	20/06/2023 15:01	Calcium	496	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
SB2	20/06/2023 15:01	Iron	0.2	mg/L	FALSE	REG	0.05		30/06/2023	
SB2	20/06/2023 15:01	Iron	0.15	mg/L	TRUE	REG	0.05		30/06/2023	
SB2	20/06/2023 15:01	Magnesium	156	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
SB2	20/06/2023 15:01	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Molybdenum	0.001	mg/L	FALSE	REG	0.001		30/06/2023	
SB2	20/06/2023 15:01	Molybdenum	0.001	mg/L	TRUE	REG	0.001		30/06/2023	
SB2	20/06/2023 15:01	Potassium	20	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
SB2	20/06/2023 15:01	Selenium	0.01	mg/L	FALSE	REG	0.01		30/06/2023	
SB2	20/06/2023 15:01	Selenium	0.01	mg/L	TRUE	REG	0.01		30/06/2023	
SB2	20/06/2023 15:01	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
SB2	20/06/2023 15:01	Strontium	8.15	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Strontium	7.89	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
SB2	20/06/2023 15:01	TSS	8	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
SB2	20/06/2023 15:01	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01		29/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SB2	20/06/2023 15:01	Alkalinity (Bicarbonate as CaCO3)	60	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
SB2	20/06/2023 15:01	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
SB2	20/06/2023 15:01	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
SB2	20/06/2023 15:01	Alkalinity (total) as CaCO3	60	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
SB2	20/06/2023 15:01	Chloride	3060	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
SB2	20/06/2023 15:01	Fluoride	0.1	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
SB2	20/06/2023 15:01	Sulfate as SO4 - Turbidimetric	147	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
SB2	20/06/2023 15:01	Sodium	1100	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
SB2	20/06/2023 15:01	TDS	5520	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
SB2	20/06/2023 15:01	Rubidium	0.03	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Antimony	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Barium	0.435	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Barium	0.373	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Calcium	268	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Iron	2.11	mg/L	FALSE	REG	0.05	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Iron	1.87	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Magnesium	384	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Potassium	24	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Selenium	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Strontium	13.2	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Strontium	13.3	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	TSS	10	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	Total Phosphorus as P (Organic Ph	0.02	mg/L	FALSE	REG	0.01		29/06/2023	
MB12	20/06/2023 17:09	Alkalinity (Bicarbonate as CaCO3)	412	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	Alkalinity (total) as CaCO3	412	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	Chloride	4280	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
MB12	20/06/2023 17:09	Fluoride	0.2	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	Sulfate as SO4 - Turbidimetric	326	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
MB12	20/06/2023 17:09	Sodium	1970	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	TDS	7780	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	Rubidium	0.031	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Antimony	0.001	mg/L	FALSE	REG	0.001		30/06/2023	
MB7	21/06/2023 7:25	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Barium	4.14	mg/L	FALSE	REG	0.001		30/06/2023	
MB7	21/06/2023 7:25	Barium	0.415	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Calcium	577	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Iron	1.35	mg/L	FALSE	REG	0.05		30/06/2023	
MB7	21/06/2023 7:25	Iron	0.21	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Magnesium	493	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/06/2023	29/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB7	21/06/2023 7:25	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Molybdenum	0.003	mg/L	FALSE	REG	0.001		30/06/2023	
MB7	21/06/2023 7:25	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Potassium	21	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Selenium	0.01	mg/L	FALSE	REG	0.01		30/06/2023	
MB7	21/06/2023 7:25	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Strontium	55.5	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Strontium	54	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	TSS	38	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
MB7	21/06/2023 7:25	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	28/06/2023	28/06/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MB7	21/06/2023 7:25	Alkalinity (Bicarbonate as CaCO3)	382	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB7	21/06/2023 7:25	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB7	21/06/2023 7:25	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB7	21/06/2023 7:25	Alkalinity (total) as CaCO3	382	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB7	21/06/2023 7:25	Chloride	8010	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
MB7	21/06/2023 7:25	Fluoride	0.1	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
MB7	21/06/2023 7:25	Sulfate as SO4 - Turbidimetric	397	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
MB7	21/06/2023 7:25	Sodium	3870	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	TDS	15500	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
MB7	21/06/2023 7:25	Rubidium	0.038	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Antimony	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Barium	9.25	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Barium	9.04	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Calcium	282	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Iron	4.27	mg/L	FALSE	REG	0.05	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Iron	0.59	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Magnesium	145	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Molybdenum	0.002	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Potassium	20	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Selenium	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Strontium	14.4	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Strontium	14.1	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	TSS	159	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	Total Phosphorus as P (Organic Ph	0.08	mg/L	FALSE	REG	0.01		29/06/2023	
MB9A	21/06/2023 10:12	Alkalinity (Bicarbonate as CaCO3)	105	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	Alkalinity (total) as CaCO3	105	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	Chloride	3950	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
MB9A	21/06/2023 10:12	Fluoride	0.2	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	21/06/2023 10:12	Sodium	1770	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	TDS	6840	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	Rubidium	0.031	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Antimony	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Barium	0.18	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Barium	0.167	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Calcium	126	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Iron	0.06	mg/L	FALSE	REG	0.05	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Iron	0.05	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Magnesium	143	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Molybdenum	0.002	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Potassium	4	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Selenium	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Strontium	3.28	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Strontium	3.12	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	TSS	5	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	28/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Alkalinity (Bicarbonate as CaCO3)	466	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Alkalinity (total) as CaCO3	466	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Chloride	1220	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
MB1	21/06/2023 13:45	Fluoride	0.4	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Sulfate as SO4 - Turbidimetric	54	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
MB1	21/06/2023 13:45	Sodium	608	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	TDS	2560	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Rubidium	0.004	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Antimony	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Barium	8.41	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Barium	7.54	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Calcium	265	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Iron	1.62	mg/L	FALSE	REG	0.05	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Iron	1.33	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Magnesium	112	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Mercury	0.0001	mg/L	FALSE	REG	0.0001	28/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Mercury	0.0001	mg/L	TRUE	REG	0.0001	28/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Molybdenum	0.002	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Molybdenum	0.002	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Potassium	14	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Selenium	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8B	21/06/2023 16:45	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Strontium	14.4	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Strontium	13.3	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	TSS	17	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Total Phosphorus as P (Organic Ph	0.02	mg/L	FALSE	REG	0.01		29/06/2023	
MB8B	21/06/2023 16:45	Alkalinity (Bicarbonate as CaCO3)	108	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Alkalinity (total) as CaCO3	108	mg/L	FALSE	REG	1	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Chloride	3530	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
MB8B	21/06/2023 16:45	Fluoride	0.2	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
MB8B	21/06/2023 16:45	Sodium	1640	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	TDS	6130	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Rubidium	0.024	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	21/06/2023 21:26	Fluoride	0.1	mg/L	FALSE	REG	0.1	21/06/2023	22/06/2023	
	21/06/2023 21:27	Chloride	1	mg/L	FALSE	REG	1	21/06/2023	21/06/2023	
	21/06/2023 21:27	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/06/2023	21/06/2023	
	22/06/2023 7:04	BOD	2	mg/L	FALSE	REG	2		22/06/2023	
	22/06/2023 7:13	COD	10	mg/L	FALSE	REG	10		22/06/2023	
	22/06/2023 12:40	TSS	5	mg/L	FALSE	REG	5	22/06/2023	26/06/2023	
	26/06/2023 7:35	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
	26/06/2023 7:35	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	26/06/2023	26/06/2023	
	26/06/2023 15:43	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
	26/06/2023 15:43	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
	26/06/2023 15:43	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	26/06/2023	26/06/2023	
	26/06/2023 20:44	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
	26/06/2023 20:44	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
	26/06/2023 21:57	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	26/06/2023	26/06/2023	
	27/06/2023 10:51	Antimony	0.001	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
	27/06/2023 10:51	Barium	0.001	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
	27/06/2023 10:51	Calcium	1	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
	27/06/2023 10:51	Iron	0.05	mg/L	TRUE	REG	0.05	27/06/2023	27/06/2023	
	27/06/2023 10:51	Magnesium	1	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
	27/06/2023 10:51	Mercury	0.0001	mg/L	TRUE	REG	0.0001	27/06/2023	27/06/2023	
	27/06/2023 10:51	Molybdenum	0.001	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
	27/06/2023 10:51	Potassium	1	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
	27/06/2023 10:51	Selenium	0.01	mg/L	TRUE	REG	0.01	27/06/2023	27/06/2023	
	27/06/2023 10:51	Silver	0.001	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
	27/06/2023 10:51	Strontium	0.001	mg/L	TRUE	REG	0.001	27/06/2023	27/06/2023	
	27/06/2023 10:51	Sodium	1	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
	27/06/2023 15:32	TSS	5	mg/L	FALSE	REG	5	27/06/2023	28/06/2023	
	27/06/2023 15:32	TDS	10	mg/L	FALSE	REG	10	27/06/2023	28/06/2023	
	27/06/2023 15:37	Fluoride	0.1	mg/L	FALSE	REG	0.1	27/06/2023	28/06/2023	
	27/06/2023 22:04	Chloride	1	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
	27/06/2023 22:04	Chloride	1	mg/L	FALSE	REG	1	27/06/2023	27/06/2023	
	27/06/2023 22:04	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
	27/06/2023 22:04	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	27/06/2023	27/06/2023	
	28/06/2023 8:03	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
	28/06/2023 12:50	Mercury	0.0001	mg/L	TRUE	REG	0.0001	28/06/2023	28/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/06/2023 13:01	Mercury	0.0001	mg/L	FALSE	REG	0.0001	28/06/2023	28/06/2023	
	28/06/2023 16:41	Antimony	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:41	Barium	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:41	Iron	0.05	mg/L	FALSE	REG	0.05	28/06/2023	29/06/2023	
	28/06/2023 16:41	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:41	Selenium	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
	28/06/2023 16:41	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:41	Strontium	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:44	Antimony	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:44	Barium	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:44	Iron	0.05	mg/L	FALSE	REG	0.05	28/06/2023	29/06/2023	
	28/06/2023 16:44	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:44	Selenium	0.01	mg/L	FALSE	REG	0.01	28/06/2023	29/06/2023	
	28/06/2023 16:44	Silver	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	28/06/2023 16:44	Strontium	0.001	mg/L	FALSE	REG	0.001	28/06/2023	29/06/2023	
	29/06/2023 8:02	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Antimony	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Barium	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Barium	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Calcium	1	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Calcium	1	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Iron	0.05	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
	29/06/2023 8:02	Iron	0.05	mg/L	TRUE	REG	0.05	29/06/2023	30/06/2023	
	29/06/2023 8:02	Magnesium	1	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Magnesium	1	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Potassium	1	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Potassium	1	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
	29/06/2023 8:02	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2023	30/06/2023	
	29/06/2023 8:02	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Strontium	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Strontium	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Sodium	1	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Sodium	1	mg/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Rubidium	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:02	Rubidium	0.001	mg/L	TRUE	REG	0.001	29/06/2023	30/06/2023	
	29/06/2023 8:13	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/06/2023	30/06/2023	
	29/06/2023 14:46	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/06/2023	29/06/2023	
RWD	6/07/2023 5:52	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Cobalt	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Cobalt	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Copper	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Copper	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Lead	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	6/07/2023 5:52	Lead	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Nickel	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Nickel	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Zinc	0.005	mg/L	FALSE	REG	0.005	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Zinc	0.005	mg/L	TRUE	REG	0.005	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	TSS	10	mg/L	FALSE	REG	5	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/07/2023	10/07/2023	
RWD	6/07/2023 5:52	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	10/07/2023	10/07/2023	
RWD	6/07/2023 5:52	Sodium	11	mg/L	FALSE	REG	1	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Sodium	10	mg/L	TRUE	REG	1	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	TDS	102	mg/L	FALSE	REG	10	10/07/2023	10/07/2023	
	6/07/2023 6:04	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		13/07/2023	
	6/07/2023 6:04	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	8/07/2023	12/07/2023	
	6/07/2023 6:04	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		13/07/2023	
	6/07/2023 6:04	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	6/07/2023 6:04	Cobalt	0.001	mg/L	FALSE	REG	0.001		13/07/2023	
	6/07/2023 6:04	Cobalt	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	6/07/2023 6:04	Copper	0.001	mg/L	FALSE	REG	0.001		13/07/2023	
	6/07/2023 6:04	Copper	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	6/07/2023 6:04	Lead	0.001	mg/L	FALSE	REG	0.001		13/07/2023	
	6/07/2023 6:04	Lead	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	6/07/2023 6:04	Nickel	0.001	mg/L	FALSE	REG	0.001		13/07/2023	
	6/07/2023 6:04	Nickel	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	6/07/2023 6:04	Zinc	0.005	mg/L	FALSE	REG	0.005		13/07/2023	
	6/07/2023 6:04	Zinc	0.005	mg/L	TRUE	REG	0.005	8/07/2023	12/07/2023	
	6/07/2023 6:04	TSS	5	mg/L	FALSE	REG	5	10/07/2023	11/07/2023	
	6/07/2023 6:04	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/07/2023	10/07/2023	
	6/07/2023 6:04	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	10/07/2023	10/07/2023	
	6/07/2023 6:04	Sodium	12	mg/L	FALSE	REG	1	10/07/2023	12/07/2023	
	6/07/2023 6:04	Sodium	11	mg/L	TRUE	REG	1	8/07/2023	12/07/2023	
	6/07/2023 6:04	TDS	105	mg/L	FALSE	REG	10	10/07/2023	10/07/2023	
	8/07/2023 15:36	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/07/2023	10/07/2023	
	8/07/2023 16:07	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	8/07/2023	12/07/2023	
	8/07/2023 16:07	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	8/07/2023 16:07	Cobalt	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	8/07/2023 16:07	Copper	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	8/07/2023 16:07	Lead	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	8/07/2023 16:07	Nickel	0.001	mg/L	TRUE	REG	0.001	8/07/2023	12/07/2023	
	8/07/2023 16:07	Zinc	0.005	mg/L	TRUE	REG	0.005	8/07/2023	12/07/2023	
	8/07/2023 16:07	Sodium	1	mg/L	TRUE	REG	1	8/07/2023	12/07/2023	
	10/07/2023 8:11	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	10/07/2023	10/07/2023	
	10/07/2023 10:47	TSS	5	mg/L	FALSE	REG	5	10/07/2023	11/07/2023	
	10/07/2023 10:47	TDS	10	mg/L	FALSE	REG	10	10/07/2023	11/07/2023	
	10/07/2023 20:39	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2023	12/07/2023	
	10/07/2023 20:39	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
	10/07/2023 20:39	Cobalt	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
	10/07/2023 20:39	Copper	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
	10/07/2023 20:39	Lead	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
	10/07/2023 20:39	Nickel	0.001	mg/L	FALSE	REG	0.001	10/07/2023	12/07/2023	
	10/07/2023 20:39	Zinc	0.005	mg/L	FALSE	REG	0.005	10/07/2023	12/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	10/07/2023 20:39	Sodium	1	mg/L	FALSE	REG	1	10/07/2023	12/07/2023	
	10/07/2023 21:10	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	10/07/2023	11/07/2023	
	10/07/2023 21:10	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
	10/07/2023 21:10	Cobalt	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
	10/07/2023 21:10	Copper	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
	10/07/2023 21:10	Lead	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
	10/07/2023 21:10	Nickel	0.001	mg/L	TRUE	REG	0.001	10/07/2023	11/07/2023	
	10/07/2023 21:10	Zinc	0.005	mg/L	TRUE	REG	0.005	10/07/2023	11/07/2023	
	10/07/2023 21:10	Sodium	1	mg/L	TRUE	REG	1	10/07/2023	11/07/2023	
MBID28	17/07/2023 14:40	Antimony	0.001	mg/L	FALSE	REG	0.001	22/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID28	17/07/2023 14:40	Calcium	84	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID28	17/07/2023 14:40	Iron	0.06	mg/L	FALSE	REG	0.05	22/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Iron	0.05	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID28	17/07/2023 14:40	Magnesium	56	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID28	17/07/2023 14:40	Molybdenum	0.001	mg/L	FALSE	REG	0.001	22/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID28	17/07/2023 14:40	Potassium	4	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID28	17/07/2023 14:40	Selenium	0.01	mg/L	FALSE	REG	0.01	22/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID28	17/07/2023 14:40	Alkalinity (Bicarbonate as CaCO3)	336	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID28	17/07/2023 14:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID28	17/07/2023 14:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID28	17/07/2023 14:40	Alkalinity (total) as CaCO3	336	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID28	17/07/2023 14:40	Chloride	351	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID28	17/07/2023 14:40	Sulfate as SO4 - Turbidimetric	15	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
MBID28	17/07/2023 14:40	Sodium	174	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Calcium	184	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Iron	4.33	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Iron	0.51	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Magnesium	200	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Potassium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Alkalinity (Bicarbonate as CaCO3)	715	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID23	17/07/2023 15:20	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID23	17/07/2023 15:20	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID23	17/07/2023 15:20	Alkalinity (total) as CaCO3	715	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID23	17/07/2023 15:20	Chloride	1290	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID23	17/07/2023 15:20	Sulfate as SO4 - Turbidimetric	40	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
MBID23	17/07/2023 15:20	Sodium	676	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
593	17/07/2023 17:00	Antimony	0.001	mg/L	FALSE	REG	0.001	22/07/2023	24/07/2023	
593	17/07/2023 17:00	Antimony	0.001	mg/L	TRUE	REG	0.001	22/07/2023	25/07/2023	
593	17/07/2023 17:00	Calcium	149	mg/L	TRUE	REG	1	22/07/2023	25/07/2023	
593	17/07/2023 17:00	Iron	4.01	mg/L	FALSE	REG	0.05	22/07/2023	24/07/2023	
593	17/07/2023 17:00	Iron	0.58	mg/L	TRUE	REG	0.05	22/07/2023	25/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
593	17/07/2023 17:00	Magnesium	230	mg/L	TRUE	REG	1	22/07/2023	25/07/2023	
593	17/07/2023 17:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	22/07/2023	24/07/2023	
593	17/07/2023 17:00	Molybdenum	0.001	mg/L	TRUE	REG	0.001	22/07/2023	25/07/2023	
593	17/07/2023 17:00	Potassium	11	mg/L	TRUE	REG	1	22/07/2023	25/07/2023	
593	17/07/2023 17:00	Selenium	0.01	mg/L	FALSE	REG	0.01	22/07/2023	24/07/2023	
593	17/07/2023 17:00	Selenium	0.01	mg/L	TRUE	REG	0.01	22/07/2023	25/07/2023	
593	17/07/2023 17:00	Alkalinity (Bicarbonate as CaCO3)	533	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
593	17/07/2023 17:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
593	17/07/2023 17:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
593	17/07/2023 17:00	Alkalinity (total) as CaCO3	533	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
593	17/07/2023 17:00	Chloride	4910	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
593	17/07/2023 17:00	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
593	17/07/2023 17:00	Sodium	2730	mg/L	TRUE	REG	1	22/07/2023	25/07/2023	
594	17/07/2023 17:40	Antimony	0.001	mg/L	FALSE	REG	0.001	22/07/2023	25/07/2023	
594	17/07/2023 17:40	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
594	17/07/2023 17:40	Calcium	522	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
594	17/07/2023 17:40	Iron	1.94	mg/L	FALSE	REG	0.05	22/07/2023	25/07/2023	
594	17/07/2023 17:40	Iron	1.67	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
594	17/07/2023 17:40	Magnesium	552	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
594	17/07/2023 17:40	Molybdenum	0.007	mg/L	FALSE	REG	0.001	22/07/2023	25/07/2023	
594	17/07/2023 17:40	Molybdenum	0.005	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
594	17/07/2023 17:40	Potassium	17	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
594	17/07/2023 17:40	Selenium	0.01	mg/L	FALSE	REG	0.01	22/07/2023	25/07/2023	
594	17/07/2023 17:40	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
594	17/07/2023 17:40	Alkalinity (Bicarbonate as CaCO3)	273	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
594	17/07/2023 17:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
594	17/07/2023 17:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
594	17/07/2023 17:40	Alkalinity (total) as CaCO3	273	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
594	17/07/2023 17:40	Chloride	7370	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
594	17/07/2023 17:40	Sulfate as SO4 - Turbidimetric	829	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
594	17/07/2023 17:40	Sodium	3540	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID18	18/07/2023 8:30	Antimony	0.005	mg/L	FALSE	REG	0.001		25/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	18/07/2023 8:30	Antimony	0.005	mg/L	TRUE	REG	0.001		27/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	18/07/2023 8:30	Calcium	623	mg/L	TRUE	REG	1		27/07/2023	
MBID18	18/07/2023 8:30	Iron	5.46	mg/L	FALSE	REG	0.05		25/07/2023	
MBID18	18/07/2023 8:30	Iron	4.65	mg/L	TRUE	REG	0.05		27/07/2023	
MBID18	18/07/2023 8:30	Magnesium	523	mg/L	TRUE	REG	1		27/07/2023	
MBID18	18/07/2023 8:30	Molybdenum	0.005	mg/L	FALSE	REG	0.001		25/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	18/07/2023 8:30	Molybdenum	0.005	mg/L	TRUE	REG	0.001		27/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	18/07/2023 8:30	Potassium	38	mg/L	TRUE	REG	1		27/07/2023	
MBID18	18/07/2023 8:30	Selenium	0.05	mg/L	FALSE	REG	0.01		25/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	18/07/2023 8:30	Selenium	0.05	mg/L	TRUE	REG	0.01		27/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	18/07/2023 8:30	Alkalinity (Bicarbonate as CaCO3)	304	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID18	18/07/2023 8:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID18	18/07/2023 8:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID18	18/07/2023 8:30	Alkalinity (total) as CaCO3	304	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID18	18/07/2023 8:30	Chloride	10700	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID18	18/07/2023 8:30	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
MBID18	18/07/2023 8:30	Sodium	5740	mg/L	TRUE	REG	1		27/07/2023	
CHPP STP	18/07/2023 10:03	TSS	5	mg/L	FALSE	REG	5	21/07/2023	21/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPP STP	18/07/2023 10:03	Total Phosphorus as P (Organic Ph	19.6	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
CHPP STP	18/07/2023 10:03	Organic Nitrogen, as N	21.2	mg/L	FALSE	REG	0.1		25/07/2023	
CHPP STP	18/07/2023 10:03	Alkalinity (Bicarbonate as CaCO3)	159	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
CHPP STP	18/07/2023 10:03	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
CHPP STP	18/07/2023 10:03	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
CHPP STP	18/07/2023 10:03	Alkalinity (total) as CaCO3	159	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
CHPP STP	18/07/2023 10:03	Ammonia as N	0.35	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
CHPP STP	18/07/2023 10:03	BOD	19	mg/L	FALSE	REG	2		20/07/2023	
CHPP STP	18/07/2023 10:03	COD	72	mg/L	FALSE	REG	10		24/07/2023	
CHPP STP	18/07/2023 10:03	Kjeldahl Nitrogen Total	21.6	mg/L	FALSE	REG	0.1	21/07/2023	21/07/2023	
CHPP STP	18/07/2023 10:03	Nitrate (as N)	0.47	mg/L	FALSE	REG	0.01		24/07/2023	
CHPP STP	18/07/2023 10:03	Nitrite (as N)	1.55	mg/L	FALSE	REG	0.01		24/07/2023	
CHPP STP	18/07/2023 10:03	Nitrite + Nitrate as N	2.02	mg/L	FALSE	REG	0.01		25/07/2023	
CHPP STP	18/07/2023 10:03	Nitrogen (Total)	23.6	mg/L	FALSE	REG	0.1		25/07/2023	
CHPP STP	18/07/2023 10:03	Reactive Phosphorus as P (Orthop	19.2	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
CHPP STP	18/07/2023 10:03	Sulfate as SO4 - Turbidimetric	33	mg/L	TRUE	REG	1	20/07/2023	20/07/2023	
CHPP STP	18/07/2023 10:03	Acidity (as CaCO3)	11	mg/L	FALSE	REG	1	20/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID08	18/07/2023 10:40	Calcium	120	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID08	18/07/2023 10:40	Iron	1.19	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Iron	0.05	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID08	18/07/2023 10:40	Magnesium	125	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID08	18/07/2023 10:40	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID08	18/07/2023 10:40	Potassium	6	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID08	18/07/2023 10:40	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID08	18/07/2023 10:40	Alkalinity (Bicarbonate as CaCO3)	894	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID08	18/07/2023 10:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID08	18/07/2023 10:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID08	18/07/2023 10:40	Alkalinity (total) as CaCO3	894	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID08	18/07/2023 10:40	Chloride	1400	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID08	18/07/2023 10:40	Sulfate as SO4 - Turbidimetric	528	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
MBID08	18/07/2023 10:40	Sodium	1310	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MIA STP	18/07/2023 10:44	TSS	53	mg/L	FALSE	REG	5	21/07/2023	21/07/2023	
MIA STP	18/07/2023 10:44	Organic Nitrogen, as N	13	mg/L	FALSE	REG	0.1		26/07/2023	
MIA STP	18/07/2023 10:44	Total Phosphorus as P (Organic Ph	18.3	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
MIA STP	18/07/2023 10:44	Alkalinity (Bicarbonate as CaCO3)	682	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MIA STP	18/07/2023 10:44	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MIA STP	18/07/2023 10:44	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MIA STP	18/07/2023 10:44	Alkalinity (total) as CaCO3	682	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MIA STP	18/07/2023 10:44	Ammonia as N	138	mg/L	FALSE	REG	0.01	26/07/2023	26/07/2023	
MIA STP	18/07/2023 10:44	BOD	51	mg/L	FALSE	REG	2		20/07/2023	
MIA STP	18/07/2023 10:44	COD	198	mg/L	FALSE	REG	10		24/07/2023	
MIA STP	18/07/2023 10:44	Kjeldahl Nitrogen Total	151	mg/L	FALSE	REG	0.1	21/07/2023	21/07/2023	
MIA STP	18/07/2023 10:44	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		26/07/2023	
MIA STP	18/07/2023 10:44	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
MIA STP	18/07/2023 10:44	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01		26/07/2023	
MIA STP	18/07/2023 10:44	Nitrogen (Total)	151	mg/L	FALSE	REG	0.1		26/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA STP	18/07/2023 10:44	Reactive Phosphorus as P (Orthop	18.9	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
MIA STP	18/07/2023 10:44	Sulfate as SO4 - Turbidimetric	18	mg/L	TRUE	REG	1	20/07/2023	20/07/2023	
MIA STP	18/07/2023 10:44	Acidity (as CaCO3)	63	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
CHPP STP	18/07/2023 11:19	TSS	168	mg/L	FALSE	REG	5	21/07/2023	21/07/2023	
CHPP STP	18/07/2023 11:19	Total Phosphorus as P (Organic Ph	6.08	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
CHPP STP	18/07/2023 11:19	Organic Nitrogen, as N	56	mg/L	FALSE	REG	0.1		25/07/2023	
CHPP STP	18/07/2023 11:19	Alkalinity (Bicarbonate as CaCO3)	285	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
CHPP STP	18/07/2023 11:19	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
CHPP STP	18/07/2023 11:19	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
CHPP STP	18/07/2023 11:19	Alkalinity (total) as CaCO3	285	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
CHPP STP	18/07/2023 11:19	Ammonia as N	0.81	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
CHPP STP	18/07/2023 11:19	BOD	19	mg/L	FALSE	REG	2		20/07/2023	
CHPP STP	18/07/2023 11:19	COD	218	mg/L	FALSE	REG	10		24/07/2023	
CHPP STP	18/07/2023 11:19	Kjeldahl Nitrogen Total	56.8	mg/L	FALSE	REG	0.1	21/07/2023	21/07/2023	
CHPP STP	18/07/2023 11:19	Nitrate (as N)	0.15	mg/L	FALSE	REG	0.01		24/07/2023	
CHPP STP	18/07/2023 11:19	Nitrite (as N)	0.75	mg/L	FALSE	REG	0.01		26/07/2023	
CHPP STP	18/07/2023 11:19	Nitrite + Nitrate as N	0.9	mg/L	FALSE	REG	0.01		27/07/2023	
CHPP STP	18/07/2023 11:19	Nitrogen (Total)	57.7	mg/L	FALSE	REG	0.1		25/07/2023	
CHPP STP	18/07/2023 11:19	Reactive Phosphorus as P (Orthop	4.32	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
CHPP STP	18/07/2023 11:19	Sulfate as SO4 - Turbidimetric	72	mg/L	TRUE	REG	1	20/07/2023	20/07/2023	
CHPP STP	18/07/2023 11:19	Acidity (as CaCO3)	2	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Calcium	68	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Iron	1.29	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Iron	0.05	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Magnesium	57	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Molybdenum	0.003	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Molybdenum	0.003	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Potassium	7	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Alkalinity (Bicarbonate as CaCO3)	712	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Alkalinity (total) as CaCO3	712	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Chloride	982	mg/L	FALSE	REG	1	26/07/2023	26/07/2023	
MBID07	18/07/2023 12:00	Sulfate as SO4 - Turbidimetric	336	mg/L	TRUE	REG	1	26/07/2023	26/07/2023	
MBID07	18/07/2023 12:00	Sodium	940	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Calcium	25	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Iron	0.68	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Iron	0.14	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Magnesium	31	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Potassium	3	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID05	18/07/2023 12:45	Alkalinity (Bicarbonate as CaCO3)	1500	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID05	18/07/2023 12:45	Alkalinity (Carbonate as CaCO3)	44	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID05	18/07/2023 12:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID05	18/07/2023 12:45	Alkalinity (total) as CaCO3	1540	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID05	18/07/2023 12:45	Chloride	169	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID05	18/07/2023 12:45	Sulfate as SO4 - Turbidimetric	20	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
MBID05	18/07/2023 12:45	Sodium	734	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Calcium	376	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Iron	3.7	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Iron	1.28	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Magnesium	532	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Potassium	16	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Alkalinity (Bicarbonate as CaCO3)	538	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID04	18/07/2023 14:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID04	18/07/2023 14:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID04	18/07/2023 14:10	Alkalinity (total) as CaCO3	538	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID04	18/07/2023 14:10	Chloride	7030	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID04	18/07/2023 14:10	Sulfate as SO4 - Turbidimetric	32	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
MBID04	18/07/2023 14:10	Sodium	3370	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Calcium	231	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Iron	1.2	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Iron	0.59	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Magnesium	318	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Molybdenum	0.002	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Potassium	12	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Alkalinity (Bicarbonate as CaCO3)	849	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Alkalinity (total) as CaCO3	849	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Chloride	4590	mg/L	FALSE	REG	1	26/07/2023	26/07/2023	
MBID10	18/07/2023 15:10	Sulfate as SO4 - Turbidimetric	352	mg/L	TRUE	REG	1		27/07/2023	
MBID10	18/07/2023 15:10	Sodium	2760	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Antimony	0.001	mg/L	FALSE	REG	0.001		25/07/2023	
MBID21A	18/07/2023 16:00	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Calcium	19	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Iron	7.78	mg/L	FALSE	REG	0.05		25/07/2023	
MBID21A	18/07/2023 16:00	Iron	0.05	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Magnesium	61	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Molybdenum	0.002	mg/L	FALSE	REG	0.001		25/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID21A	18/07/2023 16:00	Molybdenum	0.002	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Potassium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Selenium	0.01	mg/L	FALSE	REG	0.01		25/07/2023	
MBID21A	18/07/2023 16:00	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Alkalinity (Bicarbonate as CaCO3)	984	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID21A	18/07/2023 16:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID21A	18/07/2023 16:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID21A	18/07/2023 16:00	Alkalinity (total) as CaCO3	984	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID21A	18/07/2023 16:00	Chloride	1260	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID21A	18/07/2023 16:00	Sulfate as SO4 - Turbidimetric	120	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
MBID21A	18/07/2023 16:00	Sodium	1240	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Calcium	281	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Iron	19.1	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Iron	3.2	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Magnesium	160	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Potassium	6	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Alkalinity (Bicarbonate as CaCO3)	368	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID19A	18/07/2023 17:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID19A	18/07/2023 17:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID19A	18/07/2023 17:10	Alkalinity (total) as CaCO3	368	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID19A	18/07/2023 17:10	Chloride	1140	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID19A	18/07/2023 17:10	Sulfate as SO4 - Turbidimetric	23	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
MBID19A	18/07/2023 17:10	Sodium	338	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
Isaac Plains STP	18/07/2023 17:40	TSS	87	mg/L	FALSE	REG	5	21/07/2023	21/07/2023	
Isaac Plains STP	18/07/2023 17:40	Total Phosphorus as P (Organic Ph	14.6	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
Isaac Plains STP	18/07/2023 17:40	Organic Nitrogen, as N	22.9	mg/L	FALSE	REG	0.1		26/07/2023	
Isaac Plains STP	18/07/2023 17:40	Alkalinity (Bicarbonate as CaCO3)	500	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	18/07/2023 17:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	18/07/2023 17:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	18/07/2023 17:40	Alkalinity (total) as CaCO3	500	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	18/07/2023 17:40	Ammonia as N	93.1	mg/L	FALSE	REG	0.01	26/07/2023	26/07/2023	
Isaac Plains STP	18/07/2023 17:40	BOD	78	mg/L	FALSE	REG	2		20/07/2023	
Isaac Plains STP	18/07/2023 17:40	COD	273	mg/L	FALSE	REG	10		24/07/2023	
Isaac Plains STP	18/07/2023 17:40	Kjeldahl Nitrogen Total	116	mg/L	FALSE	REG	0.1	21/07/2023	21/07/2023	
Isaac Plains STP	18/07/2023 17:40	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		26/07/2023	
Isaac Plains STP	18/07/2023 17:40	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01		27/07/2023	
Isaac Plains STP	18/07/2023 17:40	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01		26/07/2023	
Isaac Plains STP	18/07/2023 17:40	Nitrogen (Total)	116	mg/L	FALSE	REG	0.1		26/07/2023	
Isaac Plains STP	18/07/2023 17:40	Reactive Phosphorus as P (Orthop	12.8	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
Isaac Plains STP	18/07/2023 17:40	Sulfate as SO4 - Turbidimetric	28	mg/L	TRUE	REG	1		27/07/2023	
Isaac Plains STP	18/07/2023 17:40	Acidity (as CaCO3)	40	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:00	TSS	84	mg/L	FALSE	REG	5	21/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Organic Nitrogen, as N	11.1	mg/L	FALSE	REG	0.1		26/07/2023	
Isaac Plains STP	19/07/2023 8:00	Total Phosphorus as P (Organic Ph	12.4	mg/L	FALSE	REG	0.01		25/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Isaac Plains STP	19/07/2023 8:00	Alkalinity (Bicarbonate as CaCO3)	458	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Alkalinity (total) as CaCO3	458	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Ammonia as N	92.9	mg/L	FALSE	REG	0.01	26/07/2023	26/07/2023	
Isaac Plains STP	19/07/2023 8:00	BOD	43	mg/L	FALSE	REG	2		20/07/2023	
Isaac Plains STP	19/07/2023 8:00	COD	217	mg/L	FALSE	REG	10		24/07/2023	
Isaac Plains STP	19/07/2023 8:00	Kjeldahl Nitrogen Total	104	mg/L	FALSE	REG	0.1	21/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		26/07/2023	
Isaac Plains STP	19/07/2023 8:00	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
Isaac Plains STP	19/07/2023 8:00	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01		26/07/2023	
Isaac Plains STP	19/07/2023 8:00	Nitrogen (Total)	104	mg/L	FALSE	REG	0.1		26/07/2023	
Isaac Plains STP	19/07/2023 8:00	Reactive Phosphorus as P (Orthoph)	6.75	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
Isaac Plains STP	19/07/2023 8:00	Sulfate as SO4 - Turbidimetric	20	mg/L	TRUE	REG	1	20/07/2023	20/07/2023	
Isaac Plains STP	19/07/2023 8:00	Acidity (as CaCO3)	18	mg/L	FALSE	REG	1	20/07/2023	24/07/2023	
Isaac Plains STP	19/07/2023 8:00	TSS	69	mg/L	FALSE	REG	5	21/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Total Phosphorus as P (Organic Ph)	11.2	mg/L	FALSE	REG	0.01		25/07/2023	
Isaac Plains STP	19/07/2023 8:00	Organic Nitrogen, as N	21.2	mg/L	FALSE	REG	0.1		26/07/2023	
Isaac Plains STP	19/07/2023 8:00	Alkalinity (Bicarbonate as CaCO3)	473	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:00	Alkalinity (total) as CaCO3	473	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:00	Ammonia as N	83.8	mg/L	FALSE	REG	0.01	26/07/2023	26/07/2023	
Isaac Plains STP	19/07/2023 8:00	BOD	41	mg/L	FALSE	REG	2		20/07/2023	
Isaac Plains STP	19/07/2023 8:00	COD	192	mg/L	FALSE	REG	10		24/07/2023	
Isaac Plains STP	19/07/2023 8:00	Kjeldahl Nitrogen Total	105	mg/L	FALSE	REG	0.1	21/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		26/07/2023	
Isaac Plains STP	19/07/2023 8:00	Nitrite (as N)	0.25	mg/L	FALSE	REG	0.01		27/07/2023	
Isaac Plains STP	19/07/2023 8:00	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01		26/07/2023	
Isaac Plains STP	19/07/2023 8:00	Nitrogen (Total)	105	mg/L	FALSE	REG	0.1		26/07/2023	
Isaac Plains STP	19/07/2023 8:00	Reactive Phosphorus as P (Orthoph)	5.31	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Sulfate as SO4 - Turbidimetric	22	mg/L	TRUE	REG	1		27/07/2023	
Isaac Plains STP	19/07/2023 8:00	Acidity (as CaCO3)	23	mg/L	FALSE	REG	1	25/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Calcium	49	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Iron	7.61	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Iron	0.13	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Magnesium	88	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Molybdenum	0.004	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Molybdenum	0.004	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Potassium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Alkalinity (Bicarbonate as CaCO3)	1010	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID17	19/07/2023 8:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID17	19/07/2023 8:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID17	19/07/2023 8:00	Alkalinity (total) as CaCO3	1010	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID17	19/07/2023 8:00	Chloride	1450	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
MBID17	19/07/2023 8:00	Sulfate as SO4 - Turbidimetric	125	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID17	19/07/2023 8:00	Sodium	1260	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:15	TSS	75	mg/L	FALSE	REG	5		24/07/2023	
Isaac Plains STP	19/07/2023 8:15	Total Phosphorus as P (Organic Ph	13.5	mg/L	FALSE	REG	0.01		25/07/2023	
Isaac Plains STP	19/07/2023 8:15	Organic Nitrogen, as N	19	mg/L	FALSE	REG	0.1		26/07/2023	
Isaac Plains STP	19/07/2023 8:15	Alkalinity (Bicarbonate as CaCO3)	248	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:15	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:15	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:15	Alkalinity (total) as CaCO3	248	mg/L	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:15	Ammonia as N	54.7	mg/L	FALSE	REG	0.01	26/07/2023	26/07/2023	
Isaac Plains STP	19/07/2023 8:15	BOD	136	mg/L	FALSE	REG	2		20/07/2023	
Isaac Plains STP	19/07/2023 8:15	COD	495	mg/L	FALSE	REG	10		24/07/2023	
Isaac Plains STP	19/07/2023 8:15	Kjeldahl Nitrogen Total	73.7	mg/L	FALSE	REG	0.1	21/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:15	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		26/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	19/07/2023 8:15	Nitrite (as N)	3.73	mg/L	FALSE	REG	0.01		26/07/2023	
Isaac Plains STP	19/07/2023 8:15	Nitrite + Nitrate as N	1.98	mg/L	FALSE	REG	0.01		26/07/2023	
Isaac Plains STP	19/07/2023 8:15	Nitrogen (Total)	75.7	mg/L	FALSE	REG	0.1		26/07/2023	
Isaac Plains STP	19/07/2023 8:15	Reactive Phosphorus as P (Orthop	1.15	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
Isaac Plains STP	19/07/2023 8:15	Sulfate as SO4 - Turbidimetric	23	mg/L	TRUE	REG	1	20/07/2023	20/07/2023	
Isaac Plains STP	19/07/2023 8:15	Acidity (as CaCO3)	12	mg/L	FALSE	REG	1	20/07/2023	24/07/2023	
	20/07/2023 14:54	BOD	2	mg/L	FALSE	REG	2		20/07/2023	
	20/07/2023 19:41	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
	20/07/2023 19:41	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
	20/07/2023 19:41	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	20/07/2023	20/07/2023	
	20/07/2023 20:29	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
	20/07/2023 20:29	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	20/07/2023	20/07/2023	
	20/07/2023 20:29	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	20/07/2023	20/07/2023	
	21/07/2023 11:03	TSS	5	mg/L	FALSE	REG	5	21/07/2023	21/07/2023	
	21/07/2023 12:33	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
	21/07/2023 12:33	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
	21/07/2023 15:44	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
	21/07/2023 15:44	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
	21/07/2023 15:44	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
	21/07/2023 17:52	Chloride	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
	21/07/2023 17:52	Chloride	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
	21/07/2023 17:52	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
	21/07/2023 17:52	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
	21/07/2023 21:19	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	21/07/2023	21/07/2023	
	21/07/2023 21:19	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	21/07/2023	21/07/2023	
	21/07/2023 21:57	Chloride	1	mg/L	FALSE	REG	1	21/07/2023	21/07/2023	
	21/07/2023 21:57	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/07/2023	21/07/2023	
	22/07/2023 16:09	Antimony	0.001	mg/L	FALSE	REG	0.001	22/07/2023	25/07/2023	
	22/07/2023 16:09	Iron	0.05	mg/L	FALSE	REG	0.05	22/07/2023	25/07/2023	
	22/07/2023 16:09	Molybdenum	0.001	mg/L	FALSE	REG	0.001	22/07/2023	25/07/2023	
	22/07/2023 16:09	Selenium	0.01	mg/L	FALSE	REG	0.01	22/07/2023	25/07/2023	
	22/07/2023 16:12	Antimony	0.001	mg/L	TRUE	REG	0.001	22/07/2023	25/07/2023	
	22/07/2023 16:12	Calcium	1	mg/L	TRUE	REG	1	22/07/2023	25/07/2023	
	22/07/2023 16:12	Iron	0.05	mg/L	TRUE	REG	0.05	22/07/2023	25/07/2023	
	22/07/2023 16:12	Magnesium	1	mg/L	TRUE	REG	1	22/07/2023	25/07/2023	
	22/07/2023 16:12	Molybdenum	0.001	mg/L	TRUE	REG	0.001	22/07/2023	25/07/2023	
	22/07/2023 16:12	Potassium	1	mg/L	TRUE	REG	1	22/07/2023	25/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/07/2023 16:12	Selenium	0.01	mg/L	TRUE	REG	0.01	22/07/2023	25/07/2023	
	22/07/2023 16:12	Sodium	1	mg/L	TRUE	REG	1	22/07/2023	25/07/2023	
	22/07/2023 16:14	Antimony	0.001	mg/L	FALSE	REG	0.001	22/07/2023	24/07/2023	
	22/07/2023 16:14	Iron	0.05	mg/L	FALSE	REG	0.05	22/07/2023	24/07/2023	
	22/07/2023 16:14	Molybdenum	0.001	mg/L	FALSE	REG	0.001	22/07/2023	24/07/2023	
	22/07/2023 16:14	Selenium	0.01	mg/L	FALSE	REG	0.01	22/07/2023	24/07/2023	
	24/07/2023 7:11	COD	10	mg/L	FALSE	REG	10		24/07/2023	
	24/07/2023 9:33	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
	24/07/2023 9:33	Antimony	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
	24/07/2023 9:33	Iron	0.05	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
	24/07/2023 9:33	Iron	0.05	mg/L	FALSE	REG	0.05	24/07/2023	24/07/2023	
	24/07/2023 9:33	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
	24/07/2023 9:33	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/07/2023	24/07/2023	
	24/07/2023 9:33	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
	24/07/2023 9:33	Selenium	0.01	mg/L	FALSE	REG	0.01	24/07/2023	24/07/2023	
	24/07/2023 9:42	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
	24/07/2023 9:42	Calcium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
	24/07/2023 9:42	Iron	0.05	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
	24/07/2023 9:42	Magnesium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
	24/07/2023 9:42	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
	24/07/2023 9:42	Potassium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
	24/07/2023 9:42	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
	24/07/2023 9:42	Sodium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
	24/07/2023 10:14	Antimony	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
	24/07/2023 10:14	Calcium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
	24/07/2023 10:14	Iron	0.05	mg/L	TRUE	REG	0.05	24/07/2023	25/07/2023	
	24/07/2023 10:14	Magnesium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
	24/07/2023 10:14	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/07/2023	25/07/2023	
	24/07/2023 10:14	Potassium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
	24/07/2023 10:14	Selenium	0.01	mg/L	TRUE	REG	0.01	24/07/2023	25/07/2023	
	24/07/2023 10:14	Sodium	1	mg/L	TRUE	REG	1	24/07/2023	25/07/2023	
W5	25/07/2023 13:05	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Boron	0.05	mg/L	FALSE	REG	0.05	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Boron	0.05	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Chromium (III+VI)	0.016	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Cobalt	0.01	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Cobalt	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Copper	0.023	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Copper	0.002	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Iron	16.1	mg/L	FALSE	REG	0.05	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Iron	0.05	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Lead	0.006	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Lead	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Manganese	0.309	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Manganese	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	29/07/2023	
W5	25/07/2023 13:05	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Molybdenum	0.002	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	25/07/2023 13:05	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Nickel	0.035	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Nickel	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Selenium	0.01	mg/L	FALSE	REG	0.01	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Selenium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Silver	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Silver	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Vanadium	0.02	mg/L	FALSE	REG	0.01	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Vanadium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Zinc	0.044	mg/L	FALSE	REG	0.005	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Zinc	0.005	mg/L	TRUE	REG	0.005	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	TSS	142	mg/L	FALSE	REG	5	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Total Phosphorus as P (Organic Ph	0.44	mg/L	FALSE	REG	0.01	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
W5	25/07/2023 13:05	Fluoride	0.1	mg/L	FALSE	REG	0.1	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Kjeldahl Nitrogen Total	0.8	mg/L	FALSE	REG	0.1	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Nitrate (as N)	0.29	mg/L	FALSE	REG	0.01		2/08/2023	
W5	25/07/2023 13:05	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W5	25/07/2023 13:05	Nitrite + Nitrate as N	0.31	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
W5	25/07/2023 13:05	Reactive Phosphorus as P (Orthop	0.07	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W5	25/07/2023 13:05	Sulfate as SO4 - Turbidimetric	42	mg/L	TRUE	REG	1	29/07/2023	29/07/2023	
W5	25/07/2023 13:05	Sodium	92	mg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Sodium	89	mg/L	TRUE	REG	1	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	TDS	544	mg/L	FALSE	REG	10	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Boron	0.05	mg/L	FALSE	REG	0.05	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Boron	0.05	mg/L	TRUE	REG	0.05	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Cobalt	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Cobalt	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Copper	0.003	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Copper	0.002	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Iron	1.36	mg/L	FALSE	REG	0.05	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Iron	0.06	mg/L	TRUE	REG	0.05	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Lead	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Lead	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Manganese	0.024	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Manganese	0.004	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	29/07/2023	
W4	25/07/2023 13:33	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/07/2023	29/07/2023	
W4	25/07/2023 13:33	Molybdenum	0.003	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Molybdenum	0.002	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Nickel	0.004	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Nickel	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Selenium	0.01	mg/L	FALSE	REG	0.01	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Selenium	0.01	mg/L	TRUE	REG	0.01	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Silver	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Silver	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	25/07/2023 13:33	Vanadium	0.01	mg/L	FALSE	REG	0.01	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Vanadium	0.01	mg/L	TRUE	REG	0.01	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Zinc	0.006	mg/L	FALSE	REG	0.005	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Zinc	0.005	mg/L	TRUE	REG	0.005	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	TSS	52	mg/L	FALSE	REG	5	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Total Phosphorus as P (Organic Ph	0.06	mg/L	FALSE	REG	0.01	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
W4	25/07/2023 13:33	Fluoride	0.1	mg/L	FALSE	REG	0.1	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Kjeldahl Nitrogen Total	0.4	mg/L	FALSE	REG	0.1	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Nitrate (as N)	1.12	mg/L	FALSE	REG	0.01		3/08/2023	
W4	25/07/2023 13:33	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W4	25/07/2023 13:33	Nitrite + Nitrate as N	1.14	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
W4	25/07/2023 13:33	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W4	25/07/2023 13:33	Sulfate as SO4 - Turbidimetric	101	mg/L	TRUE	REG	1	29/07/2023	29/07/2023	
W4	25/07/2023 13:33	Sodium	202	mg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Sodium	212	mg/L	TRUE	REG	1	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	TDS	790	mg/L	FALSE	REG	10	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Boron	0.18	mg/L	FALSE	REG	0.05	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Boron	0.15	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Chromium (III+VI)	0.007	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Cobalt	0.007	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Cobalt	0.003	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Copper	0.012	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Copper	0.008	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Iron	2.81	mg/L	FALSE	REG	0.05	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Iron	0.17	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Lead	0.002	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Lead	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Manganese	0.172	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Manganese	0.037	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	29/07/2023	
W7	25/07/2023 15:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Molybdenum	0.002	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Nickel	0.014	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Nickel	0.008	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Selenium	0.01	mg/L	FALSE	REG	0.01	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Selenium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Silver	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Silver	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Vanadium	0.01	mg/L	FALSE	REG	0.01	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Vanadium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Zinc	0.008	mg/L	FALSE	REG	0.005	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Zinc	0.005	mg/L	TRUE	REG	0.005	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	TSS	51	mg/L	FALSE	REG	5	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Total Phosphorus as P (Organic Ph	0.35	mg/L	FALSE	REG	0.01	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W7	25/07/2023 15:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Kjeldahl Nitrogen Total	3.3	mg/L	FALSE	REG	0.1	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		2/08/2023	
W7	25/07/2023 15:00	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W7	25/07/2023 15:00	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W7	25/07/2023 15:00	Reactive Phosphorus as P (Orthop	0.12	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W7	25/07/2023 15:00	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	29/07/2023	29/07/2023	
W7	25/07/2023 15:00	Sodium	172	mg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Sodium	175	mg/L	TRUE	REG	1	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	TDS	851	mg/L	FALSE	REG	10	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		1/08/2023	
W6	25/07/2023 15:35	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Boron	0.05	mg/L	FALSE	REG	0.05		1/08/2023	
W6	25/07/2023 15:35	Boron	0.05	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:35	Chromium (III+VI)	0.002	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Cobalt	0.001	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:35	Cobalt	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Copper	0.002	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:35	Copper	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Iron	1.35	mg/L	FALSE	REG	0.05		1/08/2023	
W6	25/07/2023 15:35	Iron	0.05	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Lead	0.001	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:35	Lead	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Manganese	0.048	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:35	Manganese	0.002	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	29/07/2023	
W6	25/07/2023 15:35	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Molybdenum	0.001	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:35	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Nickel	0.003	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:35	Nickel	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Selenium	0.01	mg/L	FALSE	REG	0.01		1/08/2023	
W6	25/07/2023 15:35	Selenium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Silver	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	Silver	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Vanadium	0.01	mg/L	FALSE	REG	0.01		1/08/2023	
W6	25/07/2023 15:35	Vanadium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Zinc	0.005	mg/L	FALSE	REG	0.005		1/08/2023	
W6	25/07/2023 15:35	Zinc	0.005	mg/L	TRUE	REG	0.005	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	TSS	25	mg/L	FALSE	REG	5	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Total Phosphorus as P (Organic Ph	0.24	mg/L	FALSE	REG	0.01	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Ammonia as N	0.01	mg/L	FALSE	REG	0.01		3/08/2023	
W6	25/07/2023 15:35	Fluoride	0.1	mg/L	FALSE	REG	0.1	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	Kjeldahl Nitrogen Total	0.5	mg/L	FALSE	REG	0.1	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Nitrate (as N)	0.11	mg/L	FALSE	REG	0.01		3/08/2023	
W6	25/07/2023 15:35	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W6	25/07/2023 15:35	Nitrite + Nitrate as N	0.12	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
W6	25/07/2023 15:35	Reactive Phosphorus as P (Orthop	0.18	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W6	25/07/2023 15:35	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	29/07/2023	29/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	25/07/2023 15:35	Sodium	2	mg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	Sodium	2	mg/L	TRUE	REG	1	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	TDS	34	mg/L	FALSE	REG	10	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		1/08/2023	
W6	25/07/2023 15:42	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Boron	0.05	mg/L	FALSE	REG	0.05		1/08/2023	
W6	25/07/2023 15:42	Boron	0.05	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:42	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Cobalt	0.001	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:42	Cobalt	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Copper	0.002	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:42	Copper	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Iron	1.42	mg/L	FALSE	REG	0.05		1/08/2023	
W6	25/07/2023 15:42	Iron	0.05	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Lead	0.001	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:42	Lead	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Manganese	0.033	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:42	Manganese	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	29/07/2023	
W6	25/07/2023 15:42	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Molybdenum	0.001	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:42	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Nickel	0.003	mg/L	FALSE	REG	0.001		1/08/2023	
W6	25/07/2023 15:42	Nickel	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Selenium	0.01	mg/L	FALSE	REG	0.01		1/08/2023	
W6	25/07/2023 15:42	Selenium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Silver	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	Silver	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Vanadium	0.01	mg/L	FALSE	REG	0.01		1/08/2023	
W6	25/07/2023 15:42	Vanadium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Zinc	0.005	mg/L	FALSE	REG	0.005		1/08/2023	
W6	25/07/2023 15:42	Zinc	0.005	mg/L	TRUE	REG	0.005	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	TSS	24	mg/L	FALSE	REG	5	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Total Phosphorus as P (Organic Ph	0.24	mg/L	FALSE	REG	0.01	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Ammonia as N	0.01	mg/L	FALSE	REG	0.01		3/08/2023	
W6	25/07/2023 15:42	Fluoride	0.1	mg/L	FALSE	REG	0.1	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	Kjeldahl Nitrogen Total	0.4	mg/L	FALSE	REG	0.1	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		3/08/2023	
W6	25/07/2023 15:42	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W6	25/07/2023 15:42	Nitrite + Nitrate as N	0.11	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
W6	25/07/2023 15:42	Reactive Phosphorus as P (Orthop	0.19	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
W6	25/07/2023 15:42	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	29/07/2023	29/07/2023	
W6	25/07/2023 15:42	Sodium	2	mg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	Sodium	1	mg/L	TRUE	REG	1	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	TDS	36	mg/L	FALSE	REG	10	31/07/2023	31/07/2023	
	26/07/2023 8:44	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	26/07/2023	26/07/2023	
	26/07/2023 8:44	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	26/07/2023	26/07/2023	
	26/07/2023 17:24	Chloride	1	mg/L	FALSE	REG	1	26/07/2023	26/07/2023	
	26/07/2023 17:24	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	26/07/2023	26/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	29/07/2023 10:37	Fluoride	0.1	mg/L	FALSE	REG	0.1	29/07/2023	31/07/2023	
	29/07/2023 15:01	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
	29/07/2023 15:01	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
	29/07/2023 15:01	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
	29/07/2023 15:01	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	29/07/2023	29/07/2023	
	29/07/2023 15:01	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	29/07/2023	29/07/2023	
	29/07/2023 15:59	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Boron	0.05	mg/L	TRUE	REG	0.05	29/07/2023	31/07/2023	
	29/07/2023 15:59	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Cobalt	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Copper	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Iron	0.05	mg/L	TRUE	REG	0.05	29/07/2023	31/07/2023	
	29/07/2023 15:59	Lead	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Manganese	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Mercury	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	29/07/2023	
	29/07/2023 15:59	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Nickel	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Selenium	0.01	mg/L	TRUE	REG	0.01	29/07/2023	31/07/2023	
	29/07/2023 15:59	Silver	0.001	mg/L	TRUE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 15:59	Vanadium	0.01	mg/L	TRUE	REG	0.01	29/07/2023	31/07/2023	
	29/07/2023 15:59	Zinc	0.005	mg/L	TRUE	REG	0.005	29/07/2023	31/07/2023	
	29/07/2023 15:59	Sodium	1	mg/L	TRUE	REG	1	29/07/2023	31/07/2023	
	29/07/2023 16:00	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Boron	0.05	mg/L	FALSE	REG	0.05	29/07/2023	31/07/2023	
	29/07/2023 16:00	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Cobalt	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Copper	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Iron	0.05	mg/L	FALSE	REG	0.05	29/07/2023	31/07/2023	
	29/07/2023 16:00	Lead	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Manganese	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/07/2023	29/07/2023	
	29/07/2023 16:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Nickel	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Selenium	0.01	mg/L	FALSE	REG	0.01	29/07/2023	31/07/2023	
	29/07/2023 16:00	Silver	0.001	mg/L	FALSE	REG	0.001	29/07/2023	31/07/2023	
	29/07/2023 16:00	Vanadium	0.01	mg/L	FALSE	REG	0.01	29/07/2023	31/07/2023	
	29/07/2023 16:00	Zinc	0.005	mg/L	FALSE	REG	0.005	29/07/2023	31/07/2023	
	29/07/2023 16:00	Sodium	1	mg/L	FALSE	REG	1	29/07/2023	31/07/2023	
	31/07/2023 10:25	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	31/07/2023	31/07/2023	
	31/07/2023 10:25	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	31/07/2023	31/07/2023	
	31/07/2023 11:20	TSS	5	mg/L	FALSE	REG	5	31/07/2023	31/07/2023	
	31/07/2023 11:20	TDS	10	mg/L	FALSE	REG	10	31/07/2023	31/07/2023	
	31/07/2023 12:52	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	31/07/2023	31/07/2023	
	31/07/2023 12:52	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	31/07/2023	31/07/2023	
	1/08/2023 13:49	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Boron	0.05	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	
	1/08/2023 13:49	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Cobalt	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Copper	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Iron	0.05	mg/L	TRUE	REG	0.05	1/08/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	1/08/2023 13:49	Lead	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Manganese	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Nickel	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Selenium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
	1/08/2023 13:49	Silver	0.001	mg/L	TRUE	REG	0.001	1/08/2023	1/08/2023	
	1/08/2023 13:49	Vanadium	0.01	mg/L	TRUE	REG	0.01	1/08/2023	1/08/2023	
	1/08/2023 13:49	Zinc	0.005	mg/L	TRUE	REG	0.005	1/08/2023	1/08/2023	
	1/08/2023 13:49	Sodium	1	mg/L	TRUE	REG	1	1/08/2023	1/08/2023	
	2/08/2023 7:49	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
	2/08/2023 7:49	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
	2/08/2023 8:26	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
	2/08/2023 8:26	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	2/08/2023	2/08/2023	
N1S	8/08/2023 17:00	Antimony	0.006	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Barium	0.041	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Calcium	38	mg/L	TRUE	REG	1	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Iron	0.05	mg/L	TRUE	REG	0.05	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Magnesium	70	mg/L	TRUE	REG	1	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	17/08/2023	18/08/2023	
N1S	8/08/2023 17:00	Molybdenum	0.056	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Potassium	11	mg/L	TRUE	REG	1	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Selenium	0.01	mg/L	TRUE	REG	0.01	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Silver	0.001	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Strontium	3.39	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Total Phosphorus as P (Organic Ph	1.03	mg/L	FALSE	REG	0.01	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Alkalinity (Bicarbonate as CaCO3)	258	mg/L	FALSE	REG	1	11/08/2023	11/08/2023	
N1S	8/08/2023 17:00	Alkalinity (Carbonate as CaCO3)	19	mg/L	FALSE	REG	1	11/08/2023	11/08/2023	
N1S	8/08/2023 17:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	11/08/2023	11/08/2023	
N1S	8/08/2023 17:00	Alkalinity (total) as CaCO3	277	mg/L	FALSE	REG	1	11/08/2023	11/08/2023	
N1S	8/08/2023 17:00	Chloride	1100	mg/L	FALSE	REG	1	11/08/2023	11/08/2023	
N1S	8/08/2023 17:00	Fluoride	0.6	mg/L	FALSE	REG	0.1	11/08/2023	11/08/2023	
N1S	8/08/2023 17:00	Sulfate as SO4 - Turbidimetric	472	mg/L	TRUE	REG	1	11/08/2023	11/08/2023	
N1S	8/08/2023 17:00	Sodium	908	mg/L	TRUE	REG	1	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	11/08/2023	14/08/2023	
	11/08/2023 17:44	Fluoride	0.1	mg/L	FALSE	REG	0.1	11/08/2023	11/08/2023	
	11/08/2023 17:45	Chloride	1	mg/L	FALSE	REG	1	11/08/2023	11/08/2023	
	11/08/2023 17:45	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	11/08/2023	11/08/2023	
	17/08/2023 18:38	Antimony	0.001	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
	17/08/2023 18:38	Barium	0.001	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
	17/08/2023 18:38	Calcium	1	mg/L	TRUE	REG	1	17/08/2023	17/08/2023	
	17/08/2023 18:38	Iron	0.05	mg/L	TRUE	REG	0.05	17/08/2023	17/08/2023	
	17/08/2023 18:38	Magnesium	1	mg/L	TRUE	REG	1	17/08/2023	17/08/2023	
	17/08/2023 18:38	Mercury	0.0001	mg/L	TRUE	REG	0.0001	17/08/2023	18/08/2023	
	17/08/2023 18:38	Molybdenum	0.001	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
	17/08/2023 18:38	Potassium	1	mg/L	TRUE	REG	1	17/08/2023	17/08/2023	
	17/08/2023 18:38	Selenium	0.01	mg/L	TRUE	REG	0.01	17/08/2023	17/08/2023	
	17/08/2023 18:38	Silver	0.001	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
	17/08/2023 18:38	Strontium	0.001	mg/L	TRUE	REG	0.001	17/08/2023	17/08/2023	
	17/08/2023 18:38	Sodium	1	mg/L	TRUE	REG	1	17/08/2023	17/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	17/08/2023 22:06	Total Phosphorus as P (Organic Ph)	0.01	mg/L	FALSE	REG	0.01	17/08/2023	17/08/2023	
RWD	19/08/2023 12:39	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		29/08/2023	
RWD	19/08/2023 12:39	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001		29/08/2023	
RWD	19/08/2023 12:39	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	Cobalt	0.001	mg/L	FALSE	REG	0.001		29/08/2023	
RWD	19/08/2023 12:39	Cobalt	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	Copper	0.003	mg/L	FALSE	REG	0.001		29/08/2023	
RWD	19/08/2023 12:39	Copper	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	Lead	0.001	mg/L	FALSE	REG	0.001		29/08/2023	
RWD	19/08/2023 12:39	Lead	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	Nickel	0.001	mg/L	FALSE	REG	0.001		29/08/2023	
RWD	19/08/2023 12:39	Nickel	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	Zinc	0.005	mg/L	FALSE	REG	0.005		29/08/2023	
RWD	19/08/2023 12:39	Zinc	0.005	mg/L	TRUE	REG	0.005	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	TSS	5	mg/L	FALSE	REG	5	24/08/2023	24/08/2023	
RWD	19/08/2023 12:39	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/08/2023	23/08/2023	
RWD	19/08/2023 12:39	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	24/08/2023	24/08/2023	
RWD	19/08/2023 12:39	Sodium	12	mg/L	FALSE	REG	1	24/08/2023	27/08/2023	
RWD	19/08/2023 12:39	Sodium	10	mg/L	TRUE	REG	1	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	TDS	100	mg/L	FALSE	REG	10	24/08/2023	24/08/2023	
	19/08/2023 12:47	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		29/08/2023	
	19/08/2023 12:47	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	24/08/2023	26/08/2023	
	19/08/2023 12:47	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001		29/08/2023	
	19/08/2023 12:47	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	19/08/2023 12:47	Cobalt	0.001	mg/L	FALSE	REG	0.001		29/08/2023	
	19/08/2023 12:47	Cobalt	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	19/08/2023 12:47	Copper	0.003	mg/L	FALSE	REG	0.001		29/08/2023	
	19/08/2023 12:47	Copper	0.002	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	19/08/2023 12:47	Lead	0.001	mg/L	FALSE	REG	0.001		29/08/2023	
	19/08/2023 12:47	Lead	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	19/08/2023 12:47	Nickel	0.001	mg/L	FALSE	REG	0.001		29/08/2023	
	19/08/2023 12:47	Nickel	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	19/08/2023 12:47	Zinc	0.005	mg/L	FALSE	REG	0.005		29/08/2023	
	19/08/2023 12:47	Zinc	0.005	mg/L	TRUE	REG	0.005	24/08/2023	26/08/2023	
	19/08/2023 12:47	TSS	5	mg/L	FALSE	REG	5	24/08/2023	24/08/2023	
	19/08/2023 12:47	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/08/2023	23/08/2023	
	19/08/2023 12:47	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	24/08/2023	24/08/2023	
	19/08/2023 12:47	Sodium	11	mg/L	FALSE	REG	1	24/08/2023	27/08/2023	
	19/08/2023 12:47	Sodium	11	mg/L	TRUE	REG	1	24/08/2023	26/08/2023	
	19/08/2023 12:47	TDS	106	mg/L	FALSE	REG	10	24/08/2023	24/08/2023	
	23/08/2023 9:24	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/08/2023	23/08/2023	
	24/08/2023 10:06	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	24/08/2023	27/08/2023	
	24/08/2023 10:06	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	24/08/2023	27/08/2023	
	24/08/2023 10:06	Cobalt	0.001	mg/L	FALSE	REG	0.001	24/08/2023	27/08/2023	
	24/08/2023 10:06	Copper	0.001	mg/L	FALSE	REG	0.001	24/08/2023	27/08/2023	
	24/08/2023 10:06	Lead	0.001	mg/L	FALSE	REG	0.001	24/08/2023	27/08/2023	
	24/08/2023 10:06	Nickel	0.001	mg/L	FALSE	REG	0.001	24/08/2023	27/08/2023	
	24/08/2023 10:06	Zinc	0.005	mg/L	FALSE	REG	0.005	24/08/2023	27/08/2023	
	24/08/2023 10:06	Sodium	1	mg/L	FALSE	REG	1	24/08/2023	27/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/08/2023 10:29	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/08/2023	24/08/2023	
	24/08/2023 11:13	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	24/08/2023	26/08/2023	
	24/08/2023 11:13	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	24/08/2023 11:13	Cobalt	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	24/08/2023 11:13	Copper	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	24/08/2023 11:13	Lead	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	24/08/2023 11:13	Nickel	0.001	mg/L	TRUE	REG	0.001	24/08/2023	26/08/2023	
	24/08/2023 11:13	Zinc	0.005	mg/L	TRUE	REG	0.005	24/08/2023	26/08/2023	
	24/08/2023 11:13	Sodium	1	mg/L	TRUE	REG	1	24/08/2023	26/08/2023	
	24/08/2023 14:31	TSS	5	mg/L	FALSE	REG	5	24/08/2023	24/08/2023	
	24/08/2023 14:31	TDS	10	mg/L	FALSE	REG	10	24/08/2023	24/08/2023	
SB2	27/08/2023 8:00	Antimony	0.001	mg/L	FALSE	REG	0.001		5/09/2023	
SB2	27/08/2023 8:00	Antimony	0.001	mg/L	TRUE	REG	0.001		4/09/2023	
SB2	27/08/2023 8:00	Barium	0.421	mg/L	FALSE	REG	0.001		5/09/2023	
SB2	27/08/2023 8:00	Barium	0.404	mg/L	TRUE	REG	0.001		4/09/2023	
SB2	27/08/2023 8:00	Calcium	508	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
SB2	27/08/2023 8:00	Iron	0.12	mg/L	FALSE	REG	0.05		5/09/2023	
SB2	27/08/2023 8:00	Iron	0.05	mg/L	TRUE	REG	0.05		4/09/2023	
SB2	27/08/2023 8:00	Magnesium	155	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
SB2	27/08/2023 8:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
SB2	27/08/2023 8:00	Molybdenum	0.002	mg/L	FALSE	REG	0.001		5/09/2023	
SB2	27/08/2023 8:00	Molybdenum	0.002	mg/L	TRUE	REG	0.001		4/09/2023	
SB2	27/08/2023 8:00	Potassium	20	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
SB2	27/08/2023 8:00	Selenium	0.01	mg/L	FALSE	REG	0.01		5/09/2023	
SB2	27/08/2023 8:00	Selenium	0.01	mg/L	TRUE	REG	0.01		4/09/2023	
SB2	27/08/2023 8:00	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
SB2	27/08/2023 8:00	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
SB2	27/08/2023 8:00	Strontium	8.2	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
SB2	27/08/2023 8:00	Strontium	8.67	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
SB2	27/08/2023 8:00	TSS	19	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
SB2	27/08/2023 8:00	Total Phosphorus as P (Organic Ph	0.04	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
SB2	27/08/2023 8:00	Alkalinity (Bicarbonate as CaCO3)	66	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
SB2	27/08/2023 8:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
SB2	27/08/2023 8:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
SB2	27/08/2023 8:00	Alkalinity (total) as CaCO3	66	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
SB2	27/08/2023 8:00	Chloride	3080	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
SB2	27/08/2023 8:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/08/2023	1/09/2023	
SB2	27/08/2023 8:00	Sulfate as SO4 - Turbidimetric	139	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
SB2	27/08/2023 8:00	Sodium	1150	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
SB2	27/08/2023 8:00	TDS	6590	mg/L	FALSE	REG	10	1/09/2023	1/09/2023	
SB2	27/08/2023 8:00	Rubidium	0.036	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Antimony	0.001	mg/L	FALSE	REG	0.001		5/09/2023	
BC2	27/08/2023 9:24	Antimony	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Barium	0.515	mg/L	FALSE	REG	0.001		5/09/2023	
BC2	27/08/2023 9:24	Barium	0.473	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Calcium	225	mg/L	TRUE	REG	1		4/09/2023	
BC2	27/08/2023 9:24	Iron	2.1	mg/L	FALSE	REG	0.05		5/09/2023	
BC2	27/08/2023 9:24	Iron	0.05	mg/L	TRUE	REG	0.05	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Magnesium	299	mg/L	TRUE	REG	1		4/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
BC2	27/08/2023 9:24	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
BC2	27/08/2023 9:24	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
BC2	27/08/2023 9:24	Molybdenum	0.001	mg/L	FALSE	REG	0.001		5/09/2023	
BC2	27/08/2023 9:24	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Potassium	6	mg/L	TRUE	REG	1		4/09/2023	
BC2	27/08/2023 9:24	Selenium	0.01	mg/L	FALSE	REG	0.01		5/09/2023	
BC2	27/08/2023 9:24	Selenium	0.01	mg/L	TRUE	REG	0.01	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Strontium	6.73	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Strontium	7.16	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	TSS	46	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
BC2	27/08/2023 9:24	Total Phosphorus as P (Organic Ph	0.08	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
BC2	27/08/2023 9:24	Alkalinity (Bicarbonate as CaCO3)	660	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
BC2	27/08/2023 9:24	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
BC2	27/08/2023 9:24	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
BC2	27/08/2023 9:24	Alkalinity (total) as CaCO3	660	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
BC2	27/08/2023 9:24	Chloride	2350	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
BC2	27/08/2023 9:24	Fluoride	0.2	mg/L	FALSE	REG	0.1	30/08/2023	1/09/2023	
BC2	27/08/2023 9:24	Sulfate as SO4 - Turbidimetric	107	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
BC2	27/08/2023 9:24	Sodium	914	mg/L	TRUE	REG	1		4/09/2023	
BC2	27/08/2023 9:24	TDS	4970	mg/L	FALSE	REG	10	1/09/2023	1/09/2023	
BC2	27/08/2023 9:24	Rubidium	0.012	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Antimony	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Antimony	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Barium	0.223	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Barium	0.193	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Calcium	100	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Iron	1.71	mg/L	FALSE	REG	0.05	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Iron	1.31	mg/L	TRUE	REG	0.05	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Magnesium	153	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
MB2	27/08/2023 10:55	Molybdenum	0.002	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Molybdenum	0.002	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Potassium	7	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Selenium	0.01	mg/L	FALSE	REG	0.01	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Selenium	0.01	mg/L	TRUE	REG	0.01	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Strontium	4.08	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Strontium	3.97	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	TSS	32	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
MB2	27/08/2023 10:55	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
MB2	27/08/2023 10:55	Alkalinity (Bicarbonate as CaCO3)	773	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Alkalinity (total) as CaCO3	773	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Chloride	1780	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
MB2	27/08/2023 10:55	Fluoride	0.5	mg/L	FALSE	REG	0.1	30/08/2023	31/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB2	27/08/2023 10:55	Sulfate as SO4 - Turbidimetric	143	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
MB2	27/08/2023 10:55	Sodium	1270	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	TDS	4140	mg/L	FALSE	REG	10		4/09/2023	
MB2	27/08/2023 10:55	Rubidium	0.013	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Antimony	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Antimony	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Barium	0.215	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Barium	0.209	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Calcium	75	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Iron	0.43	mg/L	FALSE	REG	0.05	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Iron	0.05	mg/L	TRUE	REG	0.05	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Magnesium	185	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
MB14	27/08/2023 13:00	Molybdenum	0.002	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Molybdenum	0.002	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Potassium	11	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Selenium	0.01	mg/L	FALSE	REG	0.01	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Selenium	0.01	mg/L	TRUE	REG	0.01	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Strontium	1.74	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Strontium	1.73	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	TSS	8	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
MB14	27/08/2023 13:00	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
MB14	27/08/2023 13:00	Alkalinity (Bicarbonate as CaCO3)	608	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Alkalinity (total) as CaCO3	608	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Chloride	881	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
MB14	27/08/2023 13:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Sulfate as SO4 - Turbidimetric	124	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
MB14	27/08/2023 13:00	Sodium	493	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	TDS	2350	mg/L	FALSE	REG	10	1/09/2023	1/09/2023	
MB14	27/08/2023 13:00	Rubidium	0.019	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Antimony	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Antimony	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Barium	0.49	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Barium	0.359	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Calcium	268	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Iron	1.6	mg/L	FALSE	REG	0.05	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Iron	1.42	mg/L	TRUE	REG	0.05	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Magnesium	390	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
MB12	27/08/2023 14:27	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Potassium	24	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Selenium	0.01	mg/L	FALSE	REG	0.01	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Selenium	0.01	mg/L	TRUE	REG	0.01	31/08/2023	2/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB12	27/08/2023 14:27	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Strontium	13.3	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Strontium	13.7	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	TSS	13	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
MB12	27/08/2023 14:27	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
MB12	27/08/2023 14:27	Alkalinity (Bicarbonate as CaCO3)	421	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Alkalinity (total) as CaCO3	421	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Chloride	4260	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
MB12	27/08/2023 14:27	Fluoride	0.2	mg/L	FALSE	REG	0.1	30/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Sulfate as SO4 - Turbidimetric	318	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
MB12	27/08/2023 14:27	Sodium	2060	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	TDS	8780	mg/L	FALSE	REG	10	1/09/2023	1/09/2023	
MB12	27/08/2023 14:27	Rubidium	0.035	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Antimony	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Antimony	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Barium	1.28	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Barium	0.459	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Calcium	553	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Iron	0.58	mg/L	FALSE	REG	0.05	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Iron	0.42	mg/L	TRUE	REG	0.05	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Magnesium	486	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
MB7	27/08/2023 18:00	Molybdenum	0.004	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Molybdenum	0.003	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Potassium	21	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Selenium	0.01	mg/L	FALSE	REG	0.01	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Selenium	0.01	mg/L	TRUE	REG	0.01	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Strontium	52.9	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Strontium	57.5	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	TSS	11	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
MB7	27/08/2023 18:00	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MB7	27/08/2023 18:00	Alkalinity (Bicarbonate as CaCO3)	376	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Alkalinity (total) as CaCO3	376	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Chloride	7980	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
MB7	27/08/2023 18:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Sulfate as SO4 - Turbidimetric	358	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
MB7	27/08/2023 18:00	Sodium	4040	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	TDS	16800	mg/L	FALSE	REG	10	1/09/2023	1/09/2023	
MB7	27/08/2023 18:00	Rubidium	0.043	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Antimony	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Antimony	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Barium	11.4	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	28/08/2023 9:00	Barium	10.5	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Calcium	282	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Iron	1.43	mg/L	FALSE	REG	0.05	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Iron	0.48	mg/L	TRUE	REG	0.05	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Magnesium	145	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
MB9A	28/08/2023 9:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Potassium	20	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Selenium	0.01	mg/L	FALSE	REG	0.01	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Selenium	0.01	mg/L	TRUE	REG	0.01	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Strontium	14.8	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Strontium	14.4	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	TSS	58	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
MB9A	28/08/2023 9:00	Total Phosphorus as P (Organic Ph	0.03	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
MB9A	28/08/2023 9:00	Alkalinity (Bicarbonate as CaCO3)	99	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Alkalinity (total) as CaCO3	99	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Chloride	3920	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
MB9A	28/08/2023 9:00	Fluoride	0.2	mg/L	FALSE	REG	0.1	30/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
MB9A	28/08/2023 9:00	Sodium	1930	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	TDS	7340	mg/L	FALSE	REG	10	1/09/2023	1/09/2023	
MB9A	28/08/2023 9:00	Rubidium	0.033	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Antimony	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Antimony	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Barium	8.31	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Barium	7.87	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Calcium	269	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Iron	2.51	mg/L	FALSE	REG	0.05	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Iron	1.42	mg/L	TRUE	REG	0.05	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Magnesium	112	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
MB8B	28/08/2023 11:48	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Potassium	14	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Selenium	0.01	mg/L	FALSE	REG	0.01	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Selenium	0.01	mg/L	TRUE	REG	0.01	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Strontium	14.1	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Strontium	14.2	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	TSS	5	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
MB8B	28/08/2023 11:48	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
MB8B	28/08/2023 11:48	Alkalinity (Bicarbonate as CaCO3)	110	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8B	28/08/2023 11:48	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Alkalinity (total) as CaCO3	110	mg/L	FALSE	REG	1	30/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Chloride	3470	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
MB8B	28/08/2023 11:48	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
MB8B	28/08/2023 11:48	Sodium	1770	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	TDS	6600	mg/L	FALSE	REG	10	1/09/2023	1/09/2023	
MB8B	28/08/2023 11:48	Rubidium	0.026	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
CHPP STP	28/08/2023 15:40	TSS	28	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
CHPP STP	28/08/2023 15:40	Organic Nitrogen, as N	5	mg/L	FALSE	REG	0.1		5/09/2023	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	28/08/2023 15:40	Total Phosphorus as P (Organic Ph	15.8	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
CHPP STP	28/08/2023 15:40	Alkalinity (Bicarbonate as CaCO3)	619	mg/L	FALSE	REG	1		1/09/2023	
CHPP STP	28/08/2023 15:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1		1/09/2023	
CHPP STP	28/08/2023 15:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1		1/09/2023	
CHPP STP	28/08/2023 15:40	Alkalinity (total) as CaCO3	619	mg/L	FALSE	REG	1		1/09/2023	
CHPP STP	28/08/2023 15:40	Ammonia as N	170	mg/L	FALSE	REG	0.01		5/09/2023	
CHPP STP	28/08/2023 15:40	BOD	73	mg/L	FALSE	REG	2		30/08/2023	
CHPP STP	28/08/2023 15:40	COD	172	mg/L	FALSE	REG	10		5/09/2023	
CHPP STP	28/08/2023 15:40	Kjeldahl Nitrogen Total	142	mg/L	FALSE	REG	0.1	2/09/2023	2/09/2023	
CHPP STP	28/08/2023 15:40	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		5/09/2023	
CHPP STP	28/08/2023 15:40	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
CHPP STP	28/08/2023 15:40	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
CHPP STP	28/08/2023 15:40	Nitrogen (Total)	142	mg/L	FALSE	REG	0.1		5/09/2023	
CHPP STP	28/08/2023 15:40	Reactive Phosphorus as P (Orthop	15.9	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
CHPP STP	28/08/2023 15:40	Sulfate as SO4 - Turbidimetric	9	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
CHPP STP	28/08/2023 15:40	Acidity (as CaCO3)	52	mg/L	FALSE	REG	1		6/09/2023	
CHPP STP	28/08/2023 15:40	TSS	27	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
CHPP STP	28/08/2023 15:40	Organic Nitrogen, as N	7	mg/L	FALSE	REG	0.1		6/09/2023	
CHPP STP	28/08/2023 15:40	Total Phosphorus as P (Organic Ph	15.4	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
CHPP STP	28/08/2023 15:40	Alkalinity (Bicarbonate as CaCO3)	612	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
CHPP STP	28/08/2023 15:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
CHPP STP	28/08/2023 15:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
CHPP STP	28/08/2023 15:40	Alkalinity (total) as CaCO3	612	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
CHPP STP	28/08/2023 15:40	Ammonia as N	139	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
CHPP STP	28/08/2023 15:40	BOD	60	mg/L	FALSE	REG	2		30/08/2023	
CHPP STP	28/08/2023 15:40	COD	173	mg/L	FALSE	REG	10		5/09/2023	
CHPP STP	28/08/2023 15:40	Kjeldahl Nitrogen Total	146	mg/L	FALSE	REG	0.1	2/09/2023	2/09/2023	
CHPP STP	28/08/2023 15:40	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		6/09/2023	
CHPP STP	28/08/2023 15:40	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
CHPP STP	28/08/2023 15:40	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01		6/09/2023	
CHPP STP	28/08/2023 15:40	Nitrogen (Total)	146	mg/L	FALSE	REG	0.1		6/09/2023	
CHPP STP	28/08/2023 15:40	Reactive Phosphorus as P (Orthop	15.9	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
CHPP STP	28/08/2023 15:40	Sulfate as SO4 - Turbidimetric	10	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
CHPP STP	28/08/2023 15:40	Acidity (as CaCO3)	52	mg/L	FALSE	REG	1		6/09/2023	
CHPP STP	28/08/2023 16:00	TSS	792	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
CHPP STP	28/08/2023 16:00	Total Phosphorus as P (Organic Ph	14.2	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
CHPP STP	28/08/2023 16:00	Organic Nitrogen, as N	52	mg/L	FALSE	REG	0.1		5/09/2023	
CHPP STP	28/08/2023 16:00	Alkalinity (Bicarbonate as CaCO3)	333	mg/L	FALSE	REG	1		1/09/2023	
CHPP STP	28/08/2023 16:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1		1/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPP STP	28/08/2023 16:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1		1/09/2023	
CHPP STP	28/08/2023 16:00	Alkalinity (total) as CaCO3	333	mg/L	FALSE	REG	1		1/09/2023	
CHPP STP	28/08/2023 16:00	Ammonia as N	38.6	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
CHPP STP	28/08/2023 16:00	BOD	38	mg/L	FALSE	REG	2		30/08/2023	
CHPP STP	28/08/2023 16:00	COD	1080	mg/L	FALSE	REG	10		5/09/2023	
CHPP STP	28/08/2023 16:00	Kjeldahl Nitrogen Total	90.6	mg/L	FALSE	REG	0.1	2/09/2023	2/09/2023	
CHPP STP	28/08/2023 16:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		5/09/2023	
CHPP STP	28/08/2023 16:00	Nitrite (as N)	1.02	mg/L	FALSE	REG	0.01		1/09/2023	
CHPP STP	28/08/2023 16:00	Nitrite + Nitrate as N	0.93	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
CHPP STP	28/08/2023 16:00	Nitrogen (Total)	91.5	mg/L	FALSE	REG	0.1		5/09/2023	
CHPP STP	28/08/2023 16:00	Reactive Phosphorus as P (Orthoph)	7.64	mg/L	FALSE	REG	0.01		1/09/2023	
CHPP STP	28/08/2023 16:00	Sulfate as SO4 - Turbidimetric	34	mg/L	TRUE	REG	1		1/09/2023	
CHPP STP	28/08/2023 16:00	Acidity (as CaCO3)	22	mg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MIA STP	28/08/2023 16:30	TSS	24	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
MIA STP	28/08/2023 16:30	Organic Nitrogen, as N	10	mg/L	FALSE	REG	0.1		6/09/2023	
MIA STP	28/08/2023 16:30	Total Phosphorus as P (Organic Ph)	17.6	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
MIA STP	28/08/2023 16:30	Alkalinity (Bicarbonate as CaCO3)	563	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
MIA STP	28/08/2023 16:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
MIA STP	28/08/2023 16:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
MIA STP	28/08/2023 16:30	Alkalinity (total) as CaCO3	563	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
MIA STP	28/08/2023 16:30	Ammonia as N	105	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
MIA STP	28/08/2023 16:30	BOD	35	mg/L	FALSE	REG	2		30/08/2023	
MIA STP	28/08/2023 16:30	COD	167	mg/L	FALSE	REG	10		5/09/2023	
MIA STP	28/08/2023 16:30	Kjeldahl Nitrogen Total	115	mg/L	FALSE	REG	0.1	2/09/2023	2/09/2023	
MIA STP	28/08/2023 16:30	Nitrate (as N)	0.03	mg/L	FALSE	REG	0.01		6/09/2023	
MIA STP	28/08/2023 16:30	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
MIA STP	28/08/2023 16:30	Nitrite + Nitrate as N	0.03	mg/L	FALSE	REG	0.01		6/09/2023	
MIA STP	28/08/2023 16:30	Nitrogen (Total)	115	mg/L	FALSE	REG	0.1		6/09/2023	
MIA STP	28/08/2023 16:30	Reactive Phosphorus as P (Orthoph)	17.2	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
MIA STP	28/08/2023 16:30	Sulfate as SO4 - Turbidimetric	6	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
MIA STP	28/08/2023 16:30	Acidity (as CaCO3)	34	mg/L	FALSE	REG	1	31/08/2023	31/08/2023	
Isaac Plains STP	28/08/2023 16:45	TSS	67	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:45	Total Phosphorus as P (Organic Ph)	16.4	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
Isaac Plains STP	28/08/2023 16:45	Organic Nitrogen, as N	26	mg/L	FALSE	REG	0.1		6/09/2023	
Isaac Plains STP	28/08/2023 16:45	Alkalinity (Bicarbonate as CaCO3)	526	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:45	Alkalinity (total) as CaCO3	526	mg/L	FALSE	REG	1	31/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:45	Ammonia as N	103	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
Isaac Plains STP	28/08/2023 16:45	BOD	26	mg/L	FALSE	REG	2		30/08/2023	
Isaac Plains STP	28/08/2023 16:45	COD	195	mg/L	FALSE	REG	10		5/09/2023	
Isaac Plains STP	28/08/2023 16:45	Kjeldahl Nitrogen Total	129	mg/L	FALSE	REG	0.1	2/09/2023	2/09/2023	
Isaac Plains STP	28/08/2023 16:45	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		7/09/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	28/08/2023 16:45	Nitrite (as N)	0.19	mg/L	FALSE	REG	0.01		6/09/2023	
Isaac Plains STP	28/08/2023 16:45	Nitrite + Nitrate as N	0.1	mg/L	FALSE	REG	0.01		7/09/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	28/08/2023 16:45	Nitrogen (Total)	129	mg/L	FALSE	REG	0.1		6/09/2023	
Isaac Plains STP	28/08/2023 16:45	Reactive Phosphorus as P (Orthoph)	13.3	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
Isaac Plains STP	28/08/2023 16:45	Sulfate as SO4 - Turbidimetric	34	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
Isaac Plains STP	28/08/2023 16:45	Acidity (as CaCO3)	36	mg/L	FALSE	REG	1	31/08/2023	31/08/2023	
Isaac Plains STP	28/08/2023 16:55	TSS	118	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Isaac Plains STP	28/08/2023 16:55	Total Phosphorus as P (Organic Ph	16.8	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
Isaac Plains STP	28/08/2023 16:55	Organic Nitrogen, as N	23	mg/L	FALSE	REG	0.1		5/09/2023	
Isaac Plains STP	28/08/2023 16:55	Alkalinity (Bicarbonate as CaCO3)	523	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:55	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:55	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:55	Alkalinity (total) as CaCO3	523	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:55	Ammonia as N	132	mg/L	FALSE	REG	0.01		1/09/2023	
Isaac Plains STP	28/08/2023 16:55	BOD	58	mg/L	FALSE	REG	2		30/08/2023	
Isaac Plains STP	28/08/2023 16:55	COD	400	mg/L	FALSE	REG	10		5/09/2023	
Isaac Plains STP	28/08/2023 16:55	Kjeldahl Nitrogen Total	155	mg/L	FALSE	REG	0.1	2/09/2023	2/09/2023	
Isaac Plains STP	28/08/2023 16:55	Nitrate (as N)	0.02	mg/L	FALSE	REG	0.01		2/09/2023	
Isaac Plains STP	28/08/2023 16:55	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
Isaac Plains STP	28/08/2023 16:55	Nitrite + Nitrate as N	0.02	mg/L	FALSE	REG	0.01	31/08/2023	31/08/2023	
Isaac Plains STP	28/08/2023 16:55	Nitrogen (Total)	155	mg/L	FALSE	REG	0.1		5/09/2023	
Isaac Plains STP	28/08/2023 16:55	Reactive Phosphorus as P (Orthop	14.8	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
Isaac Plains STP	28/08/2023 16:55	Sulfate as SO4 - Turbidimetric	29	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
Isaac Plains STP	28/08/2023 16:55	Acidity (as CaCO3)	25	mg/L	FALSE	REG	1	31/08/2023	31/08/2023	
Isaac Plains STP	28/08/2023 17:00	TSS	142	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
Isaac Plains STP	28/08/2023 17:00	Organic Nitrogen, as N	17	mg/L	FALSE	REG	0.1		5/09/2023	
Isaac Plains STP	28/08/2023 17:00	Total Phosphorus as P (Organic Ph	19.9	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
Isaac Plains STP	28/08/2023 17:00	Alkalinity (Bicarbonate as CaCO3)	501	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 17:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 17:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 17:00	Alkalinity (total) as CaCO3	501	mg/L	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 17:00	Ammonia as N	122	mg/L	FALSE	REG	0.01		5/09/2023	
Isaac Plains STP	28/08/2023 17:00	BOD	328	mg/L	FALSE	REG	2		30/08/2023	
Isaac Plains STP	28/08/2023 17:00	COD	463	mg/L	FALSE	REG	10		5/09/2023	
Isaac Plains STP	28/08/2023 17:00	Kjeldahl Nitrogen Total	139	mg/L	FALSE	REG	0.1	2/09/2023	2/09/2023	
Isaac Plains STP	28/08/2023 17:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		5/09/2023	
Isaac Plains STP	28/08/2023 17:00	Nitrite (as N)	0.29	mg/L	FALSE	REG	0.01		6/09/2023	
Isaac Plains STP	28/08/2023 17:00	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01		7/09/2023	
Isaac Plains STP	28/08/2023 17:00	Nitrogen (Total)	139	mg/L	FALSE	REG	0.1		5/09/2023	
Isaac Plains STP	28/08/2023 17:00	Reactive Phosphorus as P (Orthop	9.67	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
Isaac Plains STP	28/08/2023 17:00	Sulfate as SO4 - Turbidimetric	38	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
Isaac Plains STP	28/08/2023 17:00	Acidity (as CaCO3)	31	mg/L	FALSE	REG	1	31/08/2023	31/08/2023	
	30/08/2023 10:21	BOD	2	mg/L	FALSE	REG	2		30/08/2023	
	30/08/2023 17:52	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/08/2023	31/08/2023	
	30/08/2023 17:52	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/08/2023	1/09/2023	
	30/08/2023 17:52	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/08/2023	1/09/2023	
	30/08/2023 17:58	Chloride	1	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
	30/08/2023 17:58	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
	30/08/2023 18:04	Chloride	1	mg/L	FALSE	REG	1	30/08/2023	30/08/2023	
	30/08/2023 18:04	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
	30/08/2023 18:04	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
	30/08/2023 18:04	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
	30/08/2023 18:04	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
	30/08/2023 20:45	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
	30/08/2023 20:45	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
	30/08/2023 20:55	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	
	30/08/2023 20:55	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	30/08/2023	30/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	30/08/2023 20:55	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/08/2023	30/08/2023	
	31/08/2023 9:21	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	31/08/2023	31/08/2023	
	31/08/2023 9:21	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	31/08/2023	31/08/2023	
	31/08/2023 17:50	Antimony	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:50	Barium	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:50	Calcium	1	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
	31/08/2023 17:50	Iron	0.05	mg/L	TRUE	REG	0.05	31/08/2023	2/09/2023	
	31/08/2023 17:50	Magnesium	1	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
	31/08/2023 17:50	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:50	Potassium	1	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
	31/08/2023 17:50	Selenium	0.01	mg/L	TRUE	REG	0.01	31/08/2023	2/09/2023	
	31/08/2023 17:50	Silver	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:50	Strontium	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:50	Sodium	1	mg/L	TRUE	REG	1	31/08/2023	2/09/2023	
	31/08/2023 17:50	Rubidium	0.001	mg/L	TRUE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:59	Antimony	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:59	Barium	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:59	Iron	0.05	mg/L	FALSE	REG	0.05	31/08/2023	2/09/2023	
	31/08/2023 17:59	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:59	Selenium	0.01	mg/L	FALSE	REG	0.01	31/08/2023	2/09/2023	
	31/08/2023 17:59	Silver	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 17:59	Strontium	0.001	mg/L	FALSE	REG	0.001	31/08/2023	2/09/2023	
	31/08/2023 20:31	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
	31/08/2023 20:31	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/08/2023	31/08/2023	
	1/09/2023 10:44	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/09/2023	1/09/2023	
	1/09/2023 15:14	TSS	5	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
	1/09/2023 15:14	TSS	5	mg/L	FALSE	REG	5	1/09/2023	1/09/2023	
	1/09/2023 15:14	TDS	10	mg/L	FALSE	REG	10	1/09/2023	1/09/2023	
	2/09/2023 13:20	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
	2/09/2023 13:20	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	2/09/2023	2/09/2023	
	2/09/2023 13:20	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	2/09/2023	2/09/2023	
N1S	3/09/2023 13:15	Antimony	0.002	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Barium	0.033	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Calcium	47	mg/L	TRUE	REG	1	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Iron	0.05	mg/L	TRUE	REG	0.05	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Magnesium	53	mg/L	TRUE	REG	1	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Mercury	0.0001	mg/L	TRUE	REG	0.0001	9/09/2023	11/09/2023	
N1S	3/09/2023 13:15	Molybdenum	0.032	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Potassium	7	mg/L	TRUE	REG	1	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Selenium	0.01	mg/L	TRUE	REG	0.01	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Silver	0.001	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Strontium	4.62	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Total Phosphorus as P (Organic Ph	33.2	mg/L	FALSE	REG	0.01	15/09/2023	15/09/2023	
N1S	3/09/2023 13:15	Alkalinity (Bicarbonate as CaCO3)	1360	mg/L	FALSE	REG	1	8/09/2023	12/09/2023	
N1S	3/09/2023 13:15	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	8/09/2023	12/09/2023	
N1S	3/09/2023 13:15	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	8/09/2023	12/09/2023	
N1S	3/09/2023 13:15	Alkalinity (total) as CaCO3	1360	mg/L	FALSE	REG	1	8/09/2023	12/09/2023	
N1S	3/09/2023 13:15	Chloride	876	mg/L	FALSE	REG	1		19/09/2023	
N1S	3/09/2023 13:15	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/09/2023	12/09/2023	
N1S	3/09/2023 13:15	Sulfate as SO4 - Turbidimetric	373	mg/L	TRUE	REG	1		19/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	3/09/2023 13:15	Sodium	609	mg/L	TRUE	REG	1	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Acidity (as CaCO3)	12	mg/L	FALSE	REG	1	8/09/2023	8/09/2023	
	5/09/2023 7:14	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
	5/09/2023 7:14	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
	5/09/2023 7:17	COD	10	mg/L	FALSE	REG	10		5/09/2023	
	5/09/2023 10:44	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
	5/09/2023 10:44	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	5/09/2023	5/09/2023	
	8/09/2023 21:49	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/09/2023	12/09/2023	
	9/09/2023 15:50	Antimony	0.001	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
	9/09/2023 15:50	Barium	0.001	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
	9/09/2023 15:50	Calcium	1	mg/L	TRUE	REG	1	9/09/2023	9/09/2023	
	9/09/2023 15:50	Iron	0.05	mg/L	TRUE	REG	0.05	9/09/2023	9/09/2023	
	9/09/2023 15:50	Magnesium	1	mg/L	TRUE	REG	1	9/09/2023	9/09/2023	
	9/09/2023 15:50	Mercury	0.0001	mg/L	TRUE	REG	0.0001	9/09/2023	11/09/2023	
	9/09/2023 15:50	Molybdenum	0.001	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
	9/09/2023 15:50	Potassium	1	mg/L	TRUE	REG	1	9/09/2023	9/09/2023	
	9/09/2023 15:50	Selenium	0.01	mg/L	TRUE	REG	0.01	9/09/2023	9/09/2023	
	9/09/2023 15:50	Silver	0.001	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
	9/09/2023 15:50	Strontium	0.001	mg/L	TRUE	REG	0.001	9/09/2023	9/09/2023	
	9/09/2023 15:50	Sodium	1	mg/L	TRUE	REG	1	9/09/2023	9/09/2023	
RWD	12/09/2023 6:40	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Copper	0.004	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Nickel	0.002	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Zinc	0.005	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	TSS	6	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
RWD	12/09/2023 6:40	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
RWD	12/09/2023 6:40	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Sodium	13	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Sodium	12	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	TDS	107	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
CHPPPP	12/09/2023 7:05	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Copper	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPPPP	12/09/2023 7:05	Nickel	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Zinc	0.005	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	TSS	6	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
CHPPPP	12/09/2023 7:05	Fluoride	0.4	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
CHPPPP	12/09/2023 7:05	Sulfate as SO4 - Turbidimetric	657	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Sodium	1060	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Sodium	1040	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	TDS	3090	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
S2SED	12/09/2023 7:20	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Copper	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Nickel	0.003	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Zinc	0.007	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	TSS	5	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
S2SED	12/09/2023 7:20	Fluoride	0.4	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
S2SED	12/09/2023 7:20	Sulfate as SO4 - Turbidimetric	577	mg/L	TRUE	REG	1	15/09/2023	15/09/2023	
S2SED	12/09/2023 7:20	Sodium	1070	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Sodium	1040	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	TDS	3120	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
RD1	12/09/2023 7:30	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Copper	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Nickel	0.002	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Zinc	0.005	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	TSS	13	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
RD1	12/09/2023 7:30	Fluoride	0.6	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
RD1	12/09/2023 7:30	Sulfate as SO4 - Turbidimetric	308	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Sodium	523	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Sodium	498	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	TDS	1530	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
S2	12/09/2023 8:00	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	Chromium (III+VI)	0.003	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	Copper	0.002	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	Nickel	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	Zinc	0.005	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	TSS	19	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
S2	12/09/2023 8:00	Fluoride	0.4	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
S2	12/09/2023 8:00	Sulfate as SO4 - Turbidimetric	605	mg/L	TRUE	REG	1	15/09/2023	15/09/2023	
S2	12/09/2023 8:00	Sodium	1060	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Sodium	1030	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	TDS	3180	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
RD2	12/09/2023 8:15	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Chromium (III+VI)	0.004	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Cobalt	0.002	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Copper	0.005	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Lead	0.002	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Nickel	0.006	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Zinc	0.008	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	TSS	122	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
RD2	12/09/2023 8:15	Fluoride	1.4	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
RD2	12/09/2023 8:15	Sulfate as SO4 - Turbidimetric	56	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Sodium	527	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Sodium	520	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	TDS	1390	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Copper	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Farm Dam 2	12/09/2023 10:30	Nickel	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Zinc	0.005	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	TSS	14	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	Fluoride	0.4	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	Sulfate as SO4 - Turbidimetric	40	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Sodium	74	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Sodium	69	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	TDS	302	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Copper	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Nickel	0.002	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Zinc	0.005	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	TSS	16	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	Fluoride	0.4	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	Sulfate as SO4 - Turbidimetric	40	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Sodium	73	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Sodium	68	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	TDS	300	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Cobalt	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Copper	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Lead	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Nickel	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Zinc	0.005	mg/L	FALSE	REG	0.005	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	TSS	12	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Fluoride	0.4	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Sulfate as SO4 - Turbidimetric	615	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
FPD	12/09/2023 11:00	Sodium	1290	mg/L	FALSE	REG	1	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Sodium	1280	mg/L	TRUE	REG	1	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	TDS	3810	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SSD	12/09/2023 11:45	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Cobalt	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Copper	0.002	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Lead	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Nickel	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Zinc	0.005	mg/L	FALSE	REG	0.005	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	TSS	20	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Fluoride	1	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Sulfate as SO4 - Turbidimetric	142	mg/L	TRUE	REG	1	15/09/2023	15/09/2023	
SSD	12/09/2023 11:45	Sodium	774	mg/L	FALSE	REG	1	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Sodium	736	mg/L	TRUE	REG	1	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	TDS	2150	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		19/09/2023	
MIA DAM	12/09/2023 12:45	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Chromium (III+VI)	0.006	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Cobalt	0.004	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Copper	0.007	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Lead	0.001	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Nickel	0.014	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Nickel	0.002	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Zinc	0.008	mg/L	FALSE	REG	0.005		19/09/2023	
MIA DAM	12/09/2023 12:45	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	TSS	225	mg/L	FALSE	REG	5		19/09/2023	
MIA DAM	12/09/2023 12:45	Fluoride	0.3	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Sulfate as SO4 - Turbidimetric	37	mg/L	TRUE	REG	1	15/09/2023	15/09/2023	
MIA DAM	12/09/2023 12:45	Sodium	104	mg/L	FALSE	REG	1	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Sodium	103	mg/L	TRUE	REG	1	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	TDS	377	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		19/09/2023	
MIA DAM	12/09/2023 12:45	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Chromium (III+VI)	0.005	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Cobalt	0.004	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Copper	0.006	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Lead	0.001	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA DAM	12/09/2023 12:45	Nickel	0.013	mg/L	FALSE	REG	0.001		19/09/2023	
MIA DAM	12/09/2023 12:45	Nickel	0.002	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Zinc	0.006	mg/L	FALSE	REG	0.005		19/09/2023	
MIA DAM	12/09/2023 12:45	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	TSS	160	mg/L	FALSE	REG	5		19/09/2023	
MIA DAM	12/09/2023 12:45	Fluoride	0.3	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Sulfate as SO4 - Turbidimetric	37	mg/L	TRUE	REG	1	15/09/2023	15/09/2023	
MIA DAM	12/09/2023 12:45	Sodium	104	mg/L	FALSE	REG	1	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Sodium	107	mg/L	TRUE	REG	1	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	TDS	373	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Cobalt	0.002	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Copper	0.007	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Lead	0.003	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Nickel	0.003	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Zinc	0.006	mg/L	FALSE	REG	0.005	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	TSS	708	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Fluoride	0.7	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Sulfate as SO4 - Turbidimetric	295	mg/L	TRUE	REG	1	15/09/2023	15/09/2023	
ROM DAM	12/09/2023 13:15	Sodium	652	mg/L	FALSE	REG	1	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Sodium	670	mg/L	TRUE	REG	1	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	TDS	2190	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
N1S	14/09/2023 12:50	Antimony	0.005	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Barium	0.038	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Calcium	30	mg/L	TRUE	REG	1	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Iron	0.05	mg/L	TRUE	REG	0.05	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Magnesium	46	mg/L	TRUE	REG	1	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Mercury	0.0001	mg/L	TRUE	REG	0.0001	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Molybdenum	0.027	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Potassium	9	mg/L	TRUE	REG	1	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Selenium	0.01	mg/L	TRUE	REG	0.01	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Silver	0.001	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Strontium	2.65	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Total Phosphorus as P (Organic Ph)	0.07	mg/L	FALSE	REG	0.01	4/10/2023	4/10/2023	
N1S	14/09/2023 12:50	Alkalinity (Bicarbonate as CaCO3)	214	mg/L	FALSE	REG	1	21/09/2023	25/09/2023	
N1S	14/09/2023 12:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	21/09/2023	25/09/2023	
N1S	14/09/2023 12:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	21/09/2023	25/09/2023	
N1S	14/09/2023 12:50	Alkalinity (total) as CaCO3	214	mg/L	FALSE	REG	1	21/09/2023	25/09/2023	
N1S	14/09/2023 12:50	Chloride	910	mg/L	FALSE	REG	1	21/09/2023	21/09/2023	
N1S	14/09/2023 12:50	Fluoride	0.4	mg/L	FALSE	REG	0.1	21/09/2023	25/09/2023	
N1S	14/09/2023 12:50	Sulfate as SO4 - Turbidimetric	318	mg/L	TRUE	REG	1	21/09/2023	21/09/2023	
N1S	14/09/2023 12:50	Sodium	669	mg/L	TRUE	REG	1	26/09/2023	27/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	14/09/2023 12:50	Acidity (as CaCO3)	3	mg/L	FALSE	REG	1	22/09/2023	26/09/2023	
	15/09/2023 8:48	Total Phosphorus as P (Organic Ph)	0.01	mg/L	FALSE	REG	0.01	15/09/2023	15/09/2023	
	15/09/2023 14:04	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	15/09/2023	15/09/2023	
	15/09/2023 14:04	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	15/09/2023	15/09/2023	
	15/09/2023 16:50	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Copper	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Copper	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Lead	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Nickel	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Nickel	0.001	mg/L	FALSE	REG	0.001	15/09/2023	16/09/2023	
	15/09/2023 16:50	Zinc	0.005	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
	15/09/2023 16:50	Zinc	0.005	mg/L	FALSE	REG	0.005	15/09/2023	16/09/2023	
	15/09/2023 16:50	Sodium	1	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
	15/09/2023 16:50	Sodium	1	mg/L	FALSE	REG	1	15/09/2023	16/09/2023	
	15/09/2023 17:33	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
	15/09/2023 17:33	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
	15/09/2023 17:33	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/09/2023	18/09/2023	
	16/09/2023 10:09	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	16/09/2023	
	16/09/2023 10:09	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
	16/09/2023 10:09	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
	16/09/2023 10:09	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
	16/09/2023 10:09	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
	16/09/2023 10:09	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	16/09/2023	
	16/09/2023 10:09	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	16/09/2023	
	16/09/2023 10:09	Sodium	1	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
	16/09/2023 10:40	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
	16/09/2023 10:40	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	16/09/2023	16/09/2023	
	16/09/2023 16:23	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Cobalt	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Copper	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Lead	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Nickel	0.001	mg/L	FALSE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:23	Zinc	0.005	mg/L	FALSE	REG	0.005	16/09/2023	18/09/2023	
	16/09/2023 16:23	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	18/09/2023	
	16/09/2023 16:23	Sodium	1	mg/L	FALSE	REG	1	16/09/2023	18/09/2023	
	16/09/2023 16:23	Sodium	1	mg/L	TRUE	REG	1	16/09/2023	18/09/2023	
	16/09/2023 16:24	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/09/2023	18/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	16/09/2023 16:24	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:24	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:24	Copper	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:24	Lead	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:24	Nickel	0.001	mg/L	TRUE	REG	0.001	16/09/2023	18/09/2023	
	16/09/2023 16:24	Zinc	0.005	mg/L	TRUE	REG	0.005	16/09/2023	18/09/2023	
	16/09/2023 16:24	Sodium	1	mg/L	TRUE	REG	1	16/09/2023	18/09/2023	
	18/09/2023 8:41	TSS	5	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
	18/09/2023 8:41	TSS	5	mg/L	FALSE	REG	5	18/09/2023	18/09/2023	
	18/09/2023 8:41	TDS	10	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
	18/09/2023 8:41	TDS	10	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
	18/09/2023 8:41	TDS	10	mg/L	FALSE	REG	10	18/09/2023	18/09/2023	
	18/09/2023 9:04	Chloride	1	mg/L	FALSE	REG	1	18/09/2023	18/09/2023	
	18/09/2023 9:04	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	18/09/2023	18/09/2023	
	18/09/2023 10:00	Antimony	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Antimony	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Barium	0.002	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Barium	0.002	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Calcium	23	mg/L	TRUE	REG	1		26/09/2023	
	18/09/2023 10:00	Iron	0.06	mg/L	FALSE	REG	0.05	22/09/2023	25/09/2023	
	18/09/2023 10:00	Iron	0.05	mg/L	TRUE	REG	0.05	22/09/2023	24/09/2023	
	18/09/2023 10:00	Magnesium	8	mg/L	TRUE	REG	1		26/09/2023	
	18/09/2023 10:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	23/09/2023	23/09/2023	
	18/09/2023 10:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	23/09/2023	23/09/2023	
	18/09/2023 10:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Molybdenum	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Potassium	18	mg/L	TRUE	REG	1		26/09/2023	
	18/09/2023 10:00	Selenium	0.01	mg/L	FALSE	REG	0.01	22/09/2023	25/09/2023	
	18/09/2023 10:00	Selenium	0.01	mg/L	TRUE	REG	0.01	22/09/2023	24/09/2023	
	18/09/2023 10:00	Silver	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Silver	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Strontium	0.006	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Strontium	0.006	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	TSS	5	mg/L	FALSE	REG	5	22/09/2023	22/09/2023	
	18/09/2023 10:00	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	27/09/2023	27/09/2023	
	18/09/2023 10:00	Alkalinity (Bicarbonate as CaCO3)	15	mg/L	FALSE	REG	1		26/09/2023	
	18/09/2023 10:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1		26/09/2023	
	18/09/2023 10:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1		26/09/2023	
	18/09/2023 10:00	Alkalinity (total) as CaCO3	15	mg/L	FALSE	REG	1		26/09/2023	
	18/09/2023 10:00	Chloride	39	mg/L	FALSE	REG	1		27/09/2023	
	18/09/2023 10:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	21/09/2023	25/09/2023	
	18/09/2023 10:00	Sulfate as SO4 - Turbidimetric	32	mg/L	TRUE	REG	1		27/09/2023	
	18/09/2023 10:00	Sodium	1	mg/L	TRUE	REG	1		26/09/2023	
	18/09/2023 10:00	TDS	200	mg/L	FALSE	REG	10	22/09/2023	22/09/2023	
	18/09/2023 10:00	Rubidium	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Antimony	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Antimony	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Barium	0.002	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Barium	0.002	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Calcium	36	mg/L	TRUE	REG	1		26/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	18/09/2023 10:00	Iron	0.07	mg/L	FALSE	REG	0.05	22/09/2023	25/09/2023	
	18/09/2023 10:00	Iron	0.05	mg/L	TRUE	REG	0.05	22/09/2023	24/09/2023	
	18/09/2023 10:00	Magnesium	9	mg/L	TRUE	REG	1		26/09/2023	
	18/09/2023 10:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	23/09/2023	23/09/2023	
	18/09/2023 10:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	22/09/2023	22/09/2023	
	18/09/2023 10:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Molybdenum	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Potassium	20	mg/L	TRUE	REG	1		26/09/2023	
	18/09/2023 10:00	Selenium	0.01	mg/L	FALSE	REG	0.01	22/09/2023	25/09/2023	
	18/09/2023 10:00	Selenium	0.01	mg/L	TRUE	REG	0.01	22/09/2023	24/09/2023	
	18/09/2023 10:00	Silver	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Silver	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	Strontium	0.008	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	18/09/2023 10:00	Strontium	0.009	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	18/09/2023 10:00	TSS	5	mg/L	FALSE	REG	5	22/09/2023	22/09/2023	
	18/09/2023 10:00	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	27/09/2023	27/09/2023	
	18/09/2023 10:00	Alkalinity (Bicarbonate as CaCO3)	17	mg/L	FALSE	REG	1		27/09/2023	
	18/09/2023 10:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1		27/09/2023	
	18/09/2023 10:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1		27/09/2023	
	18/09/2023 10:00	Alkalinity (total) as CaCO3	17	mg/L	FALSE	REG	1		27/09/2023	
	18/09/2023 10:00	Chloride	68	mg/L	FALSE	REG	1	21/09/2023	21/09/2023	
	18/09/2023 10:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	21/09/2023	25/09/2023	
	18/09/2023 10:00	Sulfate as SO4 - Turbidimetric	36	mg/L	TRUE	REG	1	21/09/2023	21/09/2023	
	18/09/2023 10:00	Sodium	1	mg/L	TRUE	REG	1		26/09/2023	
	18/09/2023 10:00	TDS	267	mg/L	FALSE	REG	10		25/09/2023	
	18/09/2023 10:00	Rubidium	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	21/09/2023 21:36	Fluoride	0.1	mg/L	FALSE	REG	0.1	21/09/2023	25/09/2023	
	21/09/2023 21:36	Fluoride	0.1	mg/L	FALSE	REG	0.1	21/09/2023	25/09/2023	
	21/09/2023 21:36	Fluoride	0.1	mg/L	FALSE	REG	0.1	21/09/2023	25/09/2023	
	21/09/2023 22:37	Chloride	1	mg/L	FALSE	REG	1	21/09/2023	27/09/2023	
	21/09/2023 22:37	Chloride	1	mg/L	FALSE	REG	1	21/09/2023	21/09/2023	
	21/09/2023 22:37	Chloride	1	mg/L	FALSE	REG	1	21/09/2023	27/09/2023	
	21/09/2023 22:37	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/09/2023	21/09/2023	
	21/09/2023 22:37	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/09/2023	27/09/2023	
	21/09/2023 22:37	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/09/2023	27/09/2023	
	22/09/2023 18:02	TSS	5	mg/L	FALSE	REG	5	22/09/2023	22/09/2023	
	22/09/2023 18:02	TDS	10	mg/L	FALSE	REG	10	22/09/2023	22/09/2023	
	22/09/2023 20:37	Antimony	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Antimony	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Antimony	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	22/09/2023 20:37	Barium	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Barium	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Barium	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	22/09/2023 20:37	Calcium	1	mg/L	TRUE	REG	1	22/09/2023	24/09/2023	
	22/09/2023 20:37	Iron	0.05	mg/L	FALSE	REG	0.05	22/09/2023	25/09/2023	
	22/09/2023 20:37	Iron	0.05	mg/L	FALSE	REG	0.05	22/09/2023	25/09/2023	
	22/09/2023 20:37	Iron	0.05	mg/L	TRUE	REG	0.05	22/09/2023	24/09/2023	
	22/09/2023 20:37	Magnesium	1	mg/L	TRUE	REG	1	22/09/2023	24/09/2023	
	22/09/2023 20:37	Mercury	0.0001	mg/L	TRUE	REG	0.0001	22/09/2023	22/09/2023	
	22/09/2023 20:37	Molybdenum	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/09/2023 20:37	Molybdenum	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Molybdenum	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	22/09/2023 20:37	Potassium	1	mg/L	TRUE	REG	1	22/09/2023	24/09/2023	
	22/09/2023 20:37	Selenium	0.01	mg/L	FALSE	REG	0.01	22/09/2023	25/09/2023	
	22/09/2023 20:37	Selenium	0.01	mg/L	FALSE	REG	0.01	22/09/2023	25/09/2023	
	22/09/2023 20:37	Selenium	0.01	mg/L	TRUE	REG	0.01	22/09/2023	24/09/2023	
	22/09/2023 20:37	Silver	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Silver	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Silver	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	22/09/2023 20:37	Strontium	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Strontium	0.001	mg/L	FALSE	REG	0.001	22/09/2023	25/09/2023	
	22/09/2023 20:37	Strontium	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
	22/09/2023 20:37	Sodium	1	mg/L	TRUE	REG	1	22/09/2023	24/09/2023	
	22/09/2023 20:37	Rubidium	0.001	mg/L	TRUE	REG	0.001	22/09/2023	24/09/2023	
RWD	23/09/2023 8:45	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Cobalt	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Cobalt	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Copper	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Copper	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Lead	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Lead	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Nickel	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Nickel	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Zinc	0.005	mg/L	FALSE	REG	0.005	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Zinc	0.005	mg/L	TRUE	REG	0.005	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	TSS	5	mg/L	FALSE	REG	5	30/09/2023	30/09/2023	
RWD	23/09/2023 8:45	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/09/2023	4/10/2023	
RWD	23/09/2023 8:45	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	30/09/2023	30/09/2023	
RWD	23/09/2023 8:45	Sodium	13	mg/L	FALSE	REG	1	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Sodium	12	mg/L	TRUE	REG	1	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	TDS	93	mg/L	FALSE	REG	10	30/09/2023	30/09/2023	
RWD	23/09/2023 8:45	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Cobalt	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Cobalt	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Copper	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Copper	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Lead	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Lead	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Nickel	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Nickel	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Zinc	0.005	mg/L	FALSE	REG	0.005	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Zinc	0.005	mg/L	TRUE	REG	0.005	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	TSS	5	mg/L	FALSE	REG	5	30/09/2023	30/09/2023	
RWD	23/09/2023 8:45	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/09/2023	4/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	23/09/2023 8:45	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	30/09/2023	30/09/2023	
RWD	23/09/2023 8:45	Sodium	13	mg/L	FALSE	REG	1	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Sodium	13	mg/L	TRUE	REG	1	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	TDS	95	mg/L	FALSE	REG	10	30/09/2023	30/09/2023	
	23/09/2023 12:22	Mercury	0.0001	mg/L	TRUE	REG	0.0001	23/09/2023	23/09/2023	
	23/09/2023 12:23	Mercury	0.0001	mg/L	FALSE	REG	0.0001	23/09/2023	23/09/2023	
	26/09/2023 20:48	Antimony	0.001	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
	26/09/2023 20:48	Barium	0.001	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
	26/09/2023 20:48	Calcium	1	mg/L	TRUE	REG	1	26/09/2023	27/09/2023	
	26/09/2023 20:48	Iron	0.05	mg/L	TRUE	REG	0.05	26/09/2023	27/09/2023	
	26/09/2023 20:48	Magnesium	1	mg/L	TRUE	REG	1	26/09/2023	27/09/2023	
	26/09/2023 20:48	Mercury	0.0001	mg/L	TRUE	REG	0.0001	26/09/2023	27/09/2023	
	26/09/2023 20:48	Molybdenum	0.001	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
	26/09/2023 20:48	Potassium	1	mg/L	TRUE	REG	1	26/09/2023	27/09/2023	
	26/09/2023 20:48	Selenium	0.01	mg/L	TRUE	REG	0.01	26/09/2023	27/09/2023	
	26/09/2023 20:48	Silver	0.001	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
	26/09/2023 20:48	Strontium	0.001	mg/L	TRUE	REG	0.001	26/09/2023	27/09/2023	
	26/09/2023 20:48	Sodium	1	mg/L	TRUE	REG	1	26/09/2023	27/09/2023	
	27/09/2023 7:59	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	27/09/2023	27/09/2023	
	30/09/2023 11:23	TSS	5	mg/L	FALSE	REG	5	30/09/2023	30/09/2023	
	30/09/2023 11:23	TDS	10	mg/L	FALSE	REG	10	30/09/2023	30/09/2023	
	30/09/2023 17:19	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	30/09/2023	3/10/2023	
	30/09/2023 17:19	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
	30/09/2023 17:19	Cobalt	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
	30/09/2023 17:19	Copper	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
	30/09/2023 17:19	Lead	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
	30/09/2023 17:19	Nickel	0.001	mg/L	TRUE	REG	0.001	30/09/2023	3/10/2023	
	30/09/2023 17:19	Zinc	0.005	mg/L	TRUE	REG	0.005	30/09/2023	3/10/2023	
	30/09/2023 17:19	Sodium	1	mg/L	TRUE	REG	1	30/09/2023	3/10/2023	
	30/09/2023 17:47	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/09/2023	30/09/2023	
	30/09/2023 17:48	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/09/2023	4/10/2023	
	3/10/2023 9:01	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	3/10/2023	3/10/2023	
	3/10/2023 9:01	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
	3/10/2023 9:01	Cobalt	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
	3/10/2023 9:01	Copper	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
	3/10/2023 9:01	Lead	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
	3/10/2023 9:01	Nickel	0.001	mg/L	FALSE	REG	0.001	3/10/2023	3/10/2023	
	3/10/2023 9:01	Zinc	0.005	mg/L	FALSE	REG	0.005	3/10/2023	3/10/2023	
	3/10/2023 9:01	Sodium	1	mg/L	FALSE	REG	1	3/10/2023	3/10/2023	
	4/10/2023 8:43	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	4/10/2023	4/10/2023	
N1S	22/10/2023 13:45	Antimony	0.004	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Barium	0.08	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Calcium	43	mg/L	TRUE	REG	1	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Iron	0.05	mg/L	TRUE	REG	0.05	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Magnesium	69	mg/L	TRUE	REG	1	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Mercury	0.0001	mg/L	TRUE	REG	0.0001	26/10/2023	26/10/2023	
N1S	22/10/2023 13:45	Molybdenum	0.04	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Potassium	12	mg/L	TRUE	REG	1	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Selenium	0.01	mg/L	TRUE	REG	0.01	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Silver	0.001	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	22/10/2023 13:45	Strontium	5	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Total Phosphorus as P (Organic Ph	0.4	mg/L	FALSE	REG	0.01	30/10/2023	30/10/2023	
N1S	22/10/2023 13:45	Alkalinity (Bicarbonate as CaCO3)	258	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
N1S	22/10/2023 13:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
N1S	22/10/2023 13:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
N1S	22/10/2023 13:45	Alkalinity (total) as CaCO3	258	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
N1S	22/10/2023 13:45	Chloride	1130	mg/L	FALSE	REG	1	30/10/2023	30/10/2023	
N1S	22/10/2023 13:45	Fluoride	0.6	mg/L	FALSE	REG	0.1	27/10/2023	28/10/2023	
N1S	22/10/2023 13:45	Sulfate as SO4 - Turbidimetric	562	mg/L	TRUE	REG	1	30/10/2023	30/10/2023	
N1S	22/10/2023 13:45	Sodium	925	mg/L	TRUE	REG	1	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Acidity (as CaCO3)	2	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID23	23/10/2023 10:25	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Antimony	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID23	23/10/2023 10:25	Calcium	151	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Iron	2.17	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Iron	0.31	mg/L	TRUE	REG	0.05		1/11/2023	
MBID23	23/10/2023 10:25	Magnesium	175	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Molybdenum	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID23	23/10/2023 10:25	Potassium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Selenium	0.01	mg/L	TRUE	REG	0.01		1/11/2023	
MBID23	23/10/2023 10:25	Alkalinity (Bicarbonate as CaCO3)	628	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID23	23/10/2023 10:25	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID23	23/10/2023 10:25	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID23	23/10/2023 10:25	Alkalinity (total) as CaCO3	628	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID23	23/10/2023 10:25	Chloride	1200	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
MBID23	23/10/2023 10:25	Sulfate as SO4 - Turbidimetric	45	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
MBID23	23/10/2023 10:25	Sodium	619	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Antimony	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID28	23/10/2023 11:30	Calcium	84	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Iron	2.44	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Iron	0.05	mg/L	TRUE	REG	0.05		1/11/2023	
MBID28	23/10/2023 11:30	Magnesium	69	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Molybdenum	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID28	23/10/2023 11:30	Potassium	4	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Selenium	0.01	mg/L	TRUE	REG	0.01		1/11/2023	
MBID28	23/10/2023 11:30	Alkalinity (Bicarbonate as CaCO3)	274	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID28	23/10/2023 11:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID28	23/10/2023 11:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID28	23/10/2023 11:30	Alkalinity (total) as CaCO3	274	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID28	23/10/2023 11:30	Chloride	421	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
MBID28	23/10/2023 11:30	Sulfate as SO4 - Turbidimetric	23	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
MBID28	23/10/2023 11:30	Sodium	174	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Antimony	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
593	23/10/2023 13:40	Calcium	161	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
593	23/10/2023 13:40	Iron	0.34	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Iron	0.23	mg/L	TRUE	REG	0.05		1/11/2023	
593	23/10/2023 13:40	Magnesium	180	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Molybdenum	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
593	23/10/2023 13:40	Potassium	12	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Selenium	0.01	mg/L	TRUE	REG	0.01		1/11/2023	
593	23/10/2023 13:40	Alkalinity (Bicarbonate as CaCO3)	464	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
593	23/10/2023 13:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
593	23/10/2023 13:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
593	23/10/2023 13:40	Alkalinity (total) as CaCO3	464	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
593	23/10/2023 13:40	Chloride	4850	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
593	23/10/2023 13:40	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
593	23/10/2023 13:40	Sodium	2750	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Antimony	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
594	23/10/2023 14:35	Calcium	560	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Iron	2.34	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Iron	1.14	mg/L	TRUE	REG	0.05		1/11/2023	
594	23/10/2023 14:35	Magnesium	582	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Molybdenum	0.007	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Molybdenum	0.006	mg/L	TRUE	REG	0.001		1/11/2023	
594	23/10/2023 14:35	Potassium	18	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Selenium	0.01	mg/L	TRUE	REG	0.01		1/11/2023	
594	23/10/2023 14:35	Alkalinity (Bicarbonate as CaCO3)	232	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
594	23/10/2023 14:35	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
594	23/10/2023 14:35	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
594	23/10/2023 14:35	Alkalinity (total) as CaCO3	232	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
594	23/10/2023 14:35	Chloride	7630	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
594	23/10/2023 14:35	Sulfate as SO4 - Turbidimetric	807	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
594	23/10/2023 14:35	Sodium	3680	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID18	24/10/2023 7:35	Antimony	0.005	mg/L	FALSE	REG	0.001		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	24/10/2023 7:35	Antimony	0.005	mg/L	TRUE	REG	0.001		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	24/10/2023 7:35	Calcium	674	mg/L	TRUE	REG	1		3/11/2023	
MBID18	24/10/2023 7:35	Iron	4.53	mg/L	FALSE	REG	0.05		3/11/2023	
MBID18	24/10/2023 7:35	Iron	4.79	mg/L	TRUE	REG	0.05		3/11/2023	
MBID18	24/10/2023 7:35	Magnesium	614	mg/L	TRUE	REG	1		3/11/2023	
MBID18	24/10/2023 7:35	Molybdenum	0.005	mg/L	FALSE	REG	0.001		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	24/10/2023 7:35	Molybdenum	0.005	mg/L	TRUE	REG	0.001		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	24/10/2023 7:35	Potassium	41	mg/L	TRUE	REG	1		3/11/2023	
MBID18	24/10/2023 7:35	Selenium	0.05	mg/L	FALSE	REG	0.01		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	24/10/2023 7:35	Selenium	0.05	mg/L	TRUE	REG	0.01		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	24/10/2023 7:35	Alkalinity (Bicarbonate as CaCO3)	283	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID18	24/10/2023 7:35	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID18	24/10/2023 7:35	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID18	24/10/2023 7:35	Alkalinity (total) as CaCO3	283	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID18	24/10/2023 7:35	Chloride	11500	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
MBID18	24/10/2023 7:35	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID18	24/10/2023 7:35	Sodium	6680	mg/L	TRUE	REG	1		3/11/2023	
MBID08	24/10/2023 9:25	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Antimony	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID08	24/10/2023 9:25	Calcium	108	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Iron	1.51	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Iron	0.05	mg/L	TRUE	REG	0.05		1/11/2023	
MBID08	24/10/2023 9:25	Magnesium	130	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Molybdenum	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID08	24/10/2023 9:25	Potassium	6	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Selenium	0.01	mg/L	TRUE	REG	0.01		1/11/2023	
MBID08	24/10/2023 9:25	Alkalinity (Bicarbonate as CaCO3)	794	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID08	24/10/2023 9:25	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID08	24/10/2023 9:25	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID08	24/10/2023 9:25	Alkalinity (total) as CaCO3	794	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID08	24/10/2023 9:25	Chloride	1570	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
MBID08	24/10/2023 9:25	Sulfate as SO4 - Turbidimetric	557	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
MBID08	24/10/2023 9:25	Sodium	1350	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Antimony	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID07	24/10/2023 10:30	Calcium	46	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Iron	0.21	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Iron	0.08	mg/L	TRUE	REG	0.05		1/11/2023	
MBID07	24/10/2023 10:30	Magnesium	44	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Molybdenum	0.002	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Molybdenum	0.002	mg/L	TRUE	REG	0.001		1/11/2023	
MBID07	24/10/2023 10:30	Potassium	5	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Selenium	0.01	mg/L	TRUE	REG	0.01		1/11/2023	
MBID07	24/10/2023 10:30	Alkalinity (Bicarbonate as CaCO3)	620	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID07	24/10/2023 10:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID07	24/10/2023 10:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID07	24/10/2023 10:30	Alkalinity (total) as CaCO3	620	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID07	24/10/2023 10:30	Chloride	814	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
MBID07	24/10/2023 10:30	Sulfate as SO4 - Turbidimetric	301	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
MBID07	24/10/2023 10:30	Sodium	831	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
	24/10/2023 10:35	Antimony	0.001	mg/L	FALSE	REG	0.001		3/11/2023	
	24/10/2023 10:35	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
	24/10/2023 10:35	Calcium	50	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
	24/10/2023 10:35	Iron	0.14	mg/L	FALSE	REG	0.05		3/11/2023	
	24/10/2023 10:35	Iron	0.06	mg/L	TRUE	REG	0.05	1/11/2023	3/11/2023	
	24/10/2023 10:35	Magnesium	45	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
	24/10/2023 10:35	Molybdenum	0.002	mg/L	FALSE	REG	0.001		3/11/2023	
	24/10/2023 10:35	Molybdenum	0.003	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
	24/10/2023 10:35	Potassium	5	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
	24/10/2023 10:35	Selenium	0.01	mg/L	FALSE	REG	0.01		3/11/2023	
	24/10/2023 10:35	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	3/11/2023	
	24/10/2023 10:35	Alkalinity (Bicarbonate as CaCO3)	663	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
	24/10/2023 10:35	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/10/2023 10:35	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
	24/10/2023 10:35	Alkalinity (total) as CaCO3	663	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
	24/10/2023 10:35	Chloride	830	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
	24/10/2023 10:35	Sulfate as SO4 - Turbidimetric	301	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
	24/10/2023 10:35	Sodium	852	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
	24/10/2023 10:40	Antimony	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
	24/10/2023 10:40	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
	24/10/2023 10:40	Calcium	1	mg/L	TRUE	REG	1		3/11/2023	
	24/10/2023 10:40	Iron	0.05	mg/L	FALSE	REG	0.05	1/11/2023	3/11/2023	
	24/10/2023 10:40	Iron	0.05	mg/L	TRUE	REG	0.05	1/11/2023	3/11/2023	
	24/10/2023 10:40	Magnesium	1	mg/L	TRUE	REG	1		3/11/2023	
	24/10/2023 10:40	Molybdenum	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
	24/10/2023 10:40	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
	24/10/2023 10:40	Potassium	1	mg/L	TRUE	REG	1		3/11/2023	
	24/10/2023 10:40	Selenium	0.01	mg/L	FALSE	REG	0.01	1/11/2023	3/11/2023	
	24/10/2023 10:40	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	3/11/2023	
	24/10/2023 10:40	Alkalinity (Bicarbonate as CaCO3)	2	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
	24/10/2023 10:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
	24/10/2023 10:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
	24/10/2023 10:40	Alkalinity (total) as CaCO3	2	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
	24/10/2023 10:40	Chloride	1	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
	24/10/2023 10:40	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
	24/10/2023 10:40	Sodium	1	mg/L	TRUE	REG	1		3/11/2023	
MBID15	24/10/2023 11:50	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID15	24/10/2023 11:50	Antimony	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID15	24/10/2023 11:50	Calcium	461	mg/L	TRUE	REG	1		1/11/2023	
MBID15	24/10/2023 11:50	Iron	1.79	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
MBID15	24/10/2023 11:50	Iron	1.43	mg/L	TRUE	REG	0.05		1/11/2023	
MBID15	24/10/2023 11:50	Magnesium	674	mg/L	TRUE	REG	1		1/11/2023	
MBID15	24/10/2023 11:50	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID15	24/10/2023 11:50	Molybdenum	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID15	24/10/2023 11:50	Potassium	22	mg/L	TRUE	REG	1		1/11/2023	
MBID15	24/10/2023 11:50	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
MBID15	24/10/2023 11:50	Selenium	0.01	mg/L	TRUE	REG	0.01		1/11/2023	
MBID15	24/10/2023 11:50	Alkalinity (Bicarbonate as CaCO3)	353	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID15	24/10/2023 11:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID15	24/10/2023 11:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID15	24/10/2023 11:50	Alkalinity (total) as CaCO3	353	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID15	24/10/2023 11:50	Chloride	9360	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
MBID15	24/10/2023 11:50	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
MBID15	24/10/2023 11:50	Sodium	4420	mg/L	TRUE	REG	1		1/11/2023	
MBID04	24/10/2023 13:50	Antimony	0.002	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Calcium	310	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Iron	2.95	mg/L	FALSE	REG	0.05	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Iron	1.56	mg/L	TRUE	REG	0.05	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Magnesium	496	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Molybdenum	0.002	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Potassium	15	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID04	24/10/2023 13:50	Selenium	0.01	mg/L	FALSE	REG	0.01	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Alkalinity (Bicarbonate as CaCO3)	513	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	Alkalinity (total) as CaCO3	513	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	Chloride	7160	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
MBID04	24/10/2023 13:50	Sulfate as SO4 - Turbidimetric	20	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
MBID04	24/10/2023 13:50	Sodium	3230	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID10	24/10/2023 14:30	Antimony	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID10	24/10/2023 14:30	Calcium	434	mg/L	TRUE	REG	1		1/11/2023	
MBID10	24/10/2023 14:30	Iron	1.59	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
MBID10	24/10/2023 14:30	Iron	0.63	mg/L	TRUE	REG	0.05		1/11/2023	
MBID10	24/10/2023 14:30	Magnesium	559	mg/L	TRUE	REG	1		1/11/2023	
MBID10	24/10/2023 14:30	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
MBID10	24/10/2023 14:30	Molybdenum	0.001	mg/L	TRUE	REG	0.001		1/11/2023	
MBID10	24/10/2023 14:30	Potassium	16	mg/L	TRUE	REG	1		1/11/2023	
MBID10	24/10/2023 14:30	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
MBID10	24/10/2023 14:30	Selenium	0.01	mg/L	TRUE	REG	0.01		1/11/2023	
MBID10	24/10/2023 14:30	Alkalinity (Bicarbonate as CaCO3)	472	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID10	24/10/2023 14:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID10	24/10/2023 14:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID10	24/10/2023 14:30	Alkalinity (total) as CaCO3	472	mg/L	FALSE	REG	1	27/10/2023	28/10/2023	
MBID10	24/10/2023 14:30	Chloride	7440	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
MBID10	24/10/2023 14:30	Sulfate as SO4 - Turbidimetric	322	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
MBID10	24/10/2023 14:30	Sodium	3650	mg/L	TRUE	REG	1		1/11/2023	
MBID21A	24/10/2023 15:00	Antimony	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Calcium	15	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Iron	5.6	mg/L	FALSE	REG	0.05	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Iron	0.05	mg/L	TRUE	REG	0.05	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Magnesium	54	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Molybdenum	0.002	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Molybdenum	0.002	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Potassium	1	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Selenium	0.01	mg/L	FALSE	REG	0.01	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Alkalinity (Bicarbonate as CaCO3)	857	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID21A	24/10/2023 15:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID21A	24/10/2023 15:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID21A	24/10/2023 15:00	Alkalinity (total) as CaCO3	857	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID21A	24/10/2023 15:00	Chloride	1260	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
MBID21A	24/10/2023 15:00	Sulfate as SO4 - Turbidimetric	124	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
MBID21A	24/10/2023 15:00	Sodium	1200	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Antimony	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Calcium	323	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Iron	46.9	mg/L	FALSE	REG	0.05	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Iron	0.24	mg/L	TRUE	REG	0.05	1/11/2023	3/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID19A	24/10/2023 16:15	Magnesium	179	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Potassium	6	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Selenium	0.01	mg/L	FALSE	REG	0.01	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Alkalinity (Bicarbonate as CaCO3)	458	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID19A	24/10/2023 16:15	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID19A	24/10/2023 16:15	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID19A	24/10/2023 16:15	Alkalinity (total) as CaCO3	458	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID19A	24/10/2023 16:15	Chloride	1460	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
MBID19A	24/10/2023 16:15	Sulfate as SO4 - Turbidimetric	35	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
MBID19A	24/10/2023 16:15	Sodium	471	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
Isaac Plains STP	25/10/2023 3:33	TSS	77	mg/L	FALSE	REG	5	28/10/2023	28/10/2023	
Isaac Plains STP	25/10/2023 3:33	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		2/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	25/10/2023 3:33	Total Phosphorus as P (Organic Ph)	15.6	mg/L	FALSE	REG	0.01	30/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 3:33	Alkalinity (Bicarbonate as CaCO3)	649	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 3:33	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 3:33	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 3:33	Alkalinity (total) as CaCO3	649	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 3:33	Ammonia as N	159	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 3:33	BOD	29	mg/L	FALSE	REG	2		27/10/2023	
Isaac Plains STP	25/10/2023 3:33	COD	258	mg/L	FALSE	REG	10		30/10/2023	
Isaac Plains STP	25/10/2023 3:33	Kjeldahl Nitrogen Total	160	mg/L	FALSE	REG	0.1	30/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 3:33	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 3:33	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
Isaac Plains STP	25/10/2023 3:33	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 3:33	Nitrogen (Total)	160	mg/L	FALSE	REG	0.1		1/11/2023	
Isaac Plains STP	25/10/2023 3:33	Reactive Phosphorus as P (Orthop)	15.8	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
Isaac Plains STP	25/10/2023 3:33	Sulfate as SO4 - Turbidimetric	26	mg/L	TRUE	REG	1	27/10/2023	27/10/2023	
Isaac Plains STP	25/10/2023 3:33	Acidity (as CaCO3)	17	mg/L	FALSE	REG	1	28/10/2023	30/10/2023	
MBID01	25/10/2023 7:45	Antimony	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Calcium	403	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Iron	1.51	mg/L	FALSE	REG	0.05	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Iron	1.48	mg/L	TRUE	REG	0.05	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Magnesium	277	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Potassium	8	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Selenium	0.01	mg/L	FALSE	REG	0.01	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Alkalinity (Bicarbonate as CaCO3)	450	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID01	25/10/2023 7:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID01	25/10/2023 7:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID01	25/10/2023 7:45	Alkalinity (total) as CaCO3	450	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID01	25/10/2023 7:45	Chloride	2510	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
MBID01	25/10/2023 7:45	Sulfate as SO4 - Turbidimetric	95	mg/L	TRUE	REG	1		2/11/2023	
MBID01	25/10/2023 7:45	Sodium	873	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Antimony	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID17	25/10/2023 8:45	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Calcium	55	mg/L	TRUE	REG	1	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Iron	3.38	mg/L	FALSE	REG	0.05	1/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Iron	0.05	mg/L	TRUE	REG	0.05	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Magnesium	126	mg/L	TRUE	REG	1	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Molybdenum	0.005	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Molybdenum	0.006	mg/L	TRUE	REG	0.001	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Potassium	1	mg/L	TRUE	REG	1	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Selenium	0.01	mg/L	FALSE	REG	0.01	1/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Alkalinity (Bicarbonate as CaCO3)	1280	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID17	25/10/2023 8:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID17	25/10/2023 8:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID17	25/10/2023 8:45	Alkalinity (total) as CaCO3	1280	mg/L	FALSE	REG	1	31/10/2023	1/11/2023	
MBID17	25/10/2023 8:45	Chloride	1980	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
MBID17	25/10/2023 8:45	Sulfate as SO4 - Turbidimetric	161	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
MBID17	25/10/2023 8:45	Sodium	1600	mg/L	TRUE	REG	1	1/11/2023	2/11/2023	
CHPP STP	25/10/2023 14:45	TSS	1630	mg/L	FALSE	REG	5	28/10/2023	28/10/2023	
CHPP STP	25/10/2023 14:45	Total Phosphorus as P (Organic Ph)	9.77	mg/L	FALSE	REG	0.01	30/10/2023	30/10/2023	
CHPP STP	25/10/2023 14:45	Organic Nitrogen, as N	13.4	mg/L	FALSE	REG	0.1		1/11/2023	
CHPP STP	25/10/2023 14:45	Alkalinity (Bicarbonate as CaCO3)	314	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 14:45	Alkalinity (Carbonate as CaCO3)	13	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 14:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 14:45	Alkalinity (total) as CaCO3	328	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 14:45	Ammonia as N	39.9	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
CHPP STP	25/10/2023 14:45	BOD	37	mg/L	FALSE	REG	2		27/10/2023	
CHPP STP	25/10/2023 14:45	COD	393	mg/L	FALSE	REG	10		30/10/2023	
CHPP STP	25/10/2023 14:45	Kjeldahl Nitrogen Total	53.3	mg/L	FALSE	REG	0.1	30/10/2023	30/10/2023	
CHPP STP	25/10/2023 14:45	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		2/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	25/10/2023 14:45	Nitrite (as N)	0.62	mg/L	FALSE	REG	0.01		1/11/2023	
CHPP STP	25/10/2023 14:45	Nitrite + Nitrate as N	0.65	mg/L	FALSE	REG	0.01		1/11/2023	
CHPP STP	25/10/2023 14:45	Nitrogen (Total)	54	mg/L	FALSE	REG	0.1		1/11/2023	
CHPP STP	25/10/2023 14:45	Reactive Phosphorus as P (Orthop)	8.14	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
CHPP STP	25/10/2023 14:45	Sulfate as SO4 - Turbidimetric	56	mg/L	TRUE	REG	1	27/10/2023	27/10/2023	
CHPP STP	25/10/2023 14:45	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	28/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	TSS	23	mg/L	FALSE	REG	5	28/10/2023	28/10/2023	
CHPP STP	25/10/2023 15:03	Total Phosphorus as P (Organic Ph)	17.7	mg/L	FALSE	REG	0.01	30/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	Organic Nitrogen, as N	21	mg/L	FALSE	REG	0.1		2/11/2023	
CHPP STP	25/10/2023 15:03	Alkalinity (Bicarbonate as CaCO3)	690	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	Alkalinity (total) as CaCO3	690	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	Ammonia as N	144	mg/L	FALSE	REG	0.01		1/11/2023	
CHPP STP	25/10/2023 15:03	BOD	23	mg/L	FALSE	REG	2		27/10/2023	
CHPP STP	25/10/2023 15:03	COD	183	mg/L	FALSE	REG	10		30/10/2023	
CHPP STP	25/10/2023 15:03	Kjeldahl Nitrogen Total	165	mg/L	FALSE	REG	0.1	30/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		1/11/2023	
CHPP STP	25/10/2023 15:03	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
CHPP STP	25/10/2023 15:03	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
CHPP STP	25/10/2023 15:03	Nitrogen (Total)	165	mg/L	FALSE	REG	0.1		1/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPP STP	25/10/2023 15:03	Reactive Phosphorus as P (Orthop	19.7	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
CHPP STP	25/10/2023 15:03	Sulfate as SO4 - Turbidimetric	11	mg/L	TRUE	REG	1	27/10/2023	27/10/2023	
CHPP STP	25/10/2023 15:03	Acidity (as CaCO3)	24	mg/L	FALSE	REG	1	28/10/2023	30/10/2023	
MIA STP	25/10/2023 15:12	TSS	29	mg/L	FALSE	REG	5	28/10/2023	28/10/2023	
MIA STP	25/10/2023 15:12	Total Phosphorus as P (Organic Ph	20.1	mg/L	FALSE	REG	0.01		1/11/2023	
MIA STP	25/10/2023 15:12	Organic Nitrogen, as N	55	mg/L	FALSE	REG	0.1		1/11/2023	
MIA STP	25/10/2023 15:12	Alkalinity (Bicarbonate as CaCO3)	460	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
MIA STP	25/10/2023 15:12	Alkalinity (Carbonate as CaCO3)	9	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
MIA STP	25/10/2023 15:12	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
MIA STP	25/10/2023 15:12	Alkalinity (total) as CaCO3	469	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
MIA STP	25/10/2023 15:12	Ammonia as N	94	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
MIA STP	25/10/2023 15:12	BOD	19	mg/L	FALSE	REG	2		27/10/2023	
MIA STP	25/10/2023 15:12	COD	123	mg/L	FALSE	REG	10		30/10/2023	
MIA STP	25/10/2023 15:12	Kjeldahl Nitrogen Total	149	mg/L	FALSE	REG	0.1	30/10/2023	30/10/2023	
MIA STP	25/10/2023 15:12	Nitrate (as N)	6.62	mg/L	FALSE	REG	0.01		1/11/2023	
MIA STP	25/10/2023 15:12	Nitrite (as N)	1	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
MIA STP	25/10/2023 15:12	Nitrite + Nitrate as N	7.62	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
MIA STP	25/10/2023 15:12	Nitrogen (Total)	157	mg/L	FALSE	REG	0.1		1/11/2023	
MIA STP	25/10/2023 15:12	Reactive Phosphorus as P (Orthop	18.4	mg/L	FALSE	REG	0.01		1/11/2023	
MIA STP	25/10/2023 15:12	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
MIA STP	25/10/2023 15:12	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	30/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:04	TSS	36	mg/L	FALSE	REG	5	28/10/2023	28/10/2023	
Isaac Plains STP	25/10/2023 16:04	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		1/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	25/10/2023 16:04	Total Phosphorus as P (Organic Ph	16.8	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:04	Alkalinity (Bicarbonate as CaCO3)	562	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	Alkalinity (total) as CaCO3	562	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	Ammonia as N	167	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:04	BOD	29	mg/L	FALSE	REG	2		27/10/2023	
Isaac Plains STP	25/10/2023 16:04	COD	260	mg/L	FALSE	REG	10		30/10/2023	
Isaac Plains STP	25/10/2023 16:04	Kjeldahl Nitrogen Total	156	mg/L	FALSE	REG	0.1	30/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:04	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:04	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	Nitrogen (Total)	156	mg/L	FALSE	REG	0.1		1/11/2023	
Isaac Plains STP	25/10/2023 16:04	Reactive Phosphorus as P (Orthop	14.2	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:04	Sulfate as SO4 - Turbidimetric	93	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	Acidity (as CaCO3)	42	mg/L	FALSE	REG	1	30/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:05	TSS	37	mg/L	FALSE	REG	5	28/10/2023	28/10/2023	
Isaac Plains STP	25/10/2023 16:05	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		1/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	25/10/2023 16:05	Total Phosphorus as P (Organic Ph	17.1	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:05	Alkalinity (Bicarbonate as CaCO3)	617	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	Alkalinity (total) as CaCO3	617	mg/L	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	Ammonia as N	164	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:05	BOD	28	mg/L	FALSE	REG	2		27/10/2023	
Isaac Plains STP	25/10/2023 16:05	COD	261	mg/L	FALSE	REG	10		30/10/2023	
Isaac Plains STP	25/10/2023 16:05	Kjeldahl Nitrogen Total	156	mg/L	FALSE	REG	0.1	30/10/2023	30/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Isaac Plains STP	25/10/2023 16:05	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:05	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	Nitrogen (Total)	156	mg/L	FALSE	REG	0.1		1/11/2023	
Isaac Plains STP	25/10/2023 16:05	Reactive Phosphorus as P (Orthop)	15.4	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:05	Sulfate as SO4 - Turbidimetric	28	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	Acidity (as CaCO3)	26	mg/L	FALSE	REG	1	30/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:12	TSS	87	mg/L	FALSE	REG	5	28/10/2023	28/10/2023	
Isaac Plains STP	25/10/2023 16:12	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		2/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	25/10/2023 16:12	Total Phosphorus as P (Organic Ph	18.7	mg/L	FALSE	REG	0.01	30/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:12	Alkalinity (Bicarbonate as CaCO3)	667	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:12	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:12	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:12	Alkalinity (total) as CaCO3	667	mg/L	FALSE	REG	1	27/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:12	Ammonia as N	196	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:12	BOD	44	mg/L	FALSE	REG	2		27/10/2023	
Isaac Plains STP	25/10/2023 16:12	COD	325	mg/L	FALSE	REG	10		30/10/2023	
Isaac Plains STP	25/10/2023 16:12	Kjeldahl Nitrogen Total	167	mg/L	FALSE	REG	0.1	30/10/2023	30/10/2023	
Isaac Plains STP	25/10/2023 16:12	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		1/11/2023	
Isaac Plains STP	25/10/2023 16:12	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
Isaac Plains STP	25/10/2023 16:12	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:12	Nitrogen (Total)	167	mg/L	FALSE	REG	0.1		1/11/2023	
Isaac Plains STP	25/10/2023 16:12	Reactive Phosphorus as P (Orthop)	19.5	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
Isaac Plains STP	25/10/2023 16:12	Sulfate as SO4 - Turbidimetric	15	mg/L	TRUE	REG	1	27/10/2023	27/10/2023	
Isaac Plains STP	25/10/2023 16:12	Acidity (as CaCO3)	22	mg/L	FALSE	REG	1	28/10/2023	30/10/2023	
	26/10/2023 16:01	Antimony	0.001	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
	26/10/2023 16:01	Barium	0.001	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
	26/10/2023 16:01	Calcium	1	mg/L	TRUE	REG	1	26/10/2023	27/10/2023	
	26/10/2023 16:01	Iron	0.05	mg/L	TRUE	REG	0.05	26/10/2023	27/10/2023	
	26/10/2023 16:01	Magnesium	1	mg/L	TRUE	REG	1	26/10/2023	27/10/2023	
	26/10/2023 16:01	Mercury	0.0001	mg/L	TRUE	REG	0.0001	26/10/2023	26/10/2023	
	26/10/2023 16:01	Molybdenum	0.001	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
	26/10/2023 16:01	Potassium	1	mg/L	TRUE	REG	1	26/10/2023	27/10/2023	
	26/10/2023 16:01	Selenium	0.01	mg/L	TRUE	REG	0.01	26/10/2023	27/10/2023	
	26/10/2023 16:01	Silver	0.001	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
	26/10/2023 16:01	Strontium	0.001	mg/L	TRUE	REG	0.001	26/10/2023	27/10/2023	
	26/10/2023 16:01	Sodium	1	mg/L	TRUE	REG	1	26/10/2023	27/10/2023	
	27/10/2023 17:36	BOD	2	mg/L	FALSE	REG	2		27/10/2023	
	27/10/2023 19:04	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
	27/10/2023 19:04	Reactive Phosphorus as P (Orthop)	0.01	mg/L	FALSE	REG	0.01	27/10/2023	27/10/2023	
	27/10/2023 19:04	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	27/10/2023	27/10/2023	
	27/10/2023 20:44	Fluoride	0.1	mg/L	FALSE	REG	0.1	27/10/2023	28/10/2023	
	28/10/2023 10:53	TSS	5	mg/L	FALSE	REG	5	28/10/2023	28/10/2023	
	28/10/2023 13:46	Chloride	1	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
	28/10/2023 13:46	Chloride	1	mg/L	FALSE	REG	1	28/10/2023	28/10/2023	
	28/10/2023 13:46	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
	28/10/2023 13:46	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	28/10/2023	28/10/2023	
	28/10/2023 15:36	Antimony	0.001	mg/L	TRUE	REG	0.001	28/10/2023	1/11/2023	
	28/10/2023 15:36	Antimony	0.001	mg/L	TRUE	REG	0.001	28/10/2023	1/11/2023	
	28/10/2023 15:36	Calcium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/10/2023 15:36	Calcium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
	28/10/2023 15:36	Magnesium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
	28/10/2023 15:36	Magnesium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
	28/10/2023 15:36	Molybdenum	0.001	mg/L	TRUE	REG	0.001	28/10/2023	1/11/2023	
	28/10/2023 15:36	Molybdenum	0.001	mg/L	TRUE	REG	0.001	28/10/2023	1/11/2023	
	28/10/2023 15:36	Potassium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
	28/10/2023 15:36	Potassium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
	28/10/2023 15:36	Selenium	0.01	mg/L	TRUE	REG	0.01	28/10/2023	1/11/2023	
	28/10/2023 15:36	Selenium	0.01	mg/L	TRUE	REG	0.01	28/10/2023	1/11/2023	
	28/10/2023 15:36	Sodium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
	28/10/2023 15:36	Sodium	1	mg/L	TRUE	REG	1	28/10/2023	30/10/2023	
	28/10/2023 16:12	Antimony	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
	28/10/2023 16:12	Iron	0.05	mg/L	FALSE	REG	0.05	28/10/2023	30/10/2023	
	28/10/2023 16:12	Molybdenum	0.001	mg/L	FALSE	REG	0.001	28/10/2023	30/10/2023	
	28/10/2023 16:12	Selenium	0.01	mg/L	FALSE	REG	0.01	28/10/2023	30/10/2023	
	30/10/2023 7:20	COD	10	mg/L	FALSE	REG	10		30/10/2023	
	30/10/2023 8:09	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	30/10/2023	30/10/2023	
	30/10/2023 17:18	Chloride	1	mg/L	FALSE	REG	1	30/10/2023	30/10/2023	
	30/10/2023 17:18	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/10/2023	30/10/2023	
	30/10/2023 17:53	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	30/10/2023	30/10/2023	
	30/10/2023 17:53	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	30/10/2023	30/10/2023	
	31/10/2023 7:08	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
	31/10/2023 7:08	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
	31/10/2023 7:08	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
	31/10/2023 10:46	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
	31/10/2023 10:46	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
	31/10/2023 12:52	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
	31/10/2023 12:52	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	31/10/2023	31/10/2023	
	31/10/2023 18:42	Chloride	1	mg/L	FALSE	REG	1	31/10/2023	31/10/2023	
	31/10/2023 18:42	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	31/10/2023	31/10/2023	
	1/11/2023 15:53	Antimony	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
	1/11/2023 15:53	Antimony	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
	1/11/2023 15:53	Iron	0.05	mg/L	FALSE	REG	0.05	1/11/2023	3/11/2023	
	1/11/2023 15:53	Iron	0.05	mg/L	FALSE	REG	0.05	1/11/2023	3/11/2023	
	1/11/2023 15:53	Molybdenum	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
	1/11/2023 15:53	Molybdenum	0.001	mg/L	FALSE	REG	0.001	1/11/2023	3/11/2023	
	1/11/2023 15:53	Selenium	0.01	mg/L	FALSE	REG	0.01	1/11/2023	3/11/2023	
	1/11/2023 15:53	Selenium	0.01	mg/L	FALSE	REG	0.01	1/11/2023	3/11/2023	
	1/11/2023 16:08	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
	1/11/2023 16:08	Calcium	1	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
	1/11/2023 16:08	Iron	0.05	mg/L	TRUE	REG	0.05	1/11/2023	3/11/2023	
	1/11/2023 16:08	Magnesium	1	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
	1/11/2023 16:08	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/11/2023	3/11/2023	
	1/11/2023 16:08	Potassium	1	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
	1/11/2023 16:08	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	3/11/2023	
	1/11/2023 16:08	Sodium	1	mg/L	TRUE	REG	1	1/11/2023	3/11/2023	
	1/11/2023 16:10	Antimony	0.001	mg/L	TRUE	REG	0.001	1/11/2023	2/11/2023	
	1/11/2023 16:10	Calcium	1	mg/L	TRUE	REG	1	1/11/2023	2/11/2023	
	1/11/2023 16:10	Iron	0.05	mg/L	TRUE	REG	0.05	1/11/2023	2/11/2023	
	1/11/2023 16:10	Magnesium	1	mg/L	TRUE	REG	1	1/11/2023	2/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	1/11/2023 16:10	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/11/2023	2/11/2023	
	1/11/2023 16:10	Potassium	1	mg/L	TRUE	REG	1	1/11/2023	2/11/2023	
	1/11/2023 16:10	Selenium	0.01	mg/L	TRUE	REG	0.01	1/11/2023	2/11/2023	
	1/11/2023 16:10	Sodium	1	mg/L	TRUE	REG	1	1/11/2023	2/11/2023	
N1S	21/11/2023 15:00	Antimony	0.003	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Barium	0.067	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Calcium	36	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Iron	0.05	mg/L	TRUE	REG	0.05	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Magnesium	59	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Molybdenum	0.048	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Potassium	12	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Selenium	0.02	mg/L	TRUE	REG	0.01	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Silver	0.001	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Strontium	3.94	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Total Phosphorus as P (Organic Ph	0.07	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
N1S	21/11/2023 15:00	Alkalinity (Bicarbonate as CaCO3)	256	mg/L	FALSE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Alkalinity (total) as CaCO3	256	mg/L	FALSE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Chloride	985	mg/L	FALSE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Fluoride	0.5	mg/L	FALSE	REG	0.1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Sulfate as SO4 - Turbidimetric	538	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Sodium	860	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Acidity (as CaCO3)	4	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
RWD	21/11/2023 18:07	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		1/12/2023	
RWD	21/11/2023 18:07	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		4/12/2023	
RWD	21/11/2023 18:07	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:07	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:07	Cobalt	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:07	Cobalt	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:07	Copper	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:07	Copper	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:07	Lead	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:07	Lead	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:07	Nickel	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:07	Nickel	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:07	Zinc	0.005	mg/L	FALSE	REG	0.005		1/12/2023	
RWD	21/11/2023 18:07	Zinc	0.005	mg/L	TRUE	REG	0.005		4/12/2023	
RWD	21/11/2023 18:07	Calcium Hardness as CaCO3	25	mg/L	TRUE	REG	1	29/11/2023	2/12/2023	
RWD	21/11/2023 18:07	TSS	9	mg/L	FALSE	REG	5	28/11/2023	28/11/2023	
RWD	21/11/2023 18:07	Hardness as CaCO3	41	mg/L	TRUE	REG	1	29/11/2023	2/12/2023	
RWD	21/11/2023 18:07	Chloride	12	mg/L	FALSE	REG	1	25/11/2023	25/11/2023	
RWD	21/11/2023 18:07	Fluoride	0.1	mg/L	FALSE	REG	0.1	25/11/2023	27/11/2023	
RWD	21/11/2023 18:07	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	25/11/2023	25/11/2023	
RWD	21/11/2023 18:07	Sodium	11	mg/L	FALSE	REG	1	29/11/2023	30/11/2023	
RWD	21/11/2023 18:07	Sodium	12	mg/L	TRUE	REG	1	29/11/2023	2/12/2023	
RWD	21/11/2023 18:07	TDS	146	mg/L	FALSE	REG	10		30/11/2023	
RWD	21/11/2023 18:09	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		1/12/2023	
RWD	21/11/2023 18:09	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		4/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	21/11/2023 18:09	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:09	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:09	Cobalt	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:09	Cobalt	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:09	Copper	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:09	Copper	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:09	Lead	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:09	Lead	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:09	Nickel	0.001	mg/L	FALSE	REG	0.001		1/12/2023	
RWD	21/11/2023 18:09	Nickel	0.001	mg/L	TRUE	REG	0.001		4/12/2023	
RWD	21/11/2023 18:09	Zinc	0.005	mg/L	FALSE	REG	0.005		1/12/2023	
RWD	21/11/2023 18:09	Zinc	0.005	mg/L	TRUE	REG	0.005		4/12/2023	
RWD	21/11/2023 18:09	Calcium Hardness as CaCO3	25	mg/L	TRUE	REG	1	28/11/2023	3/12/2023	
RWD	21/11/2023 18:09	TSS	8	mg/L	FALSE	REG	5	28/11/2023	28/11/2023	
RWD	21/11/2023 18:09	Hardness as CaCO3	41	mg/L	TRUE	REG	1	28/11/2023	3/12/2023	
RWD	21/11/2023 18:09	Chloride	12	mg/L	FALSE	REG	1	25/11/2023	25/11/2023	
RWD	21/11/2023 18:09	Fluoride	0.1	mg/L	FALSE	REG	0.1	25/11/2023	27/11/2023	
RWD	21/11/2023 18:09	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	25/11/2023	25/11/2023	
RWD	21/11/2023 18:09	Sodium	14	mg/L	FALSE	REG	1	29/11/2023	30/11/2023	
RWD	21/11/2023 18:09	Sodium	12	mg/L	TRUE	REG	1	28/11/2023	3/12/2023	
RWD	21/11/2023 18:09	TDS	101	mg/L	FALSE	REG	10	28/11/2023	28/11/2023	
MIA STP	24/11/2023 15:47	TSS	27	mg/L	FALSE	REG	5	29/11/2023	29/11/2023	
MIA STP	24/11/2023 15:47	Organic Nitrogen, as N	1	mg/L	FALSE	REG	0.1		5/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MIA STP	24/11/2023 15:47	Total Phosphorus as P (Organic Ph	14.9	mg/L	FALSE	REG	0.01		2/12/2023	
MIA STP	24/11/2023 15:47	Alkalinity (Bicarbonate as CaCO3)	423	mg/L	FALSE	REG	1	29/11/2023	29/11/2023	
MIA STP	24/11/2023 15:47	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	29/11/2023	29/11/2023	
MIA STP	24/11/2023 15:47	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	29/11/2023	29/11/2023	
MIA STP	24/11/2023 15:47	Alkalinity (total) as CaCO3	423	mg/L	FALSE	REG	1	29/11/2023	29/11/2023	
MIA STP	24/11/2023 15:47	Ammonia as N	105	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
MIA STP	24/11/2023 15:47	BOD	21	mg/L	FALSE	REG	2		29/11/2023	
MIA STP	24/11/2023 15:47	COD	98	mg/L	FALSE	REG	10		30/11/2023	
MIA STP	24/11/2023 15:47	Kjeldahl Nitrogen Total	102	mg/L	FALSE	REG	0.1		2/12/2023	
MIA STP	24/11/2023 15:47	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		5/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MIA STP	24/11/2023 15:47	Nitrite (as N)	9	mg/L	FALSE	REG	0.01		5/12/2023	
MIA STP	24/11/2023 15:47	Nitrite + Nitrate as N	4.98	mg/L	FALSE	REG	0.01		5/12/2023	
MIA STP	24/11/2023 15:47	Reactive Phosphorus as P (Orthop	15.6	mg/L	FALSE	REG	0.01	5/12/2023	4/12/2023	
MIA STP	24/11/2023 15:47	Sulfate as SO4 - Turbidimetric	32	mg/L	TRUE	REG	1	5/12/2023	4/12/2023	
MIA STP	24/11/2023 15:47	Acidity (as CaCO3)	9	mg/L	FALSE	REG	1	29/11/2023	30/11/2023	
CHPP STP	24/11/2023 16:03	TSS	206	mg/L	FALSE	REG	5	29/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	Organic Nitrogen, as N	3.3	mg/L	FALSE	REG	0.1		5/12/2023	
CHPP STP	24/11/2023 16:03	Total Phosphorus as P (Organic Ph	10	mg/L	FALSE	REG	0.01	1/12/2023	1/12/2023	
CHPP STP	24/11/2023 16:03	Alkalinity (Bicarbonate as CaCO3)	309	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	Alkalinity (total) as CaCO3	309	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	Ammonia as N	48.9	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
CHPP STP	24/11/2023 16:03	BOD	16	mg/L	FALSE	REG	2		29/11/2023	
CHPP STP	24/11/2023 16:03	COD	288	mg/L	FALSE	REG	10		30/11/2023	
CHPP STP	24/11/2023 16:03	Kjeldahl Nitrogen Total	52.2	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
CHPP STP	24/11/2023 16:03	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		5/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPP STP	24/11/2023 16:03	Nitrite (as N)	0.39	mg/L	FALSE	REG	0.01		5/12/2023	
CHPP STP	24/11/2023 16:03	Nitrite + Nitrate as N	0.39	mg/L	FALSE	REG	0.01		5/12/2023	
CHPP STP	24/11/2023 16:03	Reactive Phosphorus as P (Orthophosphate)	6.98	mg/L	FALSE	REG	0.01	29/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	Sulfate as SO4 - Turbidimetric	41	mg/L	TRUE	REG	1	29/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	Acidity (as CaCO3)	2	mg/L	FALSE	REG	1	29/11/2023	30/11/2023	
CHPP STP	24/11/2023 16:15	TSS	23	mg/L	FALSE	REG	5	29/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		5/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	24/11/2023 16:15	Total Phosphorus as P (Organic Phosphate)	15.7	mg/L	FALSE	REG	0.01	1/12/2023	1/12/2023	
CHPP STP	24/11/2023 16:15	Alkalinity (Bicarbonate as CaCO3)	669	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	Alkalinity (total) as CaCO3	669	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	Ammonia as N	168	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
CHPP STP	24/11/2023 16:15	BOD	28	mg/L	FALSE	REG	2		29/11/2023	
CHPP STP	24/11/2023 16:15	COD	187	mg/L	FALSE	REG	10		30/11/2023	
CHPP STP	24/11/2023 16:15	Kjeldahl Nitrogen Total	152	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
CHPP STP	24/11/2023 16:15	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		5/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	24/11/2023 16:15	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01		5/12/2023	
CHPP STP	24/11/2023 16:15	Nitrite + Nitrate as N	0.1	mg/L	FALSE	REG	0.01		5/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	24/11/2023 16:15	Reactive Phosphorus as P (Orthophosphate)	16.8	mg/L	FALSE	REG	0.01	29/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	Sulfate as SO4 - Turbidimetric	21	mg/L	TRUE	REG	1	29/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	Acidity (as CaCO3)	36	mg/L	FALSE	REG	1	29/11/2023	30/11/2023	
Isaac Plains STP	24/11/2023 16:31	TSS	54	mg/L	FALSE	REG	5	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	Organic Nitrogen, as N	15	mg/L	FALSE	REG	0.1		5/12/2023	
Isaac Plains STP	24/11/2023 16:31	Total Phosphorus as P (Organic Phosphate)	15.7	mg/L	FALSE	REG	0.01	1/12/2023	1/12/2023	
Isaac Plains STP	24/11/2023 16:31	Alkalinity (Bicarbonate as CaCO3)	659	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	Alkalinity (total) as CaCO3	659	mg/L	FALSE	REG	1	28/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	Ammonia as N	142	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
Isaac Plains STP	24/11/2023 16:31	BOD	54	mg/L	FALSE	REG	2		29/11/2023	
Isaac Plains STP	24/11/2023 16:31	COD	300	mg/L	FALSE	REG	10		30/11/2023	
Isaac Plains STP	24/11/2023 16:31	Kjeldahl Nitrogen Total	157	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
Isaac Plains STP	24/11/2023 16:31	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		5/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	24/11/2023 16:31	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01		5/12/2023	
Isaac Plains STP	24/11/2023 16:31	Nitrite + Nitrate as N	0.1	mg/L	FALSE	REG	0.01		5/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	24/11/2023 16:31	Reactive Phosphorus as P (Orthophosphate)	14	mg/L	FALSE	REG	0.01	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	Sulfate as SO4 - Turbidimetric	25	mg/L	TRUE	REG	1	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	Acidity (as CaCO3)	42	mg/L	FALSE	REG	1		5/12/2023	
Isaac Plains STP	24/11/2023 16:45	TSS	51	mg/L	FALSE	REG	5	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:45	Organic Nitrogen, as N	3	mg/L	FALSE	REG	0.1		5/12/2023	
Isaac Plains STP	24/11/2023 16:45	Total Phosphorus as P (Organic Phosphate)	15.1	mg/L	FALSE	REG	0.01	1/12/2023	1/12/2023	
Isaac Plains STP	24/11/2023 16:45	Alkalinity (Bicarbonate as CaCO3)	656	mg/L	FALSE	REG	1	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:45	Alkalinity (total) as CaCO3	656	mg/L	FALSE	REG	1	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:45	Ammonia as N	151	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
Isaac Plains STP	24/11/2023 16:45	BOD	145	mg/L	FALSE	REG	2		29/11/2023	
Isaac Plains STP	24/11/2023 16:45	COD	628	mg/L	FALSE	REG	10		30/11/2023	
Isaac Plains STP	24/11/2023 16:45	Kjeldahl Nitrogen Total	154	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	



Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W2	27/11/2023 15:00	Cobalt	0.007	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Copper	0.012	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Copper	0.006	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Iron	2.78	mg/L	FALSE	REG	0.05	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Iron	0.21	mg/L	TRUE	REG	0.05	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Lead	0.003	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Lead	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Manganese	0.436	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Manganese	0.121	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/12/2023	4/12/2023	
W2	27/11/2023 15:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Molybdenum	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Nickel	0.021	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Nickel	0.014	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Selenium	0.01	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Selenium	0.01	mg/L	TRUE	REG	0.01	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Silver	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Silver	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Vanadium	0.03	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Vanadium	0.02	mg/L	TRUE	REG	0.01	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Zinc	0.018	mg/L	FALSE	REG	0.005	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Zinc	0.006	mg/L	TRUE	REG	0.005	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	TSS	426	mg/L	FALSE	REG	5	1/12/2023	1/12/2023	
W2	27/11/2023 15:00	Total Phosphorus as P (Organic Ph	0.42	mg/L	FALSE	REG	0.01	5/12/2023	5/12/2023	
W2	27/11/2023 15:00	Ammonia as N	0.05	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W2	27/11/2023 15:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
W2	27/11/2023 15:00	Kjeldahl Nitrogen Total	3.8	mg/L	FALSE	REG	0.1	5/12/2023	5/12/2023	
W2	27/11/2023 15:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		6/12/2023	
W2	27/11/2023 15:00	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W2	27/11/2023 15:00	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W2	27/11/2023 15:00	Reactive Phosphorus as P (Orthop	0.05	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W2	27/11/2023 15:00	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	6/12/2023	6/12/2023	
W2	27/11/2023 15:00	Sodium	94	mg/L	FALSE	REG	1	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Sodium	92	mg/L	TRUE	REG	1	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	TDS	592	mg/L	FALSE	REG	10	1/12/2023	1/12/2023	
FG1	27/11/2023 15:30	Antimony	0.001	mg/L	FALSE	REG	0.001		4/12/2023	
FG1	27/11/2023 15:30	Antimony	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG1	27/11/2023 15:30	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		4/12/2023	
FG1	27/11/2023 15:30	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		6/12/2023	
FG1	27/11/2023 15:30	Boron	0.14	mg/L	FALSE	REG	0.05		4/12/2023	
FG1	27/11/2023 15:30	Boron	0.17	mg/L	TRUE	REG	0.05		6/12/2023	
FG1	27/11/2023 15:30	Chromium (III+VI)	0.098	mg/L	FALSE	REG	0.001		4/12/2023	
FG1	27/11/2023 15:30	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG1	27/11/2023 15:30	Cobalt	0.034	mg/L	FALSE	REG	0.001		4/12/2023	
FG1	27/11/2023 15:30	Cobalt	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG1	27/11/2023 15:30	Copper	0.042	mg/L	FALSE	REG	0.001		4/12/2023	
FG1	27/11/2023 15:30	Copper	0.002	mg/L	TRUE	REG	0.001		6/12/2023	
FG1	27/11/2023 15:30	Iron	25.9	mg/L	FALSE	REG	0.05		4/12/2023	
FG1	27/11/2023 15:30	Iron	0.05	mg/L	TRUE	REG	0.05		6/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FG1	27/11/2023 15:30	Lead	0.018	mg/L	FALSE	REG	0.001		4/12/2023	
FG1	27/11/2023 15:30	Lead	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG1	27/11/2023 15:30	Manganese	0.711	mg/L	FALSE	REG	0.001		4/12/2023	
FG1	27/11/2023 15:30	Manganese	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG1	27/11/2023 15:30	Mercury	0.0001	mg/L	FALSE	REG	0.0001	1/12/2023	1/12/2023	
FG1	27/11/2023 15:30	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/12/2023	5/12/2023	
FG1	27/11/2023 15:30	Molybdenum	0.001	mg/L	FALSE	REG	0.001		4/12/2023	
FG1	27/11/2023 15:30	Molybdenum	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG1	27/11/2023 15:30	Nickel	0.077	mg/L	FALSE	REG	0.001		4/12/2023	
FG1	27/11/2023 15:30	Nickel	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG1	27/11/2023 15:30	Selenium	0.01	mg/L	FALSE	REG	0.01		4/12/2023	
FG1	27/11/2023 15:30	Selenium	0.01	mg/L	TRUE	REG	0.01		6/12/2023	
FG1	27/11/2023 15:30	Silver	0.001	mg/L	FALSE	REG	0.001	1/12/2023	2/12/2023	
FG1	27/11/2023 15:30	Silver	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	
FG1	27/11/2023 15:30	Vanadium	0.15	mg/L	FALSE	REG	0.01		4/12/2023	
FG1	27/11/2023 15:30	Vanadium	0.01	mg/L	TRUE	REG	0.01		6/12/2023	
FG1	27/11/2023 15:30	Zinc	0.116	mg/L	FALSE	REG	0.005		4/12/2023	
FG1	27/11/2023 15:30	Zinc	0.005	mg/L	TRUE	REG	0.005		6/12/2023	
FG1	27/11/2023 15:30	TSS	1640	mg/L	FALSE	REG	5	1/12/2023	1/12/2023	
FG1	27/11/2023 15:30	Ammonia as N	0.21	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
FG1	27/11/2023 15:30	Fluoride	0.2	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
FG1	27/11/2023 15:30	Nitrate (as N)	0.28	mg/L	FALSE	REG	0.01		6/12/2023	
FG1	27/11/2023 15:30	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	1/12/2023	1/12/2023	
FG1	27/11/2023 15:30	Nitrite + Nitrate as N	0.3	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
FG1	27/11/2023 15:30	Sulfate as SO4 - Turbidimetric	22	mg/L	TRUE	REG	1	1/12/2023	1/12/2023	
FG1	27/11/2023 15:30	Sodium	174	mg/L	FALSE	REG	1	1/12/2023	2/12/2023	
FG1	27/11/2023 15:30	Sodium	127	mg/L	TRUE	REG	1	4/12/2023	6/12/2023	
FG1	27/11/2023 15:30	TDS	1960	mg/L	FALSE	REG	10	1/12/2023	1/12/2023	
	28/11/2023 9:39	Fluoride	0.1	mg/L	FALSE	REG	0.1	28/11/2023	28/11/2023	
	28/11/2023 11:17	TSS	5	mg/L	FALSE	REG	5	28/11/2023	28/11/2023	
	28/11/2023 11:17	TDS	10	mg/L	FALSE	REG	10	28/11/2023	28/11/2023	
	28/11/2023 13:31	Antimony	0.001	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
	28/11/2023 13:31	Barium	0.001	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
	28/11/2023 13:31	Calcium	1	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
	28/11/2023 13:31	Iron	0.05	mg/L	TRUE	REG	0.05	28/11/2023	28/11/2023	
	28/11/2023 13:31	Magnesium	1	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
	28/11/2023 13:31	Mercury	0.0001	mg/L	TRUE	REG	0.0001	28/11/2023	28/11/2023	
	28/11/2023 13:31	Molybdenum	0.001	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
	28/11/2023 13:31	Potassium	1	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
	28/11/2023 13:31	Selenium	0.01	mg/L	TRUE	REG	0.01	28/11/2023	28/11/2023	
	28/11/2023 13:31	Silver	0.001	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
	28/11/2023 13:31	Strontium	0.001	mg/L	TRUE	REG	0.001	28/11/2023	28/11/2023	
	28/11/2023 13:31	Sodium	1	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
FG2	28/11/2023 15:45	Antimony	0.001	mg/L	FALSE	REG	0.001		4/12/2023	
FG2	28/11/2023 15:45	Antimony	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG2	28/11/2023 15:45	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		4/12/2023	
FG2	28/11/2023 15:45	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		6/12/2023	
FG2	28/11/2023 15:45	Boron	0.05	mg/L	FALSE	REG	0.05		4/12/2023	
FG2	28/11/2023 15:45	Boron	0.06	mg/L	TRUE	REG	0.05		6/12/2023	
FG2	28/11/2023 15:45	Chromium (III+VI)	0.078	mg/L	FALSE	REG	0.001		4/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FG2	28/11/2023 15:45	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG2	28/11/2023 15:45	Cobalt	0.027	mg/L	FALSE	REG	0.001		4/12/2023	
FG2	28/11/2023 15:45	Cobalt	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG2	28/11/2023 15:45	Copper	0.022	mg/L	FALSE	REG	0.001		4/12/2023	
FG2	28/11/2023 15:45	Copper	0.002	mg/L	TRUE	REG	0.001		6/12/2023	
FG2	28/11/2023 15:45	Iron	18.3	mg/L	FALSE	REG	0.05		4/12/2023	
FG2	28/11/2023 15:45	Iron	0.11	mg/L	TRUE	REG	0.05		6/12/2023	
FG2	28/11/2023 15:45	Lead	0.008	mg/L	FALSE	REG	0.001		4/12/2023	
FG2	28/11/2023 15:45	Lead	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG2	28/11/2023 15:45	Manganese	0.495	mg/L	FALSE	REG	0.001		4/12/2023	
FG2	28/11/2023 15:45	Manganese	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG2	28/11/2023 15:45	Mercury	0.0001	mg/L	FALSE	REG	0.0001	1/12/2023	1/12/2023	
FG2	28/11/2023 15:45	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/12/2023	5/12/2023	
FG2	28/11/2023 15:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001		4/12/2023	
FG2	28/11/2023 15:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG2	28/11/2023 15:45	Nickel	0.067	mg/L	FALSE	REG	0.001		4/12/2023	
FG2	28/11/2023 15:45	Nickel	0.001	mg/L	TRUE	REG	0.001		6/12/2023	
FG2	28/11/2023 15:45	Selenium	0.01	mg/L	FALSE	REG	0.01		4/12/2023	
FG2	28/11/2023 15:45	Selenium	0.01	mg/L	TRUE	REG	0.01		6/12/2023	
FG2	28/11/2023 15:45	Silver	0.001	mg/L	FALSE	REG	0.001	1/12/2023	2/12/2023	
FG2	28/11/2023 15:45	Silver	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	Vanadium	0.09	mg/L	FALSE	REG	0.01		4/12/2023	
FG2	28/11/2023 15:45	Vanadium	0.01	mg/L	TRUE	REG	0.01		6/12/2023	
FG2	28/11/2023 15:45	Zinc	0.067	mg/L	FALSE	REG	0.005		4/12/2023	
FG2	28/11/2023 15:45	Zinc	0.005	mg/L	TRUE	REG	0.005		6/12/2023	
FG2	28/11/2023 15:45	TSS	2600	mg/L	FALSE	REG	5	1/12/2023	1/12/2023	
FG2	28/11/2023 15:45	Ammonia as N	0.03	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
FG2	28/11/2023 15:45	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
FG2	28/11/2023 15:45	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		6/12/2023	
FG2	28/11/2023 15:45	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01		2/12/2023	
FG2	28/11/2023 15:45	Nitrite + Nitrate as N	0.1	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
FG2	28/11/2023 15:45	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1		2/12/2023	
FG2	28/11/2023 15:45	Sodium	4	mg/L	FALSE	REG	1	1/12/2023	2/12/2023	
FG2	28/11/2023 15:45	Sodium	5	mg/L	TRUE	REG	1	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	TDS	1220	mg/L	FALSE	REG	10	1/12/2023	1/12/2023	
	28/11/2023 15:48	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	28/11/2023	3/12/2023	
	28/11/2023 15:48	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	28/11/2023	3/12/2023	
	28/11/2023 15:48	Cobalt	0.001	mg/L	TRUE	REG	0.001	28/11/2023	3/12/2023	
	28/11/2023 15:48	Copper	0.001	mg/L	TRUE	REG	0.001	28/11/2023	3/12/2023	
	28/11/2023 15:48	Lead	0.001	mg/L	TRUE	REG	0.001	28/11/2023	3/12/2023	
	28/11/2023 15:48	Nickel	0.001	mg/L	TRUE	REG	0.001	28/11/2023	3/12/2023	
	28/11/2023 15:48	Zinc	0.005	mg/L	TRUE	REG	0.005	28/11/2023	3/12/2023	
	28/11/2023 15:48	Sodium	1	mg/L	TRUE	REG	1	28/11/2023	3/12/2023	
	28/11/2023 21:14	Chloride	1	mg/L	FALSE	REG	1	28/11/2023	28/11/2023	
	28/11/2023 21:14	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	28/11/2023	28/11/2023	
	29/11/2023 7:57	Sodium	1	mg/L	FALSE	REG	1	29/11/2023	30/11/2023	
	29/11/2023 12:01	BOD	2	mg/L	FALSE	REG	2		29/11/2023	
	29/11/2023 14:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	29/11/2023	2/12/2023	
	29/11/2023 14:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	29/11/2023	2/12/2023	
	29/11/2023 14:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	29/11/2023	2/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	29/11/2023 14:34	Copper	0.001	mg/L	TRUE	REG	0.001	29/11/2023	2/12/2023	
	29/11/2023 14:34	Lead	0.001	mg/L	TRUE	REG	0.001	29/11/2023	2/12/2023	
	29/11/2023 14:34	Nickel	0.001	mg/L	TRUE	REG	0.001	29/11/2023	2/12/2023	
	29/11/2023 14:34	Zinc	0.005	mg/L	TRUE	REG	0.005	29/11/2023	2/12/2023	
	29/11/2023 14:34	Sodium	1	mg/L	TRUE	REG	1	29/11/2023	2/12/2023	
	29/11/2023 15:19	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	29/11/2023	5/12/2023	
	29/11/2023 15:19	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	29/11/2023	29/11/2023	
	29/11/2023 15:19	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	29/11/2023	29/11/2023	
	29/11/2023 18:06	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	29/11/2023	29/11/2023	
	29/11/2023 18:06	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	29/11/2023	29/11/2023	
	29/11/2023 21:17	TSS	5	mg/L	FALSE	REG	5	29/11/2023	29/11/2023	
	30/11/2023 7:25	COD	10	mg/L	FALSE	REG	10		30/11/2023	
	1/12/2023 8:47	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	1/12/2023	1/12/2023	
	1/12/2023 8:47	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
	1/12/2023 8:47	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
	1/12/2023 9:39	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/12/2023	1/12/2023	
	1/12/2023 9:49	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	1/12/2023	1/12/2023	
	1/12/2023 9:49	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	1/12/2023	1/12/2023	
	1/12/2023 16:36	Mercury	0.0001	mg/L	FALSE	REG	0.0001	1/12/2023	1/12/2023	
	1/12/2023 18:19	Mercury	0.0001	mg/L	FALSE	REG	0.0001	1/12/2023	1/12/2023	
	1/12/2023 18:21	Antimony	0.001	mg/L	FALSE	REG	0.001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Cobalt	0.001	mg/L	FALSE	REG	0.001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Copper	0.001	mg/L	FALSE	REG	0.001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Iron	0.05	mg/L	FALSE	REG	0.05	1/12/2023	4/12/2023	
	1/12/2023 18:21	Lead	0.001	mg/L	FALSE	REG	0.001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Manganese	0.001	mg/L	FALSE	REG	0.001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Molybdenum	0.001	mg/L	FALSE	REG	0.001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Nickel	0.001	mg/L	FALSE	REG	0.001	1/12/2023	4/12/2023	
	1/12/2023 18:21	Selenium	0.01	mg/L	FALSE	REG	0.01	1/12/2023	4/12/2023	
	1/12/2023 18:21	Silver	0.001	mg/L	FALSE	REG	0.001	1/12/2023	2/12/2023	
	1/12/2023 18:21	Vanadium	0.01	mg/L	FALSE	REG	0.01	1/12/2023	4/12/2023	
	1/12/2023 18:21	Zinc	0.005	mg/L	FALSE	REG	0.005	1/12/2023	4/12/2023	
	1/12/2023 18:21	Sodium	1	mg/L	FALSE	REG	1	1/12/2023	4/12/2023	
	1/12/2023 21:51	TSS	5	mg/L	FALSE	REG	5	1/12/2023	1/12/2023	
	1/12/2023 21:51	TSS	5	mg/L	FALSE	REG	5	1/12/2023	1/12/2023	
	1/12/2023 21:51	TDS	10	mg/L	FALSE	REG	10	1/12/2023	1/12/2023	
	1/12/2023 21:51	TDS	10	mg/L	FALSE	REG	10	1/12/2023	1/12/2023	
	2/12/2023 9:34	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
	2/12/2023 9:34	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
	2/12/2023 11:33	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	2/12/2023	2/12/2023	
	2/12/2023 11:33	Boron	0.05	mg/L	FALSE	REG	0.05	2/12/2023	2/12/2023	
	2/12/2023 11:33	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
	2/12/2023 11:33	Cobalt	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
	2/12/2023 11:33	Copper	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
	2/12/2023 11:33	Iron	0.05	mg/L	FALSE	REG	0.05	2/12/2023	2/12/2023	
	2/12/2023 11:33	Lead	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
	2/12/2023 11:33	Manganese	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
	2/12/2023 11:33	Molybdenum	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	2/12/2023 11:33	Nickel	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
	2/12/2023 11:33	Selenium	0.01	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
	2/12/2023 11:33	Silver	0.001	mg/L	FALSE	REG	0.001	2/12/2023	2/12/2023	
	2/12/2023 11:33	Vanadium	0.01	mg/L	FALSE	REG	0.01	2/12/2023	2/12/2023	
	2/12/2023 11:33	Zinc	0.005	mg/L	FALSE	REG	0.005	2/12/2023	2/12/2023	
	2/12/2023 11:33	Sodium	1	mg/L	FALSE	REG	1	2/12/2023	2/12/2023	
	2/12/2023 11:42	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Boron	0.05	mg/L	TRUE	REG	0.05	2/12/2023	7/12/2023	
	2/12/2023 11:42	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Cobalt	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Copper	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Iron	0.05	mg/L	TRUE	REG	0.05	2/12/2023	7/12/2023	
	2/12/2023 11:42	Lead	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Manganese	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Molybdenum	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Nickel	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Selenium	0.01	mg/L	TRUE	REG	0.01	2/12/2023	7/12/2023	
	2/12/2023 11:42	Silver	0.001	mg/L	TRUE	REG	0.001	2/12/2023	7/12/2023	
	2/12/2023 11:42	Vanadium	0.01	mg/L	TRUE	REG	0.01	2/12/2023	7/12/2023	
	2/12/2023 11:42	Zinc	0.005	mg/L	TRUE	REG	0.005	2/12/2023	7/12/2023	
	2/12/2023 11:42	Sodium	1	mg/L	TRUE	REG	1	2/12/2023	7/12/2023	
	2/12/2023 14:07	Mercury	0.0001	mg/L	TRUE	REG	0.0001	2/12/2023	2/12/2023	
	4/12/2023 8:03	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/12/2023	4/12/2023	
	4/12/2023 8:07	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
	4/12/2023 8:07	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
	4/12/2023 15:28	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
	4/12/2023 15:28	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	4/12/2023	4/12/2023	
	4/12/2023 15:28	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	4/12/2023	4/12/2023	
W6	4/12/2023 16:50	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		13/12/2023	
W6	4/12/2023 16:50	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Boron	0.06	mg/L	FALSE	REG	0.05		13/12/2023	
W6	4/12/2023 16:50	Boron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Chromium (III+VI)	0.014	mg/L	FALSE	REG	0.001		13/12/2023	
W6	4/12/2023 16:50	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Cobalt	0.006	mg/L	FALSE	REG	0.001		13/12/2023	
W6	4/12/2023 16:50	Cobalt	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Copper	0.016	mg/L	FALSE	REG	0.001		13/12/2023	
W6	4/12/2023 16:50	Copper	0.003	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Iron	10.4	mg/L	FALSE	REG	0.05		13/12/2023	
W6	4/12/2023 16:50	Iron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Lead	0.004	mg/L	FALSE	REG	0.001		13/12/2023	
W6	4/12/2023 16:50	Lead	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Manganese	0.2	mg/L	FALSE	REG	0.001		13/12/2023	
W6	4/12/2023 16:50	Manganese	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Mercury	0.0005	mg/L	FALSE	REG	0.0001	11/12/2023	12/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
W6	4/12/2023 16:50	Mercury	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Molybdenum	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W6	4/12/2023 16:50	Molybdenum	0.004	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Nickel	0.017	mg/L	FALSE	REG	0.001		13/12/2023	
W6	4/12/2023 16:50	Nickel	0.002	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	4/12/2023 16:50	Selenium	0.01	mg/L	FALSE	REG	0.01		13/12/2023	
W6	4/12/2023 16:50	Selenium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Silver	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W6	4/12/2023 16:50	Silver	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Vanadium	0.03	mg/L	FALSE	REG	0.01		13/12/2023	
W6	4/12/2023 16:50	Vanadium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Zinc	0.025	mg/L	FALSE	REG	0.005		13/12/2023	
W6	4/12/2023 16:50	Zinc	0.005	mg/L	TRUE	REG	0.005	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	TSS	272	mg/L	FALSE	REG	5	8/12/2023	8/12/2023	
W6	4/12/2023 16:50	Total Phosphorus as P (Organic Ph	0.46	mg/L	FALSE	REG	0.01	11/12/2023	11/12/2023	
W6	4/12/2023 16:50	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W6	4/12/2023 16:50	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	Kjeldahl Nitrogen Total	1.2	mg/L	FALSE	REG	0.1	11/12/2023	11/12/2023	
W6	4/12/2023 16:50	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		13/12/2023	
W6	4/12/2023 16:50	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W6	4/12/2023 16:50	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W6	4/12/2023 16:50	Reactive Phosphorus as P (Orthop	0.03	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W6	4/12/2023 16:50	Sulfate as SO4 - Turbidimetric	4	mg/L	TRUE	REG	1	6/12/2023	6/12/2023	
W6	4/12/2023 16:50	Sodium	11	mg/L	FALSE	REG	1	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	Sodium	10	mg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	TDS	595	mg/L	FALSE	REG	10		11/12/2023	
W7	4/12/2023 16:53	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		13/12/2023	
W7	4/12/2023 16:53	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Boron	0.08	mg/L	FALSE	REG	0.05		13/12/2023	
W7	4/12/2023 16:53	Boron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Chromium (III+VI)	0.085	mg/L	FALSE	REG	0.001		13/12/2023	
W7	4/12/2023 16:53	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Cobalt	0.034	mg/L	FALSE	REG	0.001		13/12/2023	
W7	4/12/2023 16:53	Cobalt	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Copper	0.064	mg/L	FALSE	REG	0.001		13/12/2023	
W7	4/12/2023 16:53	Copper	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Iron	50.7	mg/L	FALSE	REG	0.05		13/12/2023	
W7	4/12/2023 16:53	Iron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Lead	0.028	mg/L	FALSE	REG	0.001		13/12/2023	
W7	4/12/2023 16:53	Lead	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Manganese	0.543	mg/L	FALSE	REG	0.001		13/12/2023	
W7	4/12/2023 16:53	Manganese	0.006	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Mercury	0.0005	mg/L	FALSE	REG	0.0001	11/12/2023	12/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
W7	4/12/2023 16:53	Mercury	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Molybdenum	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W7	4/12/2023 16:53	Molybdenum	0.005	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Nickel	0.071	mg/L	FALSE	REG	0.001		13/12/2023	
W7	4/12/2023 16:53	Nickel	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Selenium	0.01	mg/L	FALSE	REG	0.01		13/12/2023	
W7	4/12/2023 16:53	Selenium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Silver	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W7	4/12/2023 16:53	Silver	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Vanadium	0.14	mg/L	FALSE	REG	0.01		13/12/2023	
W7	4/12/2023 16:53	Vanadium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Zinc	0.202	mg/L	FALSE	REG	0.005		13/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W7	4/12/2023 16:53	Zinc	0.005	mg/L	TRUE	REG	0.005	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	TSS	2060	mg/L	FALSE	REG	5	8/12/2023	8/12/2023	
W7	4/12/2023 16:53	Total Phosphorus as P (Organic Ph	2.66	mg/L	FALSE	REG	0.01	11/12/2023	11/12/2023	
W7	4/12/2023 16:53	Ammonia as N	0.14	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W7	4/12/2023 16:53	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Kjeldahl Nitrogen Total	3.8	mg/L	FALSE	REG	0.1	11/12/2023	11/12/2023	
W7	4/12/2023 16:53	Nitrate (as N)	0.08	mg/L	FALSE	REG	0.01		13/12/2023	
W7	4/12/2023 16:53	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W7	4/12/2023 16:53	Nitrite + Nitrate as N	0.08	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W7	4/12/2023 16:53	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W7	4/12/2023 16:53	Sulfate as SO4 - Turbidimetric	8	mg/L	TRUE	REG	1	6/12/2023	6/12/2023	
W7	4/12/2023 16:53	Sodium	22	mg/L	FALSE	REG	1	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	Sodium	23	mg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	TDS	5930	mg/L	FALSE	REG	10		11/12/2023	
W5	4/12/2023 16:56	Cadmium	0.0002	mg/L	FALSE	REG	0.0001		14/12/2023	
W5	4/12/2023 16:56	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Boron	0.07	mg/L	FALSE	REG	0.05		14/12/2023	
W5	4/12/2023 16:56	Boron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Chromium (III+VI)	0.033	mg/L	FALSE	REG	0.001		14/12/2023	
W5	4/12/2023 16:56	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Cobalt	0.021	mg/L	FALSE	REG	0.001		14/12/2023	
W5	4/12/2023 16:56	Cobalt	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Copper	0.033	mg/L	FALSE	REG	0.001		14/12/2023	
W5	4/12/2023 16:56	Copper	0.002	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Iron	28.5	mg/L	FALSE	REG	0.05		14/12/2023	
W5	4/12/2023 16:56	Iron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Lead	0.014	mg/L	FALSE	REG	0.001		14/12/2023	
W5	4/12/2023 16:56	Lead	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Manganese	0.724	mg/L	FALSE	REG	0.001		14/12/2023	
W5	4/12/2023 16:56	Manganese	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Mercury	0.0005	mg/L	FALSE	REG	0.0001	11/12/2023	12/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
W5	4/12/2023 16:56	Mercury	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Molybdenum	0.001	mg/L	FALSE	REG	0.001		14/12/2023	
W5	4/12/2023 16:56	Molybdenum	0.006	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Nickel	0.049	mg/L	FALSE	REG	0.001		14/12/2023	
W5	4/12/2023 16:56	Nickel	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Selenium	0.01	mg/L	FALSE	REG	0.01		14/12/2023	
W5	4/12/2023 16:56	Selenium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Silver	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W5	4/12/2023 16:56	Silver	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Vanadium	0.06	mg/L	FALSE	REG	0.01		14/12/2023	
W5	4/12/2023 16:56	Vanadium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Zinc	0.096	mg/L	FALSE	REG	0.005		14/12/2023	
W5	4/12/2023 16:56	Zinc	0.005	mg/L	TRUE	REG	0.005	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	TSS	1830	mg/L	FALSE	REG	5	8/12/2023	8/12/2023	
W5	4/12/2023 16:56	Total Phosphorus as P (Organic Ph	1.31	mg/L	FALSE	REG	0.01	11/12/2023	11/12/2023	
W5	4/12/2023 16:56	Ammonia as N	0.05	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W5	4/12/2023 16:56	Fluoride	0.2	mg/L	FALSE	REG	0.1	8/12/2023	9/12/2023	
W5	4/12/2023 16:56	Kjeldahl Nitrogen Total	3.2	mg/L	FALSE	REG	0.1	11/12/2023	11/12/2023	
W5	4/12/2023 16:56	Nitrate (as N)	0.4	mg/L	FALSE	REG	0.01		13/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	4/12/2023 16:56	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W5	4/12/2023 16:56	Nitrite + Nitrate as N	0.42	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W5	4/12/2023 16:56	Reactive Phosphorus as P (Orthop	0.03	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W5	4/12/2023 16:56	Sulfate as SO4 - Turbidimetric	6	mg/L	TRUE	REG	1	6/12/2023	6/12/2023	
W5	4/12/2023 16:56	Sodium	15	mg/L	FALSE	REG	1	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	Sodium	14	mg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	TDS	952	mg/L	FALSE	REG	10		11/12/2023	
W1	4/12/2023 17:01	Cadmium	0.0002	mg/L	FALSE	REG	0.0001		13/12/2023	
W1	4/12/2023 17:01	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Boron	0.07	mg/L	FALSE	REG	0.05		13/12/2023	
W1	4/12/2023 17:01	Boron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Chromium (III+VI)	0.055	mg/L	FALSE	REG	0.001		13/12/2023	
W1	4/12/2023 17:01	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Cobalt	0.042	mg/L	FALSE	REG	0.001		13/12/2023	
W1	4/12/2023 17:01	Cobalt	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Copper	0.062	mg/L	FALSE	REG	0.001		13/12/2023	
W1	4/12/2023 17:01	Copper	0.003	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Iron	50.7	mg/L	FALSE	REG	0.05		13/12/2023	
W1	4/12/2023 17:01	Iron	0.97	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Lead	0.026	mg/L	FALSE	REG	0.001		13/12/2023	
W1	4/12/2023 17:01	Lead	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Manganese	1.54	mg/L	FALSE	REG	0.001		13/12/2023	
W1	4/12/2023 17:01	Manganese	0.004	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Mercury	0.0005	mg/L	FALSE	REG	0.0001	11/12/2023	12/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
W1	4/12/2023 17:01	Mercury	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Molybdenum	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W1	4/12/2023 17:01	Molybdenum	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Nickel	0.077	mg/L	FALSE	REG	0.001		13/12/2023	
W1	4/12/2023 17:01	Nickel	0.003	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Selenium	0.01	mg/L	FALSE	REG	0.01		13/12/2023	
W1	4/12/2023 17:01	Selenium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Silver	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W1	4/12/2023 17:01	Silver	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Vanadium	0.1	mg/L	FALSE	REG	0.01		13/12/2023	
W1	4/12/2023 17:01	Vanadium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Zinc	0.14	mg/L	FALSE	REG	0.005		13/12/2023	
W1	4/12/2023 17:01	Zinc	0.007	mg/L	TRUE	REG	0.005	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	TSS	2020	mg/L	FALSE	REG	5	8/12/2023	8/12/2023	
W1	4/12/2023 17:01	Total Phosphorus as P (Organic Ph	1.46	mg/L	FALSE	REG	0.01	11/12/2023	11/12/2023	
W1	4/12/2023 17:01	Ammonia as N	0.02	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W1	4/12/2023 17:01	Fluoride	0.2	mg/L	FALSE	REG	0.1	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	Kjeldahl Nitrogen Total	3	mg/L	FALSE	REG	0.1	11/12/2023	11/12/2023	
W1	4/12/2023 17:01	Nitrate (as N)	0.46	mg/L	FALSE	REG	0.01		13/12/2023	
W1	4/12/2023 17:01	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W1	4/12/2023 17:01	Nitrite + Nitrate as N	0.48	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W1	4/12/2023 17:01	Reactive Phosphorus as P (Orthop	0.03	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W1	4/12/2023 17:01	Sulfate as SO4 - Turbidimetric	6	mg/L	TRUE	REG	1	6/12/2023	6/12/2023	
W1	4/12/2023 17:01	Sodium	12	mg/L	FALSE	REG	1	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	Sodium	12	mg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	TDS	768	mg/L	FALSE	REG	10		11/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	4/12/2023 17:03	Cadmium	0.0002	mg/L	FALSE	REG	0.0001		13/12/2023	
W4	4/12/2023 17:03	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Boron	0.05	mg/L	FALSE	REG	0.05		13/12/2023	
W4	4/12/2023 17:03	Boron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Chromium (III+VI)	0.045	mg/L	FALSE	REG	0.001		13/12/2023	
W4	4/12/2023 17:03	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Cobalt	0.021	mg/L	FALSE	REG	0.001		13/12/2023	
W4	4/12/2023 17:03	Cobalt	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Copper	0.032	mg/L	FALSE	REG	0.001		13/12/2023	
W4	4/12/2023 17:03	Copper	0.003	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Iron	29.2	mg/L	FALSE	REG	0.05		13/12/2023	
W4	4/12/2023 17:03	Iron	0.05	mg/L	TRUE	REG	0.05	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Lead	0.011	mg/L	FALSE	REG	0.001		13/12/2023	
W4	4/12/2023 17:03	Lead	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Manganese	0.66	mg/L	FALSE	REG	0.001		13/12/2023	
W4	4/12/2023 17:03	Manganese	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Mercury	0.0005	mg/L	FALSE	REG	0.0001	11/12/2023	12/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
W4	4/12/2023 17:03	Mercury	0.0001	mg/L	TRUE	REG	0.0001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Molybdenum	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W4	4/12/2023 17:03	Molybdenum	0.004	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Nickel	0.052	mg/L	FALSE	REG	0.001		13/12/2023	
W4	4/12/2023 17:03	Nickel	0.002	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Selenium	0.01	mg/L	FALSE	REG	0.01		13/12/2023	
W4	4/12/2023 17:03	Selenium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Silver	0.001	mg/L	FALSE	REG	0.001		13/12/2023	
W4	4/12/2023 17:03	Silver	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Vanadium	0.05	mg/L	FALSE	REG	0.01		13/12/2023	
W4	4/12/2023 17:03	Vanadium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Zinc	0.1	mg/L	FALSE	REG	0.005		13/12/2023	
W4	4/12/2023 17:03	Zinc	0.005	mg/L	TRUE	REG	0.005	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	TSS	636	mg/L	FALSE	REG	5	8/12/2023	8/12/2023	
W4	4/12/2023 17:03	Total Phosphorus as P (Organic Ph	1.06	mg/L	FALSE	REG	0.01	11/12/2023	11/12/2023	
W4	4/12/2023 17:03	Ammonia as N	0.12	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W4	4/12/2023 17:03	Fluoride	0.2	mg/L	FALSE	REG	0.1	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Kjeldahl Nitrogen Total	3.2	mg/L	FALSE	REG	0.1	11/12/2023	11/12/2023	
W4	4/12/2023 17:03	Nitrate (as N)	0.42	mg/L	FALSE	REG	0.01		13/12/2023	
W4	4/12/2023 17:03	Nitrite (as N)	0.03	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W4	4/12/2023 17:03	Nitrite + Nitrate as N	0.45	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
W4	4/12/2023 17:03	Reactive Phosphorus as P (Orthop	0.18	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
W4	4/12/2023 17:03	Sulfate as SO4 - Turbidimetric	8	mg/L	TRUE	REG	1	6/12/2023	6/12/2023	
W4	4/12/2023 17:03	Sodium	18	mg/L	FALSE	REG	1	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	Sodium	18	mg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	TDS	528	mg/L	FALSE	REG	10		11/12/2023	
	4/12/2023 20:04	Antimony	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	
	4/12/2023 20:04	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/12/2023	6/12/2023	
	4/12/2023 20:04	Boron	0.05	mg/L	TRUE	REG	0.05	4/12/2023	6/12/2023	
	4/12/2023 20:04	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	
	4/12/2023 20:04	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	
	4/12/2023 20:04	Iron	0.05	mg/L	TRUE	REG	0.05	4/12/2023	6/12/2023	
	4/12/2023 20:04	Lead	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	4/12/2023 20:04	Manganese	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	
	4/12/2023 20:04	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/12/2023	5/12/2023	
	4/12/2023 20:04	Nickel	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	
	4/12/2023 20:04	Selenium	0.01	mg/L	TRUE	REG	0.01	4/12/2023	6/12/2023	
	4/12/2023 20:04	Silver	0.001	mg/L	TRUE	REG	0.001	4/12/2023	6/12/2023	
	4/12/2023 20:04	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/12/2023	6/12/2023	
	4/12/2023 20:04	Zinc	0.005	mg/L	TRUE	REG	0.005	4/12/2023	6/12/2023	
	4/12/2023 20:04	Sodium	1	mg/L	TRUE	REG	1	4/12/2023	6/12/2023	
	5/12/2023 8:37	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	5/12/2023	5/12/2023	
	5/12/2023 8:37	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	5/12/2023	5/12/2023	
	6/12/2023 8:28	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
	6/12/2023 8:28	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
	6/12/2023 11:43	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
	6/12/2023 11:43	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
	6/12/2023 11:43	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	6/12/2023	6/12/2023	
	6/12/2023 18:35	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
	6/12/2023 21:43	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
	6/12/2023 21:43	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	6/12/2023	6/12/2023	
	6/12/2023 21:43	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	6/12/2023	6/12/2023	
Isaac Plains STP	7/12/2023 18:04	TSS	56	mg/L	FALSE	REG	5	13/12/2023	13/12/2023	
Isaac Plains STP	7/12/2023 18:04	Total Phosphorus as P (Organic Ph	14.2	mg/L	FALSE	REG	0.01	15/12/2023	15/12/2023	
Isaac Plains STP	7/12/2023 18:04	Organic Nitrogen, as N	33.3	mg/L	FALSE	REG	0.1		20/12/2023	
Isaac Plains STP	7/12/2023 18:04	Alkalinity (Bicarbonate as CaCO3)	518	mg/L	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Alkalinity (total) as CaCO3	518	mg/L	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Ammonia as N	98.7	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	BOD	66	mg/L	FALSE	REG	2		13/12/2023	
Isaac Plains STP	7/12/2023 18:04	COD	250	mg/L	FALSE	REG	10		15/12/2023	
Isaac Plains STP	7/12/2023 18:04	Kjeldahl Nitrogen Total	132	mg/L	FALSE	REG	0.1		19/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		20/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	13/12/2023	13/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Reactive Phosphorus as P (Orthop	11.4	mg/L	FALSE	REG	0.01	13/12/2023	13/12/2023	
Isaac Plains STP	7/12/2023 18:04	Sulfate as SO4 - Turbidimetric	18	mg/L	TRUE	REG	1	13/12/2023	13/12/2023	
Isaac Plains STP	7/12/2023 18:04	Acidity (as CaCO3)	9	mg/L	FALSE	REG	1	14/12/2023	16/12/2023	
Isaac Plains STP	7/12/2023 18:04	TSS	63	mg/L	FALSE	REG	5	13/12/2023	13/12/2023	
Isaac Plains STP	7/12/2023 18:04	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		20/12/2023	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	7/12/2023 18:04	Total Phosphorus as P (Organic Ph	15.7	mg/L	FALSE	REG	0.01	15/12/2023	15/12/2023	
Isaac Plains STP	7/12/2023 18:04	Alkalinity (Bicarbonate as CaCO3)	680	mg/L	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Alkalinity (total) as CaCO3	680	mg/L	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Ammonia as N	173	mg/L	FALSE	REG	0.01		20/12/2023	
Isaac Plains STP	7/12/2023 18:04	BOD	72	mg/L	FALSE	REG	2		13/12/2023	
Isaac Plains STP	7/12/2023 18:04	COD	227	mg/L	FALSE	REG	10		15/12/2023	
Isaac Plains STP	7/12/2023 18:04	Kjeldahl Nitrogen Total	150	mg/L	FALSE	REG	0.1	15/12/2023	15/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		20/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	13/12/2023	13/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	





Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/12/2023 21:12	Molybdenum	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
	8/12/2023 21:12	Nickel	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
	8/12/2023 21:12	Selenium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
	8/12/2023 21:12	Silver	0.001	mg/L	TRUE	REG	0.001	8/12/2023	11/12/2023	
	8/12/2023 21:12	Vanadium	0.01	mg/L	TRUE	REG	0.01	8/12/2023	11/12/2023	
	8/12/2023 21:12	Zinc	0.005	mg/L	TRUE	REG	0.005	8/12/2023	11/12/2023	
	8/12/2023 21:12	Sodium	1	mg/L	TRUE	REG	1	8/12/2023	11/12/2023	
RWD	11/12/2023 7:55	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	Copper	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	Nickel	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	TSS	9	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
RWD	11/12/2023 7:55	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
RWD	11/12/2023 7:55	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
RWD	11/12/2023 7:55	Sodium	13	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Sodium	13	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	TDS	135	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
CHPPPP	11/12/2023 8:18	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	Copper	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	TSS	16	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
CHPPPP	11/12/2023 8:18	Fluoride	0.4	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
CHPPPP	11/12/2023 8:18	Sulfate as SO4 - Turbidimetric	539	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
CHPPPP	11/12/2023 8:18	Sodium	869	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Sodium	887	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	TDS	2570	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
N1S	11/12/2023 8:34	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	11/12/2023 8:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	Copper	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	TSS	5	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
N1S	11/12/2023 8:34	Fluoride	0.2	mg/L	FALSE	REG	0.1	14/12/2023	15/12/2023	
N1S	11/12/2023 8:34	Sulfate as SO4 - Turbidimetric	573	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
N1S	11/12/2023 8:34	Sodium	906	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Sodium	962	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	TDS	2850	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
S2SED	11/12/2023 8:51	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	Copper	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	TSS	10	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
S2SED	11/12/2023 8:51	Fluoride	0.3	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
S2SED	11/12/2023 8:51	Sulfate as SO4 - Turbidimetric	642	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
S2SED	11/12/2023 8:51	Sodium	1060	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Sodium	1070	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	TDS	3120	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
	11/12/2023 8:57	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	11/12/2023	11/12/2023	
	11/12/2023 8:57	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	11/12/2023	11/12/2023	
	11/12/2023 8:57	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
	11/12/2023 8:57	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
	11/12/2023 8:57	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	11/12/2023 8:57	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	11/12/2023 8:57	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	11/12/2023 8:57	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	11/12/2023 8:57	Copper	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	11/12/2023 8:57	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	11/12/2023 8:57	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	11/12/2023 8:57	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	11/12/2023 8:57	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	11/12/2023 8:57	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	11/12/2023 8:57	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
	11/12/2023 8:57	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
	11/12/2023 8:57	TSS	10	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
	11/12/2023 8:57	Fluoride	0.3	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
	11/12/2023 8:57	Sulfate as SO4 - Turbidimetric	657	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
	11/12/2023 8:57	Sodium	1040	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
	11/12/2023 8:57	Sodium	1080	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
	11/12/2023 8:57	TDS	3050	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
RD1	11/12/2023 9:08	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	Copper	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	Nickel	0.003	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	Zinc	0.006	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	TSS	23	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
RD1	11/12/2023 9:08	Fluoride	0.6	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
RD1	11/12/2023 9:08	Sulfate as SO4 - Turbidimetric	367	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
RD1	11/12/2023 9:08	Sodium	596	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Sodium	635	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	TDS	1850	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
S2	11/12/2023 9:23	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	Copper	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	TSS	10	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
S2	11/12/2023 9:23	Fluoride	0.3	mg/L	FALSE	REG	0.1	14/12/2023	15/12/2023	
S2	11/12/2023 9:23	Sulfate as SO4 - Turbidimetric	647	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
S2	11/12/2023 9:23	Sodium	1020	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Sodium	1010	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	TDS	2960	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
S3	11/12/2023 9:57	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
S3	11/12/2023 9:57	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	Copper	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	Nickel	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	TSS	17	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
S3	11/12/2023 9:57	Fluoride	0.6	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
S3	11/12/2023 9:57	Sulfate as SO4 - Turbidimetric	263	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
S3	11/12/2023 9:57	Sodium	512	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Sodium	539	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	TDS	1620	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
Pit 4	11/12/2023 9:59	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	Copper	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	TSS	9	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
Pit 4	11/12/2023 9:59	Fluoride	0.2	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
Pit 4	11/12/2023 9:59	Sulfate as SO4 - Turbidimetric	954	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
Pit 4	11/12/2023 9:59	Sodium	1120	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Sodium	1170	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	TDS	3580	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
Farm Dam 2	11/12/2023 10:22	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	Copper	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	Nickel	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Farm Dam 2	11/12/2023 10:22	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	TSS	22	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
Farm Dam 2	11/12/2023 10:22	Fluoride	0.5	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
Farm Dam 2	11/12/2023 10:22	Sulfate as SO4 - Turbidimetric	30	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
Farm Dam 2	11/12/2023 10:22	Sodium	97	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Sodium	98	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	TDS	389	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
RD2	11/12/2023 10:39	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	Chromium (III+VI)	0.003	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	Cobalt	0.002	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	Copper	0.004	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	Nickel	0.005	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Nickel	0.002	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	Zinc	0.006	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	TSS	64	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
RD2	11/12/2023 10:39	Fluoride	1.6	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
RD2	11/12/2023 10:39	Sulfate as SO4 - Turbidimetric	150	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
RD2	11/12/2023 10:39	Sodium	720	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Sodium	751	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	TDS	1850	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
MIA DAM	11/12/2023 11:35	Antimony	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Antimony	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	Chromium (III+VI)	0.028	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	Cobalt	0.006	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	Copper	0.014	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Copper	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	Lead	0.003	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Lead	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	Nickel	0.027	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Nickel	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	Zinc	0.032	mg/L	FALSE	REG	0.005	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Zinc	0.005	mg/L	TRUE	REG	0.005	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	TSS	40	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
MIA DAM	11/12/2023 11:35	Fluoride	0.2	mg/L	FALSE	REG	0.1	13/12/2023	14/12/2023	
MIA DAM	11/12/2023 11:35	Sulfate as SO4 - Turbidimetric	30	mg/L	TRUE	REG	1	13/12/2023	13/12/2023	
MIA DAM	11/12/2023 11:35	Sodium	68	mg/L	FALSE	REG	1	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Sodium	69	mg/L	TRUE	REG	1	14/12/2023	19/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA DAM	11/12/2023 11:35	TDS	327	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
MWD	11/12/2023 11:40	Antimony	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Antimony	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Copper	0.003	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Copper	0.002	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Lead	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Nickel	0.006	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Nickel	0.006	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Zinc	0.005	mg/L	TRUE	REG	0.005	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	TSS	17	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
MWD	11/12/2023 11:40	Fluoride	1	mg/L	FALSE	REG	0.1	13/12/2023	14/12/2023	
MWD	11/12/2023 11:40	Sulfate as SO4 - Turbidimetric	1750	mg/L	TRUE	REG	1	13/12/2023	13/12/2023	
MWD	11/12/2023 11:40	Sodium	394	mg/L	FALSE	REG	1	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Sodium	370	mg/L	TRUE	REG	1	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	TDS	3190	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
SSD	11/12/2023 12:09	Antimony	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Antimony	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Chromium (III+VI)	0.003	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Cobalt	0.002	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Copper	0.003	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Copper	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Lead	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Nickel	0.004	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Nickel	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Zinc	0.006	mg/L	FALSE	REG	0.005	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Zinc	0.005	mg/L	TRUE	REG	0.005	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	TSS	58	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
SSD	11/12/2023 12:09	Fluoride	1.1	mg/L	FALSE	REG	0.1	13/12/2023	14/12/2023	
SSD	11/12/2023 12:09	Sulfate as SO4 - Turbidimetric	120	mg/L	TRUE	REG	1	13/12/2023	13/12/2023	
SSD	11/12/2023 12:09	Sodium	883	mg/L	FALSE	REG	1	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Sodium	849	mg/L	TRUE	REG	1	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	TDS	2400	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
FPD	11/12/2023 12:35	Antimony	0.002	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Antimony	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FPD	11/12/2023 12:35	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Copper	0.002	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Copper	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Lead	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Nickel	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Zinc	0.005	mg/L	TRUE	REG	0.005	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	TSS	26	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
FPD	11/12/2023 12:35	Fluoride	0.3	mg/L	FALSE	REG	0.1	13/12/2023	14/12/2023	
FPD	11/12/2023 12:35	Sulfate as SO4 - Turbidimetric	570	mg/L	TRUE	REG	1	13/12/2023	13/12/2023	
FPD	11/12/2023 12:35	Sodium	1400	mg/L	FALSE	REG	1	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Sodium	1370	mg/L	TRUE	REG	1	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	TDS	4220	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
	11/12/2023 12:49	Antimony	0.002	mg/L	FALSE	REG	0.001		20/12/2023	
	11/12/2023 12:49	Antimony	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	11/12/2023 12:49	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		20/12/2023	
	11/12/2023 12:49	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/12/2023	19/12/2023	
	11/12/2023 12:49	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		20/12/2023	
	11/12/2023 12:49	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	11/12/2023 12:49	Cobalt	0.001	mg/L	FALSE	REG	0.001		20/12/2023	
	11/12/2023 12:49	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	11/12/2023 12:49	Copper	0.001	mg/L	FALSE	REG	0.001		20/12/2023	
	11/12/2023 12:49	Copper	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	11/12/2023 12:49	Lead	0.001	mg/L	FALSE	REG	0.001		20/12/2023	
	11/12/2023 12:49	Lead	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	11/12/2023 12:49	Nickel	0.001	mg/L	FALSE	REG	0.001		20/12/2023	
	11/12/2023 12:49	Nickel	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	11/12/2023 12:49	Zinc	0.005	mg/L	FALSE	REG	0.005		20/12/2023	
	11/12/2023 12:49	Zinc	0.005	mg/L	TRUE	REG	0.005	14/12/2023	19/12/2023	
	11/12/2023 12:49	TSS	25	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
	11/12/2023 12:49	Fluoride	0.3	mg/L	FALSE	REG	0.1	14/12/2023	15/12/2023	
	11/12/2023 12:49	Sulfate as SO4 - Turbidimetric	550	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
	11/12/2023 12:49	Sodium	1360	mg/L	FALSE	REG	1	14/12/2023	18/12/2023	
	11/12/2023 12:49	Sodium	1320	mg/L	TRUE	REG	1	14/12/2023	19/12/2023	
	11/12/2023 12:49	TDS	4200	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
	11/12/2023 17:57	Nickel	0.001	mg/L	FALSE	REG	0.001	11/12/2023	13/12/2023	
	11/12/2023 17:57	Silver	0.001	mg/L	FALSE	REG	0.001	11/12/2023	13/12/2023	
	11/12/2023 17:57	Zinc	0.005	mg/L	FALSE	REG	0.005	11/12/2023	13/12/2023	
	11/12/2023 17:57	Sodium	1	mg/L	FALSE	REG	1	11/12/2023	12/12/2023	
	11/12/2023 18:27	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/12/2023	12/12/2023	
	12/12/2023 18:29	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
	12/12/2023 18:29	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	12/12/2023	12/12/2023	
	13/12/2023 15:27	BOD	2	mg/L	FALSE	REG	2		13/12/2023	
	13/12/2023 16:02	TSS	5	mg/L	FALSE	REG	5	13/12/2023	13/12/2023	
	13/12/2023 21:49	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/12/2023	14/12/2023	
	13/12/2023 21:49	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/12/2023	14/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	13/12/2023 21:53	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/12/2023	14/12/2023	
	13/12/2023 21:58	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	13/12/2023	13/12/2023	
	13/12/2023 21:58	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	13/12/2023	13/12/2023	
	13/12/2023 21:58	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/12/2023	13/12/2023	
	13/12/2023 21:58	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/12/2023	13/12/2023	
	14/12/2023 8:57	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/12/2023	14/12/2023	
	14/12/2023 9:01	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	
	14/12/2023 9:01	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	
	14/12/2023 12:41	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/12/2023	15/12/2023	
	14/12/2023 12:41	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/12/2023	15/12/2023	
	14/12/2023 16:51	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Copper	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Copper	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	20/12/2023	
	14/12/2023 16:51	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
	14/12/2023 16:51	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	20/12/2023	
	14/12/2023 16:51	Sodium	1	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
	14/12/2023 16:51	Sodium	1	mg/L	FALSE	REG	1	14/12/2023	20/12/2023	
	14/12/2023 16:54	Antimony	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
	14/12/2023 16:54	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/12/2023	18/12/2023	
	14/12/2023 16:54	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
	14/12/2023 16:54	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
	14/12/2023 16:54	Copper	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
	14/12/2023 16:54	Lead	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
	14/12/2023 16:54	Nickel	0.001	mg/L	FALSE	REG	0.001	14/12/2023	18/12/2023	
	14/12/2023 16:54	Zinc	0.005	mg/L	FALSE	REG	0.005	14/12/2023	18/12/2023	
	14/12/2023 16:54	Sodium	1	mg/L	FALSE	REG	1	14/12/2023	18/12/2023	
	14/12/2023 17:03	Antimony	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	14/12/2023 17:03	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/12/2023	19/12/2023	
	14/12/2023 17:03	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	14/12/2023 17:03	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	14/12/2023 17:03	Copper	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	14/12/2023 17:03	Lead	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	14/12/2023 17:03	Nickel	0.001	mg/L	TRUE	REG	0.001	14/12/2023	19/12/2023	
	14/12/2023 17:03	Zinc	0.005	mg/L	TRUE	REG	0.005	14/12/2023	19/12/2023	
	14/12/2023 17:03	Sodium	1	mg/L	TRUE	REG	1	14/12/2023	19/12/2023	
	14/12/2023 17:10	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
	14/12/2023 17:10	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
	14/12/2023 17:10	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	14/12/2023	14/12/2023	
	14/12/2023 17:15	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	
	14/12/2023 17:15	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	
	14/12/2023 17:15	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	14/12/2023 17:15	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	14/12/2023	14/12/2023	
	15/12/2023 6:55	COD	10	mg/L	FALSE	REG	10		15/12/2023	
	15/12/2023 8:44	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/12/2023	21/12/2023	
	15/12/2023 8:44	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	15/12/2023 8:44	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	15/12/2023 8:44	Copper	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	15/12/2023 8:44	Lead	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	15/12/2023 8:44	Nickel	0.001	mg/L	TRUE	REG	0.001	15/12/2023	21/12/2023	
	15/12/2023 8:44	Zinc	0.005	mg/L	TRUE	REG	0.005	15/12/2023	21/12/2023	
	15/12/2023 8:44	Sodium	1	mg/L	TRUE	REG	1	15/12/2023	21/12/2023	
	15/12/2023 12:56	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	15/12/2023	15/12/2023	
	15/12/2023 12:56	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	15/12/2023	15/12/2023	
	15/12/2023 15:08	TSS	5	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
	15/12/2023 15:08	TSS	5	mg/L	FALSE	REG	5	15/12/2023	15/12/2023	
	15/12/2023 15:08	TDS	10	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
	15/12/2023 15:08	TDS	10	mg/L	FALSE	REG	10	15/12/2023	15/12/2023	
N1S	18/12/2023 10:30	Antimony	0.02	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	Reported Analyte LOR is higher than Requested Analyte LOR
N1S	18/12/2023 10:30	Barium	0.022	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	
N1S	18/12/2023 10:30	Calcium	112	mg/L	TRUE	REG	1	28/12/2023	2/01/2024	
N1S	18/12/2023 10:30	Iron	0.2	mg/L	TRUE	REG	0.05	28/12/2023	2/01/2024	Reported Analyte LOR is higher than Requested Analyte LOR
N1S	18/12/2023 10:30	Magnesium	82	mg/L	TRUE	REG	1	28/12/2023	2/01/2024	
N1S	18/12/2023 10:30	Mercury	0.0001	mg/L	TRUE	REG	0.0001	28/12/2023	30/12/2023	
N1S	18/12/2023 10:30	Molybdenum	0.02	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	Reported Analyte LOR is higher than Requested Analyte LOR
N1S	18/12/2023 10:30	Potassium	22	mg/L	TRUE	REG	1	28/12/2023	2/01/2024	
N1S	18/12/2023 10:30	Selenium	0.2	mg/L	TRUE	REG	0.01	28/12/2023	2/01/2024	Reported Analyte LOR is higher than Requested Analyte LOR
N1S	18/12/2023 10:30	Silver	0.02	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	Reported Analyte LOR is higher than Requested Analyte LOR
N1S	18/12/2023 10:30	Strontium	0.856	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	
N1S	18/12/2023 10:30	Total Phosphorus as P (Organic Ph	31.6	mg/L	FALSE	REG	0.01	2/01/2024	2/01/2024	
N1S	18/12/2023 10:30	Alkalinity (Bicarbonate as CaCO3)	421	mg/L	FALSE	REG	1		28/12/2023	
N1S	18/12/2023 10:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1		28/12/2023	
N1S	18/12/2023 10:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1		28/12/2023	
N1S	18/12/2023 10:30	Alkalinity (total) as CaCO3	421	mg/L	FALSE	REG	1		28/12/2023	
N1S	18/12/2023 10:30	Fluoride	1.5	mg/L	FALSE	REG	0.1	27/12/2023	28/12/2023	
N1S	18/12/2023 10:30	Sodium	465	mg/L	TRUE	REG	1	28/12/2023	2/01/2024	
N1S	18/12/2023 10:30	Acidity (as CaCO3)	169	mg/L	FALSE	REG	1		28/12/2023	
	20/12/2023 14:44	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/12/2023	20/12/2023	
	20/12/2023 14:44	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	20/12/2023	20/12/2023	
	20/12/2023 14:44	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	20/12/2023	20/12/2023	
	27/12/2023 15:21	Fluoride	0.1	mg/L	FALSE	REG	0.1	27/12/2023	28/12/2023	
	28/12/2023 11:39	Antimony	0.001	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	
	28/12/2023 11:39	Barium	0.001	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	
	28/12/2023 11:39	Calcium	1	mg/L	TRUE	REG	1	28/12/2023	2/01/2024	
	28/12/2023 11:39	Iron	0.05	mg/L	TRUE	REG	0.05	28/12/2023	2/01/2024	
	28/12/2023 11:39	Magnesium	1	mg/L	TRUE	REG	1	28/12/2023	2/01/2024	
	28/12/2023 11:39	Mercury	0.0001	mg/L	TRUE	REG	0.0001	28/12/2023	30/12/2023	
	28/12/2023 11:39	Molybdenum	0.001	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	
	28/12/2023 11:39	Potassium	1	mg/L	TRUE	REG	1	28/12/2023	2/01/2024	
	28/12/2023 11:39	Selenium	0.01	mg/L	TRUE	REG	0.01	28/12/2023	2/01/2024	
	28/12/2023 11:39	Silver	0.001	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	
	28/12/2023 11:39	Strontium	0.001	mg/L	TRUE	REG	0.001	28/12/2023	2/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/12/2023 11:39	Sodium	1	mg/L	TRUE	REG	1	28/12/2023	2/01/2024	
	2/01/2024 12:06	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	2/01/2024	2/01/2024	
W4	3/01/2024 11:20	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Boron	0.07	mg/L	FALSE	REG	0.05	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Boron	0.06	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Chromium (III+VI)	0.108	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Cobalt	0.044	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Copper	0.051	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Copper	0.003	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Iron	73.6	mg/L	FALSE	REG	0.05	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Iron	0.06	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Lead	0.022	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Manganese	0.909	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Mercury	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	8/01/2024	
W4	3/01/2024 11:20	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Molybdenum	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Molybdenum	0.002	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Nickel	0.099	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Selenium	0.01	mg/L	FALSE	REG	0.01	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Silver	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Vanadium	0.13	mg/L	FALSE	REG	0.01	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Zinc	0.134	mg/L	FALSE	REG	0.005	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	TSS	2160	mg/L	FALSE	REG	5	9/01/2024	9/01/2024	
W4	3/01/2024 11:20	Total Phosphorus as P (Organic Ph	0.61	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W4	3/01/2024 11:20	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
W4	3/01/2024 11:20	Fluoride	0.1	mg/L	FALSE	REG	0.1	6/01/2024	8/01/2024	
W4	3/01/2024 11:20	Kjeldahl Nitrogen Total	2	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
W4	3/01/2024 11:20	Nitrate (as N)	0.27	mg/L	FALSE	REG	0.01		8/01/2024	
W4	3/01/2024 11:20	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
W4	3/01/2024 11:20	Nitrite + Nitrate as N	0.27	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
W4	3/01/2024 11:20	Reactive Phosphorus as P (Orthop	0.02	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
W4	3/01/2024 11:20	Sulfate as SO4 - Turbidimetric	17	mg/L	TRUE	REG	1	8/01/2024	8/01/2024	
W4	3/01/2024 11:20	Sodium	26	mg/L	FALSE	REG	1	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Sodium	26	mg/L	TRUE	REG	1	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	TDS	967	mg/L	FALSE	REG	10		11/01/2024	
W2	3/01/2024 11:23	Cadmium	0.0002	mg/L	FALSE	REG	0.0001	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Boron	0.05	mg/L	FALSE	REG	0.05	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Chromium (III+VI)	0.096	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W2	3/01/2024 11:23	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Cobalt	0.04	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Copper	0.054	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Copper	0.002	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Iron	69.9	mg/L	FALSE	REG	0.05	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Iron	0.06	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Lead	0.021	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Manganese	1.64	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Mercury	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	8/01/2024	
W2	3/01/2024 11:23	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Molybdenum	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Nickel	0.088	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Nickel	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Selenium	0.01	mg/L	FALSE	REG	0.01	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Silver	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Vanadium	0.12	mg/L	FALSE	REG	0.01	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Zinc	0.132	mg/L	FALSE	REG	0.005	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	TSS	2890	mg/L	FALSE	REG	5	9/01/2024	9/01/2024	
W2	3/01/2024 11:23	Total Phosphorus as P (Organic Ph)	0.84	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W2	3/01/2024 11:23	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
W2	3/01/2024 11:23	Fluoride	0.1	mg/L	FALSE	REG	0.1	6/01/2024	8/01/2024	
W2	3/01/2024 11:23	Kjeldahl Nitrogen Total	2.4	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
W2	3/01/2024 11:23	Nitrate (as N)	0.29	mg/L	FALSE	REG	0.01		8/01/2024	
W2	3/01/2024 11:23	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
W2	3/01/2024 11:23	Nitrite + Nitrate as N	0.3	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
W2	3/01/2024 11:23	Reactive Phosphorus as P (Orthop)	0.06	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
W2	3/01/2024 11:23	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	8/01/2024	8/01/2024	
W2	3/01/2024 11:23	Sodium	8	mg/L	FALSE	REG	1	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Sodium	8	mg/L	TRUE	REG	1	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	TDS	424	mg/L	FALSE	REG	10		11/01/2024	
W5	3/01/2024 11:32	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Boron	0.06	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Chromium (III+VI)	0.058	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Cobalt	0.018	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Copper	0.03	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Copper	0.003	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Iron	36.8	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Iron	0.06	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	3/01/2024 11:32	Lead	0.012	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Manganese	0.669	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Nickel	0.051	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Vanadium	0.07	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Zinc	0.074	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	TSS	476	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
W5	3/01/2024 11:32	Total Phosphorus as P (Organic Ph	0.64	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W5	3/01/2024 11:32	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W5	3/01/2024 11:32	Fluoride	0.2	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
W5	3/01/2024 11:32	Kjeldahl Nitrogen Total	2	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
W5	3/01/2024 11:32	Nitrate (as N)	0.28	mg/L	FALSE	REG	0.01		10/01/2024	
W5	3/01/2024 11:32	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W5	3/01/2024 11:32	Nitrite + Nitrate as N	0.29	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W5	3/01/2024 11:32	Reactive Phosphorus as P (Orthop	0.07	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W5	3/01/2024 11:32	Sulfate as SO4 - Turbidimetric	9	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
W5	3/01/2024 11:32	Sodium	16	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Sodium	16	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	TDS	313	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Boron	0.06	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Chromium (III+VI)	0.026	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Cobalt	0.018	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Copper	0.025	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Copper	0.003	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Iron	24.1	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Iron	0.14	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Lead	0.01	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Manganese	0.675	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W8	3/01/2024 11:36	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Nickel	0.031	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Vanadium	0.06	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Zinc	0.065	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	TSS	1150	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Total Phosphorus as P (Organic Ph	0.78	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Ammonia as N	0.05	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
W8	3/01/2024 11:36	Kjeldahl Nitrogen Total	2.1	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Nitrate (as N)	0.29	mg/L	FALSE	REG	0.01		10/01/2024	
W8	3/01/2024 11:36	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Nitrite + Nitrate as N	0.3	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Reactive Phosphorus as P (Orthop	0.02	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Sulfate as SO4 - Turbidimetric	4	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
W8	3/01/2024 11:36	Sodium	16	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Sodium	14	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	TDS	561	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Boron	0.06	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Chromium (III+VI)	0.036	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Cobalt	0.02	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Copper	0.029	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Copper	0.003	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Iron	30.8	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Iron	0.16	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Lead	0.013	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Manganese	0.809	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Nickel	0.038	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W2	3/01/2024 11:39	Vanadium	0.07	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Zinc	0.061	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	TSS	1700	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Total Phosphorus as P (Organic Ph	0.82	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Fluoride	0.2	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
W2	3/01/2024 11:39	Kjeldahl Nitrogen Total	2.2	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Nitrate (as N)	0.28	mg/L	FALSE	REG	0.01		10/01/2024	
W2	3/01/2024 11:39	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Nitrite + Nitrate as N	0.29	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Reactive Phosphorus as P (Orthop	0.03	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Sulfate as SO4 - Turbidimetric	5	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
W2	3/01/2024 11:39	Sodium	14	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Sodium	14	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	TDS	413	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
W4	3/01/2024 11:41	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Boron	0.09	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Boron	0.08	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Chromium (III+VI)	0.028	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Cobalt	0.01	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Copper	0.018	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Copper	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Iron	19.9	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Iron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Lead	0.006	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Manganese	0.207	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Molybdenum	0.002	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Molybdenum	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Nickel	0.028	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Vanadium	0.04	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Zinc	0.169	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Zinc	0.007	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	TSS	149	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
W4	3/01/2024 11:41	Total Phosphorus as P (Organic Ph	0.3	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W4	3/01/2024 11:41	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	3/01/2024 11:41	Fluoride	0.2	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
W4	3/01/2024 11:41	Kjeldahl Nitrogen Total	1.2	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
W4	3/01/2024 11:41	Nitrate (as N)	0.19	mg/L	FALSE	REG	0.01		10/01/2024	
W4	3/01/2024 11:41	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W4	3/01/2024 11:41	Nitrite + Nitrate as N	0.19	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W4	3/01/2024 11:41	Reactive Phosphorus as P (Orthop)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W4	3/01/2024 11:41	Sulfate as SO4 - Turbidimetric	42	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
W4	3/01/2024 11:41	Sodium	66	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Sodium	65	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	TDS	680	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
W7	3/01/2024 11:44	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Boron	0.05	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Cobalt	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Copper	0.003	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Copper	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Iron	1.14	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Iron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Lead	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Manganese	0.038	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Nickel	0.004	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Vanadium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Zinc	0.005	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	TSS	96	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
W7	3/01/2024 11:44	Total Phosphorus as P (Organic Ph	0.04	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W7	3/01/2024 11:44	Ammonia as N	0.02	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W7	3/01/2024 11:44	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
W7	3/01/2024 11:44	Kjeldahl Nitrogen Total	0.4	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
W7	3/01/2024 11:44	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		10/01/2024	
W7	3/01/2024 11:44	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W7	3/01/2024 11:44	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W7	3/01/2024 11:44	Reactive Phosphorus as P (Orthop)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W7	3/01/2024 11:44	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W7	3/01/2024 11:44	Sodium	15	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Sodium	14	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	TDS	154	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
	3/01/2024 11:57	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Boron	0.07	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
	3/01/2024 11:57	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
	3/01/2024 11:57	Chromium (III+VI)	0.03	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Cobalt	0.01	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Copper	0.022	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Copper	0.003	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Iron	29.9	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
	3/01/2024 11:57	Iron	0.1	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
	3/01/2024 11:57	Lead	0.008	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Manganese	0.383	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Nickel	0.024	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
	3/01/2024 11:57	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
	3/01/2024 11:57	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 11:57	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 11:57	Vanadium	0.06	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
	3/01/2024 11:57	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
	3/01/2024 11:57	Zinc	0.067	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
	3/01/2024 11:57	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
	3/01/2024 11:57	TSS	213	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
	3/01/2024 11:57	Total Phosphorus as P (Organic Ph)	0.49	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 11:57	Ammonia as N	0.17	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 11:57	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
	3/01/2024 11:57	Kjeldahl Nitrogen Total	1.8	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
	3/01/2024 11:57	Nitrate (as N)	0.19	mg/L	FALSE	REG	0.01		10/01/2024	
	3/01/2024 11:57	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 11:57	Nitrite + Nitrate as N	0.21	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 11:57	Reactive Phosphorus as P (Orthop)	0.05	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 11:57	Sulfate as SO4 - Turbidimetric	4	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
	3/01/2024 11:57	Sodium	13	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 11:57	Sodium	13	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 11:57	TDS	480	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Boron	0.08	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Boron	0.07	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CC1	3/01/2024 12:02	Chromium (III+VI)	0.034	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Cobalt	0.01	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Copper	0.022	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Copper	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Iron	30.2	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Iron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Lead	0.008	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Manganese	0.372	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Nickel	0.027	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Vanadium	0.06	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Zinc	0.435	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	TSS	388	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Total Phosphorus as P (Organic Ph	0.41	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Ammonia as N	0.26	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Fluoride	0.2	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Kjeldahl Nitrogen Total	2	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Nitrate (as N)	0.17	mg/L	FALSE	REG	0.01		10/01/2024	
CC1	3/01/2024 12:02	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Nitrite + Nitrate as N	0.18	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Reactive Phosphorus as P (Orthop	0.02	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
CC1	3/01/2024 12:02	Sodium	12	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Sodium	12	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	TDS	539	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Boron	0.05	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Chromium (III+VI)	0.034	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Cobalt	0.009	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Copper	0.017	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Copper	0.003	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Iron	21.8	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	3/01/2024 12:06	Iron	0.11	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Lead	0.006	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Manganese	0.476	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Nickel	0.029	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Vanadium	0.04	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Zinc	0.043	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	TSS	357	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Total Phosphorus as P (Organic Ph	3.79	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Ammonia as N	4.57	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
W6	3/01/2024 12:06	Kjeldahl Nitrogen Total	8.9	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Nitrate (as N)	0.09	mg/L	FALSE	REG	0.01		10/01/2024	
W6	3/01/2024 12:06	Nitrite (as N)	0.03	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Nitrite + Nitrate as N	0.12	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Reactive Phosphorus as P (Orthop	0.06	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
W6	3/01/2024 12:06	Sodium	9	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Sodium	9	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	TDS	346	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
	3/01/2024 12:10	Cadmium	0.0002	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Boron	0.08	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
	3/01/2024 12:10	Boron	0.06	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
	3/01/2024 12:10	Chromium (III+VI)	0.048	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Cobalt	0.012	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Copper	0.03	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Copper	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Iron	35.3	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
	3/01/2024 12:10	Iron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
	3/01/2024 12:10	Lead	0.01	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Manganese	0.493	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Manganese	0.004	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	3/01/2024 12:10	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Nickel	0.034	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Nickel	0.003	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
	3/01/2024 12:10	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
	3/01/2024 12:10	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:10	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:10	Vanadium	0.09	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
	3/01/2024 12:10	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
	3/01/2024 12:10	Zinc	0.053	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
	3/01/2024 12:10	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
	3/01/2024 12:10	TSS	232	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
	3/01/2024 12:10	Total Phosphorus as P (Organic Ph	0.4	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:10	Ammonia as N	0.06	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:10	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
	3/01/2024 12:10	Kjeldahl Nitrogen Total	2.1	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
	3/01/2024 12:10	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		10/01/2024	
	3/01/2024 12:10	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:10	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:10	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:10	Sulfate as SO4 - Turbidimetric	13	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
	3/01/2024 12:10	Sodium	13	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 12:10	Sodium	12	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 12:10	TDS	495	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
	3/01/2024 12:15	Cadmium	0.0002	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Boron	0.07	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
	3/01/2024 12:15	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
	3/01/2024 12:15	Chromium (III+VI)	0.062	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Cobalt	0.027	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Copper	0.043	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Copper	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Iron	56	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
	3/01/2024 12:15	Iron	0.19	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
	3/01/2024 12:15	Lead	0.018	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Manganese	1.04	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Nickel	0.056	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	3/01/2024 12:15	Nickel	0.002	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
	3/01/2024 12:15	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
	3/01/2024 12:15	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	3/01/2024 12:15	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	3/01/2024 12:15	Vanadium	0.11	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
	3/01/2024 12:15	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
	3/01/2024 12:15	Zinc	0.099	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
	3/01/2024 12:15	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
	3/01/2024 12:15	TSS	729	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
	3/01/2024 12:15	Total Phosphorus as P (Organic Ph	0.76	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:15	Ammonia as N	0.02	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:15	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
	3/01/2024 12:15	Kjeldahl Nitrogen Total	2.8	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
	3/01/2024 12:15	Nitrate (as N)	0.35	mg/L	FALSE	REG	0.01		10/01/2024	
	3/01/2024 12:15	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:15	Nitrite + Nitrate as N	0.35	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:15	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	3/01/2024 12:15	Sulfate as SO4 - Turbidimetric	4	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
	3/01/2024 12:15	Sodium	14	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 12:15	Sodium	14	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 12:15	TDS	665	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
IR1	3/01/2024 12:28	Antimony	0.001	mg/L	FALSE	REG	0.001		11/01/2024	
IR1	3/01/2024 12:28	Antimony	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Cadmium	0.0002	mg/L	FALSE	REG	0.0001		11/01/2024	
IR1	3/01/2024 12:28	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Boron	0.06	mg/L	FALSE	REG	0.05		11/01/2024	
IR1	3/01/2024 12:28	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Chromium (III+VI)	0.136	mg/L	FALSE	REG	0.001		11/01/2024	
IR1	3/01/2024 12:28	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Cobalt	0.062	mg/L	FALSE	REG	0.001		11/01/2024	
IR1	3/01/2024 12:28	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Copper	0.08	mg/L	FALSE	REG	0.001		11/01/2024	
IR1	3/01/2024 12:28	Copper	0.002	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Iron	87.5	mg/L	FALSE	REG	0.05		11/01/2024	
IR1	3/01/2024 12:28	Iron	0.07	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Lead	0.035	mg/L	FALSE	REG	0.001		11/01/2024	
IR1	3/01/2024 12:28	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Manganese	2.56	mg/L	FALSE	REG	0.001		11/01/2024	
IR1	3/01/2024 12:28	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Mercury	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	8/01/2024	
IR1	3/01/2024 12:28	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Molybdenum	0.001	mg/L	FALSE	REG	0.001		11/01/2024	
IR1	3/01/2024 12:28	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Nickel	0.132	mg/L	FALSE	REG	0.001		11/01/2024	
IR1	3/01/2024 12:28	Nickel	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Selenium	0.01	mg/L	FALSE	REG	0.01		11/01/2024	
IR1	3/01/2024 12:28	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Silver	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Vanadium	0.18	mg/L	FALSE	REG	0.01		11/01/2024	
IR1	3/01/2024 12:28	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Zinc	0.188	mg/L	FALSE	REG	0.005		11/01/2024	
IR1	3/01/2024 12:28	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR1	3/01/2024 12:28	TSS	2620	mg/L	FALSE	REG	5	9/01/2024	9/01/2024	
IR1	3/01/2024 12:28	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
IR1	3/01/2024 12:28	Fluoride	0.1	mg/L	FALSE	REG	0.1	6/01/2024	8/01/2024	
IR1	3/01/2024 12:28	Nitrate (as N)	0.29	mg/L	FALSE	REG	0.01		8/01/2024	
IR1	3/01/2024 12:28	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
IR1	3/01/2024 12:28	Nitrite + Nitrate as N	0.29	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
IR1	3/01/2024 12:28	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	8/01/2024	8/01/2024	
IR1	3/01/2024 12:28	Sodium	9	mg/L	FALSE	REG	1	8/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Sodium	8	mg/L	TRUE	REG	1	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	TDS	467	mg/L	FALSE	REG	10		11/01/2024	
FG1	3/01/2024 12:37	Antimony	0.001	mg/L	FALSE	REG	0.001		11/01/2024	
FG1	3/01/2024 12:37	Antimony	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		11/01/2024	
FG1	3/01/2024 12:37	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Boron	0.11	mg/L	FALSE	REG	0.05		11/01/2024	
FG1	3/01/2024 12:37	Boron	0.1	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Chromium (III+VI)	0.021	mg/L	FALSE	REG	0.001		11/01/2024	
FG1	3/01/2024 12:37	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Cobalt	0.01	mg/L	FALSE	REG	0.001		11/01/2024	
FG1	3/01/2024 12:37	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Copper	0.014	mg/L	FALSE	REG	0.001		11/01/2024	
FG1	3/01/2024 12:37	Copper	0.003	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Iron	13.4	mg/L	FALSE	REG	0.05		11/01/2024	
FG1	3/01/2024 12:37	Iron	0.06	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Lead	0.004	mg/L	FALSE	REG	0.001		11/01/2024	
FG1	3/01/2024 12:37	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Manganese	0.156	mg/L	FALSE	REG	0.001		11/01/2024	
FG1	3/01/2024 12:37	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Mercury	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	8/01/2024	
FG1	3/01/2024 12:37	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Molybdenum	0.001	mg/L	FALSE	REG	0.001		11/01/2024	
FG1	3/01/2024 12:37	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Nickel	0.03	mg/L	FALSE	REG	0.001		11/01/2024	
FG1	3/01/2024 12:37	Nickel	0.004	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Selenium	0.01	mg/L	FALSE	REG	0.01		11/01/2024	
FG1	3/01/2024 12:37	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Silver	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Vanadium	0.04	mg/L	FALSE	REG	0.01		11/01/2024	
FG1	3/01/2024 12:37	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Zinc	0.068	mg/L	FALSE	REG	0.005		11/01/2024	
FG1	3/01/2024 12:37	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	TSS	258	mg/L	FALSE	REG	5	9/01/2024	9/01/2024	
FG1	3/01/2024 12:37	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
FG1	3/01/2024 12:37	Fluoride	0.1	mg/L	FALSE	REG	0.1	6/01/2024	8/01/2024	
FG1	3/01/2024 12:37	Nitrate (as N)	0.31	mg/L	FALSE	REG	0.01		8/01/2024	
FG1	3/01/2024 12:37	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
FG1	3/01/2024 12:37	Nitrite + Nitrate as N	0.32	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
FG1	3/01/2024 12:37	Sulfate as SO4 - Turbidimetric	11	mg/L	TRUE	REG	1	8/01/2024	8/01/2024	
FG1	3/01/2024 12:37	Sodium	75	mg/L	FALSE	REG	1	8/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FG1	3/01/2024 12:37	Sodium	72	mg/L	TRUE	REG	1	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	TDS	636	mg/L	FALSE	REG	10		11/01/2024	
IR1A	4/01/2024 16:43	Antimony	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Antimony	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		22/01/2024	
IR1A	4/01/2024 16:43	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Boron	0.06	mg/L	FALSE	REG	0.05		22/01/2024	
IR1A	4/01/2024 16:43	Boron	0.05	mg/L	TRUE	REG	0.05	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Chromium (III+VI)	0.011	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Cobalt	0.004	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Copper	0.008	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Copper	0.003	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Iron	8	mg/L	FALSE	REG	0.05		22/01/2024	
IR1A	4/01/2024 16:43	Iron	0.16	mg/L	TRUE	REG	0.05	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Lead	0.003	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Lead	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Manganese	0.114	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Manganese	0.007	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Mercury	0.0001	mg/L	FALSE	REG	0.0001	17/01/2024	17/01/2024	
IR1A	4/01/2024 16:43	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
IR1A	4/01/2024 16:43	Molybdenum	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Molybdenum	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Nickel	0.011	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Nickel	0.003	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Selenium	0.01	mg/L	FALSE	REG	0.01		22/01/2024	
IR1A	4/01/2024 16:43	Selenium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Silver	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR1A	4/01/2024 16:43	Silver	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Vanadium	0.02	mg/L	FALSE	REG	0.01		22/01/2024	
IR1A	4/01/2024 16:43	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Zinc	0.016	mg/L	FALSE	REG	0.005		22/01/2024	
IR1A	4/01/2024 16:43	Zinc	0.005	mg/L	TRUE	REG	0.005	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	TSS	122	mg/L	FALSE	REG	5	19/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	Ammonia as N	0.08	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
IR1A	4/01/2024 16:43	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Nitrate (as N)	0.08	mg/L	FALSE	REG	0.01		17/01/2024	
IR1A	4/01/2024 16:43	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Nitrite + Nitrate as N	0.08	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
IR1A	4/01/2024 16:43	Sulfate as SO4 - Turbidimetric	4	mg/L	TRUE	REG	1	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Sodium	17	mg/L	FALSE	REG	1	17/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Sodium	16	mg/L	TRUE	REG	1	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	TDS	314	mg/L	FALSE	REG	10	19/01/2024	19/01/2024	
IR2	4/01/2024 17:15	Antimony	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Antimony	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		22/01/2024	
IR2	4/01/2024 17:15	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Boron	0.06	mg/L	FALSE	REG	0.05		22/01/2024	
IR2	4/01/2024 17:15	Boron	0.07	mg/L	TRUE	REG	0.05	18/01/2024	18/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR2	4/01/2024 17:15	Chromium (III+VI)	0.01	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Cobalt	0.003	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Copper	0.007	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Copper	0.003	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Iron	7.28	mg/L	FALSE	REG	0.05		22/01/2024	
IR2	4/01/2024 17:15	Iron	0.11	mg/L	TRUE	REG	0.05	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Lead	0.003	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Lead	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Manganese	0.089	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Manganese	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Mercury	0.0001	mg/L	FALSE	REG	0.0001	17/01/2024	17/01/2024	
IR2	4/01/2024 17:15	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Molybdenum	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Nickel	0.01	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Nickel	0.002	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Selenium	0.01	mg/L	FALSE	REG	0.01		22/01/2024	
IR2	4/01/2024 17:15	Selenium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Silver	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR2	4/01/2024 17:15	Silver	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Vanadium	0.02	mg/L	FALSE	REG	0.01		22/01/2024	
IR2	4/01/2024 17:15	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Zinc	0.017	mg/L	FALSE	REG	0.005		22/01/2024	
IR2	4/01/2024 17:15	Zinc	0.005	mg/L	TRUE	REG	0.005	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	TSS	71	mg/L	FALSE	REG	5	19/01/2024	19/01/2024	
IR2	4/01/2024 17:15	Ammonia as N	0.16	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
IR2	4/01/2024 17:15	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Nitrate (as N)	0.08	mg/L	FALSE	REG	0.01		17/01/2024	
IR2	4/01/2024 17:15	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Nitrite + Nitrate as N	0.08	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
IR2	4/01/2024 17:15	Sulfate as SO4 - Turbidimetric	5	mg/L	TRUE	REG	1	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Sodium	18	mg/L	FALSE	REG	1	17/01/2024	20/01/2024	
IR2	4/01/2024 17:15	Sodium	19	mg/L	TRUE	REG	1	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	TDS	313	mg/L	FALSE	REG	10	19/01/2024	19/01/2024	
IR5	5/01/2024 6:56	Antimony	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Antimony	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		22/01/2024	
IR5	5/01/2024 6:56	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Boron	0.06	mg/L	FALSE	REG	0.05		22/01/2024	
IR5	5/01/2024 6:56	Boron	0.06	mg/L	TRUE	REG	0.05	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Chromium (III+VI)	0.009	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Cobalt	0.002	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Copper	0.006	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Copper	0.003	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Iron	7.88	mg/L	FALSE	REG	0.05		22/01/2024	
IR5	5/01/2024 6:56	Iron	0.14	mg/L	TRUE	REG	0.05	18/01/2024	20/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR5	5/01/2024 6:56	Lead	0.002	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Lead	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Manganese	0.069	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Manganese	0.002	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Mercury	0.0001	mg/L	FALSE	REG	0.0001	17/01/2024	17/01/2024	
IR5	5/01/2024 6:56	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
IR5	5/01/2024 6:56	Molybdenum	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Molybdenum	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Nickel	0.009	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Nickel	0.002	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Selenium	0.01	mg/L	FALSE	REG	0.01		22/01/2024	
IR5	5/01/2024 6:56	Selenium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Silver	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR5	5/01/2024 6:56	Silver	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Vanadium	0.02	mg/L	FALSE	REG	0.01		22/01/2024	
IR5	5/01/2024 6:56	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Zinc	0.013	mg/L	FALSE	REG	0.005		22/01/2024	
IR5	5/01/2024 6:56	Zinc	0.005	mg/L	TRUE	REG	0.005	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	TSS	32	mg/L	FALSE	REG	5	19/01/2024	19/01/2024	
IR5	5/01/2024 6:56	Ammonia as N	0.06	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
IR5	5/01/2024 6:56	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Nitrate (as N)	0.08	mg/L	FALSE	REG	0.01		17/01/2024	
IR5	5/01/2024 6:56	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Nitrite + Nitrate as N	0.08	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
IR5	5/01/2024 6:56	Sulfate as SO4 - Turbidimetric	5	mg/L	TRUE	REG	1	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Sodium	17	mg/L	FALSE	REG	1	17/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Sodium	17	mg/L	TRUE	REG	1	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	TDS	295	mg/L	FALSE	REG	10	19/01/2024	19/01/2024	
	5/01/2024 7:01	Antimony	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Antimony	0.001	mg/L	TRUE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		22/01/2024	
	5/01/2024 7:01	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		22/01/2024	
	5/01/2024 7:01	Boron	0.06	mg/L	FALSE	REG	0.05		22/01/2024	
	5/01/2024 7:01	Boron	0.07	mg/L	TRUE	REG	0.05		22/01/2024	
	5/01/2024 7:01	Chromium (III+VI)	0.01	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Cobalt	0.003	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Cobalt	0.001	mg/L	TRUE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Copper	0.006	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Copper	0.002	mg/L	TRUE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Iron	6.72	mg/L	FALSE	REG	0.05		22/01/2024	
	5/01/2024 7:01	Iron	0.2	mg/L	TRUE	REG	0.05		22/01/2024	
	5/01/2024 7:01	Lead	0.002	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Lead	0.001	mg/L	TRUE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Manganese	0.072	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Manganese	0.002	mg/L	TRUE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Mercury	0.0001	mg/L	FALSE	REG	0.0001	17/01/2024	17/01/2024	
	5/01/2024 7:01	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
	5/01/2024 7:01	Molybdenum	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Molybdenum	0.001	mg/L	TRUE	REG	0.001		22/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	5/01/2024 7:01	Nickel	0.01	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Nickel	0.002	mg/L	TRUE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Selenium	0.01	mg/L	FALSE	REG	0.01		22/01/2024	
	5/01/2024 7:01	Selenium	0.01	mg/L	TRUE	REG	0.01		22/01/2024	
	5/01/2024 7:01	Silver	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
	5/01/2024 7:01	Silver	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	5/01/2024 7:01	Vanadium	0.02	mg/L	FALSE	REG	0.01		22/01/2024	
	5/01/2024 7:01	Vanadium	0.01	mg/L	TRUE	REG	0.01		22/01/2024	
	5/01/2024 7:01	Zinc	0.013	mg/L	FALSE	REG	0.005		22/01/2024	
	5/01/2024 7:01	Zinc	0.005	mg/L	TRUE	REG	0.005		22/01/2024	
	5/01/2024 7:01	TSS	46	mg/L	FALSE	REG	5	19/01/2024	19/01/2024	
	5/01/2024 7:01	Ammonia as N	0.05	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
	5/01/2024 7:01	Fluoride	0.1	mg/L	FALSE	REG	0.1	16/01/2024	16/01/2024	
	5/01/2024 7:01	Nitrate (as N)	0.08	mg/L	FALSE	REG	0.01		17/01/2024	
	5/01/2024 7:01	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/01/2024	16/01/2024	
	5/01/2024 7:01	Nitrite + Nitrate as N	0.08	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
	5/01/2024 7:01	Sulfate as SO4 - Turbidimetric	5	mg/L	TRUE	REG	1	16/01/2024	16/01/2024	
	5/01/2024 7:01	Sodium	17	mg/L	FALSE	REG	1	17/01/2024	20/01/2024	
	5/01/2024 7:01	Sodium	19	mg/L	TRUE	REG	1	17/01/2024	18/01/2024	
	5/01/2024 7:01	TDS	294	mg/L	FALSE	REG	10	19/01/2024	19/01/2024	
IR4	5/01/2024 7:36	Antimony	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Antimony	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		22/01/2024	
IR4	5/01/2024 7:36	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Boron	0.06	mg/L	FALSE	REG	0.05		22/01/2024	
IR4	5/01/2024 7:36	Boron	0.06	mg/L	TRUE	REG	0.05	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Chromium (III+VI)	0.008	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Cobalt	0.002	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Copper	0.006	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Copper	0.002	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Iron	5.32	mg/L	FALSE	REG	0.05		22/01/2024	
IR4	5/01/2024 7:36	Iron	0.11	mg/L	TRUE	REG	0.05	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Lead	0.002	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Lead	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Manganese	0.07	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Manganese	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Mercury	0.0001	mg/L	FALSE	REG	0.0001	17/01/2024	17/01/2024	
IR4	5/01/2024 7:36	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Molybdenum	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Molybdenum	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Nickel	0.008	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Nickel	0.002	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Selenium	0.01	mg/L	FALSE	REG	0.01		22/01/2024	
IR4	5/01/2024 7:36	Selenium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Silver	0.001	mg/L	FALSE	REG	0.001		22/01/2024	
IR4	5/01/2024 7:36	Silver	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Vanadium	0.01	mg/L	FALSE	REG	0.01		22/01/2024	
IR4	5/01/2024 7:36	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	18/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR4	5/01/2024 7:36	Zinc	0.012	mg/L	FALSE	REG	0.005		22/01/2024	
IR4	5/01/2024 7:36	Zinc	0.005	mg/L	TRUE	REG	0.005	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	TSS	38	mg/L	FALSE	REG	5	19/01/2024	19/01/2024	
IR4	5/01/2024 7:36	Ammonia as N	0.13	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
IR4	5/01/2024 7:36	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Nitrate (as N)	0.09	mg/L	FALSE	REG	0.01		17/01/2024	
IR4	5/01/2024 7:36	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Nitrite + Nitrate as N	0.09	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
IR4	5/01/2024 7:36	Sulfate as SO4 - Turbidimetric	5	mg/L	TRUE	REG	1	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Sodium	18	mg/L	FALSE	REG	1	17/01/2024	20/01/2024	
IR4	5/01/2024 7:36	Sodium	19	mg/L	TRUE	REG	1	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	TDS	290	mg/L	FALSE	REG	10	19/01/2024	19/01/2024	
	6/01/2024 9:32	Fluoride	0.1	mg/L	FALSE	REG	0.1	6/01/2024	8/01/2024	
	6/01/2024 9:32	Fluoride	0.1	mg/L	FALSE	REG	0.1	6/01/2024	8/01/2024	
	6/01/2024 9:33	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
	6/01/2024 9:33	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
	6/01/2024 9:33	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
	6/01/2024 9:33	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	6/01/2024	6/01/2024	
	8/01/2024 6:31	Mercury	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	8/01/2024	
	8/01/2024 6:31	Mercury	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	8/01/2024	
	8/01/2024 6:42	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
	8/01/2024 6:42	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
	8/01/2024 6:42	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	8/01/2024	8/01/2024	
	8/01/2024 6:42	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	8/01/2024	8/01/2024	
	8/01/2024 6:42	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	8/01/2024	8/01/2024	
	8/01/2024 16:35	Fluoride	0.1	mg/L	FALSE	REG	0.1	8/01/2024	9/01/2024	
	8/01/2024 17:22	Antimony	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Boron	0.05	mg/L	FALSE	REG	0.05	8/01/2024	11/01/2024	
	8/01/2024 17:22	Boron	0.05	mg/L	FALSE	REG	0.05	8/01/2024	11/01/2024	
	8/01/2024 17:22	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Cobalt	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Cobalt	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Copper	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Copper	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Iron	0.05	mg/L	FALSE	REG	0.05	8/01/2024	11/01/2024	
	8/01/2024 17:22	Iron	0.05	mg/L	FALSE	REG	0.05	8/01/2024	11/01/2024	
	8/01/2024 17:22	Lead	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Lead	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Manganese	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Manganese	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Molybdenum	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Molybdenum	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Nickel	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Nickel	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Selenium	0.01	mg/L	FALSE	REG	0.01	8/01/2024	11/01/2024	
	8/01/2024 17:22	Selenium	0.01	mg/L	FALSE	REG	0.01	8/01/2024	11/01/2024	
	8/01/2024 17:22	Silver	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/01/2024 17:22	Silver	0.001	mg/L	FALSE	REG	0.001	8/01/2024	11/01/2024	
	8/01/2024 17:22	Vanadium	0.01	mg/L	FALSE	REG	0.01	8/01/2024	11/01/2024	
	8/01/2024 17:22	Vanadium	0.01	mg/L	FALSE	REG	0.01	8/01/2024	11/01/2024	
	8/01/2024 17:22	Zinc	0.005	mg/L	FALSE	REG	0.005	8/01/2024	11/01/2024	
	8/01/2024 17:22	Zinc	0.005	mg/L	FALSE	REG	0.005	8/01/2024	11/01/2024	
	8/01/2024 17:22	Sodium	1	mg/L	FALSE	REG	1	8/01/2024	11/01/2024	
	8/01/2024 17:22	Sodium	1	mg/L	FALSE	REG	1	8/01/2024	11/01/2024	
	9/01/2024 15:17	TSS	5	mg/L	FALSE	REG	5	9/01/2024	9/01/2024	
	9/01/2024 15:17	TSS	5	mg/L	FALSE	REG	5	9/01/2024	9/01/2024	
	9/01/2024 15:17	TDS	10	mg/L	FALSE	REG	10	9/01/2024	9/01/2024	
	9/01/2024 15:17	TDS	10	mg/L	FALSE	REG	10	9/01/2024	9/01/2024	
	10/01/2024 6:50	TSS	5	mg/L	FALSE	REG	5	10/01/2024	10/01/2024	
	10/01/2024 6:50	TDS	10	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
	10/01/2024 6:50	TDS	10	mg/L	FALSE	REG	10	10/01/2024	10/01/2024	
	10/01/2024 8:00	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	10/01/2024 8:00	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
	10/01/2024 8:30	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	10/01/2024 8:30	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	10/01/2024 8:30	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	10/01/2024	10/01/2024	
	10/01/2024 10:59	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	10/01/2024 10:59	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	10/01/2024 13:52	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	10/01/2024	10/01/2024	
	10/01/2024 13:52	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	10/01/2024	10/01/2024	
	11/01/2024 9:16	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Boron	0.05	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
	11/01/2024 9:16	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Cobalt	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Copper	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Iron	0.05	mg/L	FALSE	REG	0.05	11/01/2024	11/01/2024	
	11/01/2024 9:16	Lead	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Manganese	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Molybdenum	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Nickel	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Selenium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
	11/01/2024 9:16	Silver	0.001	mg/L	FALSE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 9:16	Vanadium	0.01	mg/L	FALSE	REG	0.01	11/01/2024	11/01/2024	
	11/01/2024 9:16	Zinc	0.005	mg/L	FALSE	REG	0.005	11/01/2024	11/01/2024	
	11/01/2024 9:16	Sodium	1	mg/L	FALSE	REG	1	11/01/2024	11/01/2024	
	11/01/2024 9:30	Mercury	0.0001	mg/L	FALSE	REG	0.0001	11/01/2024	11/01/2024	
	11/01/2024 9:52	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	12/01/2024	
	11/01/2024 9:52	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
	11/01/2024 9:52	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	11/01/2024 9:52	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	11/01/2024 9:52	Copper	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	11/01/2024 9:52	Iron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	12/01/2024	
	11/01/2024 9:52	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	11/01/2024 9:52	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	11/01/2024 9:52	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
	11/01/2024 9:52	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	11/01/2024 9:52	Nickel	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	11/01/2024 9:52	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
	11/01/2024 9:52	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	12/01/2024	
	11/01/2024 9:52	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	12/01/2024	
	11/01/2024 9:52	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	12/01/2024	
	11/01/2024 9:52	Sodium	1	mg/L	TRUE	REG	1	11/01/2024	12/01/2024	
	11/01/2024 11:34	Antimony	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
	11/01/2024 11:34	Boron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
	11/01/2024 11:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Copper	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Copper	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Iron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
	11/01/2024 11:34	Iron	0.05	mg/L	TRUE	REG	0.05	11/01/2024	11/01/2024	
	11/01/2024 11:34	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Lead	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Manganese	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Nickel	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Nickel	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
	11/01/2024 11:34	Selenium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
	11/01/2024 11:34	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Silver	0.001	mg/L	TRUE	REG	0.001	11/01/2024	11/01/2024	
	11/01/2024 11:34	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
	11/01/2024 11:34	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/01/2024	11/01/2024	
	11/01/2024 11:34	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	11/01/2024	
	11/01/2024 11:34	Zinc	0.005	mg/L	TRUE	REG	0.005	11/01/2024	11/01/2024	
	11/01/2024 11:34	Sodium	1	mg/L	TRUE	REG	1	11/01/2024	11/01/2024	
	11/01/2024 11:34	Sodium	1	mg/L	TRUE	REG	1	11/01/2024	11/01/2024	
	15/01/2024 16:32	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/01/2024	16/01/2024	
	16/01/2024 7:16	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/01/2024	16/01/2024	
	16/01/2024 7:16	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/01/2024	16/01/2024	
	16/01/2024 7:16	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	16/01/2024	16/01/2024	
	16/01/2024 7:16	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	16/01/2024	16/01/2024	
	16/01/2024 12:13	Fluoride	0.1	mg/L	FALSE	REG	0.1	16/01/2024	16/01/2024	
	17/01/2024 7:19	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
	17/01/2024 7:19	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	17/01/2024	17/01/2024	
	17/01/2024 12:15	Antimony	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Boron	0.05	mg/L	FALSE	REG	0.05	17/01/2024	20/01/2024	
	17/01/2024 12:15	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	17/01/2024 12:15	Cobalt	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Copper	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Iron	0.05	mg/L	FALSE	REG	0.05	17/01/2024	20/01/2024	
	17/01/2024 12:15	Lead	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Manganese	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Nickel	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Selenium	0.01	mg/L	FALSE	REG	0.01	17/01/2024	20/01/2024	
	17/01/2024 12:15	Silver	0.001	mg/L	FALSE	REG	0.001	17/01/2024	20/01/2024	
	17/01/2024 12:15	Vanadium	0.01	mg/L	FALSE	REG	0.01	17/01/2024	20/01/2024	
	17/01/2024 12:15	Zinc	0.005	mg/L	FALSE	REG	0.005	17/01/2024	20/01/2024	
	17/01/2024 12:15	Sodium	1	mg/L	FALSE	REG	1	17/01/2024	20/01/2024	
	17/01/2024 12:26	Antimony	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Boron	0.05	mg/L	TRUE	REG	0.05	17/01/2024	18/01/2024	
	17/01/2024 12:26	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Cobalt	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Copper	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Iron	0.05	mg/L	TRUE	REG	0.05	17/01/2024	18/01/2024	
	17/01/2024 12:26	Lead	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Manganese	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Molybdenum	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Nickel	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Selenium	0.01	mg/L	TRUE	REG	0.01	17/01/2024	18/01/2024	
	17/01/2024 12:26	Silver	0.001	mg/L	TRUE	REG	0.001	17/01/2024	18/01/2024	
	17/01/2024 12:26	Vanadium	0.01	mg/L	TRUE	REG	0.01	17/01/2024	18/01/2024	
	17/01/2024 12:26	Zinc	0.005	mg/L	TRUE	REG	0.005	17/01/2024	18/01/2024	
	17/01/2024 12:26	Sodium	1	mg/L	TRUE	REG	1	17/01/2024	18/01/2024	
	17/01/2024 12:29	Mercury	0.0001	mg/L	FALSE	REG	0.0001	17/01/2024	17/01/2024	
RWD	18/01/2024 7:34	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		28/01/2024	
RWD	18/01/2024 7:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	Cobalt	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	Copper	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:34	Copper	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	Lead	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:34	Lead	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	Nickel	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:34	Nickel	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	Zinc	0.005	mg/L	FALSE	REG	0.005		28/01/2024	
RWD	18/01/2024 7:34	Zinc	0.008	mg/L	TRUE	REG	0.005	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	TSS	5	mg/L	FALSE	REG	5	23/01/2024	23/01/2024	
RWD	18/01/2024 7:34	Fluoride	0.1	mg/L	FALSE	REG	0.1	22/01/2024	23/01/2024	
RWD	18/01/2024 7:34	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	22/01/2024	22/01/2024	
RWD	18/01/2024 7:34	Sodium	12	mg/L	FALSE	REG	1	24/01/2024	24/01/2024	
RWD	18/01/2024 7:34	Sodium	11	mg/L	TRUE	REG	1	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	TDS	93	mg/L	FALSE	REG	10	23/01/2024	23/01/2024	
RWD	18/01/2024 7:49	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		28/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	18/01/2024 7:49	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:49	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	Cobalt	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:49	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	Copper	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:49	Copper	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	Lead	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:49	Lead	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	Nickel	0.001	mg/L	FALSE	REG	0.001		28/01/2024	
RWD	18/01/2024 7:49	Nickel	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	Zinc	0.011	mg/L	FALSE	REG	0.005		28/01/2024	
RWD	18/01/2024 7:49	Zinc	0.005	mg/L	TRUE	REG	0.005	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	TSS	5	mg/L	FALSE	REG	5	23/01/2024	23/01/2024	
RWD	18/01/2024 7:49	Fluoride	0.1	mg/L	FALSE	REG	0.1	22/01/2024	23/01/2024	
RWD	18/01/2024 7:49	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	22/01/2024	22/01/2024	
RWD	18/01/2024 7:49	Sodium	12	mg/L	FALSE	REG	1	24/01/2024	24/01/2024	
RWD	18/01/2024 7:49	Sodium	11	mg/L	TRUE	REG	1	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	TDS	106	mg/L	FALSE	REG	10	23/01/2024	23/01/2024	
	18/01/2024 8:06	Antimony	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Boron	0.05	mg/L	TRUE	REG	0.05	18/01/2024	20/01/2024	
	18/01/2024 8:06	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Copper	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Iron	0.05	mg/L	TRUE	REG	0.05	18/01/2024	20/01/2024	
	18/01/2024 8:06	Lead	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Manganese	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Molybdenum	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Nickel	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Selenium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	20/01/2024	
	18/01/2024 8:06	Silver	0.001	mg/L	TRUE	REG	0.001	18/01/2024	20/01/2024	
	18/01/2024 8:06	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	20/01/2024	
	18/01/2024 8:06	Zinc	0.005	mg/L	TRUE	REG	0.005	18/01/2024	20/01/2024	
	18/01/2024 8:06	Sodium	1	mg/L	TRUE	REG	1	18/01/2024	20/01/2024	
	18/01/2024 8:14	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Antimony	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Boron	0.05	mg/L	TRUE	REG	0.05	18/01/2024	18/01/2024	
	18/01/2024 11:52	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Copper	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Iron	0.05	mg/L	TRUE	REG	0.05	18/01/2024	18/01/2024	
	18/01/2024 11:52	Lead	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Manganese	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Molybdenum	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Nickel	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	
	18/01/2024 11:52	Selenium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	18/01/2024	
	18/01/2024 11:52	Silver	0.001	mg/L	TRUE	REG	0.001	18/01/2024	18/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	18/01/2024 11:52	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/01/2024	18/01/2024	
	18/01/2024 11:52	Zinc	0.005	mg/L	TRUE	REG	0.005	18/01/2024	18/01/2024	
	18/01/2024 11:52	Sodium	1	mg/L	TRUE	REG	1	18/01/2024	18/01/2024	
	19/01/2024 8:46	TSS	5	mg/L	FALSE	REG	5	19/01/2024	19/01/2024	
	19/01/2024 8:46	TDS	10	mg/L	FALSE	REG	10	19/01/2024	19/01/2024	
	22/01/2024 22:14	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	22/01/2024	22/01/2024	
	22/01/2024 22:19	Fluoride	0.1	mg/L	FALSE	REG	0.1	22/01/2024	23/01/2024	
N1S	23/01/2024 12:30	Antimony	0.002	mg/L	TRUE	REG	0.001		2/02/2024	
N1S	23/01/2024 12:30	Barium	0.066	mg/L	TRUE	REG	0.001		2/02/2024	
N1S	23/01/2024 12:30	Calcium	43	mg/L	TRUE	REG	1	1/02/2024	2/02/2024	
N1S	23/01/2024 12:30	Iron	0.05	mg/L	TRUE	REG	0.05		2/02/2024	
N1S	23/01/2024 12:30	Magnesium	46	mg/L	TRUE	REG	1	1/02/2024	2/02/2024	
N1S	23/01/2024 12:30	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/02/2024	2/02/2024	
N1S	23/01/2024 12:30	Molybdenum	0.016	mg/L	TRUE	REG	0.001		2/02/2024	
N1S	23/01/2024 12:30	Potassium	15	mg/L	TRUE	REG	1	1/02/2024	2/02/2024	
N1S	23/01/2024 12:30	Selenium	0.01	mg/L	TRUE	REG	0.01		2/02/2024	
N1S	23/01/2024 12:30	Silver	0.001	mg/L	TRUE	REG	0.001	1/02/2024	2/02/2024	
N1S	23/01/2024 12:30	Strontium	2.23	mg/L	TRUE	REG	0.001	1/02/2024	2/02/2024	
N1S	23/01/2024 12:30	Total Phosphorus as P (Organic Ph	0.02	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
N1S	23/01/2024 12:30	Alkalinity (Bicarbonate as CaCO3)	309	mg/L	FALSE	REG	1	29/01/2024	31/01/2024	
N1S	23/01/2024 12:30	Alkalinity (Carbonate as CaCO3)	6	mg/L	FALSE	REG	1	29/01/2024	31/01/2024	
N1S	23/01/2024 12:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	29/01/2024	31/01/2024	
N1S	23/01/2024 12:30	Alkalinity (total) as CaCO3	315	mg/L	FALSE	REG	1	29/01/2024	31/01/2024	
N1S	23/01/2024 12:30	Fluoride	0.5	mg/L	FALSE	REG	0.1	29/01/2024	31/01/2024	
N1S	23/01/2024 12:30	Sodium	562	mg/L	TRUE	REG	1	1/02/2024	2/02/2024	
N1S	23/01/2024 12:30	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	29/01/2024	31/01/2024	
	23/01/2024 19:02	TSS	5	mg/L	FALSE	REG	5	23/01/2024	23/01/2024	
	23/01/2024 19:02	TDS	10	mg/L	FALSE	REG	10	23/01/2024	23/01/2024	
	24/01/2024 11:46	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	24/01/2024	24/01/2024	
	24/01/2024 11:46	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	24/01/2024	24/01/2024	
	24/01/2024 11:46	Cobalt	0.001	mg/L	FALSE	REG	0.001	24/01/2024	24/01/2024	
	24/01/2024 11:46	Copper	0.001	mg/L	FALSE	REG	0.001	24/01/2024	24/01/2024	
	24/01/2024 11:46	Lead	0.001	mg/L	FALSE	REG	0.001	24/01/2024	24/01/2024	
	24/01/2024 11:46	Nickel	0.001	mg/L	FALSE	REG	0.001	24/01/2024	24/01/2024	
	24/01/2024 11:46	Zinc	0.005	mg/L	FALSE	REG	0.005	24/01/2024	24/01/2024	
	24/01/2024 11:46	Sodium	1	mg/L	FALSE	REG	1	24/01/2024	24/01/2024	
	25/01/2024 21:52	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/01/2024	29/01/2024	
	25/01/2024 21:52	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
	25/01/2024 21:52	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
	25/01/2024 21:52	Copper	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
	25/01/2024 21:52	Lead	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
	25/01/2024 21:52	Nickel	0.001	mg/L	TRUE	REG	0.001	25/01/2024	29/01/2024	
	25/01/2024 21:52	Zinc	0.005	mg/L	TRUE	REG	0.005	25/01/2024	29/01/2024	
	25/01/2024 21:52	Sodium	1	mg/L	TRUE	REG	1	25/01/2024	29/01/2024	
CHPP STP	26/01/2024 11:01	TSS	5480	mg/L	FALSE	REG	5		2/02/2024	
CHPP STP	26/01/2024 11:01	Total Phosphorus as P (Organic Ph	14	mg/L	FALSE	REG	0.01	4/02/2024	4/02/2024	
CHPP STP	26/01/2024 11:01	Organic Nitrogen, as N	23.9	mg/L	FALSE	REG	0.1		6/02/2024	
CHPP STP	26/01/2024 11:01	Alkalinity (Bicarbonate as CaCO3)	280	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPP STP	26/01/2024 11:01	Alkalinity (total) as CaCO3	280	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	Ammonia as N	39.1	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	BOD	50	mg/L	FALSE	REG	2		1/02/2024	
CHPP STP	26/01/2024 11:01	COD	1110	mg/L	FALSE	REG	10		2/02/2024	
CHPP STP	26/01/2024 11:01	Kjeldahl Nitrogen Total	63	mg/L	FALSE	REG	0.1	4/02/2024	4/02/2024	
CHPP STP	26/01/2024 11:01	Nitrate (as N)	0.78	mg/L	FALSE	REG	0.01		6/02/2024	
CHPP STP	26/01/2024 11:01	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	Nitrite + Nitrate as N	0.8	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	Reactive Phosphorus as P (Orthop	5.4	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	Sulfate as SO4 - Turbidimetric	43	mg/L	TRUE	REG	1	2/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	Acidity (as CaCO3)	16	mg/L	FALSE	REG	1	1/02/2024	5/02/2024	
CHPP STP	26/01/2024 11:12	TSS	33	mg/L	FALSE	REG	5	1/02/2024	1/02/2024	
CHPP STP	26/01/2024 11:12	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		8/02/2024	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	26/01/2024 11:12	Total Phosphorus as P (Organic Ph	15.2	mg/L	FALSE	REG	0.01	4/02/2024	4/02/2024	
CHPP STP	26/01/2024 11:12	Alkalinity (Bicarbonate as CaCO3)	677	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:12	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:12	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:12	Alkalinity (total) as CaCO3	677	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:12	Ammonia as N	151	mg/L	FALSE	REG	0.01		8/02/2024	
CHPP STP	26/01/2024 11:12	BOD	37	mg/L	FALSE	REG	2		1/02/2024	
CHPP STP	26/01/2024 11:12	COD	263	mg/L	FALSE	REG	10		2/02/2024	
CHPP STP	26/01/2024 11:12	Kjeldahl Nitrogen Total	149	mg/L	FALSE	REG	0.1	4/02/2024	4/02/2024	
CHPP STP	26/01/2024 11:12	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		8/02/2024	
CHPP STP	26/01/2024 11:12	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
CHPP STP	26/01/2024 11:12	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
CHPP STP	26/01/2024 11:12	Reactive Phosphorus as P (Orthop	16.4	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
CHPP STP	26/01/2024 11:12	Sulfate as SO4 - Turbidimetric	21	mg/L	TRUE	REG	1	5/02/2024	5/02/2024	
CHPP STP	26/01/2024 11:12	Acidity (as CaCO3)	30	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:34	TSS	16	mg/L	FALSE	REG	5	1/02/2024	1/02/2024	
MIA STP	26/01/2024 11:34	Total Phosphorus as P (Organic Ph	11.8	mg/L	FALSE	REG	0.01		6/02/2024	
MIA STP	26/01/2024 11:34	Organic Nitrogen, as N	17.7	mg/L	FALSE	REG	0.1		8/02/2024	
MIA STP	26/01/2024 11:34	Alkalinity (Bicarbonate as CaCO3)	500	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:34	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:34	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:34	Alkalinity (total) as CaCO3	500	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:34	Ammonia as N	86.3	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
MIA STP	26/01/2024 11:34	BOD	16	mg/L	FALSE	REG	2		1/02/2024	
MIA STP	26/01/2024 11:34	COD	194	mg/L	FALSE	REG	10		2/02/2024	
MIA STP	26/01/2024 11:34	Kjeldahl Nitrogen Total	104	mg/L	FALSE	REG	0.1	4/02/2024	4/02/2024	
MIA STP	26/01/2024 11:34	Nitrate (as N)	0.02	mg/L	FALSE	REG	0.01		8/02/2024	
MIA STP	26/01/2024 11:34	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
MIA STP	26/01/2024 11:34	Nitrite + Nitrate as N	0.02	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
MIA STP	26/01/2024 11:34	Reactive Phosphorus as P (Orthop	16.7	mg/L	FALSE	REG	0.01		8/02/2024	
MIA STP	26/01/2024 11:34	Sulfate as SO4 - Turbidimetric	21	mg/L	TRUE	REG	1		9/02/2024	
MIA STP	26/01/2024 11:34	Acidity (as CaCO3)	25	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:52	TSS	84	mg/L	FALSE	REG	5	1/02/2024	1/02/2024	
MIA STP	26/01/2024 11:52	Organic Nitrogen, as N	12	mg/L	FALSE	REG	0.1		8/02/2024	
MIA STP	26/01/2024 11:52	Total Phosphorus as P (Organic Ph	21.7	mg/L	FALSE	REG	0.01	4/02/2024	4/02/2024	
MIA STP	26/01/2024 11:52	Alkalinity (Bicarbonate as CaCO3)	854	mg/L	FALSE	REG	1		2/02/2024	
MIA STP	26/01/2024 11:52	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1		2/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA STP	26/01/2024 11:52	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1		2/02/2024	
MIA STP	26/01/2024 11:52	Alkalinity (total) as CaCO3	854	mg/L	FALSE	REG	1		2/02/2024	
MIA STP	26/01/2024 11:52	Ammonia as N	184	mg/L	FALSE	REG	0.01		8/02/2024	
MIA STP	26/01/2024 11:52	BOD	47	mg/L	FALSE	REG	2		1/02/2024	
MIA STP	26/01/2024 11:52	COD	490	mg/L	FALSE	REG	10		2/02/2024	
MIA STP	26/01/2024 11:52	Kjeldahl Nitrogen Total	196	mg/L	FALSE	REG	0.1	4/02/2024	4/02/2024	
MIA STP	26/01/2024 11:52	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		8/02/2024	
MIA STP	26/01/2024 11:52	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
MIA STP	26/01/2024 11:52	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
MIA STP	26/01/2024 11:52	Reactive Phosphorus as P (Orthop	20.9	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
MIA STP	26/01/2024 11:52	Sulfate as SO4 - Turbidimetric	42	mg/L	TRUE	REG	1	5/02/2024	5/02/2024	
MIA STP	26/01/2024 11:52	Acidity (as CaCO3)	32	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 12:04	TSS	154	mg/L	FALSE	REG	5	1/02/2024	1/02/2024	
MIA STP	26/01/2024 12:04	Total Phosphorus as P (Organic Ph	16.6	mg/L	FALSE	REG	0.01	4/02/2024	4/02/2024	
MIA STP	26/01/2024 12:04	Organic Nitrogen, as N	23	mg/L	FALSE	REG	0.1		8/02/2024	
MIA STP	26/01/2024 12:04	Alkalinity (Bicarbonate as CaCO3)	783	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 12:04	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 12:04	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 12:04	Alkalinity (total) as CaCO3	783	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 12:04	Ammonia as N	170	mg/L	FALSE	REG	0.01		8/02/2024	
MIA STP	26/01/2024 12:04	BOD	41	mg/L	FALSE	REG	2		1/02/2024	
MIA STP	26/01/2024 12:04	COD	529	mg/L	FALSE	REG	10		2/02/2024	
MIA STP	26/01/2024 12:04	Kjeldahl Nitrogen Total	193	mg/L	FALSE	REG	0.1	4/02/2024	4/02/2024	
MIA STP	26/01/2024 12:04	Nitrate (as N)	0.2	mg/L	FALSE	REG	0.01		8/02/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MIA STP	26/01/2024 12:04	Nitrite (as N)	0.26	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
MIA STP	26/01/2024 12:04	Nitrite + Nitrate as N	0.2	mg/L	FALSE	REG	0.01		8/02/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MIA STP	26/01/2024 12:04	Reactive Phosphorus as P (Orthop	15	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
MIA STP	26/01/2024 12:04	Sulfate as SO4 - Turbidimetric	42	mg/L	TRUE	REG	1	5/02/2024	5/02/2024	
MIA STP	26/01/2024 12:04	Acidity (as CaCO3)	22	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:09	TSS	68	mg/L	FALSE	REG	5	1/02/2024	1/02/2024	
Isaac Plains STP	26/01/2024 12:09	Organic Nitrogen, as N	10	mg/L	FALSE	REG	0.1		8/02/2024	
Isaac Plains STP	26/01/2024 12:09	Total Phosphorus as P (Organic Ph	13.2	mg/L	FALSE	REG	0.01		8/02/2024	
Isaac Plains STP	26/01/2024 12:09	Alkalinity (Bicarbonate as CaCO3)	787	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:09	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:09	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:09	Alkalinity (total) as CaCO3	787	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:09	Ammonia as N	127	mg/L	FALSE	REG	0.01		8/02/2024	
Isaac Plains STP	26/01/2024 12:09	BOD	61	mg/L	FALSE	REG	2		1/02/2024	
Isaac Plains STP	26/01/2024 12:09	COD	272	mg/L	FALSE	REG	10		2/02/2024	
Isaac Plains STP	26/01/2024 12:09	Kjeldahl Nitrogen Total	137	mg/L	FALSE	REG	0.1	4/02/2024	4/02/2024	
Isaac Plains STP	26/01/2024 12:09	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		8/02/2024	
Isaac Plains STP	26/01/2024 12:09	Nitrite (as N)	0.05	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
Isaac Plains STP	26/01/2024 12:09	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
Isaac Plains STP	26/01/2024 12:09	Reactive Phosphorus as P (Orthop	16	mg/L	FALSE	REG	0.01		8/02/2024	
Isaac Plains STP	26/01/2024 12:09	Sulfate as SO4 - Turbidimetric	40	mg/L	TRUE	REG	1	5/02/2024	5/02/2024	
Isaac Plains STP	26/01/2024 12:09	Acidity (as CaCO3)	31	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:10	TSS	42	mg/L	FALSE	REG	5	1/02/2024	1/02/2024	
Isaac Plains STP	26/01/2024 12:10	Total Phosphorus as P (Organic Ph	10.1	mg/L	FALSE	REG	0.01	4/02/2024	4/02/2024	
Isaac Plains STP	26/01/2024 12:10	Organic Nitrogen, as N	11.9	mg/L	FALSE	REG	0.1		8/02/2024	
Isaac Plains STP	26/01/2024 12:10	Alkalinity (Bicarbonate as CaCO3)	535	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Isaac Plains STP	26/01/2024 12:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:10	Alkalinity (total) as CaCO3	535	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:10	Ammonia as N	96.1	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
Isaac Plains STP	26/01/2024 12:10	BOD	20	mg/L	FALSE	REG	2		1/02/2024	
Isaac Plains STP	26/01/2024 12:10	COD	226	mg/L	FALSE	REG	10		2/02/2024	
Isaac Plains STP	26/01/2024 12:10	Kjeldahl Nitrogen Total	108	mg/L	FALSE	REG	0.1	4/02/2024	4/02/2024	
Isaac Plains STP	26/01/2024 12:10	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		8/02/2024	
Isaac Plains STP	26/01/2024 12:10	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
Isaac Plains STP	26/01/2024 12:10	Nitrite + Nitrate as N	0.02	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
Isaac Plains STP	26/01/2024 12:10	Reactive Phosphorus as P (Orthophosphate)	10.5	mg/L	FALSE	REG	0.01		9/02/2024	
Isaac Plains STP	26/01/2024 12:10	Sulfate as SO4 - Turbidimetric	32	mg/L	TRUE	REG	1		9/02/2024	
Isaac Plains STP	26/01/2024 12:10	Acidity (as CaCO3)	24	mg/L	FALSE	REG	1	1/02/2024	2/02/2024	
	29/01/2024 22:12	Fluoride	0.1	mg/L	FALSE	REG	0.1	29/01/2024	31/01/2024	
	1/02/2024 14:05	BOD	2	mg/L	FALSE	REG	2		1/02/2024	
	1/02/2024 17:04	TSS	5	mg/L	FALSE	REG	5	1/02/2024	1/02/2024	
	1/02/2024 18:47	Antimony	0.001	mg/L	TRUE	REG	0.001	1/02/2024	2/02/2024	
	1/02/2024 18:47	Barium	0.001	mg/L	TRUE	REG	0.001	1/02/2024	2/02/2024	
	1/02/2024 18:47	Calcium	1	mg/L	TRUE	REG	1	1/02/2024	2/02/2024	
	1/02/2024 18:47	Iron	0.05	mg/L	TRUE	REG	0.05	1/02/2024	2/02/2024	
	1/02/2024 18:47	Magnesium	1	mg/L	TRUE	REG	1	1/02/2024	2/02/2024	
	1/02/2024 18:47	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/02/2024	2/02/2024	
	1/02/2024 18:47	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/02/2024	2/02/2024	
	1/02/2024 18:47	Potassium	1	mg/L	TRUE	REG	1	1/02/2024	2/02/2024	
	1/02/2024 18:47	Selenium	0.01	mg/L	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 18:47	Silver	0.001	mg/L	TRUE	REG	0.001	1/02/2024	2/02/2024	
	1/02/2024 18:47	Strontium	0.001	mg/L	TRUE	REG	0.001	1/02/2024	2/02/2024	
	1/02/2024 18:47	Sodium	1	mg/L	TRUE	REG	1	1/02/2024	2/02/2024	
	2/02/2024 7:20	COD	10	mg/L	FALSE	REG	10		2/02/2024	
	2/02/2024 7:59	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
	2/02/2024 7:59	Reactive Phosphorus as P (Orthophosphate)	0.01	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
	2/02/2024 7:59	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	2/02/2024	2/02/2024	
	2/02/2024 10:13	Total Phosphorus as P (Organic Phosphate)	0.01	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
	2/02/2024 15:04	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
	2/02/2024 15:04	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	2/02/2024	2/02/2024	
	4/02/2024 8:12	Total Phosphorus as P (Organic Phosphate)	0.01	mg/L	FALSE	REG	0.01	4/02/2024	4/02/2024	
	4/02/2024 8:12	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	4/02/2024	4/02/2024	
	5/02/2024 16:22	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
	5/02/2024 16:22	Reactive Phosphorus as P (Orthophosphate)	0.01	mg/L	FALSE	REG	0.01	5/02/2024	5/02/2024	
	5/02/2024 16:22	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	5/02/2024	5/02/2024	
MBID23	6/02/2024 9:45	Antimony	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
MBID23	6/02/2024 9:45	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Calcium	142	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Iron	34.8	mg/L	FALSE	REG	0.05		17/02/2024	
MBID23	6/02/2024 9:45	Iron	1.12	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Magnesium	154	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
MBID23	6/02/2024 9:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Potassium	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Selenium	0.01	mg/L	FALSE	REG	0.01		17/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID23	6/02/2024 9:45	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Alkalinity (Bicarbonate as CaCO3)	743	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID23	6/02/2024 9:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID23	6/02/2024 9:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID23	6/02/2024 9:45	Alkalinity (total) as CaCO3	743	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID23	6/02/2024 9:45	Chloride	1140	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID23	6/02/2024 9:45	Sulfate as SO4 - Turbidimetric	40	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID23	6/02/2024 9:45	Sodium	522	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Antimony	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Calcium	71	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Iron	17.1	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Iron	0.05	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Magnesium	58	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Molybdenum	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Molybdenum	0.002	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Potassium	4	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Alkalinity (Bicarbonate as CaCO3)	316	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
MBID28	6/02/2024 12:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
MBID28	6/02/2024 12:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
MBID28	6/02/2024 12:50	Alkalinity (total) as CaCO3	316	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
MBID28	6/02/2024 12:50	Chloride	351	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID28	6/02/2024 12:50	Sulfate as SO4 - Turbidimetric	25	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID28	6/02/2024 12:50	Sodium	157	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Antimony	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
593	6/02/2024 13:50	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Calcium	154	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Iron	5.69	mg/L	FALSE	REG	0.05		17/02/2024	
593	6/02/2024 13:50	Iron	0.23	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Magnesium	212	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Molybdenum	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
593	6/02/2024 13:50	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Potassium	11	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Selenium	0.01	mg/L	FALSE	REG	0.01		17/02/2024	
593	6/02/2024 13:50	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Alkalinity (Bicarbonate as CaCO3)	517	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
593	6/02/2024 13:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
593	6/02/2024 13:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
593	6/02/2024 13:50	Alkalinity (total) as CaCO3	517	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
593	6/02/2024 13:50	Chloride	4840	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
593	6/02/2024 13:50	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
593	6/02/2024 13:50	Sodium	2340	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Antimony	0.002	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Calcium	526	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Iron	2.88	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Iron	0.84	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Magnesium	542	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
594	6/02/2024 15:30	Molybdenum	0.011	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Molybdenum	0.009	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Potassium	19	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Alkalinity (Bicarbonate as CaCO3)	261	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
594	6/02/2024 15:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
594	6/02/2024 15:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
594	6/02/2024 15:30	Alkalinity (total) as CaCO3	261	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
594	6/02/2024 15:30	Chloride	7470	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
594	6/02/2024 15:30	Sulfate as SO4 - Turbidimetric	834	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
594	6/02/2024 15:30	Sodium	3360	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Antimony	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Calcium	64	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Iron	2.05	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Iron	0.05	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Magnesium	135	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Molybdenum	0.004	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Molybdenum	0.004	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Potassium	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Alkalinity (Bicarbonate as CaCO3)	1210	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID17	6/02/2024 16:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID17	6/02/2024 16:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID17	6/02/2024 16:50	Alkalinity (total) as CaCO3	1210	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID17	6/02/2024 16:50	Chloride	2120	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID17	6/02/2024 16:50	Sulfate as SO4 - Turbidimetric	135	mg/L	TRUE	REG	1		11/02/2024	
MBID17	6/02/2024 16:50	Sodium	1640	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	6/02/2024 18:57	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
	6/02/2024 18:57	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	6/02/2024	6/02/2024	
MBID18	7/02/2024 7:50	Antimony	0.005	mg/L	FALSE	REG	0.001		17/02/2024	
MBID18	7/02/2024 7:50	Antimony	0.004	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Calcium	384	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Iron	1.38	mg/L	FALSE	REG	0.05		17/02/2024	
MBID18	7/02/2024 7:50	Iron	0.3	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Magnesium	341	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Molybdenum	0.032	mg/L	FALSE	REG	0.001		17/02/2024	
MBID18	7/02/2024 7:50	Molybdenum	0.025	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Potassium	60	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Selenium	0.01	mg/L	FALSE	REG	0.01		17/02/2024	
MBID18	7/02/2024 7:50	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Alkalinity (Bicarbonate as CaCO3)	269	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID18	7/02/2024 7:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID18	7/02/2024 7:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID18	7/02/2024 7:50	Alkalinity (total) as CaCO3	269	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID18	7/02/2024 7:50	Chloride	8260	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID18	7/02/2024 7:50	Sulfate as SO4 - Turbidimetric	5	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID18	7/02/2024 7:50	Sodium	3980	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID15	7/02/2024 9:45	Antimony	0.002	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Calcium	474	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Iron	2.54	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Iron	1.37	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Magnesium	641	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Potassium	20	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Alkalinity (Bicarbonate as CaCO3)	387	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID15	7/02/2024 9:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID15	7/02/2024 9:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID15	7/02/2024 9:45	Alkalinity (total) as CaCO3	387	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID15	7/02/2024 9:45	Chloride	8970	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID15	7/02/2024 9:45	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID15	7/02/2024 9:45	Sodium	3950	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Antimony	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Calcium	46	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Iron	0.29	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Iron	0.05	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Magnesium	44	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Molybdenum	0.002	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Molybdenum	0.002	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Potassium	6	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Alkalinity (Bicarbonate as CaCO3)	705	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID07	7/02/2024 11:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID07	7/02/2024 11:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID07	7/02/2024 11:00	Alkalinity (total) as CaCO3	705	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID07	7/02/2024 11:00	Chloride	840	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID07	7/02/2024 11:00	Sulfate as SO4 - Turbidimetric	329	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID07	7/02/2024 11:00	Sodium	782	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Antimony	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Calcium	182	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Iron	2.38	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Iron	0.05	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Magnesium	206	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Molybdenum	0.002	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Molybdenum	0.002	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Potassium	8	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Alkalinity (Bicarbonate as CaCO3)	668	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID04	7/02/2024 11:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID04	7/02/2024 11:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID04	7/02/2024 11:50	Alkalinity (total) as CaCO3	668	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID04	7/02/2024 11:50	Chloride	3710	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID04	7/02/2024 11:50	Sulfate as SO4 - Turbidimetric	206	mg/L	TRUE	REG	1		11/02/2024	
MBID04	7/02/2024 11:50	Sodium	1900	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Antimony	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Calcium	398	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Iron	0.82	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Iron	0.45	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Magnesium	530	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Potassium	16	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Alkalinity (Bicarbonate as CaCO3)	530	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID10	7/02/2024 12:15	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID10	7/02/2024 12:15	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID10	7/02/2024 12:15	Alkalinity (total) as CaCO3	530	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID10	7/02/2024 12:15	Chloride	7030	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID10	7/02/2024 12:15	Sulfate as SO4 - Turbidimetric	338	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID10	7/02/2024 12:15	Sodium	3190	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Antimony	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
MBID21A	7/02/2024 12:30	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Calcium	11	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Iron	69.6	mg/L	FALSE	REG	0.05		17/02/2024	
MBID21A	7/02/2024 12:30	Iron	0.05	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Magnesium	40	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Molybdenum	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
MBID21A	7/02/2024 12:30	Molybdenum	0.002	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Potassium	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Selenium	0.01	mg/L	FALSE	REG	0.01		17/02/2024	
MBID21A	7/02/2024 12:30	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Alkalinity (Bicarbonate as CaCO3)	825	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID21A	7/02/2024 12:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID21A	7/02/2024 12:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID21A	7/02/2024 12:30	Alkalinity (total) as CaCO3	825	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID21A	7/02/2024 12:30	Chloride	1020	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID21A	7/02/2024 12:30	Sulfate as SO4 - Turbidimetric	113	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID21A	7/02/2024 12:30	Sodium	913	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Antimony	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
MBID19A	7/02/2024 13:10	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Calcium	274	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Iron	0.78	mg/L	FALSE	REG	0.05		17/02/2024	
MBID19A	7/02/2024 13:10	Iron	0.14	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Magnesium	152	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Molybdenum	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
MBID19A	7/02/2024 13:10	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Potassium	6	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Selenium	0.01	mg/L	FALSE	REG	0.01		17/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID19A	7/02/2024 13:10	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Alkalinity (Bicarbonate as CaCO3)	494	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
MBID19A	7/02/2024 13:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
MBID19A	7/02/2024 13:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
MBID19A	7/02/2024 13:10	Alkalinity (total) as CaCO3	494	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
MBID19A	7/02/2024 13:10	Chloride	1500	mg/L	FALSE	REG	1		15/02/2024	
MBID19A	7/02/2024 13:10	Sulfate as SO4 - Turbidimetric	32	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID19A	7/02/2024 13:10	Sodium	417	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	7/02/2024 13:15	Antimony	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
	7/02/2024 13:15	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
	7/02/2024 13:15	Calcium	293	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	7/02/2024 13:15	Iron	5.46	mg/L	FALSE	REG	0.05		17/02/2024	
	7/02/2024 13:15	Iron	0.19	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
	7/02/2024 13:15	Magnesium	161	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	7/02/2024 13:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001		17/02/2024	
	7/02/2024 13:15	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
	7/02/2024 13:15	Potassium	6	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	7/02/2024 13:15	Selenium	0.01	mg/L	FALSE	REG	0.01		17/02/2024	
	7/02/2024 13:15	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
	7/02/2024 13:15	Alkalinity (Bicarbonate as CaCO3)	512	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
	7/02/2024 13:15	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
	7/02/2024 13:15	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
	7/02/2024 13:15	Alkalinity (total) as CaCO3	512	mg/L	FALSE	REG	1	10/02/2024	12/02/2024	
	7/02/2024 13:15	Chloride	1590	mg/L	FALSE	REG	1		15/02/2024	
	7/02/2024 13:15	Sulfate as SO4 - Turbidimetric	32	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
	7/02/2024 13:15	Sodium	436	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Antimony	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Calcium	100	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Iron	1.31	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Iron	0.57	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Magnesium	87	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Molybdenum	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Potassium	3	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Alkalinity (Bicarbonate as CaCO3)	382	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID01	7/02/2024 13:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID01	7/02/2024 13:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID01	7/02/2024 13:30	Alkalinity (total) as CaCO3	382	mg/L	FALSE	REG	1	12/02/2024	13/02/2024	
MBID01	7/02/2024 13:30	Chloride	536	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
MBID01	7/02/2024 13:30	Sulfate as SO4 - Turbidimetric	7	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
MBID01	7/02/2024 13:30	Sodium	200	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	10/02/2024 14:54	Chloride	1	mg/L	FALSE	REG	1	10/02/2024	10/02/2024	
	10/02/2024 14:54	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	10/02/2024	10/02/2024	
W4	15/02/2024 8:17	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Boron	0.13	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Boron	0.1	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	15/02/2024 8:17	Chromium (III+VI)	0.014	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Cobalt	0.007	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Cobalt	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Copper	0.019	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Copper	0.005	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Iron	9.99	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Iron	0.05	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Lead	0.005	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Lead	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Manganese	0.138	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Manganese	0.004	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Mercury	0.0001	mg/L	FALSE	REG	0.0001	22/02/2024	22/02/2024	
W4	15/02/2024 8:17	Mercury	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Molybdenum	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Molybdenum	0.002	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Nickel	0.017	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Nickel	0.002	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Selenium	0.01	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Selenium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Silver	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Silver	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Vanadium	0.03	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Vanadium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Zinc	0.041	mg/L	FALSE	REG	0.005	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Zinc	0.005	mg/L	TRUE	REG	0.005	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	TSS	155	mg/L	FALSE	REG	5	21/02/2024	21/02/2024	
W4	15/02/2024 8:17	Total Phosphorus as P (Organic Ph	0.23	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W4	15/02/2024 8:17	Ammonia as N	0.06	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
W4	15/02/2024 8:17	Fluoride	0.3	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
W4	15/02/2024 8:17	Kjeldahl Nitrogen Total	1.2	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
W4	15/02/2024 8:17	Nitrate (as N)	0.28	mg/L	FALSE	REG	0.01		22/02/2024	
W4	15/02/2024 8:17	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
W4	15/02/2024 8:17	Nitrite + Nitrate as N	0.28	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
W4	15/02/2024 8:17	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
W4	15/02/2024 8:17	Sulfate as SO4 - Turbidimetric	36	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
W4	15/02/2024 8:17	Sodium	55	mg/L	FALSE	REG	1	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Sodium	60	mg/L	TRUE	REG	1	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	TDS	473	mg/L	FALSE	REG	10		23/02/2024	
W2	15/02/2024 9:12	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Boron	0.09	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Boron	0.1	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Chromium (III+VI)	0.073	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Cobalt	0.042	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Cobalt	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Copper	0.064	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Copper	0.005	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Iron	69.5	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W2	15/02/2024 9:12	Iron	0.05	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Lead	0.03	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Lead	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Manganese	1.57	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Manganese	0.003	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Mercury	0.0001	mg/L	FALSE	REG	0.0001	22/02/2024	22/02/2024	
W2	15/02/2024 9:12	Mercury	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Molybdenum	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Molybdenum	0.002	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Nickel	0.083	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Nickel	0.003	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Selenium	0.01	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Selenium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Silver	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Silver	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Vanadium	0.13	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Vanadium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Zinc	0.158	mg/L	FALSE	REG	0.005	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Zinc	0.005	mg/L	TRUE	REG	0.005	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	TSS	1650	mg/L	FALSE	REG	5	21/02/2024	21/02/2024	
W2	15/02/2024 9:12	Total Phosphorus as P (Organic Ph	1.16	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W2	15/02/2024 9:12	Ammonia as N	0.07	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
W2	15/02/2024 9:12	Fluoride	0.2	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
W2	15/02/2024 9:12	Kjeldahl Nitrogen Total	2.1	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
W2	15/02/2024 9:12	Nitrate (as N)	0.24	mg/L	FALSE	REG	0.01		22/02/2024	
W2	15/02/2024 9:12	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
W2	15/02/2024 9:12	Nitrite + Nitrate as N	0.24	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
W2	15/02/2024 9:12	Reactive Phosphorus as P (Orthop	0.02	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
W2	15/02/2024 9:12	Sulfate as SO4 - Turbidimetric	7	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
W2	15/02/2024 9:12	Sodium	16	mg/L	FALSE	REG	1		24/02/2024	
W2	15/02/2024 9:12	Sodium	16	mg/L	TRUE	REG	1		24/02/2024	
W2	15/02/2024 9:12	TDS	637	mg/L	FALSE	REG	10		23/02/2024	
IR2	15/02/2024 10:49	Antimony	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Antimony	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Cadmium	0.0003	mg/L	FALSE	REG	0.0001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Boron	0.16	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Boron	0.06	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Chromium (III+VI)	0.286	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Cobalt	0.098	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Cobalt	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Copper	0.187	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Copper	0.002	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Iron	271	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Iron	0.05	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Lead	0.074	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Lead	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Manganese	2.99	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Manganese	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR2	15/02/2024 10:49	Mercury	0.0001	mg/L	FALSE	REG	0.0001	22/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Mercury	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Molybdenum	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Molybdenum	0.002	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Nickel	0.261	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Nickel	0.002	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Selenium	0.01	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Selenium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Silver	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Silver	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Vanadium	0.44	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Vanadium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Zinc	0.445	mg/L	FALSE	REG	0.005	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Zinc	0.005	mg/L	TRUE	REG	0.005	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	TSS	2910	mg/L	FALSE	REG	5	21/02/2024	21/02/2024	
IR2	15/02/2024 10:49	Ammonia as N	0.03	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Fluoride	0.2	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
IR2	15/02/2024 10:49	Nitrate (as N)	0.48	mg/L	FALSE	REG	0.01		22/02/2024	
IR2	15/02/2024 10:49	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
IR2	15/02/2024 10:49	Nitrite + Nitrate as N	0.48	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Sulfate as SO4 - Turbidimetric	13	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
IR2	15/02/2024 10:49	Sodium	43	mg/L	FALSE	REG	1	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Sodium	44	mg/L	TRUE	REG	1	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	TDS	1060	mg/L	FALSE	REG	10		23/02/2024	
IR1A	15/02/2024 12:15	Antimony	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Antimony	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Cadmium	0.0002	mg/L	FALSE	REG	0.0001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Boron	0.1	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Boron	0.05	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Chromium (III+VI)	0.173	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Cobalt	0.065	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Cobalt	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Copper	0.124	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Copper	0.003	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Iron	170	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Iron	0.08	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Lead	0.051	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Lead	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Manganese	2.08	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Manganese	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Mercury	0.0001	mg/L	FALSE	REG	0.0001	22/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Mercury	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Molybdenum	0.002	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Nickel	0.165	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Nickel	0.002	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Selenium	0.01	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Selenium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR1A	15/02/2024 12:15	Silver	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Silver	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Vanadium	0.28	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Vanadium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Zinc	0.303	mg/L	FALSE	REG	0.005	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Zinc	0.005	mg/L	TRUE	REG	0.005	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	TSS	2230	mg/L	FALSE	REG	5	21/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	Ammonia as N	0.15	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Fluoride	0.2	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
IR1A	15/02/2024 12:15	Nitrate (as N)	0.24	mg/L	FALSE	REG	0.01		22/02/2024	
IR1A	15/02/2024 12:15	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
IR1A	15/02/2024 12:15	Nitrite + Nitrate as N	0.24	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Sulfate as SO4 - Turbidimetric	7	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
IR1A	15/02/2024 12:15	Sodium	19	mg/L	FALSE	REG	1	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Sodium	23	mg/L	TRUE	REG	1	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	TDS	1020	mg/L	FALSE	REG	10		23/02/2024	
W6	15/02/2024 14:45	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Boron	0.05	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Boron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Chromium (III+VI)	0.015	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Cobalt	0.008	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Copper	0.014	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Copper	0.003	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Iron	11.6	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Lead	0.006	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Manganese	0.26	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Mercury	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Nickel	0.015	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Nickel	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Selenium	0.01	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Silver	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Vanadium	0.03	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Zinc	0.048	mg/L	FALSE	REG	0.005	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	TSS	315	mg/L	FALSE	REG	5	22/02/2024	22/02/2024	
W6	15/02/2024 14:45	Total Phosphorus as P (Organic Ph	0.32	mg/L	FALSE	REG	0.01	25/02/2024	25/02/2024	
W6	15/02/2024 14:45	Ammonia as N	0.34	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
W6	15/02/2024 14:45	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	15/02/2024 14:45	Kjeldahl Nitrogen Total	0.7	mg/L	FALSE	REG	0.1	25/02/2024	25/02/2024	
W6	15/02/2024 14:45	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		27/02/2024	
W6	15/02/2024 14:45	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W6	15/02/2024 14:45	Nitrite + Nitrate as N	0.1	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
W6	15/02/2024 14:45	Reactive Phosphorus as P (Orthop	0.14	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W6	15/02/2024 14:45	Sulfate as SO4 - Turbidimetric	5	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
W6	15/02/2024 14:45	Sodium	5	mg/L	FALSE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Sodium	5	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	TDS	171	mg/L	FALSE	REG	10	22/02/2024	22/02/2024	
W6	15/02/2024 15:00	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Boron	0.05	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Boron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Chromium (III+VI)	0.016	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Cobalt	0.008	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Copper	0.014	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Copper	0.003	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Iron	11.6	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Lead	0.007	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Manganese	0.266	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Molybdenum	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Nickel	0.016	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Nickel	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Selenium	0.01	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Silver	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Vanadium	0.03	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Zinc	0.042	mg/L	FALSE	REG	0.005	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	TSS	264	mg/L	FALSE	REG	5	22/02/2024	22/02/2024	
W6	15/02/2024 15:00	Total Phosphorus as P (Organic Ph	0.52	mg/L	FALSE	REG	0.01	25/02/2024	25/02/2024	
W6	15/02/2024 15:00	Ammonia as N	0.21	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
W6	15/02/2024 15:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
W6	15/02/2024 15:00	Kjeldahl Nitrogen Total	1.4	mg/L	FALSE	REG	0.1	25/02/2024	25/02/2024	
W6	15/02/2024 15:00	Nitrate (as N)	0.09	mg/L	FALSE	REG	0.01		27/02/2024	
W6	15/02/2024 15:00	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W6	15/02/2024 15:00	Nitrite + Nitrate as N	0.1	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
W6	15/02/2024 15:00	Reactive Phosphorus as P (Orthop	0.15	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W6	15/02/2024 15:00	Sulfate as SO4 - Turbidimetric	4	mg/L	TRUE	REG	1		21/02/2024	
W6	15/02/2024 15:00	Sodium	5	mg/L	FALSE	REG	1	25/02/2024	26/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	15/02/2024 15:00	Sodium	5	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	TDS	181	mg/L	FALSE	REG	10	22/02/2024	22/02/2024	
W8	16/02/2024 10:04	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		26/02/2024	
W8	16/02/2024 10:04	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Boron	0.06	mg/L	FALSE	REG	0.05		26/02/2024	
W8	16/02/2024 10:04	Boron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Chromium (III+VI)	0.014	mg/L	FALSE	REG	0.001		26/02/2024	
W8	16/02/2024 10:04	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Cobalt	0.013	mg/L	FALSE	REG	0.001		26/02/2024	
W8	16/02/2024 10:04	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Copper	0.019	mg/L	FALSE	REG	0.001		26/02/2024	
W8	16/02/2024 10:04	Copper	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Iron	21.6	mg/L	FALSE	REG	0.05		26/02/2024	
W8	16/02/2024 10:04	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Lead	0.011	mg/L	FALSE	REG	0.001		26/02/2024	
W8	16/02/2024 10:04	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Manganese	0.346	mg/L	FALSE	REG	0.001		26/02/2024	
W8	16/02/2024 10:04	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Mercury	0.0001	mg/L	FALSE	REG	0.0001	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Molybdenum	0.001	mg/L	FALSE	REG	0.001		26/02/2024	
W8	16/02/2024 10:04	Molybdenum	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Nickel	0.026	mg/L	FALSE	REG	0.001		26/02/2024	
W8	16/02/2024 10:04	Nickel	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Selenium	0.01	mg/L	FALSE	REG	0.01		26/02/2024	
W8	16/02/2024 10:04	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Silver	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Vanadium	0.06	mg/L	FALSE	REG	0.01		26/02/2024	
W8	16/02/2024 10:04	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Zinc	0.039	mg/L	FALSE	REG	0.005		26/02/2024	
W8	16/02/2024 10:04	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	TSS	331	mg/L	FALSE	REG	5	22/02/2024	22/02/2024	
W8	16/02/2024 10:04	Total Phosphorus as P (Organic Ph	0.15	mg/L	FALSE	REG	0.01	25/02/2024	25/02/2024	
W8	16/02/2024 10:04	Ammonia as N	0.22	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
W8	16/02/2024 10:04	Fluoride	0.3	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
W8	16/02/2024 10:04	Kjeldahl Nitrogen Total	0.4	mg/L	FALSE	REG	0.1	25/02/2024	25/02/2024	
W8	16/02/2024 10:04	Nitrate (as N)	0.14	mg/L	FALSE	REG	0.01		27/02/2024	
W8	16/02/2024 10:04	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W8	16/02/2024 10:04	Nitrite + Nitrate as N	0.16	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
W8	16/02/2024 10:04	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W8	16/02/2024 10:04	Sulfate as SO4 - Turbidimetric	14	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
W8	16/02/2024 10:04	Sodium	32	mg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Sodium	32	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	TDS	427	mg/L	FALSE	REG	10	22/02/2024	22/02/2024	
	16/02/2024 10:15	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		25/02/2024	
	16/02/2024 10:15	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Boron	0.06	mg/L	FALSE	REG	0.05		25/02/2024	
	16/02/2024 10:15	Boron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
	16/02/2024 10:15	Chromium (III+VI)	0.019	mg/L	FALSE	REG	0.001		25/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	16/02/2024 10:15	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Cobalt	0.015	mg/L	FALSE	REG	0.001		25/02/2024	
	16/02/2024 10:15	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Copper	0.022	mg/L	FALSE	REG	0.001		25/02/2024	
	16/02/2024 10:15	Copper	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Iron	18	mg/L	FALSE	REG	0.05		25/02/2024	
	16/02/2024 10:15	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
	16/02/2024 10:15	Lead	0.013	mg/L	FALSE	REG	0.001		25/02/2024	
	16/02/2024 10:15	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Manganese	0.37	mg/L	FALSE	REG	0.001		25/02/2024	
	16/02/2024 10:15	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Mercury	0.0001	mg/L	FALSE	REG	0.0001	23/02/2024	23/02/2024	
	16/02/2024 10:15	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001		25/02/2024	
	16/02/2024 10:15	Molybdenum	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Nickel	0.022	mg/L	FALSE	REG	0.001		25/02/2024	
	16/02/2024 10:15	Nickel	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Selenium	0.01	mg/L	FALSE	REG	0.01		25/02/2024	
	16/02/2024 10:15	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
	16/02/2024 10:15	Silver	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	16/02/2024 10:15	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	16/02/2024 10:15	Vanadium	0.08	mg/L	FALSE	REG	0.01		25/02/2024	
	16/02/2024 10:15	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
	16/02/2024 10:15	Zinc	0.051	mg/L	FALSE	REG	0.005		25/02/2024	
	16/02/2024 10:15	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
	16/02/2024 10:15	TSS	398	mg/L	FALSE	REG	5	22/02/2024	22/02/2024	
	16/02/2024 10:15	Total Phosphorus as P (Organic Ph	0.39	mg/L	FALSE	REG	0.01	25/02/2024	25/02/2024	
	16/02/2024 10:15	Ammonia as N	0.02	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
	16/02/2024 10:15	Fluoride	0.3	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
	16/02/2024 10:15	Kjeldahl Nitrogen Total	0.9	mg/L	FALSE	REG	0.1	25/02/2024	25/02/2024	
	16/02/2024 10:15	Nitrate (as N)	0.14	mg/L	FALSE	REG	0.01		27/02/2024	
	16/02/2024 10:15	Nitrite (as N)	0.02	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
	16/02/2024 10:15	Nitrite + Nitrate as N	0.16	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
	16/02/2024 10:15	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
	16/02/2024 10:15	Sulfate as SO4 - Turbidimetric	12	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
	16/02/2024 10:15	Sodium	31	mg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	16/02/2024 10:15	Sodium	32	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
	16/02/2024 10:15	TDS	445	mg/L	FALSE	REG	10	22/02/2024	22/02/2024	
	16/02/2024 10:37	Antimony	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
	16/02/2024 10:37	Calcium	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	16/02/2024 10:37	Iron	0.05	mg/L	TRUE	REG	0.05	16/02/2024	16/02/2024	
	16/02/2024 10:37	Magnesium	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	16/02/2024 10:37	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/02/2024	16/02/2024	
	16/02/2024 10:37	Potassium	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	16/02/2024 10:37	Selenium	0.01	mg/L	TRUE	REG	0.01	16/02/2024	16/02/2024	
	16/02/2024 10:37	Sodium	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
W5	16/02/2024 10:56	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Boron	0.07	mg/L	FALSE	REG	0.05	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Boron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	16/02/2024 10:56	Chromium (III+VI)	0.085	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Cobalt	0.031	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Copper	0.064	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Copper	0.003	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Iron	87.2	mg/L	FALSE	REG	0.05	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Lead	0.024	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Manganese	1.03	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Mercury	0.0001	mg/L	FALSE	REG	0.0001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Molybdenum	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Molybdenum	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Nickel	0.082	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Nickel	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Selenium	0.01	mg/L	FALSE	REG	0.01	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Silver	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Vanadium	0.16	mg/L	FALSE	REG	0.01	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Zinc	0.164	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	TSS	746	mg/L	FALSE	REG	5	22/02/2024	22/02/2024	
W5	16/02/2024 10:56	Total Phosphorus as P (Organic Ph	0.87	mg/L	FALSE	REG	0.01	25/02/2024	25/02/2024	
W5	16/02/2024 10:56	Ammonia as N	0.07	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
W5	16/02/2024 10:56	Fluoride	0.2	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
W5	16/02/2024 10:56	Kjeldahl Nitrogen Total	1.7	mg/L	FALSE	REG	0.1	25/02/2024	25/02/2024	
W5	16/02/2024 10:56	Nitrate (as N)	0.26	mg/L	FALSE	REG	0.01		27/02/2024	
W5	16/02/2024 10:56	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W5	16/02/2024 10:56	Nitrite + Nitrate as N	0.26	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
W5	16/02/2024 10:56	Reactive Phosphorus as P (Orthop	0.03	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
W5	16/02/2024 10:56	Sulfate as SO4 - Turbidimetric	7	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
W5	16/02/2024 10:56	Sodium	21	mg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Sodium	23	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	TDS	370	mg/L	FALSE	REG	10	22/02/2024	22/02/2024	
IR4	16/02/2024 11:41	Antimony	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Antimony	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Boron	0.06	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Boron	0.06	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Chromium (III+VI)	0.025	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Cobalt	0.011	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Copper	0.017	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR4	16/02/2024 11:41	Copper	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Iron	20.8	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Lead	0.008	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Manganese	0.323	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Mercury	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Molybdenum	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Molybdenum	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Nickel	0.023	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Nickel	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Selenium	0.01	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Silver	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Vanadium	0.04	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Zinc	0.038	mg/L	FALSE	REG	0.005	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	TSS	380	mg/L	FALSE	REG	5	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	Ammonia as N	0.02	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
IR4	16/02/2024 11:41	Fluoride	0.2	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
IR4	16/02/2024 11:41	Nitrate (as N)	0.52	mg/L	FALSE	REG	0.01		27/02/2024	
IR4	16/02/2024 11:41	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
IR4	16/02/2024 11:41	Nitrite + Nitrate as N	0.53	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
IR4	16/02/2024 11:41	Sulfate as SO4 - Turbidimetric	11	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
IR4	16/02/2024 11:41	Sodium	49	mg/L	FALSE	REG	1	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Sodium	49	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	TDS	392	mg/L	FALSE	REG	10	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	Antimony	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Antimony	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Boron	0.06	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Boron	0.06	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Chromium (III+VI)	0.027	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Cobalt	0.011	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Copper	0.019	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Copper	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Iron	23.4	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Lead	0.008	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Manganese	0.327	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Mercury	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR5	16/02/2024 12:51	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Molybdenum	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Molybdenum	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Nickel	0.024	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Nickel	0.002	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Selenium	0.01	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Silver	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Vanadium	0.04	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Zinc	0.048	mg/L	FALSE	REG	0.005	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	TSS	314	mg/L	FALSE	REG	5	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	Ammonia as N	0.04	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
IR5	16/02/2024 12:51	Fluoride	0.2	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
IR5	16/02/2024 12:51	Nitrate (as N)	0.54	mg/L	FALSE	REG	0.01		27/02/2024	
IR5	16/02/2024 12:51	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
IR5	16/02/2024 12:51	Nitrite + Nitrate as N	0.55	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
IR5	16/02/2024 12:51	Sulfate as SO4 - Turbidimetric	79	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
IR5	16/02/2024 12:51	Sodium	49	mg/L	FALSE	REG	1	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Sodium	50	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	TDS	404	mg/L	FALSE	REG	10	23/02/2024	23/02/2024	
	16/02/2024 12:56	Antimony	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
	16/02/2024 12:56	Iron	0.05	mg/L	FALSE	REG	0.05	16/02/2024	16/02/2024	
	16/02/2024 12:56	Molybdenum	0.001	mg/L	FALSE	REG	0.001	16/02/2024	16/02/2024	
	16/02/2024 12:56	Selenium	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
	16/02/2024 21:31	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
	16/02/2024 21:31	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
	16/02/2024 21:31	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	16/02/2024	16/02/2024	
	16/02/2024 21:31	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	16/02/2024 21:31	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	16/02/2024	16/02/2024	
	20/02/2024 7:02	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
	20/02/2024 7:02	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
N1S	20/02/2024 13:00	Antimony	0.004	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Barium	0.064	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Calcium	44	mg/L	TRUE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Iron	0.05	mg/L	TRUE	REG	0.05	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Magnesium	45	mg/L	TRUE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Molybdenum	0.039	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Potassium	9	mg/L	TRUE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Selenium	0.01	mg/L	TRUE	REG	0.01	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Silver	0.001	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Strontium	3.46	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Total Phosphorus as P (Organic Ph	0.02	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Alkalinity (Bicarbonate as CaCO3)	154	mg/L	FALSE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Alkalinity (total) as CaCO3	154	mg/L	FALSE	REG	1	27/02/2024	27/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	20/02/2024 13:00	Fluoride	0.6	mg/L	FALSE	REG	0.1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Sodium	538	mg/L	TRUE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Acidity (as CaCO3)	2	mg/L	FALSE	REG	1	25/02/2024	26/02/2024	
	20/02/2024 18:54	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
	20/02/2024 18:54	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	20/02/2024	20/02/2024	
	20/02/2024 21:20	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
	20/02/2024 21:20	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
	20/02/2024 21:20	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
	20/02/2024 21:20	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
	20/02/2024 21:20	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	20/02/2024	20/02/2024	
	20/02/2024 21:20	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
	20/02/2024 21:20	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
	20/02/2024 21:20	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	20/02/2024	20/02/2024	
	20/02/2024 21:24	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
	20/02/2024 21:24	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
	20/02/2024 21:24	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/02/2024	21/02/2024	
	21/02/2024 11:13	TSS	5	mg/L	FALSE	REG	5	21/02/2024	21/02/2024	
	21/02/2024 11:13	TSS	5	mg/L	FALSE	REG	5	21/02/2024	21/02/2024	
	21/02/2024 11:13	TDS	10	mg/L	FALSE	REG	10	21/02/2024	21/02/2024	
	21/02/2024 11:13	TDS	10	mg/L	FALSE	REG	10	21/02/2024	21/02/2024	
	21/02/2024 16:44	Antimony	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Boron	0.05	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
	21/02/2024 16:44	Boron	0.05	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
	21/02/2024 16:44	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Cobalt	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Cobalt	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Copper	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Copper	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Iron	0.05	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
	21/02/2024 16:44	Iron	0.05	mg/L	FALSE	REG	0.05	21/02/2024	22/02/2024	
	21/02/2024 16:44	Lead	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Lead	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Manganese	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Manganese	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Molybdenum	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Molybdenum	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Nickel	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Nickel	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Selenium	0.01	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
	21/02/2024 16:44	Selenium	0.01	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
	21/02/2024 16:44	Silver	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Silver	0.001	mg/L	FALSE	REG	0.001	21/02/2024	22/02/2024	
	21/02/2024 16:44	Vanadium	0.01	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
	21/02/2024 16:44	Vanadium	0.01	mg/L	FALSE	REG	0.01	21/02/2024	22/02/2024	
	21/02/2024 16:44	Zinc	0.005	mg/L	FALSE	REG	0.005	21/02/2024	22/02/2024	
	21/02/2024 16:44	Zinc	0.005	mg/L	FALSE	REG	0.005	21/02/2024	22/02/2024	
	21/02/2024 16:44	Sodium	1	mg/L	FALSE	REG	1	21/02/2024	22/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	21/02/2024 16:44	Sodium	1	mg/L	FALSE	REG	1	21/02/2024	22/02/2024	
RWD	22/02/2024 8:31	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Cobalt	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Cobalt	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Copper	0.004	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Copper	0.002	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Lead	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Lead	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Nickel	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Nickel	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Zinc	0.016	mg/L	FALSE	REG	0.005	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Zinc	0.014	mg/L	TRUE	REG	0.005	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Calcium Hardness as CaCO3	27	mg/L	TRUE	REG	1	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	TSS	5	mg/L	FALSE	REG	5	28/02/2024	28/02/2024	
RWD	22/02/2024 8:31	Hardness as CaCO3	44	mg/L	TRUE	REG	1	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Chloride	13	mg/L	FALSE	REG	1	24/02/2024	24/02/2024	
RWD	22/02/2024 8:31	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/02/2024	24/02/2024	
RWD	22/02/2024 8:31	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	24/02/2024	24/02/2024	
RWD	22/02/2024 8:31	Sodium	12	mg/L	FALSE	REG	1	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Sodium	13	mg/L	TRUE	REG	1	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	TDS	88	mg/L	FALSE	REG	10	28/02/2024	28/02/2024	
RWD	22/02/2024 8:37	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	Cobalt	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Cobalt	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	Copper	0.004	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Copper	0.002	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	Lead	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Lead	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	Nickel	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Nickel	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	Zinc	0.013	mg/L	FALSE	REG	0.005	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Zinc	0.011	mg/L	TRUE	REG	0.005	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	TSS	5	mg/L	FALSE	REG	5	28/02/2024	28/02/2024	
RWD	22/02/2024 8:37	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/02/2024	24/02/2024	
RWD	22/02/2024 8:37	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	24/02/2024	24/02/2024	
RWD	22/02/2024 8:37	Sodium	11	mg/L	FALSE	REG	1	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Sodium	12	mg/L	TRUE	REG	1	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	TDS	93	mg/L	FALSE	REG	10	28/02/2024	28/02/2024	
	22/02/2024 9:55	Mercury	0.0001	mg/L	FALSE	REG	0.0001	22/02/2024	22/02/2024	
	22/02/2024 9:55	Mercury	0.0001	mg/L	FALSE	REG	0.0001	22/02/2024	22/02/2024	
	22/02/2024 12:33	TSS	5	mg/L	FALSE	REG	5	22/02/2024	22/02/2024	
	22/02/2024 12:33	TSS	5	mg/L	FALSE	REG	5	22/02/2024	22/02/2024	
	22/02/2024 12:33	TDS	10	mg/L	FALSE	REG	10	22/02/2024	22/02/2024	
	22/02/2024 12:33	TDS	10	mg/L	FALSE	REG	10	22/02/2024	22/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/02/2024 14:11	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
	22/02/2024 14:11	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
	22/02/2024 14:11	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
	22/02/2024 14:11	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	22/02/2024	22/02/2024	
	23/02/2024 10:58	Antimony	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Boron	0.05	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
	23/02/2024 10:58	Boron	0.05	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
	23/02/2024 10:58	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Cobalt	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Cobalt	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Copper	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Copper	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Iron	0.05	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
	23/02/2024 10:58	Iron	0.05	mg/L	TRUE	REG	0.05	23/02/2024	23/02/2024	
	23/02/2024 10:58	Lead	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Lead	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Manganese	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Manganese	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Mercury	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Mercury	0.0001	mg/L	TRUE	REG	0.0001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Molybdenum	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Molybdenum	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Nickel	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Nickel	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Selenium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
	23/02/2024 10:58	Selenium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
	23/02/2024 10:58	Silver	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Silver	0.001	mg/L	TRUE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 10:58	Vanadium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
	23/02/2024 10:58	Vanadium	0.01	mg/L	TRUE	REG	0.01	23/02/2024	23/02/2024	
	23/02/2024 10:58	Zinc	0.005	mg/L	TRUE	REG	0.005	23/02/2024	23/02/2024	
	23/02/2024 10:58	Zinc	0.005	mg/L	TRUE	REG	0.005	23/02/2024	23/02/2024	
	23/02/2024 10:58	Sodium	1	mg/L	TRUE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 10:58	Sodium	1	mg/L	TRUE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 11:36	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Boron	0.05	mg/L	FALSE	REG	0.05	23/02/2024	23/02/2024	
	23/02/2024 11:36	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Cobalt	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Copper	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Iron	0.05	mg/L	FALSE	REG	0.05	23/02/2024	23/02/2024	
	23/02/2024 11:36	Lead	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Manganese	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Molybdenum	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Nickel	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Selenium	0.01	mg/L	FALSE	REG	0.01	23/02/2024	23/02/2024	
	23/02/2024 11:36	Silver	0.001	mg/L	FALSE	REG	0.001	23/02/2024	23/02/2024	
	23/02/2024 11:36	Vanadium	0.01	mg/L	FALSE	REG	0.01	23/02/2024	23/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	23/02/2024 11:36	Zinc	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
	23/02/2024 11:36	Sodium	1	mg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 12:53	TSS	5	mg/L	FALSE	REG	5	23/02/2024	23/02/2024	
	23/02/2024 12:53	TDS	10	mg/L	FALSE	REG	10	23/02/2024	23/02/2024	
	23/02/2024 14:07	Mercury	0.0001	mg/L	FALSE	REG	0.0001	23/02/2024	23/02/2024	
	23/02/2024 21:04	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/02/2024	24/02/2024	
	24/02/2024 13:28	Chloride	1	mg/L	FALSE	REG	1	24/02/2024	24/02/2024	
	24/02/2024 13:28	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/02/2024	24/02/2024	
	25/02/2024 9:59	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	25/02/2024	25/02/2024	
	25/02/2024 9:59	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	25/02/2024	25/02/2024	
	25/02/2024 9:59	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	25/02/2024	25/02/2024	
	25/02/2024 9:59	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	25/02/2024	25/02/2024	
	25/02/2024 10:37	Mercury	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 10:37	Mercury	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Antimony	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Boron	0.05	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 10:38	Boron	0.05	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 10:38	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Cobalt	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Cobalt	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Copper	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Copper	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Iron	0.05	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 10:38	Iron	0.05	mg/L	FALSE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 10:38	Lead	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Lead	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Manganese	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Manganese	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Molybdenum	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Molybdenum	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Nickel	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Nickel	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Selenium	0.01	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 10:38	Selenium	0.01	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 10:38	Silver	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Silver	0.001	mg/L	FALSE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 10:38	Vanadium	0.01	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 10:38	Vanadium	0.01	mg/L	FALSE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 10:38	Zinc	0.005	mg/L	FALSE	REG	0.005	25/02/2024	26/02/2024	
	25/02/2024 10:38	Zinc	0.005	mg/L	FALSE	REG	0.005	25/02/2024	26/02/2024	
	25/02/2024 10:38	Sodium	1	mg/L	FALSE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 10:38	Sodium	1	mg/L	FALSE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Antimony	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Boron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	25/02/2024 14:19	Boron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 14:19	Boron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 14:19	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Copper	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Copper	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Copper	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 14:19	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 14:19	Iron	0.05	mg/L	TRUE	REG	0.05	25/02/2024	26/02/2024	
	25/02/2024 14:19	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Lead	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Manganese	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Mercury	0.0001	mg/L	TRUE	REG	0.0001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Molybdenum	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Molybdenum	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Molybdenum	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Nickel	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Nickel	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Nickel	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 14:19	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 14:19	Selenium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 14:19	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Silver	0.001	mg/L	TRUE	REG	0.001	25/02/2024	26/02/2024	
	25/02/2024 14:19	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 14:19	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 14:19	Vanadium	0.01	mg/L	TRUE	REG	0.01	25/02/2024	26/02/2024	
	25/02/2024 14:19	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
	25/02/2024 14:19	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
	25/02/2024 14:19	Zinc	0.005	mg/L	TRUE	REG	0.005	25/02/2024	26/02/2024	
	25/02/2024 14:19	Sodium	1	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Sodium	1	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Sodium	1	mg/L	TRUE	REG	1	25/02/2024	26/02/2024	
	27/02/2024 7:12	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
	27/02/2024 7:12	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
	27/02/2024 7:12	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
	27/02/2024 7:12	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
	27/02/2024 7:12	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
	27/02/2024 7:12	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	27/02/2024 7:53	Fluoride	0.1	mg/L	FALSE	REG	0.1	27/02/2024	27/02/2024	
	27/02/2024 10:24	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	27/02/2024	27/02/2024	
	27/02/2024 17:10	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	27/02/2024	27/02/2024	
	27/02/2024 17:10	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 17:10	Cobalt	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 17:10	Copper	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 17:10	Lead	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 17:10	Nickel	0.001	mg/L	FALSE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 17:10	Zinc	0.005	mg/L	FALSE	REG	0.005	27/02/2024	27/02/2024	
	27/02/2024 17:10	Sodium	1	mg/L	FALSE	REG	1	27/02/2024	27/02/2024	
	27/02/2024 18:32	Antimony	0.001	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 18:32	Barium	0.001	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 18:32	Calcium	1	mg/L	TRUE	REG	1	27/02/2024	27/02/2024	
	27/02/2024 18:32	Iron	0.05	mg/L	TRUE	REG	0.05	27/02/2024	27/02/2024	
	27/02/2024 18:32	Magnesium	1	mg/L	TRUE	REG	1	27/02/2024	27/02/2024	
	27/02/2024 18:32	Mercury	0.0001	mg/L	TRUE	REG	0.0001	27/02/2024	27/02/2024	
	27/02/2024 18:32	Molybdenum	0.001	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 18:32	Potassium	1	mg/L	TRUE	REG	1	27/02/2024	27/02/2024	
	27/02/2024 18:32	Selenium	0.01	mg/L	TRUE	REG	0.01	27/02/2024	27/02/2024	
	27/02/2024 18:32	Silver	0.001	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 18:32	Strontium	0.001	mg/L	TRUE	REG	0.001	27/02/2024	27/02/2024	
	27/02/2024 18:32	Sodium	1	mg/L	TRUE	REG	1	27/02/2024	27/02/2024	
	28/02/2024 10:10	TSS	5	mg/L	FALSE	REG	5	28/02/2024	28/02/2024	
	28/02/2024 10:10	TDS	10	mg/L	FALSE	REG	10	28/02/2024	28/02/2024	
FG2	28/02/2024 12:36	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Boron	0.32	mg/L	FALSE	REG	0.05	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Boron	0.38	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Chromium (III+VI)	0.003	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Copper	0.003	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Copper	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Iron	1.75	mg/L	FALSE	REG	0.05	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Manganese	0.018	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Manganese	0.005	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Molybdenum	0.015	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Molybdenum	0.012	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Nickel	0.003	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FG2	28/02/2024 12:36	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Zinc	0.005	mg/L	FALSE	REG	0.005	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Zinc	0.005	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	TSS	10	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
FG2	28/02/2024 12:36	Ammonia as N	0.1	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
FG2	28/02/2024 12:36	Fluoride	0.6	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Nitrate (as N)	13	mg/L	FALSE	REG	0.01		5/03/2024	
FG2	28/02/2024 12:36	Nitrite (as N)	0.1	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
FG2	28/02/2024 12:36	Nitrite + Nitrate as N	13.1	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
FG2	28/02/2024 12:36	Sulfate as SO4 - Turbidimetric	274	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
FG2	28/02/2024 12:36	Sodium	1030	mg/L	FALSE	REG	1	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Sodium	999	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	TDS	3780	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
IR2	28/02/2024 12:40	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Boron	0.16	mg/L	FALSE	REG	0.05	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Boron	0.18	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Cobalt	0.002	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Cobalt	0.002	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Copper	0.002	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Copper	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Iron	0.24	mg/L	FALSE	REG	0.05	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Manganese	0.937	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Manganese	0.882	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Molybdenum	0.003	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Molybdenum	0.003	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Nickel	0.002	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Zinc	0.01	mg/L	FALSE	REG	0.005	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Zinc	0.006	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	TSS	5	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
IR2	28/02/2024 12:40	Ammonia as N	0.2	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR2	28/02/2024 12:40	Fluoride	0.2	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Nitrate (as N)	2.5	mg/L	FALSE	REG	0.01		5/03/2024	
IR2	28/02/2024 12:40	Nitrite (as N)	0.12	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
IR2	28/02/2024 12:40	Nitrite + Nitrate as N	2.62	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
IR2	28/02/2024 12:40	Sulfate as SO4 - Turbidimetric	119	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
IR2	28/02/2024 12:40	Sodium	507	mg/L	FALSE	REG	1	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Sodium	490	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	TDS	1970	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Boron	0.09	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Boron	0.1	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Copper	0.003	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Copper	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Iron	2.03	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Manganese	0.188	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Manganese	0.054	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Molybdenum	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Molybdenum	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Nickel	0.003	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Zinc	0.008	mg/L	FALSE	REG	0.005	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Zinc	0.005	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	TSS	28	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	Ammonia as N	0.1	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
IR4	28/02/2024 12:42	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		5/03/2024	
IR4	28/02/2024 12:42	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
IR4	28/02/2024 12:42	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
IR4	28/02/2024 12:42	Sulfate as SO4 - Turbidimetric	22	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
IR4	28/02/2024 12:42	Sodium	86	mg/L	FALSE	REG	1	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Sodium	85	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	TDS	372	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR5	28/02/2024 12:45	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Boron	0.08	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Boron	0.11	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Chromium (III+VI)	0.008	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Cobalt	0.004	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Copper	0.01	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Copper	0.002	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Iron	7.68	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Iron	0.07	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Lead	0.003	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Manganese	0.472	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Manganese	0.15	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Nickel	0.009	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Vanadium	0.02	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Zinc	0.038	mg/L	FALSE	REG	0.005	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Zinc	0.005	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	TSS	152	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	Ammonia as N	0.14	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
IR5	28/02/2024 12:45	Fluoride	0.2	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		5/03/2024	
IR5	28/02/2024 12:45	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
IR5	28/02/2024 12:45	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
IR5	28/02/2024 12:45	Sulfate as SO4 - Turbidimetric	17	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
IR5	28/02/2024 12:45	Sodium	79	mg/L	FALSE	REG	1	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Sodium	79	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	TDS	362	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
	28/02/2024 12:47	Antimony	0.002	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Antimony	0.002	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Boron	0.33	mg/L	FALSE	REG	0.05	4/03/2024	5/03/2024	
	28/02/2024 12:47	Boron	0.42	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:47	Chromium (III+VI)	0.005	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/02/2024 12:47	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Copper	0.004	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Copper	0.003	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Iron	0.1	mg/L	FALSE	REG	0.05	4/03/2024	5/03/2024	
	28/02/2024 12:47	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:47	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Manganese	0.003	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Manganese	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Molybdenum	0.016	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Molybdenum	0.016	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Nickel	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	5/03/2024	
	28/02/2024 12:47	Selenium	0.02	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:47	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:47	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:47	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	5/03/2024	
	28/02/2024 12:47	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:47	Zinc	0.018	mg/L	FALSE	REG	0.005	4/03/2024	5/03/2024	
	28/02/2024 12:47	Zinc	0.016	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
	28/02/2024 12:47	TSS	5	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
	28/02/2024 12:47	Ammonia as N	0.45	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:47	Fluoride	0.6	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
	28/02/2024 12:47	Nitrate (as N)	12.7	mg/L	FALSE	REG	0.01		5/03/2024	
	28/02/2024 12:47	Nitrite (as N)	0.77	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:47	Nitrite + Nitrate as N	13.5	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:47	Sulfate as SO4 - Turbidimetric	271	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
	28/02/2024 12:47	Sodium	1040	mg/L	FALSE	REG	1	4/03/2024	5/03/2024	
	28/02/2024 12:47	Sodium	1020	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:47	TDS	3510	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
MWD	28/02/2024 12:49	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Boron	0.35	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Boron	0.36	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Copper	0.003	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Copper	0.002	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Iron	0.05	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MWD	28/02/2024 12:49	Manganese	0.003	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Manganese	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Molybdenum	0.016	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Molybdenum	0.015	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Nickel	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Zinc	0.014	mg/L	FALSE	REG	0.005	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Zinc	0.013	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	TSS	5	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
MWD	28/02/2024 12:49	Ammonia as N	0.55	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
MWD	28/02/2024 12:49	Fluoride	0.6	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Nitrate (as N)	12.7	mg/L	FALSE	REG	0.01		5/03/2024	
MWD	28/02/2024 12:49	Nitrite (as N)	0.78	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
MWD	28/02/2024 12:49	Nitrite + Nitrate as N	13.5	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
MWD	28/02/2024 12:49	Sulfate as SO4 - Turbidimetric	268	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
MWD	28/02/2024 12:49	Sodium	1080	mg/L	FALSE	REG	1	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Sodium	1020	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	TDS	3490	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
	28/02/2024 12:51	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Boron	0.34	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:51	Boron	0.35	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:51	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Copper	0.006	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Copper	0.003	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Iron	1.12	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:51	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:51	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Manganese	0.172	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Manganese	0.15	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Molybdenum	0.01	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Molybdenum	0.01	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Nickel	0.005	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/02/2024 12:51	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:51	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:51	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:51	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:51	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:51	Zinc	0.013	mg/L	FALSE	REG	0.005	4/03/2024	4/03/2024	
	28/02/2024 12:51	Zinc	0.009	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
	28/02/2024 12:51	TSS	14	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
	28/02/2024 12:51	Ammonia as N	0.23	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:51	Fluoride	0.4	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
	28/02/2024 12:51	Nitrate (as N)	7	mg/L	FALSE	REG	0.01		5/03/2024	
	28/02/2024 12:51	Nitrite (as N)	0.43	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:51	Nitrite + Nitrate as N	7.43	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:51	Sulfate as SO4 - Turbidimetric	266	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
	28/02/2024 12:51	Sodium	1050	mg/L	FALSE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:51	Sodium	1040	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:51	TDS	3620	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
	28/02/2024 12:54	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Boron	0.37	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:54	Boron	0.38	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:54	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Copper	0.002	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Copper	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Iron	0.34	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:54	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:54	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Manganese	0.007	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Manganese	0.003	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Molybdenum	0.016	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Molybdenum	0.015	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Nickel	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:54	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:54	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:54	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:54	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:54	Zinc	0.009	mg/L	FALSE	REG	0.005	4/03/2024	4/03/2024	
	28/02/2024 12:54	Zinc	0.005	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/02/2024 12:54	TSS	8	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
	28/02/2024 12:54	Ammonia as N	0.04	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:54	Fluoride	0.6	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
	28/02/2024 12:54	Nitrate (as N)	12.7	mg/L	FALSE	REG	0.01		5/03/2024	
	28/02/2024 12:54	Nitrite (as N)	0.09	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:54	Nitrite + Nitrate as N	12.8	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:54	Sulfate as SO4 - Turbidimetric	272	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
	28/02/2024 12:54	Sodium	1070	mg/L	FALSE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:54	Sodium	1040	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:54	TDS	3450	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
	28/02/2024 12:59	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Boron	0.34	mg/L	FALSE	REG	0.05	4/03/2024	5/03/2024	
	28/02/2024 12:59	Boron	0.36	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:59	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Copper	0.003	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Copper	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Iron	0.72	mg/L	FALSE	REG	0.05	4/03/2024	5/03/2024	
	28/02/2024 12:59	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	28/02/2024 12:59	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Manganese	0.013	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Manganese	0.005	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Molybdenum	0.016	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Molybdenum	0.014	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Nickel	0.002	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	5/03/2024	
	28/02/2024 12:59	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:59	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	5/03/2024	
	28/02/2024 12:59	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	28/02/2024 12:59	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	5/03/2024	
	28/02/2024 12:59	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	28/02/2024 12:59	Zinc	0.013	mg/L	FALSE	REG	0.005	4/03/2024	5/03/2024	
	28/02/2024 12:59	Zinc	0.005	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
	28/02/2024 12:59	TSS	14	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
	28/02/2024 12:59	Ammonia as N	0.04	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:59	Fluoride	0.6	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
	28/02/2024 12:59	Nitrate (as N)	12.7	mg/L	FALSE	REG	0.01		5/03/2024	
	28/02/2024 12:59	Nitrite (as N)	0.07	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:59	Nitrite + Nitrate as N	12.8	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	28/02/2024 12:59	Sulfate as SO4 - Turbidimetric	273	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
	28/02/2024 12:59	Sodium	1050	mg/L	FALSE	REG	1	4/03/2024	5/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/02/2024 12:59	Sodium	1020	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:59	TDS	3500	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
	28/02/2024 21:55	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	28/02/2024	1/03/2024	
	28/02/2024 21:55	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
	28/02/2024 21:55	Cobalt	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
	28/02/2024 21:55	Copper	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
	28/02/2024 21:55	Lead	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
	28/02/2024 21:55	Nickel	0.001	mg/L	TRUE	REG	0.001	28/02/2024	1/03/2024	
	28/02/2024 21:55	Zinc	0.005	mg/L	TRUE	REG	0.005	28/02/2024	1/03/2024	
	28/02/2024 21:55	Sodium	1	mg/L	TRUE	REG	1	28/02/2024	1/03/2024	
BC2	29/02/2024 9:41	Antimony	0.001	mg/L	FALSE	REG	0.001		10/03/2024	
BC2	29/02/2024 9:41	Antimony	0.001	mg/L	TRUE	REG	0.001		10/03/2024	
BC2	29/02/2024 9:41	Barium	0.094	mg/L	FALSE	REG	0.001		10/03/2024	
BC2	29/02/2024 9:41	Barium	0.208	mg/L	TRUE	REG	0.001		10/03/2024	
BC2	29/02/2024 9:41	Calcium	267	mg/L	TRUE	REG	1		9/03/2024	
BC2	29/02/2024 9:41	Iron	0.08	mg/L	FALSE	REG	0.05		10/03/2024	
BC2	29/02/2024 9:41	Iron	0.05	mg/L	TRUE	REG	0.05		10/03/2024	
BC2	29/02/2024 9:41	Magnesium	360	mg/L	TRUE	REG	1		9/03/2024	
BC2	29/02/2024 9:41	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	
BC2	29/02/2024 9:41	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	7/03/2024	
BC2	29/02/2024 9:41	Molybdenum	0.001	mg/L	FALSE	REG	0.001		10/03/2024	
BC2	29/02/2024 9:41	Molybdenum	0.001	mg/L	TRUE	REG	0.001		10/03/2024	
BC2	29/02/2024 9:41	Potassium	6	mg/L	TRUE	REG	1		9/03/2024	
BC2	29/02/2024 9:41	Selenium	0.01	mg/L	FALSE	REG	0.01		10/03/2024	
BC2	29/02/2024 9:41	Selenium	0.01	mg/L	TRUE	REG	0.01		10/03/2024	
BC2	29/02/2024 9:41	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
BC2	29/02/2024 9:41	Silver	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
BC2	29/02/2024 9:41	Strontium	7.45	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
BC2	29/02/2024 9:41	Strontium	7.55	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
BC2	29/02/2024 9:41	TSS	5	mg/L	FALSE	REG	5	7/03/2024	7/03/2024	
BC2	29/02/2024 9:41	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	9/03/2024	9/03/2024	
BC2	29/02/2024 9:41	Alkalinity (Bicarbonate as CaCO3)	621	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Alkalinity (total) as CaCO3	621	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Chloride	2680	mg/L	FALSE	REG	1	5/03/2024	5/03/2024	
BC2	29/02/2024 9:41	Fluoride	0.2	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Sulfate as SO4 - Turbidimetric	113	mg/L	TRUE	REG	1	5/03/2024	5/03/2024	
BC2	29/02/2024 9:41	Sodium	966	mg/L	TRUE	REG	1		9/03/2024	
BC2	29/02/2024 9:41	TDS	5960	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
BC2	29/02/2024 9:41	Rubidium	0.012	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Antimony	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Antimony	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Barium	0.134	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Barium	0.118	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Calcium	115	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Iron	1.85	mg/L	FALSE	REG	0.05	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Iron	1.75	mg/L	TRUE	REG	0.05	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Magnesium	168	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB2	29/02/2024 11:08	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	7/03/2024	
MB2	29/02/2024 11:08	Molybdenum	0.002	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Molybdenum	0.002	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Potassium	8	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Selenium	0.01	mg/L	FALSE	REG	0.01	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Selenium	0.01	mg/L	TRUE	REG	0.01	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Silver	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Strontium	4.36	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Strontium	4.08	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	TSS	5	mg/L	FALSE	REG	5	7/03/2024	7/03/2024	
MB2	29/02/2024 11:08	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	9/03/2024	9/03/2024	
MB2	29/02/2024 11:08	Alkalinity (Bicarbonate as CaCO3)	742	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Alkalinity (total) as CaCO3	742	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Chloride	1910	mg/L	FALSE	REG	1	5/03/2024	5/03/2024	
MB2	29/02/2024 11:08	Fluoride	0.5	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Sulfate as SO4 - Turbidimetric	166	mg/L	TRUE	REG	1	5/03/2024	5/03/2024	
MB2	29/02/2024 11:08	Sodium	1310	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	TDS	4210	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
MB2	29/02/2024 11:08	Rubidium	0.012	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Antimony	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Antimony	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Barium	0.021	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Barium	0.023	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Calcium	79	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Iron	0.64	mg/L	FALSE	REG	0.05	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Iron	0.49	mg/L	TRUE	REG	0.05	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Magnesium	188	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	
MB14	29/02/2024 13:25	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	7/03/2024	
MB14	29/02/2024 13:25	Molybdenum	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Molybdenum	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Potassium	11	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Selenium	0.01	mg/L	FALSE	REG	0.01	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Selenium	0.01	mg/L	TRUE	REG	0.01	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Silver	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Strontium	1.67	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Strontium	1.68	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	TSS	5	mg/L	FALSE	REG	5	7/03/2024	7/03/2024	
MB14	29/02/2024 13:25	Total Phosphorus as P (Organic Ph	0.07	mg/L	FALSE	REG	0.01	9/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Alkalinity (Bicarbonate as CaCO3)	662	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Alkalinity (total) as CaCO3	662	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Chloride	868	mg/L	FALSE	REG	1	5/03/2024	5/03/2024	
MB14	29/02/2024 13:25	Fluoride	0.1	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Sulfate as SO4 - Turbidimetric	111	mg/L	TRUE	REG	1	5/03/2024	5/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB14	29/02/2024 13:25	Sodium	490	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	TDS	2280	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
MB14	29/02/2024 13:25	Rubidium	0.016	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Antimony	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Antimony	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Barium	0.422	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Barium	0.352	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Calcium	261	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Iron	1.87	mg/L	FALSE	REG	0.05	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Iron	1.79	mg/L	TRUE	REG	0.05	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Magnesium	347	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	
MB12	29/02/2024 15:13	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	7/03/2024	
MB12	29/02/2024 15:13	Molybdenum	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Molybdenum	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Potassium	22	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Selenium	0.01	mg/L	FALSE	REG	0.01	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Selenium	0.01	mg/L	TRUE	REG	0.01	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Silver	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Strontium	13.2	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Strontium	12.6	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	TSS	5	mg/L	FALSE	REG	5	7/03/2024	7/03/2024	
MB12	29/02/2024 15:13	Total Phosphorus as P (Organic Ph	0.02	mg/L	FALSE	REG	0.01	9/03/2024	9/03/2024	
MB12	29/02/2024 15:13	Alkalinity (Bicarbonate as CaCO3)	461	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Alkalinity (total) as CaCO3	461	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Chloride	3810	mg/L	FALSE	REG	1		6/03/2024	
MB12	29/02/2024 15:13	Fluoride	0.2	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Sulfate as SO4 - Turbidimetric	299	mg/L	TRUE	REG	1		6/03/2024	
MB12	29/02/2024 15:13	Sodium	1900	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	TDS	8100	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
MB12	29/02/2024 15:13	Rubidium	0.032	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Antimony	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Antimony	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Barium	8.12	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Barium	7.71	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Calcium	277	mg/L	TRUE	REG	1	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Iron	3.92	mg/L	FALSE	REG	0.05	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Iron	0.05	mg/L	TRUE	REG	0.05	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Magnesium	110	mg/L	TRUE	REG	1	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	
MB8B	1/03/2024 8:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Molybdenum	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Molybdenum	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Potassium	14	mg/L	TRUE	REG	1	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Selenium	0.01	mg/L	FALSE	REG	0.01	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Selenium	0.01	mg/L	TRUE	REG	0.01	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8B	1/03/2024 8:00	Silver	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Strontium	14.1	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Strontium	12.7	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	TSS	8	mg/L	FALSE	REG	5	7/03/2024	7/03/2024	
MB8B	1/03/2024 8:00	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	9/03/2024	9/03/2024	
MB8B	1/03/2024 8:00	Alkalinity (Bicarbonate as CaCO3)	111	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Alkalinity (total) as CaCO3	111	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Chloride	3480	mg/L	FALSE	REG	1	5/03/2024	5/03/2024	
MB8B	1/03/2024 8:00	Fluoride	0.2	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	5/03/2024	5/03/2024	
MB8B	1/03/2024 8:00	Sodium	1710	mg/L	TRUE	REG	1	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	TDS	7010	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
MB8B	1/03/2024 8:00	Rubidium	0.024	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Antimony	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Antimony	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Barium	0.434	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Barium	0.371	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Calcium	629	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Iron	0.41	mg/L	FALSE	REG	0.05	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Iron	0.05	mg/L	TRUE	REG	0.05	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Magnesium	523	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	
MB7	1/03/2024 8:55	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	7/03/2024	
MB7	1/03/2024 8:55	Molybdenum	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Molybdenum	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Potassium	21	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Selenium	0.01	mg/L	FALSE	REG	0.01	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Selenium	0.01	mg/L	TRUE	REG	0.01	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Silver	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Strontium	58.1	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Strontium	54	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	TSS	5	mg/L	FALSE	REG	5	7/03/2024	7/03/2024	
MB7	1/03/2024 8:55	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	9/03/2024	9/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MB7	1/03/2024 8:55	Alkalinity (Bicarbonate as CaCO3)	399	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Alkalinity (total) as CaCO3	399	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Chloride	8170	mg/L	FALSE	REG	1	5/03/2024	5/03/2024	
MB7	1/03/2024 8:55	Fluoride	0.1	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Sulfate as SO4 - Turbidimetric	432	mg/L	TRUE	REG	1	5/03/2024	5/03/2024	
MB7	1/03/2024 8:55	Sodium	4020	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	TDS	17200	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
MB7	1/03/2024 8:55	Rubidium	0.041	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
	1/03/2024 10:59	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	1/03/2024 10:59	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
MB9A	1/03/2024 11:35	Antimony	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Antimony	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	1/03/2024 11:35	Barium	8.93	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Barium	8.87	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Calcium	292	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Iron	2.93	mg/L	FALSE	REG	0.05	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Iron	0.96	mg/L	TRUE	REG	0.05	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Magnesium	145	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	
MB9A	1/03/2024 11:35	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	7/03/2024	
MB9A	1/03/2024 11:35	Molybdenum	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Molybdenum	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Potassium	20	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Selenium	0.01	mg/L	FALSE	REG	0.01	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Selenium	0.01	mg/L	TRUE	REG	0.01	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Silver	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Strontium	13.7	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Strontium	14	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	TSS	62	mg/L	FALSE	REG	5	7/03/2024	7/03/2024	
MB9A	1/03/2024 11:35	Total Phosphorus as P (Organic Ph	0.04	mg/L	FALSE	REG	0.01	9/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Alkalinity (Bicarbonate as CaCO3)	99	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Alkalinity (total) as CaCO3	99	mg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Chloride	3950	mg/L	FALSE	REG	1	5/03/2024	5/03/2024	
MB9A	1/03/2024 11:35	Fluoride	0.2	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	5/03/2024	5/03/2024	
MB9A	1/03/2024 11:35	Sodium	1850	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	TDS	8150	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
MB9A	1/03/2024 11:35	Rubidium	0.033	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
	1/03/2024 11:40	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	1/03/2024	1/03/2024	
	1/03/2024 11:40	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	1/03/2024	1/03/2024	
	1/03/2024 14:29	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
	1/03/2024 14:29	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
	1/03/2024 16:43	Fluoride	0.1	mg/L	FALSE	REG	0.1	1/03/2024	4/03/2024	
	4/03/2024 8:40	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Antimony	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Boron	0.05	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
	4/03/2024 8:40	Boron	0.05	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
	4/03/2024 8:40	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Cobalt	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Copper	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Copper	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Iron	0.05	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
	4/03/2024 8:40	Iron	0.05	mg/L	FALSE	REG	0.05	4/03/2024	4/03/2024	
	4/03/2024 8:40	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Lead	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	4/03/2024 8:40	Manganese	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Manganese	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Molybdenum	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Molybdenum	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Nickel	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Nickel	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
	4/03/2024 8:40	Selenium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
	4/03/2024 8:40	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Silver	0.001	mg/L	FALSE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 8:40	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
	4/03/2024 8:40	Vanadium	0.01	mg/L	FALSE	REG	0.01	4/03/2024	4/03/2024	
	4/03/2024 8:40	Zinc	0.005	mg/L	FALSE	REG	0.005	4/03/2024	4/03/2024	
	4/03/2024 8:40	Zinc	0.005	mg/L	FALSE	REG	0.005	4/03/2024	4/03/2024	
	4/03/2024 8:40	Sodium	1	mg/L	FALSE	REG	1	4/03/2024	4/03/2024	
	4/03/2024 8:40	Sodium	1	mg/L	FALSE	REG	1	4/03/2024	4/03/2024	
	4/03/2024 10:01	Antimony	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Boron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	4/03/2024 10:01	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Cobalt	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Copper	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Iron	0.05	mg/L	TRUE	REG	0.05	4/03/2024	4/03/2024	
	4/03/2024 10:01	Lead	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Manganese	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Molybdenum	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Nickel	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Selenium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	4/03/2024 10:01	Silver	0.001	mg/L	TRUE	REG	0.001	4/03/2024	4/03/2024	
	4/03/2024 10:01	Vanadium	0.01	mg/L	TRUE	REG	0.01	4/03/2024	4/03/2024	
	4/03/2024 10:01	Zinc	0.005	mg/L	TRUE	REG	0.005	4/03/2024	4/03/2024	
	4/03/2024 10:01	Sodium	1	mg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	4/03/2024 10:10	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	4/03/2024 10:40	Mercury	0.0001	mg/L	FALSE	REG	0.0001	4/03/2024	4/03/2024	
	4/03/2024 11:17	Mercury	0.0001	mg/L	TRUE	REG	0.0001	4/03/2024	4/03/2024	
	5/03/2024 18:48	Fluoride	0.1	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
	5/03/2024 18:48	Fluoride	0.1	mg/L	FALSE	REG	0.1	5/03/2024	6/03/2024	
	5/03/2024 18:51	Chloride	1	mg/L	FALSE	REG	1	5/03/2024	5/03/2024	
	5/03/2024 18:51	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	5/03/2024	5/03/2024	
	5/03/2024 21:24	Chloride	1	mg/L	FALSE	REG	1	5/03/2024	5/03/2024	
	5/03/2024 21:24	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	5/03/2024	5/03/2024	
	6/03/2024 11:40	TSS	5	mg/L	FALSE	REG	5	6/03/2024	6/03/2024	
	6/03/2024 11:40	TDS	10	mg/L	FALSE	REG	10	6/03/2024	6/03/2024	
	6/03/2024 18:42	Antimony	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:42	Barium	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:42	Calcium	1	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
	6/03/2024 18:42	Iron	0.05	mg/L	TRUE	REG	0.05	6/03/2024	8/03/2024	
	6/03/2024 18:42	Magnesium	1	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
	6/03/2024 18:42	Molybdenum	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:42	Potassium	1	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	6/03/2024 18:42	Selenium	0.01	mg/L	TRUE	REG	0.01	6/03/2024	8/03/2024	
	6/03/2024 18:42	Silver	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:42	Strontium	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:42	Sodium	1	mg/L	TRUE	REG	1	6/03/2024	8/03/2024	
	6/03/2024 18:42	Rubidium	0.001	mg/L	TRUE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:52	Antimony	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
	6/03/2024 18:52	Barium	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
	6/03/2024 18:52	Iron	0.05	mg/L	FALSE	REG	0.05	6/03/2024	9/03/2024	
	6/03/2024 18:52	Molybdenum	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
	6/03/2024 18:52	Selenium	0.01	mg/L	FALSE	REG	0.01	6/03/2024	9/03/2024	
	6/03/2024 18:52	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
	6/03/2024 18:52	Strontium	0.001	mg/L	FALSE	REG	0.001	6/03/2024	9/03/2024	
	6/03/2024 18:56	Antimony	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:56	Barium	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:56	Iron	0.05	mg/L	FALSE	REG	0.05	6/03/2024	8/03/2024	
	6/03/2024 18:56	Molybdenum	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:56	Selenium	0.01	mg/L	FALSE	REG	0.01	6/03/2024	8/03/2024	
	6/03/2024 18:56	Silver	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
	6/03/2024 18:56	Strontium	0.001	mg/L	FALSE	REG	0.001	6/03/2024	8/03/2024	
	7/03/2024 7:50	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	
	7/03/2024 8:20	TSS	5	mg/L	FALSE	REG	5	7/03/2024	7/03/2024	
	7/03/2024 8:20	TDS	10	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
	7/03/2024 8:20	TDS	10	mg/L	FALSE	REG	10	7/03/2024	7/03/2024	
	7/03/2024 8:45	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	7/03/2024	
	7/03/2024 8:51	Mercury	0.0001	mg/L	FALSE	REG	0.0001	7/03/2024	7/03/2024	
	7/03/2024 21:41	Antimony	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
	7/03/2024 21:41	Barium	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
	7/03/2024 21:41	Calcium	1	mg/L	TRUE	REG	1	7/03/2024	8/03/2024	
	7/03/2024 21:41	Iron	0.05	mg/L	TRUE	REG	0.05	7/03/2024	8/03/2024	
	7/03/2024 21:41	Magnesium	1	mg/L	TRUE	REG	1	7/03/2024	8/03/2024	
	7/03/2024 21:41	Mercury	0.0001	mg/L	TRUE	REG	0.0001	7/03/2024	8/03/2024	
	7/03/2024 21:41	Molybdenum	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
	7/03/2024 21:41	Potassium	1	mg/L	TRUE	REG	1	7/03/2024	8/03/2024	
	7/03/2024 21:41	Selenium	0.01	mg/L	TRUE	REG	0.01	7/03/2024	8/03/2024	
	7/03/2024 21:41	Silver	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
	7/03/2024 21:41	Strontium	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
	7/03/2024 21:41	Sodium	1	mg/L	TRUE	REG	1	7/03/2024	8/03/2024	
	7/03/2024 21:41	Rubidium	0.001	mg/L	TRUE	REG	0.001	7/03/2024	8/03/2024	
	9/03/2024 9:53	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	9/03/2024	9/03/2024	
RWD	12/03/2024 8:04	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	Copper	0.003	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Copper	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	Nickel	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	12/03/2024 8:04	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	Zinc	0.012	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	TSS	5	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
RWD	12/03/2024 8:04	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
RWD	12/03/2024 8:04	Sulfate as SO4 - Turbidimetric	21	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
RWD	12/03/2024 8:04	Sodium	43	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Sodium	42	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	TDS	219	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
CHPPPP	12/03/2024 8:14	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	Copper	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Copper	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	Nickel	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	Zinc	0.005	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	TSS	13	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
CHPPPP	12/03/2024 8:14	Fluoride	0.4	mg/L	FALSE	REG	0.1	14/03/2024	14/03/2024	
CHPPPP	12/03/2024 8:14	Sulfate as SO4 - Turbidimetric	490	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
CHPPPP	12/03/2024 8:14	Sodium	799	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Sodium	842	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	TDS	2700	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
RD1	12/03/2024 8:37	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	Copper	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Copper	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	Nickel	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	Zinc	0.005	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	TSS	27	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
RD1	12/03/2024 8:37	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
RD1	12/03/2024 8:37	Sulfate as SO4 - Turbidimetric	205	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
RD1	12/03/2024 8:37	Sodium	340	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Sodium	327	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	TDS	1140	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
S2SED	12/03/2024 8:57	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
S2SED	12/03/2024 8:57	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	Copper	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Copper	0.008	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	Nickel	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	Zinc	0.005	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	TSS	5	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
S2SED	12/03/2024 8:57	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
S2SED	12/03/2024 8:57	Sulfate as SO4 - Turbidimetric	510	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
S2SED	12/03/2024 8:57	Sodium	902	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Sodium	916	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	TDS	2950	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
S2	12/03/2024 9:14	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	Copper	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Copper	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	Nickel	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	Zinc	0.005	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	TSS	5	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
S2	12/03/2024 9:14	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
S2	12/03/2024 9:14	Sulfate as SO4 - Turbidimetric	592	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
S2	12/03/2024 9:14	Sodium	946	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Sodium	915	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	TDS	2940	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
RD2	12/03/2024 9:40	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	Copper	0.005	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Copper	0.002	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	Nickel	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RD2	12/03/2024 9:40	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	Zinc	0.006	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	TSS	11	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
RD2	12/03/2024 9:40	Fluoride	1.6	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
RD2	12/03/2024 9:40	Sulfate as SO4 - Turbidimetric	79	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
RD2	12/03/2024 9:40	Sodium	492	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Sodium	508	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	TDS	1440	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
	12/03/2024 9:49	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
	12/03/2024 9:49	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
	12/03/2024 9:49	Chromium (III+VI)	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	12/03/2024 9:49	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	12/03/2024 9:49	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	12/03/2024 9:49	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	12/03/2024 9:49	Copper	0.005	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	12/03/2024 9:49	Copper	0.002	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	12/03/2024 9:49	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	12/03/2024 9:49	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	12/03/2024 9:49	Nickel	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	12/03/2024 9:49	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	12/03/2024 9:49	Zinc	0.007	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
	12/03/2024 9:49	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
	12/03/2024 9:49	TSS	11	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
	12/03/2024 9:49	Fluoride	1.6	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
	12/03/2024 9:49	Sulfate as SO4 - Turbidimetric	80	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
	12/03/2024 9:49	Sodium	506	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
	12/03/2024 9:49	Sodium	514	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
	12/03/2024 9:49	TDS	1420	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
Farm Dam 2	12/03/2024 10:08	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	Copper	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Copper	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	Nickel	0.002	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	Zinc	0.005	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	TSS	12	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
Farm Dam 2	12/03/2024 10:08	Fluoride	0.5	mg/L	FALSE	REG	0.1	14/03/2024	14/03/2024	
Farm Dam 2	12/03/2024 10:08	Sulfate as SO4 - Turbidimetric	11	mg/L	TRUE	REG	1	14/03/2024	14/03/2024	
Farm Dam 2	12/03/2024 10:08	Sodium	68	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Sodium	66	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	TDS	310	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
Pit 4	12/03/2024 10:37	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Pit 4	12/03/2024 10:37	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	Copper	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Copper	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	Nickel	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	Zinc	0.005	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	TSS	5	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
Pit 4	12/03/2024 10:37	Fluoride	0.2	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
Pit 4	12/03/2024 10:37	Sulfate as SO4 - Turbidimetric	803	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
Pit 4	12/03/2024 10:37	Sodium	963	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Sodium	970	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	TDS	3250	mg/L	FALSE	REG	10		18/03/2024	
SSD	13/03/2024 7:28	Antimony	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
SSD	13/03/2024 7:28	Antimony	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		19/03/2024	
SSD	13/03/2024 7:28	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Boron	0.16	mg/L	FALSE	REG	0.05		19/03/2024	
SSD	13/03/2024 7:28	Boron	0.21	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
SSD	13/03/2024 7:28	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Cobalt	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
SSD	13/03/2024 7:28	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Copper	0.003	mg/L	FALSE	REG	0.001		19/03/2024	
SSD	13/03/2024 7:28	Copper	0.002	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Iron	0.47	mg/L	FALSE	REG	0.05		19/03/2024	
SSD	13/03/2024 7:28	Iron	0.05	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Lead	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
SSD	13/03/2024 7:28	Lead	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Manganese	0.023	mg/L	FALSE	REG	0.001		19/03/2024	
SSD	13/03/2024 7:28	Manganese	0.002	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Mercury	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	15/03/2024	
SSD	13/03/2024 7:28	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
SSD	13/03/2024 7:28	Molybdenum	0.005	mg/L	FALSE	REG	0.001		19/03/2024	
SSD	13/03/2024 7:28	Molybdenum	0.005	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Nickel	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
SSD	13/03/2024 7:28	Nickel	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Selenium	0.01	mg/L	FALSE	REG	0.01		19/03/2024	
SSD	13/03/2024 7:28	Selenium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Silver	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
SSD	13/03/2024 7:28	Silver	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Vanadium	0.01	mg/L	FALSE	REG	0.01		19/03/2024	
SSD	13/03/2024 7:28	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Zinc	0.005	mg/L	FALSE	REG	0.005		19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SSD	13/03/2024 7:28	Zinc	0.005	mg/L	TRUE	REG	0.005	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	TSS	14	mg/L	FALSE	REG	5	18/03/2024	18/03/2024	
SSD	13/03/2024 7:28	Ammonia as N	0.22	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
SSD	13/03/2024 7:28	Fluoride	0.8	mg/L	FALSE	REG	0.1	14/03/2024	15/03/2024	
SSD	13/03/2024 7:28	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		16/03/2024	
SSD	13/03/2024 7:28	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
SSD	13/03/2024 7:28	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
SSD	13/03/2024 7:28	Sulfate as SO4 - Turbidimetric	42	mg/L	TRUE	REG	1	15/03/2024	15/03/2024	
SSD	13/03/2024 7:28	Sodium	238	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
SSD	13/03/2024 7:28	Sodium	210	mg/L	TRUE	REG	1	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	TDS	719	mg/L	FALSE	REG	10	18/03/2024	18/03/2024	
ROM DAM	13/03/2024 7:54	Antimony	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Antimony	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Boron	0.18	mg/L	FALSE	REG	0.05	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Boron	0.18	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Copper	0.003	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Copper	0.002	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Iron	0.61	mg/L	FALSE	REG	0.05	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Iron	0.05	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Lead	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Manganese	0.01	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Manganese	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Mercury	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	15/03/2024	
ROM DAM	13/03/2024 7:54	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
ROM DAM	13/03/2024 7:54	Molybdenum	0.017	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Molybdenum	0.015	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Nickel	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Nickel	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Selenium	0.01	mg/L	FALSE	REG	0.01	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Selenium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Silver	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Silver	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Vanadium	0.01	mg/L	FALSE	REG	0.01	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Zinc	0.006	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Zinc	0.005	mg/L	TRUE	REG	0.005	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	TSS	25	mg/L	FALSE	REG	5	18/03/2024	18/03/2024	
ROM DAM	13/03/2024 7:54	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
ROM DAM	13/03/2024 7:54	Fluoride	0.5	mg/L	FALSE	REG	0.1	15/03/2024	15/03/2024	
ROM DAM	13/03/2024 7:54	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		16/03/2024	
ROM DAM	13/03/2024 7:54	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
ROM DAM	13/03/2024 7:54	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
ROM DAM	13/03/2024 7:54	Sulfate as SO4 - Turbidimetric	221	mg/L	TRUE	REG	1	15/03/2024	15/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
ROM DAM	13/03/2024 7:54	Sodium	300	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Sodium	253	mg/L	TRUE	REG	1	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	TDS	1110	mg/L	FALSE	REG	10	18/03/2024	18/03/2024	
FPD	13/03/2024 8:08	Antimony	0.002	mg/L	FALSE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Antimony	0.002	mg/L	TRUE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		20/03/2024	
FPD	13/03/2024 8:08	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		20/03/2024	
FPD	13/03/2024 8:08	Boron	0.57	mg/L	FALSE	REG	0.05		20/03/2024	
FPD	13/03/2024 8:08	Boron	0.28	mg/L	TRUE	REG	0.05		20/03/2024	
FPD	13/03/2024 8:08	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Cobalt	0.001	mg/L	FALSE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Cobalt	0.001	mg/L	TRUE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Copper	0.001	mg/L	FALSE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Copper	0.008	mg/L	TRUE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Iron	0.07	mg/L	FALSE	REG	0.05		20/03/2024	
FPD	13/03/2024 8:08	Iron	0.05	mg/L	TRUE	REG	0.05		20/03/2024	
FPD	13/03/2024 8:08	Lead	0.001	mg/L	FALSE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Lead	0.001	mg/L	TRUE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Manganese	0.024	mg/L	FALSE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Manganese	0.015	mg/L	TRUE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Mercury	0.0001	mg/L	FALSE	REG	0.0001	16/03/2024	16/03/2024	
FPD	13/03/2024 8:08	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
FPD	13/03/2024 8:08	Molybdenum	0.021	mg/L	FALSE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Molybdenum	0.018	mg/L	TRUE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Nickel	0.002	mg/L	FALSE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Nickel	0.002	mg/L	TRUE	REG	0.001		20/03/2024	
FPD	13/03/2024 8:08	Selenium	0.01	mg/L	FALSE	REG	0.01		20/03/2024	
FPD	13/03/2024 8:08	Selenium	0.01	mg/L	TRUE	REG	0.01		20/03/2024	
FPD	13/03/2024 8:08	Silver	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Silver	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Vanadium	0.01	mg/L	FALSE	REG	0.01		20/03/2024	
FPD	13/03/2024 8:08	Vanadium	0.01	mg/L	TRUE	REG	0.01		20/03/2024	
FPD	13/03/2024 8:08	Zinc	0.005	mg/L	FALSE	REG	0.005		20/03/2024	
FPD	13/03/2024 8:08	Zinc	0.005	mg/L	TRUE	REG	0.005		20/03/2024	
FPD	13/03/2024 8:08	TSS	5	mg/L	FALSE	REG	5	18/03/2024	18/03/2024	
FPD	13/03/2024 8:08	Ammonia as N	1.11	mg/L	FALSE	REG	0.01		16/03/2024	
FPD	13/03/2024 8:08	Fluoride	0.5	mg/L	FALSE	REG	0.1	15/03/2024	15/03/2024	
FPD	13/03/2024 8:08	Nitrate (as N)	14	mg/L	FALSE	REG	0.01		18/03/2024	
FPD	13/03/2024 8:08	Nitrite (as N)	0.85	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
FPD	13/03/2024 8:08	Nitrite + Nitrate as N	14.8	mg/L	FALSE	REG	0.01		16/03/2024	
FPD	13/03/2024 8:08	Sulfate as SO4 - Turbidimetric	352	mg/L	TRUE	REG	1	15/03/2024	15/03/2024	
FPD	13/03/2024 8:08	Sodium	1510	mg/L	FALSE	REG	1	18/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Sodium	1640	mg/L	TRUE	REG	1	16/03/2024	19/03/2024	
FPD	13/03/2024 8:08	TDS	6560	mg/L	FALSE	REG	10	18/03/2024	18/03/2024	
RWD	13/03/2024 8:27	Antimony	0.002	mg/L	FALSE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Antimony	0.002	mg/L	TRUE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		20/03/2024	
RWD	13/03/2024 8:27	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		20/03/2024	
RWD	13/03/2024 8:27	Boron	0.44	mg/L	FALSE	REG	0.05		20/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	13/03/2024 8:27	Boron	0.21	mg/L	TRUE	REG	0.05		20/03/2024	
RWD	13/03/2024 8:27	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Cobalt	0.001	mg/L	FALSE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Cobalt	0.002	mg/L	TRUE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Copper	0.002	mg/L	FALSE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Copper	0.008	mg/L	TRUE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Iron	0.08	mg/L	FALSE	REG	0.05		20/03/2024	
RWD	13/03/2024 8:27	Iron	0.05	mg/L	TRUE	REG	0.05		20/03/2024	
RWD	13/03/2024 8:27	Lead	0.001	mg/L	FALSE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Lead	0.001	mg/L	TRUE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Manganese	0.004	mg/L	FALSE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Manganese	0.001	mg/L	TRUE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Mercury	0.0001	mg/L	FALSE	REG	0.0001	16/03/2024	16/03/2024	
RWD	13/03/2024 8:27	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
RWD	13/03/2024 8:27	Molybdenum	0.018	mg/L	FALSE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Molybdenum	0.015	mg/L	TRUE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Nickel	0.001	mg/L	FALSE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Nickel	0.001	mg/L	TRUE	REG	0.001		20/03/2024	
RWD	13/03/2024 8:27	Selenium	0.01	mg/L	FALSE	REG	0.01		20/03/2024	
RWD	13/03/2024 8:27	Selenium	0.01	mg/L	TRUE	REG	0.01		20/03/2024	
RWD	13/03/2024 8:27	Silver	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Silver	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Vanadium	0.01	mg/L	FALSE	REG	0.01		20/03/2024	
RWD	13/03/2024 8:27	Vanadium	0.01	mg/L	TRUE	REG	0.01		20/03/2024	
RWD	13/03/2024 8:27	Zinc	0.005	mg/L	FALSE	REG	0.005		20/03/2024	
RWD	13/03/2024 8:27	Zinc	0.005	mg/L	TRUE	REG	0.005		20/03/2024	
RWD	13/03/2024 8:27	TSS	5	mg/L	FALSE	REG	5	18/03/2024	18/03/2024	
RWD	13/03/2024 8:27	Ammonia as N	0.09	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
RWD	13/03/2024 8:27	Fluoride	0.6	mg/L	FALSE	REG	0.1	14/03/2024	15/03/2024	
RWD	13/03/2024 8:27	Nitrate (as N)	13.4	mg/L	FALSE	REG	0.01		16/03/2024	
RWD	13/03/2024 8:27	Nitrite (as N)	0.63	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
RWD	13/03/2024 8:27	Nitrite + Nitrate as N	14	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
RWD	13/03/2024 8:27	Sulfate as SO4 - Turbidimetric	261	mg/L	TRUE	REG	1	15/03/2024	15/03/2024	
RWD	13/03/2024 8:27	Sodium	1060	mg/L	FALSE	REG	1	18/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Sodium	1120	mg/L	TRUE	REG	1	16/03/2024	19/03/2024	
RWD	13/03/2024 8:27	TDS	4220	mg/L	FALSE	REG	10	18/03/2024	18/03/2024	
MIA DAM	13/03/2024 9:24	Antimony	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
MIA DAM	13/03/2024 9:24	Antimony	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		19/03/2024	
MIA DAM	13/03/2024 9:24	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Boron	0.08	mg/L	FALSE	REG	0.05		19/03/2024	
MIA DAM	13/03/2024 9:24	Boron	0.1	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Chromium (III+VI)	0.014	mg/L	FALSE	REG	0.001		19/03/2024	
MIA DAM	13/03/2024 9:24	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Cobalt	0.003	mg/L	FALSE	REG	0.001		19/03/2024	
MIA DAM	13/03/2024 9:24	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Copper	0.008	mg/L	FALSE	REG	0.001		19/03/2024	
MIA DAM	13/03/2024 9:24	Copper	0.002	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Iron	9.73	mg/L	FALSE	REG	0.05		19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA DAM	13/03/2024 9:24	Iron	0.12	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Lead	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
MIA DAM	13/03/2024 9:24	Lead	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Manganese	0.056	mg/L	FALSE	REG	0.001		19/03/2024	
MIA DAM	13/03/2024 9:24	Manganese	0.002	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Mercury	0.0001	mg/L	FALSE	REG	0.0001	16/03/2024	16/03/2024	
MIA DAM	13/03/2024 9:24	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
MIA DAM	13/03/2024 9:24	Molybdenum	0.004	mg/L	FALSE	REG	0.001		19/03/2024	
MIA DAM	13/03/2024 9:24	Molybdenum	0.002	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Nickel	0.015	mg/L	FALSE	REG	0.001		19/03/2024	
MIA DAM	13/03/2024 9:24	Nickel	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Selenium	0.01	mg/L	FALSE	REG	0.01		19/03/2024	
MIA DAM	13/03/2024 9:24	Selenium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Silver	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
MIA DAM	13/03/2024 9:24	Silver	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Vanadium	0.02	mg/L	FALSE	REG	0.01		19/03/2024	
MIA DAM	13/03/2024 9:24	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Zinc	0.02	mg/L	FALSE	REG	0.005		19/03/2024	
MIA DAM	13/03/2024 9:24	Zinc	0.005	mg/L	TRUE	REG	0.005	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	TSS	26	mg/L	FALSE	REG	5	18/03/2024	18/03/2024	
MIA DAM	13/03/2024 9:24	Ammonia as N	0.35	mg/L	FALSE	REG	0.01		21/03/2024	
MIA DAM	13/03/2024 9:24	Fluoride	0.2	mg/L	FALSE	REG	0.1	14/03/2024	15/03/2024	
MIA DAM	13/03/2024 9:24	Nitrate (as N)	0.02	mg/L	FALSE	REG	0.01		16/03/2024	
MIA DAM	13/03/2024 9:24	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
MIA DAM	13/03/2024 9:24	Nitrite + Nitrate as N	0.02	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
MIA DAM	13/03/2024 9:24	Sulfate as SO4 - Turbidimetric	21	mg/L	TRUE	REG	1	15/03/2024	15/03/2024	
MIA DAM	13/03/2024 9:24	Sodium	65	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
MIA DAM	13/03/2024 9:24	Sodium	57	mg/L	TRUE	REG	1	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	TDS	312	mg/L	FALSE	REG	10	18/03/2024	18/03/2024	
	13/03/2024 9:43	Antimony	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
	13/03/2024 9:43	Antimony	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		19/03/2024	
	13/03/2024 9:43	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Boron	0.08	mg/L	FALSE	REG	0.05		19/03/2024	
	13/03/2024 9:43	Boron	0.1	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
	13/03/2024 9:43	Chromium (III+VI)	0.013	mg/L	FALSE	REG	0.001		19/03/2024	
	13/03/2024 9:43	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Cobalt	0.003	mg/L	FALSE	REG	0.001		19/03/2024	
	13/03/2024 9:43	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Copper	0.008	mg/L	FALSE	REG	0.001		19/03/2024	
	13/03/2024 9:43	Copper	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Iron	8.72	mg/L	FALSE	REG	0.05		19/03/2024	
	13/03/2024 9:43	Iron	0.13	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
	13/03/2024 9:43	Lead	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
	13/03/2024 9:43	Lead	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Manganese	0.055	mg/L	FALSE	REG	0.001		19/03/2024	
	13/03/2024 9:43	Manganese	0.002	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Mercury	0.0001	mg/L	FALSE	REG	0.0001	16/03/2024	16/03/2024	
	13/03/2024 9:43	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
	13/03/2024 9:43	Molybdenum	0.003	mg/L	FALSE	REG	0.001		19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	13/03/2024 9:43	Molybdenum	0.002	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Nickel	0.013	mg/L	FALSE	REG	0.001		19/03/2024	
	13/03/2024 9:43	Nickel	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Selenium	0.01	mg/L	FALSE	REG	0.01		19/03/2024	
	13/03/2024 9:43	Selenium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
	13/03/2024 9:43	Silver	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	13/03/2024 9:43	Silver	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	13/03/2024 9:43	Vanadium	0.02	mg/L	FALSE	REG	0.01		19/03/2024	
	13/03/2024 9:43	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
	13/03/2024 9:43	Zinc	0.026	mg/L	FALSE	REG	0.005		19/03/2024	
	13/03/2024 9:43	Zinc	0.005	mg/L	TRUE	REG	0.005	18/03/2024	19/03/2024	
	13/03/2024 9:43	TSS	24	mg/L	FALSE	REG	5	18/03/2024	18/03/2024	
	13/03/2024 9:43	Ammonia as N	0.16	mg/L	FALSE	REG	0.01		21/03/2024	
	13/03/2024 9:43	Fluoride	0.2	mg/L	FALSE	REG	0.1	14/03/2024	15/03/2024	
	13/03/2024 9:43	Nitrate (as N)	0.02	mg/L	FALSE	REG	0.01		21/03/2024	
	13/03/2024 9:43	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
	13/03/2024 9:43	Nitrite + Nitrate as N	0.02	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
	13/03/2024 9:43	Sulfate as SO4 - Turbidimetric	19	mg/L	TRUE	REG	1	15/03/2024	15/03/2024	
	13/03/2024 9:43	Sodium	66	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
	13/03/2024 9:43	Sodium	59	mg/L	TRUE	REG	1	18/03/2024	19/03/2024	
	13/03/2024 9:43	TDS	328	mg/L	FALSE	REG	10	18/03/2024	18/03/2024	
MWD	13/03/2024 10:03	Antimony	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
MWD	13/03/2024 10:03	Antimony	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		19/03/2024	
MWD	13/03/2024 10:03	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Boron	0.44	mg/L	FALSE	REG	0.05		19/03/2024	
MWD	13/03/2024 10:03	Boron	0.4	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
MWD	13/03/2024 10:03	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Cobalt	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
MWD	13/03/2024 10:03	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Copper	0.002	mg/L	FALSE	REG	0.001		19/03/2024	
MWD	13/03/2024 10:03	Copper	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Iron	0.25	mg/L	FALSE	REG	0.05		19/03/2024	
MWD	13/03/2024 10:03	Iron	0.05	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Lead	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
MWD	13/03/2024 10:03	Lead	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Manganese	0.005	mg/L	FALSE	REG	0.001		19/03/2024	
MWD	13/03/2024 10:03	Manganese	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Mercury	0.0001	mg/L	FALSE	REG	0.0001	16/03/2024	16/03/2024	
MWD	13/03/2024 10:03	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
MWD	13/03/2024 10:03	Molybdenum	0.019	mg/L	FALSE	REG	0.001		19/03/2024	
MWD	13/03/2024 10:03	Molybdenum	0.017	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Nickel	0.001	mg/L	FALSE	REG	0.001		19/03/2024	
MWD	13/03/2024 10:03	Nickel	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Selenium	0.01	mg/L	FALSE	REG	0.01		19/03/2024	
MWD	13/03/2024 10:03	Selenium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Silver	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
MWD	13/03/2024 10:03	Silver	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Vanadium	0.01	mg/L	FALSE	REG	0.01		19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MWD	13/03/2024 10:03	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Zinc	0.008	mg/L	FALSE	REG	0.005		19/03/2024	
MWD	13/03/2024 10:03	Zinc	0.005	mg/L	TRUE	REG	0.005	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	TSS	11	mg/L	FALSE	REG	5	18/03/2024	18/03/2024	
MWD	13/03/2024 10:03	Ammonia as N	0.05	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
MWD	13/03/2024 10:03	Fluoride	0.6	mg/L	FALSE	REG	0.1	15/03/2024	15/03/2024	
MWD	13/03/2024 10:03	Nitrate (as N)	13.8	mg/L	FALSE	REG	0.01		16/03/2024	
MWD	13/03/2024 10:03	Nitrite (as N)	0.53	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
MWD	13/03/2024 10:03	Nitrite + Nitrate as N	14.3	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
MWD	13/03/2024 10:03	Sulfate as SO4 - Turbidimetric	267	mg/L	TRUE	REG	1	15/03/2024	15/03/2024	
MWD	13/03/2024 10:03	Sodium	1170	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
MWD	13/03/2024 10:03	Sodium	941	mg/L	TRUE	REG	1	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	TDS	4000	mg/L	FALSE	REG	10	18/03/2024	18/03/2024	
	13/03/2024 21:37	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
	13/03/2024 21:37	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/03/2024	15/03/2024	
	13/03/2024 21:39	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/03/2024	13/03/2024	
	14/03/2024 8:52	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	14/03/2024	14/03/2024	
	14/03/2024 9:47	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/03/2024	14/03/2024	
	14/03/2024 20:34	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/03/2024	15/03/2024	
	14/03/2024 20:34	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/03/2024	15/03/2024	
	15/03/2024 6:55	Fluoride	0.1	mg/L	FALSE	REG	0.1	15/03/2024	15/03/2024	
	15/03/2024 7:29	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
	15/03/2024 7:29	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
	15/03/2024 7:29	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
	15/03/2024 7:29	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	
	15/03/2024 7:44	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Cobalt	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Copper	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Copper	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Lead	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Nickel	0.001	mg/L	TRUE	REG	0.001	15/03/2024	18/03/2024	
	15/03/2024 7:44	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
	15/03/2024 7:44	Zinc	0.005	mg/L	TRUE	REG	0.005	15/03/2024	18/03/2024	
	15/03/2024 7:44	Sodium	1	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
	15/03/2024 7:44	Sodium	1	mg/L	TRUE	REG	1	15/03/2024	18/03/2024	
	15/03/2024 7:47	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	16/03/2024	
	15/03/2024 7:47	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	15/03/2024 7:47	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	15/03/2024 7:47	Copper	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	15/03/2024 7:47	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	15/03/2024 7:47	Nickel	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	15/03/2024 7:47	Zinc	0.005	mg/L	FALSE	REG	0.005	15/03/2024	16/03/2024	
	15/03/2024 7:47	Sodium	1	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
	15/03/2024 9:41	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	15/03/2024	15/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	15/03/2024 9:41	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	15/03/2024	15/03/2024	
	15/03/2024 13:11	TSS	5	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
	15/03/2024 13:11	TSS	5	mg/L	FALSE	REG	5	15/03/2024	15/03/2024	
	15/03/2024 13:11	TDS	10	mg/L	FALSE	REG	10	15/03/2024	15/03/2024	
	15/03/2024 14:57	Antimony	0.001	mg/L	FALSE	REG	0.001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Boron	0.05	mg/L	FALSE	REG	0.05	15/03/2024	19/03/2024	
	15/03/2024 14:57	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Cobalt	0.001	mg/L	FALSE	REG	0.001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Copper	0.001	mg/L	FALSE	REG	0.001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Iron	0.05	mg/L	FALSE	REG	0.05	15/03/2024	19/03/2024	
	15/03/2024 14:57	Lead	0.001	mg/L	FALSE	REG	0.001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Manganese	0.001	mg/L	FALSE	REG	0.001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Molybdenum	0.001	mg/L	FALSE	REG	0.001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Nickel	0.001	mg/L	FALSE	REG	0.001	15/03/2024	19/03/2024	
	15/03/2024 14:57	Silver	0.001	mg/L	FALSE	REG	0.001	15/03/2024	16/03/2024	
	15/03/2024 14:57	Vanadium	0.01	mg/L	FALSE	REG	0.01	15/03/2024	19/03/2024	
	15/03/2024 14:57	Zinc	0.005	mg/L	FALSE	REG	0.005	15/03/2024	19/03/2024	
	15/03/2024 14:57	Sodium	1	mg/L	FALSE	REG	1	15/03/2024	16/03/2024	
	15/03/2024 15:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	15/03/2024	15/03/2024	
	16/03/2024 11:07	Antimony	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Boron	0.05	mg/L	TRUE	REG	0.05	16/03/2024	19/03/2024	
	16/03/2024 11:07	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Cobalt	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Copper	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Iron	0.05	mg/L	TRUE	REG	0.05	16/03/2024	19/03/2024	
	16/03/2024 11:07	Lead	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Manganese	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Molybdenum	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Nickel	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Selenium	0.01	mg/L	TRUE	REG	0.01	16/03/2024	19/03/2024	
	16/03/2024 11:07	Silver	0.001	mg/L	TRUE	REG	0.001	16/03/2024	19/03/2024	
	16/03/2024 11:07	Vanadium	0.01	mg/L	TRUE	REG	0.01	16/03/2024	19/03/2024	
	16/03/2024 11:07	Zinc	0.005	mg/L	TRUE	REG	0.005	16/03/2024	19/03/2024	
	16/03/2024 11:07	Sodium	1	mg/L	TRUE	REG	1	16/03/2024	19/03/2024	
	16/03/2024 12:32	Mercury	0.0001	mg/L	FALSE	REG	0.0001	16/03/2024	16/03/2024	
	16/03/2024 12:34	Mercury	0.0001	mg/L	FALSE	REG	0.0001	16/03/2024	16/03/2024	
	18/03/2024 7:34	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
	18/03/2024 7:53	Antimony	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Boron	0.05	mg/L	FALSE	REG	0.05	18/03/2024	19/03/2024	
	18/03/2024 7:53	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Cobalt	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Copper	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Iron	0.05	mg/L	FALSE	REG	0.05	18/03/2024	19/03/2024	
	18/03/2024 7:53	Lead	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Manganese	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Molybdenum	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Nickel	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	18/03/2024 7:53	Selenium	0.01	mg/L	FALSE	REG	0.01	18/03/2024	19/03/2024	
	18/03/2024 7:53	Silver	0.001	mg/L	FALSE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 7:53	Vanadium	0.01	mg/L	FALSE	REG	0.01	18/03/2024	19/03/2024	
	18/03/2024 7:53	Zinc	0.005	mg/L	FALSE	REG	0.005	18/03/2024	19/03/2024	
	18/03/2024 7:53	Sodium	1	mg/L	FALSE	REG	1	18/03/2024	19/03/2024	
	18/03/2024 10:31	Antimony	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Boron	0.05	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
	18/03/2024 10:31	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Cobalt	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Copper	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Iron	0.05	mg/L	TRUE	REG	0.05	18/03/2024	19/03/2024	
	18/03/2024 10:31	Lead	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Manganese	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Molybdenum	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Nickel	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Selenium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
	18/03/2024 10:31	Silver	0.001	mg/L	TRUE	REG	0.001	18/03/2024	19/03/2024	
	18/03/2024 10:31	Vanadium	0.01	mg/L	TRUE	REG	0.01	18/03/2024	19/03/2024	
	18/03/2024 10:31	Zinc	0.005	mg/L	TRUE	REG	0.005	18/03/2024	19/03/2024	
	18/03/2024 10:31	Sodium	1	mg/L	TRUE	REG	1	18/03/2024	19/03/2024	
	18/03/2024 10:36	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	18/03/2024	
	18/03/2024 10:36	Mercury	0.0001	mg/L	TRUE	REG	0.0001	18/03/2024	19/03/2024	
	18/03/2024 15:33	TSS	5	mg/L	FALSE	REG	5	18/03/2024	18/03/2024	
	18/03/2024 15:33	TDS	10	mg/L	FALSE	REG	10	18/03/2024	18/03/2024	
CHPP STP	19/03/2024 6:20	TSS	56	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
CHPP STP	19/03/2024 6:20	Organic Nitrogen, as N	5	mg/L	FALSE	REG	0.1		26/03/2024	
CHPP STP	19/03/2024 6:20	Total Phosphorus as P (Organic Ph	15.4	mg/L	FALSE	REG	0.01	22/03/2024	22/03/2024	
CHPP STP	19/03/2024 6:20	Alkalinity (Bicarbonate as CaCO3)	702	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
CHPP STP	19/03/2024 6:20	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
CHPP STP	19/03/2024 6:20	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
CHPP STP	19/03/2024 6:20	Alkalinity (total) as CaCO3	702	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
CHPP STP	19/03/2024 6:20	Ammonia as N	151	mg/L	FALSE	REG	0.01	25/03/2024	25/03/2024	
CHPP STP	19/03/2024 6:20	BOD	36	mg/L	FALSE	REG	2		20/03/2024	
CHPP STP	19/03/2024 6:20	COD	195	mg/L	FALSE	REG	10		21/03/2024	
CHPP STP	19/03/2024 6:20	Kjeldahl Nitrogen Total	156	mg/L	FALSE	REG	0.1	22/03/2024	22/03/2024	
CHPP STP	19/03/2024 6:20	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	19/03/2024 6:20	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
CHPP STP	19/03/2024 6:20	Nitrite + Nitrate as N	0.05	mg/L	FALSE	REG	0.01		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	19/03/2024 6:20	Reactive Phosphorus as P (Orthop	17.3	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
CHPP STP	19/03/2024 6:20	Sulfate as SO4 - Turbidimetric	14	mg/L	TRUE	REG	1	21/03/2024	21/03/2024	
CHPP STP	19/03/2024 6:20	Acidity (as CaCO3)	16	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 6:35	TSS	59	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 6:35	Organic Nitrogen, as N	1	mg/L	FALSE	REG	0.1		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	19/03/2024 6:35	Total Phosphorus as P (Organic Ph	15.7	mg/L	FALSE	REG	0.01	22/03/2024	22/03/2024	
Isaac Plains STP	19/03/2024 6:35	Alkalinity (Bicarbonate as CaCO3)	704	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 6:35	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 6:35	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 6:35	Alkalinity (total) as CaCO3	704	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 6:35	Ammonia as N	152	mg/L	FALSE	REG	0.01	25/03/2024	25/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Isaac Plains STP	19/03/2024 6:35	BOD	38	mg/L	FALSE	REG	2		20/03/2024	
Isaac Plains STP	19/03/2024 6:35	COD	205	mg/L	FALSE	REG	10		21/03/2024	
Isaac Plains STP	19/03/2024 6:35	Kjeldahl Nitrogen Total	147	mg/L	FALSE	REG	0.1	22/03/2024	22/03/2024	
Isaac Plains STP	19/03/2024 6:35	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	19/03/2024 6:35	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
Isaac Plains STP	19/03/2024 6:35	Nitrite + Nitrate as N	0.05	mg/L	FALSE	REG	0.01		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	19/03/2024 6:35	Reactive Phosphorus as P (Orthop	17.2	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
Isaac Plains STP	19/03/2024 6:35	Sulfate as SO4 - Turbidimetric	16	mg/L	TRUE	REG	1	21/03/2024	21/03/2024	
Isaac Plains STP	19/03/2024 6:35	Acidity (as CaCO3)	15	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	TSS	8	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	Organic Nitrogen, as N	10.1	mg/L	FALSE	REG	0.1		26/03/2024	
MIA STP	19/03/2024 7:30	Total Phosphorus as P (Organic Ph	12.4	mg/L	FALSE	REG	0.01	22/03/2024	22/03/2024	
MIA STP	19/03/2024 7:30	Alkalinity (Bicarbonate as CaCO3)	250	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	Alkalinity (total) as CaCO3	250	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	Ammonia as N	55.7	mg/L	FALSE	REG	0.01	25/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	BOD	24	mg/L	FALSE	REG	2		20/03/2024	
MIA STP	19/03/2024 7:30	COD	84	mg/L	FALSE	REG	10		21/03/2024	
MIA STP	19/03/2024 7:30	Kjeldahl Nitrogen Total	65.8	mg/L	FALSE	REG	0.1	22/03/2024	22/03/2024	
MIA STP	19/03/2024 7:30	Nitrate (as N)	1.23	mg/L	FALSE	REG	0.01		26/03/2024	
MIA STP	19/03/2024 7:30	Nitrite (as N)	4.69	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
MIA STP	19/03/2024 7:30	Nitrite + Nitrate as N	5.92	mg/L	FALSE	REG	0.01		26/03/2024	
MIA STP	19/03/2024 7:30	Reactive Phosphorus as P (Orthop	11.8	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
MIA STP	19/03/2024 7:30	Sulfate as SO4 - Turbidimetric	95	mg/L	TRUE	REG	1	21/03/2024	21/03/2024	
MIA STP	19/03/2024 7:30	Acidity (as CaCO3)	12	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
RWD	19/03/2024 7:55	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Cobalt	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Cobalt	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Copper	0.003	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Copper	0.002	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Lead	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Lead	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Nickel	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Nickel	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Zinc	0.009	mg/L	FALSE	REG	0.005	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Zinc	0.005	mg/L	TRUE	REG	0.005	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Calcium Hardness as CaCO3	27	mg/L	TRUE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	TSS	5	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
RWD	19/03/2024 7:55	Hardness as CaCO3	52	mg/L	TRUE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Chloride	37	mg/L	FALSE	REG	1	20/03/2024	20/03/2024	
RWD	19/03/2024 7:55	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/03/2024	22/03/2024	
RWD	19/03/2024 7:55	Sulfate as SO4 - Turbidimetric	14	mg/L	TRUE	REG	1	20/03/2024	20/03/2024	
RWD	19/03/2024 7:55	Sodium	34	mg/L	FALSE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Sodium	33	mg/L	TRUE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	TDS	174	mg/L	FALSE	REG	10	25/03/2024	25/03/2024	
RWD	19/03/2024 8:05	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	22/03/2024	23/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	19/03/2024 8:05	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Cobalt	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Cobalt	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Copper	0.003	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Copper	0.002	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Lead	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Lead	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Nickel	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Nickel	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Zinc	0.008	mg/L	FALSE	REG	0.005	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Zinc	0.005	mg/L	TRUE	REG	0.005	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	TSS	5	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
RWD	19/03/2024 8:05	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/03/2024	22/03/2024	
RWD	19/03/2024 8:05	Sulfate as SO4 - Turbidimetric	14	mg/L	TRUE	REG	1	20/03/2024	20/03/2024	
RWD	19/03/2024 8:05	Sodium	35	mg/L	FALSE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Sodium	32	mg/L	TRUE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	TDS	174	mg/L	FALSE	REG	10	25/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 8:50	TSS	43	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 8:50	Organic Nitrogen, as N	12	mg/L	FALSE	REG	0.1		26/03/2024	
Isaac Plains STP	19/03/2024 8:50	Total Phosphorus as P (Organic Ph	18.1	mg/L	FALSE	REG	0.01	22/03/2024	22/03/2024	
Isaac Plains STP	19/03/2024 8:50	Alkalinity (Bicarbonate as CaCO3)	747	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 8:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 8:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 8:50	Alkalinity (total) as CaCO3	747	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 8:50	Ammonia as N	123	mg/L	FALSE	REG	0.01	25/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 8:50	BOD	115	mg/L	FALSE	REG	2		20/03/2024	
Isaac Plains STP	19/03/2024 8:50	COD	359	mg/L	FALSE	REG	10		21/03/2024	
Isaac Plains STP	19/03/2024 8:50	Kjeldahl Nitrogen Total	135	mg/L	FALSE	REG	0.1	22/03/2024	22/03/2024	
Isaac Plains STP	19/03/2024 8:50	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	19/03/2024 8:50	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
Isaac Plains STP	19/03/2024 8:50	Nitrite + Nitrate as N	0.05	mg/L	FALSE	REG	0.01		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	19/03/2024 8:50	Reactive Phosphorus as P (Orthop	17.1	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
Isaac Plains STP	19/03/2024 8:50	Sulfate as SO4 - Turbidimetric	14	mg/L	TRUE	REG	1	21/03/2024	21/03/2024	
Isaac Plains STP	19/03/2024 8:50	Acidity (as CaCO3)	14	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	TSS	36	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	Organic Nitrogen, as N	11	mg/L	FALSE	REG	0.1		26/03/2024	
MIA STP	19/03/2024 9:00	Total Phosphorus as P (Organic Ph	17.5	mg/L	FALSE	REG	0.01	22/03/2024	22/03/2024	
MIA STP	19/03/2024 9:00	Alkalinity (Bicarbonate as CaCO3)	755	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	Alkalinity (total) as CaCO3	755	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	Ammonia as N	124	mg/L	FALSE	REG	0.01	25/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	BOD	129	mg/L	FALSE	REG	2		20/03/2024	
MIA STP	19/03/2024 9:00	COD	391	mg/L	FALSE	REG	10		21/03/2024	
MIA STP	19/03/2024 9:00	Kjeldahl Nitrogen Total	135	mg/L	FALSE	REG	0.1	22/03/2024	22/03/2024	
MIA STP	19/03/2024 9:00	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MIA STP	19/03/2024 9:00	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
MIA STP	19/03/2024 9:00	Nitrite + Nitrate as N	0.05	mg/L	FALSE	REG	0.01		26/03/2024	Reported Analyte LOR is higher than Requested Analyte LOR

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA STP	19/03/2024 9:00	Reactive Phosphorus as P (Orthop	17.4	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
MIA STP	19/03/2024 9:00	Sulfate as SO4 - Turbidimetric	16	mg/L	TRUE	REG	1	21/03/2024	21/03/2024	
MIA STP	19/03/2024 9:00	Acidity (as CaCO3)	9	mg/L	FALSE	REG	1	22/03/2024	25/03/2024	
	20/03/2024 16:04	BOD	2	mg/L	FALSE	REG	2		20/03/2024	
	20/03/2024 18:49	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/03/2024	22/03/2024	
	20/03/2024 18:49	Fluoride	0.1	mg/L	FALSE	REG	0.1	20/03/2024	22/03/2024	
	20/03/2024 20:05	Chloride	1	mg/L	FALSE	REG	1	20/03/2024	20/03/2024	
	20/03/2024 20:05	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	20/03/2024	20/03/2024	
	21/03/2024 6:27	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
	21/03/2024 6:27	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
	21/03/2024 12:24	COD	10	mg/L	FALSE	REG	10		21/03/2024	
	21/03/2024 21:00	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
	21/03/2024 21:00	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	21/03/2024	21/03/2024	
	21/03/2024 21:00	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	21/03/2024	21/03/2024	
	22/03/2024 7:36	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	22/03/2024	23/03/2024	
	22/03/2024 7:36	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 7:36	Cobalt	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 7:36	Copper	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 7:36	Lead	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 7:36	Nickel	0.001	mg/L	TRUE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 7:36	Zinc	0.005	mg/L	TRUE	REG	0.005	22/03/2024	23/03/2024	
	22/03/2024 7:36	Sodium	1	mg/L	TRUE	REG	1	22/03/2024	23/03/2024	
	22/03/2024 8:41	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	22/03/2024	23/03/2024	
	22/03/2024 8:41	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 8:41	Cobalt	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 8:41	Copper	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 8:41	Lead	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 8:41	Nickel	0.001	mg/L	FALSE	REG	0.001	22/03/2024	23/03/2024	
	22/03/2024 8:41	Zinc	0.005	mg/L	FALSE	REG	0.005	22/03/2024	23/03/2024	
	22/03/2024 8:41	Sodium	1	mg/L	FALSE	REG	1	22/03/2024	23/03/2024	
	22/03/2024 21:32	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	22/03/2024	22/03/2024	
	22/03/2024 21:32	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	22/03/2024	22/03/2024	
	25/03/2024 13:03	TSS	5	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
	25/03/2024 13:03	TSS	5	mg/L	FALSE	REG	5	25/03/2024	25/03/2024	
	25/03/2024 13:03	TDS	10	mg/L	FALSE	REG	10	25/03/2024	25/03/2024	
	25/03/2024 17:54	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	25/03/2024	25/03/2024	
	25/03/2024 17:54	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	25/03/2024	25/03/2024	
N1S	27/03/2024 13:00	Antimony	0.005	mg/L	TRUE	REG	0.001		10/04/2024	
N1S	27/03/2024 13:00	Barium	0.108	mg/L	TRUE	REG	0.001		10/04/2024	
N1S	27/03/2024 13:00	Calcium	53	mg/L	TRUE	REG	1	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Iron	0.05	mg/L	TRUE	REG	0.05		10/04/2024	
N1S	27/03/2024 13:00	Magnesium	62	mg/L	TRUE	REG	1	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Molybdenum	0.04	mg/L	TRUE	REG	0.001		10/04/2024	
N1S	27/03/2024 13:00	Potassium	12	mg/L	TRUE	REG	1	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Selenium	0.01	mg/L	TRUE	REG	0.01		10/04/2024	
N1S	27/03/2024 13:00	Silver	0.001	mg/L	TRUE	REG	0.001	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Strontium	4.96	mg/L	TRUE	REG	0.001	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Total Phosphorus as P (Organic Ph	2.06	mg/L	FALSE	REG	0.01	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Alkalinity (Bicarbonate as CaCO3)	201	mg/L	FALSE	REG	1	9/04/2024	10/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	27/03/2024 13:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Alkalinity (total) as CaCO3	201	mg/L	FALSE	REG	1	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Chloride	1140	mg/L	FALSE	REG	1	10/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Fluoride	0.5	mg/L	FALSE	REG	0.1	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Sulfate as SO4 - Turbidimetric	451	mg/L	TRUE	REG	1	10/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Sodium	846	mg/L	TRUE	REG	1	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Acidity (as CaCO3)	4	mg/L	FALSE	REG	1	9/04/2024	11/04/2024	
	9/04/2024 8:26	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	9/04/2024	9/04/2024	
	9/04/2024 11:06	Barium	0.001	mg/L	TRUE	REG	0.001	9/04/2024	10/04/2024	
	9/04/2024 11:06	Calcium	1	mg/L	TRUE	REG	1	9/04/2024	9/04/2024	
	9/04/2024 11:06	Iron	0.05	mg/L	TRUE	REG	0.05	9/04/2024	10/04/2024	
	9/04/2024 11:06	Magnesium	1	mg/L	TRUE	REG	1	9/04/2024	9/04/2024	
	9/04/2024 11:06	Mercury	0.0001	mg/L	TRUE	REG	0.0001	9/04/2024	9/04/2024	
	9/04/2024 11:06	Molybdenum	0.001	mg/L	TRUE	REG	0.001	9/04/2024	10/04/2024	
	9/04/2024 11:06	Potassium	1	mg/L	TRUE	REG	1	9/04/2024	9/04/2024	
	9/04/2024 11:06	Selenium	0.01	mg/L	TRUE	REG	0.01	9/04/2024	10/04/2024	
	9/04/2024 11:06	Silver	0.001	mg/L	TRUE	REG	0.001	9/04/2024	9/04/2024	
	9/04/2024 11:06	Strontium	0.001	mg/L	TRUE	REG	0.001	9/04/2024	9/04/2024	
	9/04/2024 11:06	Sodium	1	mg/L	TRUE	REG	1	9/04/2024	9/04/2024	
	9/04/2024 21:38	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/04/2024	10/04/2024	
	10/04/2024 10:36	Chloride	1	mg/L	FALSE	REG	1	10/04/2024	10/04/2024	
	10/04/2024 10:36	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	10/04/2024	10/04/2024	
BC2	17/04/2024 7:30	Antimony	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Antimony	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
BC2	17/04/2024 7:30	Barium	0.102	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Barium	0.089	mg/L	TRUE	REG	0.001		27/04/2024	
BC2	17/04/2024 7:30	Calcium	36	mg/L	TRUE	REG	1		27/04/2024	
BC2	17/04/2024 7:30	Iron	0.05	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Iron	0.05	mg/L	TRUE	REG	0.05		27/04/2024	
BC2	17/04/2024 7:30	Magnesium	73	mg/L	TRUE	REG	1		27/04/2024	
BC2	17/04/2024 7:30	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
BC2	17/04/2024 7:30	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
BC2	17/04/2024 7:30	Molybdenum	0.016	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Molybdenum	0.016	mg/L	TRUE	REG	0.001		27/04/2024	
BC2	17/04/2024 7:30	Potassium	6	mg/L	TRUE	REG	1		27/04/2024	
BC2	17/04/2024 7:30	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Selenium	0.01	mg/L	TRUE	REG	0.01		27/04/2024	
BC2	17/04/2024 7:30	Silver	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Silver	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
BC2	17/04/2024 7:30	Strontium	1.73	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Strontium	1.58	mg/L	TRUE	REG	0.001		27/04/2024	
BC2	17/04/2024 7:30	TSS	5	mg/L	FALSE	REG	5	23/04/2024	23/04/2024	
BC2	17/04/2024 7:30	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	26/04/2024	26/04/2024	
BC2	17/04/2024 7:30	Alkalinity (Bicarbonate as CaCO3)	517	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
BC2	17/04/2024 7:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
BC2	17/04/2024 7:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
BC2	17/04/2024 7:30	Alkalinity (total) as CaCO3	517	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
BC2	17/04/2024 7:30	Chloride	582	mg/L	FALSE	REG	1	23/04/2024	23/04/2024	
BC2	17/04/2024 7:30	Fluoride	0.2	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
BC2	17/04/2024 7:30	Sulfate as SO4 - Turbidimetric	50	mg/L	TRUE	REG	1		23/04/2024	
BC2	17/04/2024 7:30	Sodium	417	mg/L	TRUE	REG	1		27/04/2024	
BC2	17/04/2024 7:30	TDS	1450	mg/L	FALSE	REG	10		24/04/2024	
BC2	17/04/2024 7:30	Rubidium	0.006	mg/L	TRUE	REG	0.001		27/04/2024	
MB2	17/04/2024 9:10	Antimony	0.009	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Antimony	0.004	mg/L	TRUE	REG	0.001		27/04/2024	
MB2	17/04/2024 9:10	Barium	0.476	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Barium	0.235	mg/L	TRUE	REG	0.001		27/04/2024	
MB2	17/04/2024 9:10	Calcium	46	mg/L	TRUE	REG	1		27/04/2024	
MB2	17/04/2024 9:10	Iron	3.59	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Iron	0.05	mg/L	TRUE	REG	0.05		27/04/2024	
MB2	17/04/2024 9:10	Magnesium	36	mg/L	TRUE	REG	1		27/04/2024	
MB2	17/04/2024 9:10	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
MB2	17/04/2024 9:10	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
MB2	17/04/2024 9:10	Molybdenum	0.036	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Molybdenum	0.032	mg/L	TRUE	REG	0.001		27/04/2024	
MB2	17/04/2024 9:10	Potassium	13	mg/L	TRUE	REG	1		27/04/2024	
MB2	17/04/2024 9:10	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Selenium	0.01	mg/L	TRUE	REG	0.01		27/04/2024	
MB2	17/04/2024 9:10	Silver	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Silver	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
MB2	17/04/2024 9:10	Strontium	1.79	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Strontium	1.53	mg/L	TRUE	REG	0.001		27/04/2024	
MB2	17/04/2024 9:10	TSS	124	mg/L	FALSE	REG	5		24/04/2024	
MB2	17/04/2024 9:10	Total Phosphorus as P (Organic Ph	0.24	mg/L	FALSE	REG	0.01		27/04/2024	
MB2	17/04/2024 9:10	Alkalinity (Bicarbonate as CaCO3)	227	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB2	17/04/2024 9:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB2	17/04/2024 9:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB2	17/04/2024 9:10	Alkalinity (total) as CaCO3	227	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB2	17/04/2024 9:10	Chloride	512	mg/L	FALSE	REG	1		23/04/2024	
MB2	17/04/2024 9:10	Fluoride	0.5	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
MB2	17/04/2024 9:10	Sulfate as SO4 - Turbidimetric	33	mg/L	TRUE	REG	1		23/04/2024	
MB2	17/04/2024 9:10	Sodium	291	mg/L	TRUE	REG	1		27/04/2024	
MB2	17/04/2024 9:10	TDS	1110	mg/L	FALSE	REG	10		24/04/2024	
MB2	17/04/2024 9:10	Rubidium	0.011	mg/L	TRUE	REG	0.001		27/04/2024	
MB12	17/04/2024 9:40	Antimony	0.005	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Antimony	0.002	mg/L	TRUE	REG	0.001		27/04/2024	
MB12	17/04/2024 9:40	Barium	0.331	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Barium	0.172	mg/L	TRUE	REG	0.001		27/04/2024	
MB12	17/04/2024 9:40	Calcium	125	mg/L	TRUE	REG	1		27/04/2024	
MB12	17/04/2024 9:40	Iron	0.29	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Iron	0.28	mg/L	TRUE	REG	0.05		27/04/2024	
MB12	17/04/2024 9:40	Magnesium	246	mg/L	TRUE	REG	1		27/04/2024	
MB12	17/04/2024 9:40	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
MB12	17/04/2024 9:40	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
MB12	17/04/2024 9:40	Molybdenum	0.014	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Molybdenum	0.012	mg/L	TRUE	REG	0.001		27/04/2024	
MB12	17/04/2024 9:40	Potassium	15	mg/L	TRUE	REG	1		27/04/2024	
MB12	17/04/2024 9:40	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Selenium	0.01	mg/L	TRUE	REG	0.01		27/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB12	17/04/2024 9:40	Silver	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Silver	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
MB12	17/04/2024 9:40	Strontium	5.26	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Strontium	4.83	mg/L	TRUE	REG	0.001		27/04/2024	
MB12	17/04/2024 9:40	TSS	23	mg/L	FALSE	REG	5	23/04/2024	23/04/2024	
MB12	17/04/2024 9:40	Total Phosphorus as P (Organic Ph	0.02	mg/L	FALSE	REG	0.01	26/04/2024	26/04/2024	
MB12	17/04/2024 9:40	Alkalinity (Bicarbonate as CaCO3)	525	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB12	17/04/2024 9:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB12	17/04/2024 9:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB12	17/04/2024 9:40	Alkalinity (total) as CaCO3	525	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB12	17/04/2024 9:40	Chloride	2780	mg/L	FALSE	REG	1		23/04/2024	
MB12	17/04/2024 9:40	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
MB12	17/04/2024 9:40	Sulfate as SO4 - Turbidimetric	279	mg/L	TRUE	REG	1		23/04/2024	
MB12	17/04/2024 9:40	Sodium	1230	mg/L	TRUE	REG	1		27/04/2024	
MB12	17/04/2024 9:40	TDS	5940	mg/L	FALSE	REG	10		24/04/2024	
MB12	17/04/2024 9:40	Rubidium	0.019	mg/L	TRUE	REG	0.001		27/04/2024	
MB14	17/04/2024 11:25	Antimony	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Antimony	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
MB14	17/04/2024 11:25	Barium	0.13	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Barium	0.082	mg/L	TRUE	REG	0.001		27/04/2024	
MB14	17/04/2024 11:25	Calcium	69	mg/L	TRUE	REG	1		27/04/2024	
MB14	17/04/2024 11:25	Iron	1.12	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Iron	0.05	mg/L	TRUE	REG	0.05		27/04/2024	
MB14	17/04/2024 11:25	Magnesium	185	mg/L	TRUE	REG	1		27/04/2024	
MB14	17/04/2024 11:25	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
MB14	17/04/2024 11:25	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
MB14	17/04/2024 11:25	Molybdenum	0.005	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Molybdenum	0.004	mg/L	TRUE	REG	0.001		27/04/2024	
MB14	17/04/2024 11:25	Potassium	8	mg/L	TRUE	REG	1		27/04/2024	
MB14	17/04/2024 11:25	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Selenium	0.01	mg/L	TRUE	REG	0.01		27/04/2024	
MB14	17/04/2024 11:25	Silver	0.002	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Silver	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
MB14	17/04/2024 11:25	Strontium	1.29	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Strontium	1.1	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
MB14	17/04/2024 11:25	TSS	26	mg/L	FALSE	REG	5	23/04/2024	23/04/2024	
MB14	17/04/2024 11:25	Total Phosphorus as P (Organic Ph	0.06	mg/L	FALSE	REG	0.01	26/04/2024	26/04/2024	
MB14	17/04/2024 11:25	Alkalinity (Bicarbonate as CaCO3)	779	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB14	17/04/2024 11:25	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB14	17/04/2024 11:25	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB14	17/04/2024 11:25	Alkalinity (total) as CaCO3	779	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB14	17/04/2024 11:25	Chloride	798	mg/L	FALSE	REG	1	23/04/2024	23/04/2024	
MB14	17/04/2024 11:25	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
MB14	17/04/2024 11:25	Sulfate as SO4 - Turbidimetric	69	mg/L	TRUE	REG	1	23/04/2024	23/04/2024	
MB14	17/04/2024 11:25	Sodium	488	mg/L	TRUE	REG	1		27/04/2024	
MB14	17/04/2024 11:25	TDS	1980	mg/L	FALSE	REG	10	23/04/2024	23/04/2024	
MB14	17/04/2024 11:25	Rubidium	0.013	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
Swamp Bore 2	17/04/2024 12:30	Antimony	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
Swamp Bore 2	17/04/2024 12:30	Antimony	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Barium	0.188	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Swamp Bore 2	17/04/2024 12:30	Barium	0.158	mg/L	TRUE	REG	0.001		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Calcium	335	mg/L	TRUE	REG	1		29/04/2024	
Swamp Bore 2	17/04/2024 12:30	Iron	0.1	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
Swamp Bore 2	17/04/2024 12:30	Iron	0.05	mg/L	TRUE	REG	0.05		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Magnesium	97	mg/L	TRUE	REG	1		29/04/2024	
Swamp Bore 2	17/04/2024 12:30	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Molybdenum	0.014	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
Swamp Bore 2	17/04/2024 12:30	Molybdenum	0.012	mg/L	TRUE	REG	0.001		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Potassium	50	mg/L	TRUE	REG	1		29/04/2024	
Swamp Bore 2	17/04/2024 12:30	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
Swamp Bore 2	17/04/2024 12:30	Selenium	0.01	mg/L	TRUE	REG	0.01		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Silver	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
Swamp Bore 2	17/04/2024 12:30	Silver	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Strontium	5.63	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
Swamp Bore 2	17/04/2024 12:30	Strontium	5.08	mg/L	TRUE	REG	0.001		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	TSS	5	mg/L	FALSE	REG	5	23/04/2024	23/04/2024	
Swamp Bore 2	17/04/2024 12:30	Total Phosphorus as P (Organic Ph	19.6	mg/L	FALSE	REG	0.01		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Alkalinity (Bicarbonate as CaCO3)	272	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Alkalinity (total) as CaCO3	272	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Chloride	2320	mg/L	FALSE	REG	1		23/04/2024	
Swamp Bore 2	17/04/2024 12:30	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Sulfate as SO4 - Turbidimetric	130	mg/L	TRUE	REG	1	23/04/2024	23/04/2024	
Swamp Bore 2	17/04/2024 12:30	Sodium	752	mg/L	TRUE	REG	1		29/04/2024	
Swamp Bore 2	17/04/2024 12:30	TDS	4220	mg/L	FALSE	REG	10		24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Rubidium	0.059	mg/L	TRUE	REG	0.001		27/04/2024	
N1S	17/04/2024 13:00	Antimony	0.002	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Barium	0.059	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Calcium	64	mg/L	TRUE	REG	1	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Iron	0.5	mg/L	TRUE	REG	0.05	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Magnesium	60	mg/L	TRUE	REG	1	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	20/04/2024	20/04/2024	
N1S	17/04/2024 13:00	Molybdenum	0.048	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Potassium	12	mg/L	TRUE	REG	1	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Selenium	0.01	mg/L	TRUE	REG	0.01	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Silver	0.001	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Strontium	5.52	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Total Phosphorus as P (Organic Ph	0.12	mg/L	FALSE	REG	0.01	20/04/2024	20/04/2024	
N1S	17/04/2024 13:00	Alkalinity (Bicarbonate as CaCO3)	212	mg/L	FALSE	REG	1	19/04/2024	22/04/2024	
N1S	17/04/2024 13:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	19/04/2024	22/04/2024	
N1S	17/04/2024 13:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	19/04/2024	22/04/2024	
N1S	17/04/2024 13:00	Alkalinity (total) as CaCO3	212	mg/L	FALSE	REG	1	19/04/2024	22/04/2024	
N1S	17/04/2024 13:00	Chloride	865	mg/L	FALSE	REG	1	22/04/2024	22/04/2024	
N1S	17/04/2024 13:00	Fluoride	0.7	mg/L	FALSE	REG	0.1	19/04/2024	22/04/2024	
N1S	17/04/2024 13:00	Sulfate as SO4 - Turbidimetric	630	mg/L	TRUE	REG	1	22/04/2024	22/04/2024	
N1S	17/04/2024 13:00	Sodium	738	mg/L	TRUE	REG	1	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	19/04/2024	22/04/2024	
MB9A	17/04/2024 14:25	Antimony	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	17/04/2024 14:25	Antimony	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
MB9A	17/04/2024 14:25	Barium	6.19	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB9A	17/04/2024 14:25	Barium	5.92	mg/L	TRUE	REG	0.001		27/04/2024	
MB9A	17/04/2024 14:25	Calcium	235	mg/L	TRUE	REG	1		27/04/2024	
MB9A	17/04/2024 14:25	Iron	1.11	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
MB9A	17/04/2024 14:25	Iron	0.82	mg/L	TRUE	REG	0.05		27/04/2024	
MB9A	17/04/2024 14:25	Magnesium	148	mg/L	TRUE	REG	1		27/04/2024	
MB9A	17/04/2024 14:25	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
MB9A	17/04/2024 14:25	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
MB9A	17/04/2024 14:25	Molybdenum	0.006	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB9A	17/04/2024 14:25	Molybdenum	0.002	mg/L	TRUE	REG	0.001		27/04/2024	
MB9A	17/04/2024 14:25	Potassium	19	mg/L	TRUE	REG	1		27/04/2024	
MB9A	17/04/2024 14:25	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
MB9A	17/04/2024 14:25	Selenium	0.01	mg/L	TRUE	REG	0.01		27/04/2024	
MB9A	17/04/2024 14:25	Silver	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB9A	17/04/2024 14:25	Silver	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
MB9A	17/04/2024 14:25	Strontium	12.4	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB9A	17/04/2024 14:25	Strontium	11.3	mg/L	TRUE	REG	0.001		27/04/2024	
MB9A	17/04/2024 14:25	TSS	5	mg/L	FALSE	REG	5	23/04/2024	23/04/2024	
MB9A	17/04/2024 14:25	Total Phosphorus as P (Organic Ph	0.1	mg/L	FALSE	REG	0.01	26/04/2024	26/04/2024	
MB9A	17/04/2024 14:25	Alkalinity (Bicarbonate as CaCO3)	240	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB9A	17/04/2024 14:25	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB9A	17/04/2024 14:25	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB9A	17/04/2024 14:25	Alkalinity (total) as CaCO3	240	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB9A	17/04/2024 14:25	Chloride	3500	mg/L	FALSE	REG	1		23/04/2024	
MB9A	17/04/2024 14:25	Fluoride	0.2	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
MB9A	17/04/2024 14:25	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	23/04/2024	23/04/2024	
MB9A	17/04/2024 14:25	Sodium	1600	mg/L	TRUE	REG	1		27/04/2024	
MB9A	17/04/2024 14:25	TDS	6550	mg/L	FALSE	REG	10	23/04/2024	23/04/2024	
MB9A	17/04/2024 14:25	Rubidium	0.027	mg/L	TRUE	REG	0.001		27/04/2024	
MB8B	17/04/2024 16:40	Antimony	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Antimony	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Barium	7.96	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Barium	7.24	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Calcium	250	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Iron	4.02	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Iron	0.54	mg/L	TRUE	REG	0.05	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Magnesium	112	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	Molybdenum	0.003	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Potassium	14	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Selenium	0.01	mg/L	TRUE	REG	0.01	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Silver	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Silver	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Strontium	15	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Strontium	12.1	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	TSS	22	mg/L	FALSE	REG	5	23/04/2024	23/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8B	17/04/2024 16:40	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	26/04/2024	26/04/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MB8B	17/04/2024 16:40	Alkalinity (Bicarbonate as CaCO3)	114	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	Alkalinity (total) as CaCO3	114	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	Chloride	3580	mg/L	FALSE	REG	1	23/04/2024	23/04/2024	
MB8B	17/04/2024 16:40	Fluoride	0.2	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	23/04/2024	23/04/2024	
MB8B	17/04/2024 16:40	Sodium	1780	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	TDS	6840	mg/L	FALSE	REG	10	23/04/2024	23/04/2024	
MB8B	17/04/2024 16:40	Rubidium	0.023	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
MB7	17/04/2024 17:00	Antimony	0.006	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB7	17/04/2024 17:00	Antimony	0.003	mg/L	TRUE	REG	0.001		27/04/2024	
MB7	17/04/2024 17:00	Barium	0.765	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB7	17/04/2024 17:00	Barium	0.545	mg/L	TRUE	REG	0.001		27/04/2024	
MB7	17/04/2024 17:00	Calcium	425	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB7	17/04/2024 17:00	Iron	1.16	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
MB7	17/04/2024 17:00	Iron	0.05	mg/L	TRUE	REG	0.05		27/04/2024	
MB7	17/04/2024 17:00	Magnesium	310	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB7	17/04/2024 17:00	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
MB7	17/04/2024 17:00	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
MB7	17/04/2024 17:00	Molybdenum	0.189	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB7	17/04/2024 17:00	Molybdenum	0.154	mg/L	TRUE	REG	0.001		27/04/2024	
MB7	17/04/2024 17:00	Potassium	22	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB7	17/04/2024 17:00	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
MB7	17/04/2024 17:00	Selenium	0.01	mg/L	TRUE	REG	0.01		27/04/2024	
MB7	17/04/2024 17:00	Silver	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB7	17/04/2024 17:00	Silver	0.001	mg/L	TRUE	REG	0.001		27/04/2024	
MB7	17/04/2024 17:00	Strontium	50	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
MB7	17/04/2024 17:00	Strontium	40.9	mg/L	TRUE	REG	0.001		27/04/2024	
MB7	17/04/2024 17:00	TSS	26	mg/L	FALSE	REG	5	23/04/2024	23/04/2024	
MB7	17/04/2024 17:00	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	26/04/2024	26/04/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MB7	17/04/2024 17:00	Alkalinity (Bicarbonate as CaCO3)	305	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB7	17/04/2024 17:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB7	17/04/2024 17:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB7	17/04/2024 17:00	Alkalinity (total) as CaCO3	305	mg/L	FALSE	REG	1	23/04/2024	24/04/2024	
MB7	17/04/2024 17:00	Chloride	6250	mg/L	FALSE	REG	1	23/04/2024	23/04/2024	
MB7	17/04/2024 17:00	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
MB7	17/04/2024 17:00	Sulfate as SO4 - Turbidimetric	203	mg/L	TRUE	REG	1	23/04/2024	23/04/2024	
MB7	17/04/2024 17:00	Sodium	3170	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB7	17/04/2024 17:00	TDS	11100	mg/L	FALSE	REG	10	23/04/2024	23/04/2024	
MB7	17/04/2024 17:00	Rubidium	0.038	mg/L	TRUE	REG	0.001		27/04/2024	
	19/04/2024 15:02	Fluoride	0.1	mg/L	FALSE	REG	0.1	19/04/2024	22/04/2024	
	20/04/2024 6:39	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	20/04/2024	20/04/2024	
	20/04/2024 14:55	Mercury	0.0001	mg/L	TRUE	REG	0.0001	20/04/2024	20/04/2024	
	20/04/2024 14:57	Antimony	0.001	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
	20/04/2024 14:57	Barium	0.001	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
	20/04/2024 14:57	Calcium	1	mg/L	TRUE	REG	1	20/04/2024	23/04/2024	
	20/04/2024 14:57	Iron	0.05	mg/L	TRUE	REG	0.05	20/04/2024	23/04/2024	
	20/04/2024 14:57	Magnesium	1	mg/L	TRUE	REG	1	20/04/2024	23/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	20/04/2024 14:57	Molybdenum	0.001	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
	20/04/2024 14:57	Potassium	1	mg/L	TRUE	REG	1	20/04/2024	23/04/2024	
	20/04/2024 14:57	Selenium	0.01	mg/L	TRUE	REG	0.01	20/04/2024	23/04/2024	
	20/04/2024 14:57	Silver	0.001	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
	20/04/2024 14:57	Strontium	0.001	mg/L	TRUE	REG	0.001	20/04/2024	23/04/2024	
	20/04/2024 14:57	Sodium	1	mg/L	TRUE	REG	1	20/04/2024	23/04/2024	
	22/04/2024 9:39	Chloride	1	mg/L	FALSE	REG	1	22/04/2024	22/04/2024	
	22/04/2024 9:39	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	22/04/2024	22/04/2024	
CHPP STP	22/04/2024 12:30	TSS	91	mg/L	FALSE	REG	5		29/04/2024	
CHPP STP	22/04/2024 12:30	Organic Nitrogen, as N	7	mg/L	FALSE	REG	0.1		1/05/2024	
CHPP STP	22/04/2024 12:30	Total Phosphorus as P (Organic Ph	16.3	mg/L	FALSE	REG	0.01	29/04/2024	29/04/2024	
CHPP STP	22/04/2024 12:30	Alkalinity (Bicarbonate as CaCO3)	430	mg/L	FALSE	REG	1		1/05/2024	
CHPP STP	22/04/2024 12:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1		1/05/2024	
CHPP STP	22/04/2024 12:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1		1/05/2024	
CHPP STP	22/04/2024 12:30	Alkalinity (total) as CaCO3	430	mg/L	FALSE	REG	1		1/05/2024	
CHPP STP	22/04/2024 12:30	Ammonia as N	120	mg/L	FALSE	REG	0.01		1/05/2024	
CHPP STP	22/04/2024 12:30	BOD	48	mg/L	FALSE	REG	2		24/04/2024	
CHPP STP	22/04/2024 12:30	COD	260	mg/L	FALSE	REG	10		26/04/2024	
CHPP STP	22/04/2024 12:30	Kjeldahl Nitrogen Total	127	mg/L	FALSE	REG	0.1		1/05/2024	
CHPP STP	22/04/2024 12:30	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		30/04/2024	
CHPP STP	22/04/2024 12:30	Nitrite (as N)	9.86	mg/L	FALSE	REG	0.01		24/04/2024	
CHPP STP	22/04/2024 12:30	Nitrite + Nitrate as N	9.37	mg/L	FALSE	REG	0.01	30/04/2024	30/04/2024	
CHPP STP	22/04/2024 12:30	Reactive Phosphorus as P (Orthop	12.5	mg/L	FALSE	REG	0.01		24/04/2024	
CHPP STP	22/04/2024 12:30	Sulfate as SO4 - Turbidimetric	42	mg/L	TRUE	REG	1		24/04/2024	
CHPP STP	22/04/2024 12:30	Acidity (as CaCO3)	29	mg/L	FALSE	REG	1	30/04/2024	30/04/2024	
	22/04/2024 13:20	TSS	62	mg/L	FALSE	REG	5	27/04/2024	27/04/2024	
	22/04/2024 13:20	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		1/05/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/04/2024 13:20	Total Phosphorus as P (Organic Ph	15.6	mg/L	FALSE	REG	0.01	29/04/2024	29/04/2024	
	22/04/2024 13:20	Alkalinity (Bicarbonate as CaCO3)	583	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:20	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:20	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:20	Alkalinity (total) as CaCO3	583	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:20	Ammonia as N	152	mg/L	FALSE	REG	0.01		30/04/2024	
	22/04/2024 13:20	BOD	178	mg/L	FALSE	REG	2		24/04/2024	
	22/04/2024 13:20	COD	495	mg/L	FALSE	REG	10		26/04/2024	
	22/04/2024 13:20	Kjeldahl Nitrogen Total	134	mg/L	FALSE	REG	0.1	29/04/2024	29/04/2024	
	22/04/2024 13:20	Nitrate (as N)	0.02	mg/L	FALSE	REG	0.01		30/04/2024	
	22/04/2024 13:20	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	24/04/2024	24/04/2024	
	22/04/2024 13:20	Nitrite + Nitrate as N	0.02	mg/L	FALSE	REG	0.01	30/04/2024	30/04/2024	
	22/04/2024 13:20	Reactive Phosphorus as P (Orthop	14.7	mg/L	FALSE	REG	0.01	24/04/2024	24/04/2024	
	22/04/2024 13:20	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/04/2024	24/04/2024	
	22/04/2024 13:20	Acidity (as CaCO3)	41	mg/L	FALSE	REG	1	30/04/2024	30/04/2024	
	22/04/2024 13:30	TSS	56	mg/L	FALSE	REG	5	27/04/2024	27/04/2024	
	22/04/2024 13:30	Organic Nitrogen, as N	2	mg/L	FALSE	REG	0.1		1/05/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/04/2024 13:30	Total Phosphorus as P (Organic Ph	15.2	mg/L	FALSE	REG	0.01		30/04/2024	
	22/04/2024 13:30	Alkalinity (Bicarbonate as CaCO3)	583	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:30	Alkalinity (total) as CaCO3	583	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:30	Ammonia as N	150	mg/L	FALSE	REG	0.01		30/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/04/2024 13:30	BOD	178	mg/L	FALSE	REG	2		24/04/2024	
	22/04/2024 13:30	COD	481	mg/L	FALSE	REG	10		29/04/2024	
	22/04/2024 13:30	Kjeldahl Nitrogen Total	132	mg/L	FALSE	REG	0.1	29/04/2024	29/04/2024	
	22/04/2024 13:30	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		30/04/2024	
	22/04/2024 13:30	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	24/04/2024	24/04/2024	
	22/04/2024 13:30	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	30/04/2024	30/04/2024	
	22/04/2024 13:30	Reactive Phosphorus as P (Orthop	14.4	mg/L	FALSE	REG	0.01	24/04/2024	24/04/2024	
	22/04/2024 13:30	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/04/2024	24/04/2024	
	22/04/2024 13:30	Acidity (as CaCO3)	44	mg/L	FALSE	REG	1	30/04/2024	30/04/2024	
Isaac Plains STP	22/04/2024 13:30	TSS	66	mg/L	FALSE	REG	5	27/04/2024	27/04/2024	
Isaac Plains STP	22/04/2024 13:30	Organic Nitrogen, as N	1	mg/L	FALSE	REG	0.1		1/05/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	22/04/2024 13:30	Total Phosphorus as P (Organic Ph	15.7	mg/L	FALSE	REG	0.01	29/04/2024	29/04/2024	
Isaac Plains STP	22/04/2024 13:30	Alkalinity (Bicarbonate as CaCO3)	584	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
Isaac Plains STP	22/04/2024 13:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
Isaac Plains STP	22/04/2024 13:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
Isaac Plains STP	22/04/2024 13:30	Alkalinity (total) as CaCO3	584	mg/L	FALSE	REG	1	30/04/2024	1/05/2024	
Isaac Plains STP	22/04/2024 13:30	Ammonia as N	148	mg/L	FALSE	REG	0.01		1/05/2024	
Isaac Plains STP	22/04/2024 13:30	BOD	177	mg/L	FALSE	REG	2		24/04/2024	
Isaac Plains STP	22/04/2024 13:30	COD	464	mg/L	FALSE	REG	10		29/04/2024	
Isaac Plains STP	22/04/2024 13:30	Kjeldahl Nitrogen Total	133	mg/L	FALSE	REG	0.1	29/04/2024	29/04/2024	
Isaac Plains STP	22/04/2024 13:30	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		30/04/2024	
Isaac Plains STP	22/04/2024 13:30	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	24/04/2024	24/04/2024	
Isaac Plains STP	22/04/2024 13:30	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	30/04/2024	30/04/2024	
Isaac Plains STP	22/04/2024 13:30	Reactive Phosphorus as P (Orthop	14.6	mg/L	FALSE	REG	0.01	24/04/2024	24/04/2024	
Isaac Plains STP	22/04/2024 13:30	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/04/2024	24/04/2024	
Isaac Plains STP	22/04/2024 13:30	Acidity (as CaCO3)	46	mg/L	FALSE	REG	1	30/04/2024	30/04/2024	
RWD	23/04/2024 8:41	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		29/04/2024	
RWD	23/04/2024 8:41	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		29/04/2024	
RWD	23/04/2024 8:41	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Cobalt	0.001	mg/L	FALSE	REG	0.001		29/04/2024	
RWD	23/04/2024 8:41	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Copper	0.004	mg/L	FALSE	REG	0.001		29/04/2024	
RWD	23/04/2024 8:41	Copper	0.002	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Lead	0.001	mg/L	FALSE	REG	0.001		29/04/2024	
RWD	23/04/2024 8:41	Lead	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Nickel	0.001	mg/L	FALSE	REG	0.001		29/04/2024	
RWD	23/04/2024 8:41	Nickel	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Zinc	0.006	mg/L	FALSE	REG	0.005		29/04/2024	
RWD	23/04/2024 8:41	Zinc	0.005	mg/L	TRUE	REG	0.005	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Calcium Hardness as CaCO3	27	mg/L	TRUE	REG	1	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	TSS	5	mg/L	FALSE	REG	5	29/04/2024	29/04/2024	
RWD	23/04/2024 8:41	Hardness as CaCO3	44	mg/L	TRUE	REG	1	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Chloride	14	mg/L	FALSE	REG	1	26/04/2024	26/04/2024	
RWD	23/04/2024 8:41	Fluoride	0.1	mg/L	FALSE	REG	0.1	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	26/04/2024	26/04/2024	
RWD	23/04/2024 8:41	Sodium	13	mg/L	FALSE	REG	1	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Sodium	13	mg/L	TRUE	REG	1	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	TDS	141	mg/L	FALSE	REG	10	29/04/2024	29/04/2024	
	23/04/2024 8:51	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		30/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	23/04/2024 8:51	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/04/2024	27/04/2024	
	23/04/2024 8:51	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		30/04/2024	
	23/04/2024 8:51	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	23/04/2024 8:51	Cobalt	0.001	mg/L	FALSE	REG	0.001		30/04/2024	
	23/04/2024 8:51	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	23/04/2024 8:51	Copper	0.004	mg/L	FALSE	REG	0.001		30/04/2024	
	23/04/2024 8:51	Copper	0.003	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	23/04/2024 8:51	Lead	0.001	mg/L	FALSE	REG	0.001		30/04/2024	
	23/04/2024 8:51	Lead	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	23/04/2024 8:51	Nickel	0.002	mg/L	FALSE	REG	0.001		30/04/2024	
	23/04/2024 8:51	Nickel	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	23/04/2024 8:51	Zinc	0.009	mg/L	FALSE	REG	0.005		30/04/2024	
	23/04/2024 8:51	Zinc	0.005	mg/L	TRUE	REG	0.005	26/04/2024	27/04/2024	
	23/04/2024 8:51	TSS	5	mg/L	FALSE	REG	5	29/04/2024	29/04/2024	
	23/04/2024 8:51	Fluoride	0.1	mg/L	FALSE	REG	0.1	26/04/2024	27/04/2024	
	23/04/2024 8:51	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	26/04/2024	26/04/2024	
	23/04/2024 8:51	Sodium	13	mg/L	FALSE	REG	1	26/04/2024	27/04/2024	
	23/04/2024 8:51	Sodium	13	mg/L	TRUE	REG	1	26/04/2024	27/04/2024	
	23/04/2024 8:51	TDS	106	mg/L	FALSE	REG	10	29/04/2024	29/04/2024	
	23/04/2024 14:04	TSS	5	mg/L	FALSE	REG	5	23/04/2024	23/04/2024	
	23/04/2024 14:04	TDS	10	mg/L	FALSE	REG	10	23/04/2024	23/04/2024	
	23/04/2024 15:45	Chloride	1	mg/L	FALSE	REG	1	23/04/2024	23/04/2024	
	23/04/2024 15:45	Chloride	1	mg/L	FALSE	REG	1	23/04/2024	23/04/2024	
	23/04/2024 15:45	Chloride	1	mg/L	FALSE	REG	1	23/04/2024	23/04/2024	
	23/04/2024 15:45	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	23/04/2024	23/04/2024	
	23/04/2024 15:45	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	23/04/2024	23/04/2024	
	23/04/2024 15:45	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	23/04/2024	23/04/2024	
	23/04/2024 16:36	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
	23/04/2024 16:36	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/04/2024	24/04/2024	
	24/04/2024 11:31	Antimony	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:31	Antimony	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:31	Antimony	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:31	Barium	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:31	Iron	0.05	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
	24/04/2024 11:31	Iron	0.05	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
	24/04/2024 11:31	Iron	0.05	mg/L	FALSE	REG	0.05	24/04/2024	25/04/2024	
	24/04/2024 11:31	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:31	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:31	Molybdenum	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:31	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
	24/04/2024 11:31	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
	24/04/2024 11:31	Selenium	0.01	mg/L	FALSE	REG	0.01	24/04/2024	25/04/2024	
	24/04/2024 11:31	Silver	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:31	Strontium	0.001	mg/L	FALSE	REG	0.001	24/04/2024	25/04/2024	
	24/04/2024 11:34	Antimony	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Antimony	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Antimony	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Barium	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Calcium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Calcium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/04/2024 11:34	Calcium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Iron	0.05	mg/L	TRUE	REG	0.05	24/04/2024	26/04/2024	
	24/04/2024 11:34	Iron	0.05	mg/L	TRUE	REG	0.05	24/04/2024	26/04/2024	
	24/04/2024 11:34	Iron	0.05	mg/L	TRUE	REG	0.05	24/04/2024	26/04/2024	
	24/04/2024 11:34	Magnesium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Magnesium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Magnesium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Potassium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Potassium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Potassium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Selenium	0.01	mg/L	TRUE	REG	0.01	24/04/2024	26/04/2024	
	24/04/2024 11:34	Selenium	0.01	mg/L	TRUE	REG	0.01	24/04/2024	26/04/2024	
	24/04/2024 11:34	Selenium	0.01	mg/L	TRUE	REG	0.01	24/04/2024	26/04/2024	
	24/04/2024 11:34	Silver	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Strontium	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 11:34	Sodium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Sodium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Sodium	1	mg/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Rubidium	0.001	mg/L	TRUE	REG	0.001	24/04/2024	26/04/2024	
	24/04/2024 12:02	Mercury	0.0001	mg/L	FALSE	REG	0.0001	24/04/2024	24/04/2024	
	24/04/2024 12:18	BOD	2	mg/L	FALSE	REG	2		24/04/2024	
	24/04/2024 13:59	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/04/2024	24/04/2024	
	24/04/2024 17:32	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	24/04/2024	24/04/2024	
	24/04/2024 17:32	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	24/04/2024	24/04/2024	
	24/04/2024 17:32	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/04/2024	24/04/2024	
	26/04/2024 7:17	Fluoride	0.1	mg/L	FALSE	REG	0.1	26/04/2024	27/04/2024	
	26/04/2024 7:29	COD	10	mg/L	FALSE	REG	10		26/04/2024	
	26/04/2024 7:41	Chloride	1	mg/L	FALSE	REG	1	26/04/2024	26/04/2024	
	26/04/2024 7:41	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	26/04/2024	26/04/2024	
	26/04/2024 15:57	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/04/2024	27/04/2024	
	26/04/2024 15:57	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 15:57	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 15:57	Copper	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 15:57	Lead	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 15:57	Nickel	0.001	mg/L	TRUE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 15:57	Zinc	0.005	mg/L	TRUE	REG	0.005	26/04/2024	27/04/2024	
	26/04/2024 15:57	Sodium	1	mg/L	TRUE	REG	1	26/04/2024	27/04/2024	
	26/04/2024 16:06	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	26/04/2024	27/04/2024	
	26/04/2024 16:06	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 16:06	Cobalt	0.001	mg/L	FALSE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 16:06	Copper	0.001	mg/L	FALSE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 16:06	Lead	0.001	mg/L	FALSE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 16:06	Nickel	0.001	mg/L	FALSE	REG	0.001	26/04/2024	27/04/2024	
	26/04/2024 16:06	Zinc	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
	26/04/2024 16:06	Sodium	1	mg/L	FALSE	REG	1	26/04/2024	27/04/2024	
	26/04/2024 18:16	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	26/04/2024	26/04/2024	
	27/04/2024 10:42	TSS	5	mg/L	FALSE	REG	5	27/04/2024	27/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	29/04/2024 10:14	TSS	5	mg/L	FALSE	REG	5	29/04/2024	29/04/2024	
	29/04/2024 10:14	TDS	10	mg/L	FALSE	REG	10	29/04/2024	29/04/2024	
	29/04/2024 11:38	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	29/04/2024	29/04/2024	
	29/04/2024 11:38	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	29/04/2024	29/04/2024	
	30/04/2024 11:03	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	30/04/2024	30/04/2024	
	30/04/2024 11:03	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	30/04/2024	30/04/2024	
N1S	21/05/2024	Antimony	0.002	mg/L	TRUE	REG	0.001		28/05/2024	
N1S	21/05/2024	Barium	0.085	mg/L	TRUE	REG	0.001		28/05/2024	
N1S	21/05/2024	Calcium	108	mg/L	TRUE	REG	1		28/05/2024	
N1S	21/05/2024	Iron	26	mg/L	TRUE	REG	0.05		28/05/2024	
N1S	21/05/2024	Magnesium	55	mg/L	TRUE	REG	1		28/05/2024	
N1S	21/05/2024	Mercury	0.002	mg/L	TRUE	REG	0.0001	27/05/2024	28/05/2024	Reported Analyte LOR is higher than Requested Analyte LOR
N1S	21/05/2024	Molybdenum	0.024	mg/L	TRUE	REG	0.001		28/05/2024	
N1S	21/05/2024	Potassium	10	mg/L	TRUE	REG	1		28/05/2024	
N1S	21/05/2024	Selenium	0.01	mg/L	TRUE	REG	0.01		28/05/2024	
N1S	21/05/2024	Silver	0.001	mg/L	TRUE	REG	0.001		28/05/2024	
N1S	21/05/2024	Strontium	2.72	mg/L	TRUE	REG	0.001		28/05/2024	
N1S	21/05/2024	Total Phosphorus as P (Organic Ph	2.14	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Alkalinity (Bicarbonate as CaCO3)	197	mg/L	FALSE	REG	1	28/05/2024	29/05/2024	
N1S	21/05/2024	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	28/05/2024	29/05/2024	
N1S	21/05/2024	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	28/05/2024	29/05/2024	
N1S	21/05/2024	Alkalinity (total) as CaCO3	197	mg/L	FALSE	REG	1	28/05/2024	29/05/2024	
N1S	21/05/2024	Chloride	773	mg/L	FALSE	REG	1	28/05/2024	28/05/2024	
N1S	21/05/2024	Fluoride	0.7	mg/L	FALSE	REG	0.1	28/05/2024	29/05/2024	
N1S	21/05/2024	Sulfate as SO4 - Turbidimetric	194	mg/L	TRUE	REG	1	28/05/2024	28/05/2024	
N1S	21/05/2024	Sodium	612	mg/L	TRUE	REG	1		28/05/2024	
N1S	21/05/2024	Acidity (as CaCO3)	2	mg/L	FALSE	REG	1	28/05/2024	29/05/2024	
CHPP STP	21/05/2024 10:00	TSS	134	mg/L	FALSE	REG	5	30/05/2024	28/05/2024	
CHPP STP	21/05/2024 10:00	Total Phosphorus as P (Organic Ph	17.4	mg/L	FALSE	REG	0.01	29/05/2024	29/05/2024	
CHPP STP	21/05/2024 10:00	Organic Nitrogen, as N	95.9	mg/L	FALSE	REG	0.1		30/05/2024	
CHPP STP	21/05/2024 10:00	Alkalinity (Bicarbonate as CaCO3)	687	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
CHPP STP	21/05/2024 10:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
CHPP STP	21/05/2024 10:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
CHPP STP	21/05/2024 10:00	Alkalinity (total) as CaCO3	687	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
CHPP STP	21/05/2024 10:00	Ammonia as N	79.1	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
CHPP STP	21/05/2024 10:00	BOD	189	mg/L	FALSE	REG	2		23/05/2024	
CHPP STP	21/05/2024 10:00	COD	429	mg/L	FALSE	REG	10		30/05/2024	
CHPP STP	21/05/2024 10:00	Kjeldahl Nitrogen Total	175	mg/L	FALSE	REG	0.1	29/05/2024	29/05/2024	
CHPP STP	21/05/2024 10:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		29/05/2024	
CHPP STP	21/05/2024 10:00	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
CHPP STP	21/05/2024 10:00	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
CHPP STP	21/05/2024 10:00	Reactive Phosphorus as P (Orthop	17.1	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
CHPP STP	21/05/2024 10:00	Sulfate as SO4 - Turbidimetric	17	mg/L	TRUE	REG	1	23/05/2024	23/05/2024	
CHPP STP	21/05/2024 10:00	Acidity (as CaCO3)	71	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
MIA STP	21/05/2024 10:30	TSS	18	mg/L	FALSE	REG	5	30/05/2024	28/05/2024	
MIA STP	21/05/2024 10:30	Total Phosphorus as P (Organic Ph	14	mg/L	FALSE	REG	0.01	29/05/2024	29/05/2024	
MIA STP	21/05/2024 10:30	Organic Nitrogen, as N	20.6	mg/L	FALSE	REG	0.1		30/05/2024	
MIA STP	21/05/2024 10:30	Alkalinity (Bicarbonate as CaCO3)	155	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
MIA STP	21/05/2024 10:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
MIA STP	21/05/2024 10:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA STP	21/05/2024 10:30	Alkalinity (total) as CaCO3	155	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
MIA STP	21/05/2024 10:30	Ammonia as N	22.3	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
MIA STP	21/05/2024 10:30	BOD	66	mg/L	FALSE	REG	2		23/05/2024	
MIA STP	21/05/2024 10:30	COD	136	mg/L	FALSE	REG	10		30/05/2024	
MIA STP	21/05/2024 10:30	Kjeldahl Nitrogen Total	42.9	mg/L	FALSE	REG	0.1	29/05/2024	29/05/2024	
MIA STP	21/05/2024 10:30	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		29/05/2024	
MIA STP	21/05/2024 10:30	Nitrite (as N)	13.1	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
MIA STP	21/05/2024 10:30	Nitrite + Nitrate as N	12.4	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
MIA STP	21/05/2024 10:30	Reactive Phosphorus as P (Orthop	13.8	mg/L	FALSE	REG	0.01		29/05/2024	
MIA STP	21/05/2024 10:30	Sulfate as SO4 - Turbidimetric	23	mg/L	TRUE	REG	1	23/05/2024	23/05/2024	
MIA STP	21/05/2024 10:30	Acidity (as CaCO3)	19	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:00	TSS	80	mg/L	FALSE	REG	5	30/05/2024	28/05/2024	
	21/05/2024 11:00	Total Phosphorus as P (Organic Ph	17.5	mg/L	FALSE	REG	0.01	29/05/2024	29/05/2024	
	21/05/2024 11:00	Organic Nitrogen, as N	77.2	mg/L	FALSE	REG	0.1		30/05/2024	
	21/05/2024 11:00	Alkalinity (Bicarbonate as CaCO3)	729	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:00	Alkalinity (total) as CaCO3	729	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:00	Ammonia as N	80.8	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
	21/05/2024 11:00	BOD	175	mg/L	FALSE	REG	2		23/05/2024	
	21/05/2024 11:00	COD	476	mg/L	FALSE	REG	10		30/05/2024	
	21/05/2024 11:00	Kjeldahl Nitrogen Total	158	mg/L	FALSE	REG	0.1	29/05/2024	29/05/2024	
	21/05/2024 11:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		29/05/2024	
	21/05/2024 11:00	Nitrite (as N)	0.13	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
	21/05/2024 11:00	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
	21/05/2024 11:00	Reactive Phosphorus as P (Orthop	16.8	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
	21/05/2024 11:00	Sulfate as SO4 - Turbidimetric	18	mg/L	TRUE	REG	1	23/05/2024	23/05/2024	
	21/05/2024 11:00	Acidity (as CaCO3)	52	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
Isaac Plains STP	21/05/2024 11:05	TSS	70	mg/L	FALSE	REG	5	30/05/2024	28/05/2024	
Isaac Plains STP	21/05/2024 11:05	Total Phosphorus as P (Organic Ph	17.2	mg/L	FALSE	REG	0.01	29/05/2024	29/05/2024	
Isaac Plains STP	21/05/2024 11:05	Organic Nitrogen, as N	108	mg/L	FALSE	REG	0.1		30/05/2024	
Isaac Plains STP	21/05/2024 11:05	Alkalinity (Bicarbonate as CaCO3)	733	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
Isaac Plains STP	21/05/2024 11:05	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
Isaac Plains STP	21/05/2024 11:05	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
Isaac Plains STP	21/05/2024 11:05	Alkalinity (total) as CaCO3	733	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
Isaac Plains STP	21/05/2024 11:05	Ammonia as N	46.7	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
Isaac Plains STP	21/05/2024 11:05	BOD	159	mg/L	FALSE	REG	2		23/05/2024	
Isaac Plains STP	21/05/2024 11:05	COD	463	mg/L	FALSE	REG	10		30/05/2024	
Isaac Plains STP	21/05/2024 11:05	Kjeldahl Nitrogen Total	155	mg/L	FALSE	REG	0.1	29/05/2024	29/05/2024	
Isaac Plains STP	21/05/2024 11:05	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		29/05/2024	
Isaac Plains STP	21/05/2024 11:05	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
Isaac Plains STP	21/05/2024 11:05	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
Isaac Plains STP	21/05/2024 11:05	Reactive Phosphorus as P (Orthop	16.1	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
Isaac Plains STP	21/05/2024 11:05	Sulfate as SO4 - Turbidimetric	17	mg/L	TRUE	REG	1	23/05/2024	23/05/2024	
Isaac Plains STP	21/05/2024 11:05	Acidity (as CaCO3)	62	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:10	TSS	80	mg/L	FALSE	REG	5	30/05/2024	28/05/2024	
	21/05/2024 11:10	Total Phosphorus as P (Organic Ph	17.8	mg/L	FALSE	REG	0.01	29/05/2024	29/05/2024	
	21/05/2024 11:10	Organic Nitrogen, as N	66.8	mg/L	FALSE	REG	0.1		30/05/2024	
	21/05/2024 11:10	Alkalinity (Bicarbonate as CaCO3)	728	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	21/05/2024 11:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:10	Alkalinity (total) as CaCO3	728	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:10	Ammonia as N	89.2	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
	21/05/2024 11:10	BOD	190	mg/L	FALSE	REG	2		23/05/2024	
	21/05/2024 11:10	COD	461	mg/L	FALSE	REG	10		30/05/2024	
	21/05/2024 11:10	Kjeldahl Nitrogen Total	156	mg/L	FALSE	REG	0.1	29/05/2024	29/05/2024	
	21/05/2024 11:10	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		29/05/2024	
	21/05/2024 11:10	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
	21/05/2024 11:10	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
	21/05/2024 11:10	Reactive Phosphorus as P (Orthop	16.8	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
	21/05/2024 11:10	Sulfate as SO4 - Turbidimetric	14	mg/L	TRUE	REG	1	23/05/2024	23/05/2024	
	21/05/2024 11:10	Acidity (as CaCO3)	48	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
RWD	22/05/2024 7:20	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Cobalt	0.001	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Copper	0.002	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Copper	0.002	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Lead	0.001	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Lead	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Nickel	0.002	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Nickel	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Zinc	0.012	mg/L	FALSE	REG	0.005	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Zinc	0.006	mg/L	TRUE	REG	0.005	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Calcium Hardness as CaCO3	25	mg/L	TRUE	REG	1	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	TSS	10	mg/L	FALSE	REG	5	29/05/2024	29/05/2024	
RWD	22/05/2024 7:20	Hardness as CaCO3	41	mg/L	TRUE	REG	1	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Chloride	13	mg/L	FALSE	REG	1	24/05/2024	24/05/2024	
RWD	22/05/2024 7:20	Fluoride	0.1	mg/L	FALSE	REG	0.1	24/05/2024	27/05/2024	
RWD	22/05/2024 7:20	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	24/05/2024	24/05/2024	
RWD	22/05/2024 7:20	Sodium	13	mg/L	FALSE	REG	1	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Sodium	12	mg/L	TRUE	REG	1	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	TDS	104	mg/L	FALSE	REG	10	29/05/2024	29/05/2024	
	22/05/2024 7:34	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Cobalt	0.001	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Copper	0.002	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Copper	0.002	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Lead	0.001	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Lead	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Nickel	0.001	mg/L	FALSE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Nickel	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	22/05/2024 7:34	Zinc	0.013	mg/L	FALSE	REG	0.005	25/05/2024	28/05/2024	
	22/05/2024 7:34	Zinc	0.006	mg/L	TRUE	REG	0.005	25/05/2024	28/05/2024	
	22/05/2024 7:34	TSS	6	mg/L	FALSE	REG	5	29/05/2024	29/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/05/2024 7:34	Fluoride	0.1	mg/L	FALSE	REG	0.1	24/05/2024	27/05/2024	
	22/05/2024 7:34	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	24/05/2024	24/05/2024	
	22/05/2024 7:34	Sodium	13	mg/L	FALSE	REG	1	25/05/2024	28/05/2024	
	22/05/2024 7:34	Sodium	11	mg/L	TRUE	REG	1	25/05/2024	28/05/2024	
	22/05/2024 7:34	TDS	100	mg/L	FALSE	REG	10	29/05/2024	29/05/2024	
	23/05/2024 10:59	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
	23/05/2024 10:59	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	23/05/2024	23/05/2024	
	23/05/2024 10:59	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	23/05/2024	23/05/2024	
	23/05/2024 18:29	BOD	2	mg/L	FALSE	REG	2		23/05/2024	
	24/05/2024 17:20	Fluoride	0.1	mg/L	FALSE	REG	0.1	24/05/2024	27/05/2024	
	24/05/2024 17:29	Chloride	1	mg/L	FALSE	REG	1	24/05/2024	24/05/2024	
	24/05/2024 17:29	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/05/2024	24/05/2024	
	25/05/2024 13:49	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	25/05/2024	27/05/2024	
	25/05/2024 13:49	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	25/05/2024	27/05/2024	
	25/05/2024 13:49	Cobalt	0.001	mg/L	FALSE	REG	0.001	25/05/2024	27/05/2024	
	25/05/2024 13:49	Copper	0.001	mg/L	FALSE	REG	0.001	25/05/2024	27/05/2024	
	25/05/2024 13:49	Lead	0.001	mg/L	FALSE	REG	0.001	25/05/2024	27/05/2024	
	25/05/2024 13:49	Nickel	0.001	mg/L	FALSE	REG	0.001	25/05/2024	27/05/2024	
	25/05/2024 13:49	Zinc	0.005	mg/L	FALSE	REG	0.005	25/05/2024	27/05/2024	
	25/05/2024 13:49	Sodium	1	mg/L	FALSE	REG	1	25/05/2024	27/05/2024	
	25/05/2024 14:52	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	25/05/2024	28/05/2024	
	25/05/2024 14:52	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	25/05/2024 14:52	Cobalt	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	25/05/2024 14:52	Copper	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	25/05/2024 14:52	Lead	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	25/05/2024 14:52	Nickel	0.001	mg/L	TRUE	REG	0.001	25/05/2024	28/05/2024	
	25/05/2024 14:52	Zinc	0.005	mg/L	TRUE	REG	0.005	25/05/2024	28/05/2024	
	25/05/2024 14:52	Sodium	1	mg/L	TRUE	REG	1	25/05/2024	28/05/2024	
	27/05/2024 6:10	COD	10	mg/L	FALSE	REG	10		27/05/2024	
	27/05/2024 9:36	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	27/05/2024	27/05/2024	
	27/05/2024 13:25	Antimony	0.001	mg/L	TRUE	REG	0.001	27/05/2024	28/05/2024	
	27/05/2024 13:25	Barium	0.001	mg/L	TRUE	REG	0.001	27/05/2024	28/05/2024	
	27/05/2024 13:25	Calcium	1	mg/L	TRUE	REG	1	27/05/2024	28/05/2024	
	27/05/2024 13:25	Iron	0.05	mg/L	TRUE	REG	0.05	27/05/2024	28/05/2024	
	27/05/2024 13:25	Magnesium	1	mg/L	TRUE	REG	1	27/05/2024	28/05/2024	
	27/05/2024 13:25	Mercury	0.0001	mg/L	TRUE	REG	0.0001	27/05/2024	28/05/2024	
	27/05/2024 13:25	Molybdenum	0.001	mg/L	TRUE	REG	0.001	27/05/2024	28/05/2024	
	27/05/2024 13:25	Potassium	1	mg/L	TRUE	REG	1	27/05/2024	28/05/2024	
	27/05/2024 13:25	Selenium	0.01	mg/L	TRUE	REG	0.01	27/05/2024	28/05/2024	
	27/05/2024 13:25	Silver	0.001	mg/L	TRUE	REG	0.001	27/05/2024	28/05/2024	
	27/05/2024 13:25	Strontium	0.001	mg/L	TRUE	REG	0.001	27/05/2024	28/05/2024	
	27/05/2024 13:25	Sodium	1	mg/L	TRUE	REG	1	27/05/2024	28/05/2024	
	28/05/2024 6:56	Fluoride	0.1	mg/L	FALSE	REG	0.1	28/05/2024	29/05/2024	
	28/05/2024 14:32	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 14:32	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 17:00	TSS	5	mg/L	FALSE	REG	5	30/05/2024	28/05/2024	
	28/05/2024 18:15	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 19:50	Chloride	1	mg/L	FALSE	REG	1	28/05/2024	28/05/2024	
	28/05/2024 19:50	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	28/05/2024	28/05/2024	
	29/05/2024 8:31	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	29/05/2024	29/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	29/05/2024 8:31	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	29/05/2024	29/05/2024	
	29/05/2024 11:16	TSS	5	mg/L	FALSE	REG	5	29/05/2024	29/05/2024	
	29/05/2024 11:16	TDS	10	mg/L	FALSE	REG	10	29/05/2024	29/05/2024	
CHPP STP	11/06/2024 7:00	TSS	140	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
CHPP STP	11/06/2024 7:00	Total Phosphorus as P (Organic Ph	15.4	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
CHPP STP	11/06/2024 7:00	Organic Nitrogen, as N	21	mg/L	FALSE	REG	0.1		18/06/2024	
CHPP STP	11/06/2024 7:00	Alkalinity (Bicarbonate as CaCO3)	551	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
CHPP STP	11/06/2024 7:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
CHPP STP	11/06/2024 7:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
CHPP STP	11/06/2024 7:00	Alkalinity (total) as CaCO3	551	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
CHPP STP	11/06/2024 7:00	Ammonia as N	146	mg/L	FALSE	REG	0.01	17/06/2024	17/06/2024	
CHPP STP	11/06/2024 7:00	BOD	44	mg/L	FALSE	REG	2		13/06/2024	
CHPP STP	11/06/2024 7:00	COD	297	mg/L	FALSE	REG	10		14/06/2024	
CHPP STP	11/06/2024 7:00	Kjeldahl Nitrogen Total	167	mg/L	FALSE	REG	0.1	13/06/2024	13/06/2024	
CHPP STP	11/06/2024 7:00	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		18/06/2024	
CHPP STP	11/06/2024 7:00	Nitrite (as N)	0.6	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
CHPP STP	11/06/2024 7:00	Nitrite + Nitrate as N	0.21	mg/L	FALSE	REG	0.01	17/06/2024	18/06/2024	
CHPP STP	11/06/2024 7:00	Reactive Phosphorus as P (Orthop	13.3	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
CHPP STP	11/06/2024 7:00	Sulfate as SO4 - Turbidimetric	90	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
CHPP STP	11/06/2024 7:00	Acidity (as CaCO3)	67	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Copper	0.002	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Nickel	0.002	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Zinc	0.009	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	TSS	5	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
RWD	11/06/2024 7:30	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
RWD	11/06/2024 7:30	Sodium	13	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Sodium	13	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	TDS	134	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	
	11/06/2024 7:40	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Copper	0.002	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	11/06/2024 7:40	Nickel	0.002	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	11/06/2024 7:40	Zinc	0.009	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
	11/06/2024 7:40	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
	11/06/2024 7:40	TSS	5	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
	11/06/2024 7:40	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
	11/06/2024 7:40	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
	11/06/2024 7:40	Sodium	14	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
	11/06/2024 7:40	Sodium	12	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
	11/06/2024 7:40	TDS	131	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	
CHPPPP	11/06/2024 7:55	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Copper	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Nickel	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Zinc	0.005	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	TSS	10	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
CHPPPP	11/06/2024 7:55	Fluoride	0.5	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Sulfate as SO4 - Turbidimetric	549	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
CHPPPP	11/06/2024 7:55	Sodium	855	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Sodium	832	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	TDS	2710	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	
N1	11/06/2024 8:21	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Copper	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Nickel	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Zinc	0.006	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	TSS	5	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
N1	11/06/2024 8:21	Fluoride	0.2	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Sulfate as SO4 - Turbidimetric	799	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
N1	11/06/2024 8:21	Sodium	1080	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Sodium	1060	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	TDS	3540	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RD1	11/06/2024 8:50	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Copper	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Nickel	0.002	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Zinc	0.005	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	TSS	12	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
RD1	11/06/2024 8:50	Fluoride	0.5	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Sulfate as SO4 - Turbidimetric	395	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
RD1	11/06/2024 8:50	Sodium	614	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Sodium	597	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	TDS	2010	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	
S2SED	11/06/2024 9:15	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Copper	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Nickel	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Zinc	0.005	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	TSS	8	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
S2SED	11/06/2024 9:15	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Sulfate as SO4 - Turbidimetric	586	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
S2SED	11/06/2024 9:15	Sodium	1060	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Sodium	1070	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	TDS	3290	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	
Pit 4	11/06/2024 9:44	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Copper	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Pit 4	11/06/2024 9:44	Nickel	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Zinc	0.005	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	TSS	5	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
Pit 4	11/06/2024 9:44	Fluoride	0.2	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Sulfate as SO4 - Turbidimetric	894	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
Pit 4	11/06/2024 9:44	Sodium	1070	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Sodium	1080	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	TDS	3810	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	
S3	11/06/2024 10:41	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Copper	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Nickel	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Zinc	0.005	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	TSS	5	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
S3	11/06/2024 10:41	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Sulfate as SO4 - Turbidimetric	539	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
S3	11/06/2024 10:41	Sodium	977	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Sodium	956	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	TDS	3090	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	
S2	11/06/2024 11:08	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Copper	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Nickel	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Zinc	0.005	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	TSS	5	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
S2	11/06/2024 11:08	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Sulfate as SO4 - Turbidimetric	630	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
S2	11/06/2024 11:08	Sodium	942	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Sodium	961	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	TDS	3100	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	11/06/2024 12:45	TSS	52	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
	11/06/2024 12:45	Organic Nitrogen, as N	11	mg/L	FALSE	REG	0.1		18/06/2024	
	11/06/2024 12:45	Total Phosphorus as P (Organic Ph	17.1	mg/L	FALSE	REG	0.01		14/06/2024	
	11/06/2024 12:45	Alkalinity (Bicarbonate as CaCO3)	640	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
	11/06/2024 12:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
	11/06/2024 12:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
	11/06/2024 12:45	Alkalinity (total) as CaCO3	640	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
	11/06/2024 12:45	Ammonia as N	135	mg/L	FALSE	REG	0.01	17/06/2024	17/06/2024	
	11/06/2024 12:45	BOD	195	mg/L	FALSE	REG	2		13/06/2024	
	11/06/2024 12:45	COD	472	mg/L	FALSE	REG	10		14/06/2024	
	11/06/2024 12:45	Kjeldahl Nitrogen Total	146	mg/L	FALSE	REG	0.1	13/06/2024	13/06/2024	
	11/06/2024 12:45	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		18/06/2024	
	11/06/2024 12:45	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
	11/06/2024 12:45	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	17/06/2024	18/06/2024	
	11/06/2024 12:45	Reactive Phosphorus as P (Orthop	15.8	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
	11/06/2024 12:45	Sulfate as SO4 - Turbidimetric	34	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
	11/06/2024 12:45	Acidity (as CaCO3)	51	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 12:50	TSS	68	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
Isaac Plains STP	11/06/2024 12:50	Organic Nitrogen, as N	11	mg/L	FALSE	REG	0.1		18/06/2024	
Isaac Plains STP	11/06/2024 12:50	Total Phosphorus as P (Organic Ph	17.3	mg/L	FALSE	REG	0.01		14/06/2024	
Isaac Plains STP	11/06/2024 12:50	Alkalinity (Bicarbonate as CaCO3)	639	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 12:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 12:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 12:50	Alkalinity (total) as CaCO3	639	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 12:50	Ammonia as N	134	mg/L	FALSE	REG	0.01	17/06/2024	17/06/2024	
Isaac Plains STP	11/06/2024 12:50	BOD	167	mg/L	FALSE	REG	2		13/06/2024	
Isaac Plains STP	11/06/2024 12:50	COD	453	mg/L	FALSE	REG	10		14/06/2024	
Isaac Plains STP	11/06/2024 12:50	Kjeldahl Nitrogen Total	145	mg/L	FALSE	REG	0.1	13/06/2024	13/06/2024	
Isaac Plains STP	11/06/2024 12:50	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		18/06/2024	
Isaac Plains STP	11/06/2024 12:50	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
Isaac Plains STP	11/06/2024 12:50	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	17/06/2024	18/06/2024	
Isaac Plains STP	11/06/2024 12:50	Reactive Phosphorus as P (Orthop	15.4	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
Isaac Plains STP	11/06/2024 12:50	Sulfate as SO4 - Turbidimetric	37	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
Isaac Plains STP	11/06/2024 12:50	Acidity (as CaCO3)	55	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 13:10	TSS	40	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
Isaac Plains STP	11/06/2024 13:10	Organic Nitrogen, as N	6	mg/L	FALSE	REG	0.1		18/06/2024	
Isaac Plains STP	11/06/2024 13:10	Total Phosphorus as P (Organic Ph	15.9	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
Isaac Plains STP	11/06/2024 13:10	Alkalinity (Bicarbonate as CaCO3)	641	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 13:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 13:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 13:10	Alkalinity (total) as CaCO3	641	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 13:10	Ammonia as N	137	mg/L	FALSE	REG	0.01	17/06/2024	17/06/2024	
Isaac Plains STP	11/06/2024 13:10	BOD	45	mg/L	FALSE	REG	2		13/06/2024	
Isaac Plains STP	11/06/2024 13:10	COD	455	mg/L	FALSE	REG	10		14/06/2024	
Isaac Plains STP	11/06/2024 13:10	Kjeldahl Nitrogen Total	143	mg/L	FALSE	REG	0.1	13/06/2024	13/06/2024	
Isaac Plains STP	11/06/2024 13:10	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		18/06/2024	
Isaac Plains STP	11/06/2024 13:10	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
Isaac Plains STP	11/06/2024 13:10	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	17/06/2024	18/06/2024	
Isaac Plains STP	11/06/2024 13:10	Reactive Phosphorus as P (Orthop	16.1	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
Isaac Plains STP	11/06/2024 13:10	Sulfate as SO4 - Turbidimetric	35	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Isaac Plains STP	11/06/2024 13:10	Acidity (as CaCO3)	51	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
SSD	12/06/2024 7:46	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Copper	0.004	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Copper	0.002	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Nickel	0.003	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Zinc	0.012	mg/L	FALSE	REG	0.005	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	TSS	25	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
SSD	12/06/2024 7:46	Fluoride	0.9	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
SSD	12/06/2024 7:46	Sulfate as SO4 - Turbidimetric	60	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
SSD	12/06/2024 7:46	Sodium	291	mg/L	FALSE	REG	1	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Sodium	276	mg/L	TRUE	REG	1	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	TDS	818	mg/L	FALSE	REG	10	17/06/2024	17/06/2024	
FPD	12/06/2024 8:20	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Copper	0.01	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Nickel	0.002	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Zinc	0.006	mg/L	FALSE	REG	0.005	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	TSS	5	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
FPD	12/06/2024 8:20	Fluoride	0.4	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
FPD	12/06/2024 8:20	Sulfate as SO4 - Turbidimetric	561	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
FPD	12/06/2024 8:20	Sodium	1280	mg/L	FALSE	REG	1	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Sodium	1090	mg/L	TRUE	REG	1	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	TDS	3820	mg/L	FALSE	REG	10	17/06/2024	17/06/2024	
	12/06/2024 8:39	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	12/06/2024 8:39	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Copper	0.002	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	12/06/2024 8:39	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2024	15/06/2024	
	12/06/2024 8:39	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2024	15/06/2024	
	12/06/2024 8:39	TSS	5	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
	12/06/2024 8:39	Fluoride	0.4	mg/L	FALSE	REG	0.1	14/06/2024	14/06/2024	
	12/06/2024 8:39	Sulfate as SO4 - Turbidimetric	548	mg/L	TRUE	REG	1	14/06/2024	14/06/2024	
	12/06/2024 8:39	Sodium	1250	mg/L	FALSE	REG	1	14/06/2024	15/06/2024	
	12/06/2024 8:39	Sodium	1190	mg/L	TRUE	REG	1	14/06/2024	15/06/2024	
	12/06/2024 8:39	TDS	3690	mg/L	FALSE	REG	10	17/06/2024	17/06/2024	
MWD	12/06/2024 9:00	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Antimony	0.002	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Copper	0.003	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Copper	0.002	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Zinc	0.012	mg/L	FALSE	REG	0.005	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	TSS	5	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
MWD	12/06/2024 9:00	Fluoride	0.7	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
MWD	12/06/2024 9:00	Sulfate as SO4 - Turbidimetric	421	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
MWD	12/06/2024 9:00	Sodium	1730	mg/L	FALSE	REG	1	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Sodium	1660	mg/L	TRUE	REG	1	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	TDS	5420	mg/L	FALSE	REG	10	17/06/2024	17/06/2024	
RWD	12/06/2024 9:33	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Copper	0.002	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	12/06/2024 9:33	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Zinc	0.009	mg/L	FALSE	REG	0.005	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Zinc	0.006	mg/L	TRUE	REG	0.005	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	TSS	5	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
RWD	12/06/2024 9:33	Fluoride	0.6	mg/L	FALSE	REG	0.1	14/06/2024	14/06/2024	
RWD	12/06/2024 9:33	Sulfate as SO4 - Turbidimetric	370	mg/L	TRUE	REG	1	14/06/2024	14/06/2024	
RWD	12/06/2024 9:33	Sodium	1590	mg/L	FALSE	REG	1	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Sodium	1330	mg/L	TRUE	REG	1	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	TDS	4890	mg/L	FALSE	REG	10	17/06/2024	17/06/2024	
MIA DAM	12/06/2024 9:53	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Copper	0.005	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Copper	0.003	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Nickel	0.004	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Zinc	0.008	mg/L	FALSE	REG	0.005	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	TSS	25	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
MIA DAM	12/06/2024 9:53	Fluoride	0.4	mg/L	FALSE	REG	0.1	14/06/2024	14/06/2024	
MIA DAM	12/06/2024 9:53	Sulfate as SO4 - Turbidimetric	150	mg/L	TRUE	REG	1	14/06/2024	14/06/2024	
MIA DAM	12/06/2024 9:53	Sodium	535	mg/L	FALSE	REG	1	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Sodium	512	mg/L	TRUE	REG	1	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	TDS	1670	mg/L	FALSE	REG	10	17/06/2024	17/06/2024	
N1S	12/06/2024 12:21	Antimony	0.003	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
N1S	12/06/2024 12:21	Barium	0.018	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
N1S	12/06/2024 12:21	Calcium	66	mg/L	TRUE	REG	1		27/06/2024	
N1S	12/06/2024 12:21	Iron	0.05	mg/L	TRUE	REG	0.05	24/06/2024	24/06/2024	
N1S	12/06/2024 12:21	Magnesium	79	mg/L	TRUE	REG	1		27/06/2024	
N1S	12/06/2024 12:21	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/06/2024	25/06/2024	
N1S	12/06/2024 12:21	Molybdenum	0.039	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
N1S	12/06/2024 12:21	Potassium	10	mg/L	TRUE	REG	1		27/06/2024	
N1S	12/06/2024 12:21	Selenium	0.01	mg/L	TRUE	REG	0.01	24/06/2024	24/06/2024	
N1S	12/06/2024 12:21	Silver	0.001	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
N1S	12/06/2024 12:21	Strontium	6.02	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
N1S	12/06/2024 12:21	Total Phosphorus as P (Organic Ph	5.5	mg/L	FALSE	REG	0.01	26/06/2024	26/06/2024	
N1S	12/06/2024 12:21	Alkalinity (Bicarbonate as CaCO3)	4580	mg/L	FALSE	REG	1		26/06/2024	
N1S	12/06/2024 12:21	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1		26/06/2024	
N1S	12/06/2024 12:21	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1		26/06/2024	
N1S	12/06/2024 12:21	Alkalinity (total) as CaCO3	4580	mg/L	FALSE	REG	1		26/06/2024	
N1S	12/06/2024 12:21	Chloride	1040	mg/L	FALSE	REG	1		26/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	12/06/2024 12:21	Fluoride	1	mg/L	FALSE	REG	0.1	25/06/2024	26/06/2024	
N1S	12/06/2024 12:21	Sulfate as SO4 - Turbidimetric	629	mg/L	TRUE	REG	1		26/06/2024	
N1S	12/06/2024 12:21	Sodium	946	mg/L	TRUE	REG	1		27/06/2024	
N1S	12/06/2024 12:21	Acidity (as CaCO3)	20	mg/L	FALSE	REG	1	25/06/2024	25/06/2024	
	13/06/2024 9:03	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
	13/06/2024 9:03	Reactive Phosphorus as P (Orthoph)	0.01	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
	13/06/2024 9:03	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
	13/06/2024 12:16	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
	13/06/2024 12:21	TSS	5	mg/L	FALSE	REG	5	13/06/2024	13/06/2024	
	13/06/2024 12:21	TDS	10	mg/L	FALSE	REG	10	13/06/2024	13/06/2024	
	13/06/2024 15:54	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
	13/06/2024 17:20	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	13/06/2024	14/06/2024	
	13/06/2024 17:20	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:20	Cobalt	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:20	Copper	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:20	Lead	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:20	Nickel	0.001	mg/L	TRUE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:20	Zinc	0.005	mg/L	TRUE	REG	0.005	13/06/2024	14/06/2024	
	13/06/2024 17:20	Sodium	1	mg/L	TRUE	REG	1	13/06/2024	14/06/2024	
	13/06/2024 17:51	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	13/06/2024	14/06/2024	
	13/06/2024 17:51	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:51	Cobalt	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:51	Copper	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:51	Lead	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:51	Nickel	0.001	mg/L	FALSE	REG	0.001	13/06/2024	14/06/2024	
	13/06/2024 17:51	Zinc	0.005	mg/L	FALSE	REG	0.005	13/06/2024	14/06/2024	
	13/06/2024 17:51	Sodium	1	mg/L	FALSE	REG	1	13/06/2024	14/06/2024	
	13/06/2024 17:54	BOD	2	mg/L	FALSE	REG	2		13/06/2024	
	13/06/2024 18:30	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
	13/06/2024 18:30	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	13/06/2024	13/06/2024	
	13/06/2024 18:30	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	13/06/2024	13/06/2024	
	13/06/2024 18:30	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	13/06/2024	13/06/2024	
	13/06/2024 19:25	Fluoride	0.1	mg/L	FALSE	REG	0.1	13/06/2024	14/06/2024	
	13/06/2024 19:48	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	13/06/2024	13/06/2024	
	14/06/2024 5:43	COD	10	mg/L	FALSE	REG	10		14/06/2024	
	14/06/2024 10:51	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	14/06/2024	14/06/2024	
	14/06/2024 10:57	Fluoride	0.1	mg/L	FALSE	REG	0.1	14/06/2024	14/06/2024	
	14/06/2024 14:53	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	14/06/2024	14/06/2024	
	14/06/2024 17:28	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:28	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2024	15/06/2024	
	14/06/2024 17:28	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:28	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:28	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:28	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:28	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:28	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2024	15/06/2024	
	14/06/2024 17:28	Sodium	1	mg/L	TRUE	REG	1	14/06/2024	15/06/2024	
	14/06/2024 17:55	Antimony	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:55	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	14/06/2024	15/06/2024	
	14/06/2024 17:55	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	14/06/2024 17:55	Cobalt	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:55	Copper	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:55	Lead	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:55	Nickel	0.001	mg/L	FALSE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 17:55	Zinc	0.005	mg/L	FALSE	REG	0.005	14/06/2024	15/06/2024	
	14/06/2024 17:55	Sodium	1	mg/L	FALSE	REG	1	14/06/2024	15/06/2024	
	14/06/2024 18:03	Antimony	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 18:03	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	14/06/2024	15/06/2024	
	14/06/2024 18:03	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 18:03	Cobalt	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 18:03	Copper	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 18:03	Lead	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 18:03	Nickel	0.001	mg/L	TRUE	REG	0.001	14/06/2024	15/06/2024	
	14/06/2024 18:03	Zinc	0.005	mg/L	TRUE	REG	0.005	14/06/2024	15/06/2024	
	14/06/2024 18:03	Sodium	1	mg/L	TRUE	REG	1	14/06/2024	15/06/2024	
	17/06/2024 9:38	TSS	5	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
	17/06/2024 13:17	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	17/06/2024	17/06/2024	
	17/06/2024 13:17	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	17/06/2024	18/06/2024	
	17/06/2024 13:23	TSS	5	mg/L	FALSE	REG	5	17/06/2024	17/06/2024	
	17/06/2024 13:23	TDS	10	mg/L	FALSE	REG	10	17/06/2024	17/06/2024	
	24/06/2024 9:43	Chloride	1	mg/L	FALSE	REG	1	24/06/2024	24/06/2024	
	24/06/2024 9:43	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/06/2024	24/06/2024	
RWD	24/06/2024 9:57	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		1/07/2024	
RWD	24/06/2024 9:57	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		1/07/2024	
RWD	24/06/2024 9:57	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Cobalt	0.001	mg/L	FALSE	REG	0.001		1/07/2024	
RWD	24/06/2024 9:57	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Copper	0.003	mg/L	FALSE	REG	0.001		1/07/2024	
RWD	24/06/2024 9:57	Copper	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Lead	0.001	mg/L	FALSE	REG	0.001		1/07/2024	
RWD	24/06/2024 9:57	Lead	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Nickel	0.003	mg/L	FALSE	REG	0.001		1/07/2024	
RWD	24/06/2024 9:57	Nickel	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Zinc	0.005	mg/L	FALSE	REG	0.005		1/07/2024	
RWD	24/06/2024 9:57	Zinc	0.005	mg/L	TRUE	REG	0.005	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	TSS	16	mg/L	FALSE	REG	5	27/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Fluoride	0.1	mg/L	FALSE	REG	0.1	25/06/2024	26/06/2024	
RWD	24/06/2024 9:57	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	25/06/2024	25/06/2024	
RWD	24/06/2024 9:57	Sodium	16	mg/L	FALSE	REG	1	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Sodium	14	mg/L	TRUE	REG	1	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	TDS	123	mg/L	FALSE	REG	10	27/06/2024	27/06/2024	
	24/06/2024 9:57	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		1/07/2024	
	24/06/2024 9:57	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/06/2024	27/06/2024	
	24/06/2024 9:57	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		1/07/2024	
	24/06/2024 9:57	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	24/06/2024 9:57	Cobalt	0.001	mg/L	FALSE	REG	0.001		1/07/2024	
	24/06/2024 9:57	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	24/06/2024 9:57	Copper	0.002	mg/L	FALSE	REG	0.001		1/07/2024	
	24/06/2024 9:57	Copper	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/06/2024 9:57	Lead	0.001	mg/L	FALSE	REG	0.001		1/07/2024	
	24/06/2024 9:57	Lead	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	24/06/2024 9:57	Nickel	0.002	mg/L	FALSE	REG	0.001		1/07/2024	
	24/06/2024 9:57	Nickel	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	24/06/2024 9:57	Zinc	0.005	mg/L	FALSE	REG	0.005		1/07/2024	
	24/06/2024 9:57	Zinc	0.005	mg/L	TRUE	REG	0.005	26/06/2024	27/06/2024	
	24/06/2024 9:57	TSS	10	mg/L	FALSE	REG	5	27/06/2024	27/06/2024	
	24/06/2024 9:57	Fluoride	0.1	mg/L	FALSE	REG	0.1	25/06/2024	26/06/2024	
	24/06/2024 9:57	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	25/06/2024	25/06/2024	
	24/06/2024 9:57	Sodium	14	mg/L	FALSE	REG	1	26/06/2024	27/06/2024	
	24/06/2024 9:57	Sodium	12	mg/L	TRUE	REG	1	26/06/2024	27/06/2024	
	24/06/2024 9:57	TDS	115	mg/L	FALSE	REG	10	27/06/2024	27/06/2024	
	24/06/2024 13:39	Antimony	0.001	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
	24/06/2024 13:39	Barium	0.001	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
	24/06/2024 13:39	Calcium	1	mg/L	TRUE	REG	1	24/06/2024	24/06/2024	
	24/06/2024 13:39	Iron	0.05	mg/L	TRUE	REG	0.05	24/06/2024	24/06/2024	
	24/06/2024 13:39	Magnesium	1	mg/L	TRUE	REG	1	24/06/2024	24/06/2024	
	24/06/2024 13:39	Mercury	0.0001	mg/L	TRUE	REG	0.0001	24/06/2024	25/06/2024	
	24/06/2024 13:39	Molybdenum	0.001	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
	24/06/2024 13:39	Potassium	1	mg/L	TRUE	REG	1	24/06/2024	24/06/2024	
	24/06/2024 13:39	Selenium	0.01	mg/L	TRUE	REG	0.01	24/06/2024	24/06/2024	
	24/06/2024 13:39	Silver	0.001	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
	24/06/2024 13:39	Strontium	0.001	mg/L	TRUE	REG	0.001	24/06/2024	24/06/2024	
	24/06/2024 13:39	Sodium	1	mg/L	TRUE	REG	1	24/06/2024	24/06/2024	
	25/06/2024 9:39	Fluoride	0.1	mg/L	FALSE	REG	0.1	25/06/2024	26/06/2024	
	25/06/2024 19:39	Fluoride	0.1	mg/L	FALSE	REG	0.1	25/06/2024	26/06/2024	
	25/06/2024 19:52	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	25/06/2024	25/06/2024	
	26/06/2024 8:02	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	26/06/2024	26/06/2024	
	26/06/2024 14:02	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	26/06/2024	1/07/2024	
	26/06/2024 14:02	Cobalt	0.001	mg/L	FALSE	REG	0.001	26/06/2024	1/07/2024	
	26/06/2024 14:02	Copper	0.001	mg/L	FALSE	REG	0.001	26/06/2024	1/07/2024	
	26/06/2024 14:02	Lead	0.001	mg/L	FALSE	REG	0.001	26/06/2024	1/07/2024	
	26/06/2024 14:02	Nickel	0.001	mg/L	FALSE	REG	0.001	26/06/2024	1/07/2024	
	26/06/2024 14:02	Zinc	0.005	mg/L	FALSE	REG	0.005	26/06/2024	1/07/2024	
	26/06/2024 14:02	Sodium	1	mg/L	FALSE	REG	1	26/06/2024	27/06/2024	
	26/06/2024 14:08	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/06/2024	27/06/2024	
	26/06/2024 14:08	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	26/06/2024 14:08	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	26/06/2024 14:08	Copper	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	26/06/2024 14:08	Lead	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	26/06/2024 14:08	Nickel	0.001	mg/L	TRUE	REG	0.001	26/06/2024	27/06/2024	
	26/06/2024 14:08	Zinc	0.005	mg/L	TRUE	REG	0.005	26/06/2024	27/06/2024	
	26/06/2024 14:08	Sodium	1	mg/L	TRUE	REG	1	26/06/2024	27/06/2024	
	27/06/2024 7:36	TSS	5	mg/L	FALSE	REG	5	27/06/2024	27/06/2024	
	27/06/2024 7:36	TDS	10	mg/L	FALSE	REG	10	27/06/2024	27/06/2024	
W5	27/06/2024 9:53	Cadmium	0.0002	mg/L	FALSE	REG	0.0001		4/07/2024	
W5	27/06/2024 9:53	Cadmium	0.0002	mg/L	TRUE	REG	0.0001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Boron	0.07	mg/L	FALSE	REG	0.05		4/07/2024	
W5	27/06/2024 9:53	Boron	0.07	mg/L	TRUE	REG	0.05	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Chromium (III+VI)	0.088	mg/L	FALSE	REG	0.001		4/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	27/06/2024 9:53	Chromium (III+VI)	0.025	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Cobalt	0.051	mg/L	FALSE	REG	0.001		4/07/2024	
W5	27/06/2024 9:53	Cobalt	0.039	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Copper	0.104	mg/L	FALSE	REG	0.001		4/07/2024	
W5	27/06/2024 9:53	Copper	0.065	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Iron	88.4	mg/L	FALSE	REG	0.05		4/07/2024	
W5	27/06/2024 9:53	Iron	27	mg/L	TRUE	REG	0.05	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Lead	0.027	mg/L	FALSE	REG	0.001		4/07/2024	
W5	27/06/2024 9:53	Lead	0.019	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Manganese	2.11	mg/L	FALSE	REG	0.001		4/07/2024	
W5	27/06/2024 9:53	Manganese	1.74	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Mercury	0.0001	mg/L	FALSE	REG	0.0001	1/07/2024	1/07/2024	
W5	27/06/2024 9:53	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/07/2024	1/07/2024	
W5	27/06/2024 9:53	Molybdenum	0.001	mg/L	FALSE	REG	0.001		4/07/2024	
W5	27/06/2024 9:53	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Nickel	0.179	mg/L	FALSE	REG	0.001		4/07/2024	
W5	27/06/2024 9:53	Nickel	0.106	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Selenium	0.01	mg/L	FALSE	REG	0.01		4/07/2024	
W5	27/06/2024 9:53	Selenium	0.01	mg/L	TRUE	REG	0.01	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Silver	0.001	mg/L	FALSE	REG	0.001	4/07/2024	2/07/2024	
W5	27/06/2024 9:53	Silver	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Vanadium	0.09	mg/L	FALSE	REG	0.01		4/07/2024	
W5	27/06/2024 9:53	Vanadium	0.04	mg/L	TRUE	REG	0.01	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Zinc	0.224	mg/L	FALSE	REG	0.005		4/07/2024	
W5	27/06/2024 9:53	Zinc	0.136	mg/L	TRUE	REG	0.005	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	TSS	1700	mg/L	FALSE	REG	5	1/07/2024	1/07/2024	
W5	27/06/2024 9:53	Total Phosphorus as P (Organic Ph	1.71	mg/L	FALSE	REG	0.01	2/07/2024	2/07/2024	
W5	27/06/2024 9:53	Ammonia as N	0.27	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
W5	27/06/2024 9:53	Fluoride	0.1	mg/L	FALSE	REG	0.1	28/06/2024	1/07/2024	
W5	27/06/2024 9:53	Kjeldahl Nitrogen Total	0.2	mg/L	FALSE	REG	0.1	2/07/2024	2/07/2024	Reported Analyte LOR is higher than Requested Analyte LOR
W5	27/06/2024 9:53	Nitrate (as N)	0.15	mg/L	FALSE	REG	0.01		1/07/2024	
W5	27/06/2024 9:53	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
W5	27/06/2024 9:53	Nitrite + Nitrate as N	0.15	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
W5	27/06/2024 9:53	Reactive Phosphorus as P (Orthop	0.13	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
W5	27/06/2024 9:53	Sulfate as SO4 - Turbidimetric	38	mg/L	TRUE	REG	1	28/06/2024	28/06/2024	
W5	27/06/2024 9:53	Sodium	79	mg/L	FALSE	REG	1	4/07/2024	2/07/2024	
W5	27/06/2024 9:53	Sodium	75	mg/L	TRUE	REG	1	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	TDS	601	mg/L	FALSE	REG	10		2/07/2024	
	27/06/2024 9:57	Cadmium	0.0002	mg/L	FALSE	REG	0.0001		4/07/2024	
	27/06/2024 9:57	Cadmium	0.0002	mg/L	TRUE	REG	0.0001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Boron	0.08	mg/L	FALSE	REG	0.05		4/07/2024	
	27/06/2024 9:57	Boron	0.2	mg/L	TRUE	REG	0.05	29/06/2024	2/07/2024	
	27/06/2024 9:57	Chromium (III+VI)	0.093	mg/L	FALSE	REG	0.001		4/07/2024	
	27/06/2024 9:57	Chromium (III+VI)	0.021	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Cobalt	0.045	mg/L	FALSE	REG	0.001		4/07/2024	
	27/06/2024 9:57	Cobalt	0.039	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Copper	0.11	mg/L	FALSE	REG	0.001		4/07/2024	
	27/06/2024 9:57	Copper	0.063	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Iron	91.7	mg/L	FALSE	REG	0.05		4/07/2024	
	27/06/2024 9:57	Iron	22.5	mg/L	TRUE	REG	0.05	29/06/2024	2/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	27/06/2024 9:57	Lead	0.025	mg/L	FALSE	REG	0.001		4/07/2024	
	27/06/2024 9:57	Lead	0.019	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Manganese	1.97	mg/L	FALSE	REG	0.001		4/07/2024	
	27/06/2024 9:57	Manganese	1.82	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Mercury	0.0001	mg/L	FALSE	REG	0.0001	1/07/2024	1/07/2024	
	27/06/2024 9:57	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/07/2024	1/07/2024	
	27/06/2024 9:57	Molybdenum	0.001	mg/L	FALSE	REG	0.001		4/07/2024	
	27/06/2024 9:57	Molybdenum	0.002	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Nickel	0.188	mg/L	FALSE	REG	0.001		4/07/2024	
	27/06/2024 9:57	Nickel	0.1	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Selenium	0.01	mg/L	FALSE	REG	0.01		4/07/2024	
	27/06/2024 9:57	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2024	2/07/2024	
	27/06/2024 9:57	Silver	0.001	mg/L	FALSE	REG	0.001	4/07/2024	2/07/2024	
	27/06/2024 9:57	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	27/06/2024 9:57	Vanadium	0.08	mg/L	FALSE	REG	0.01		4/07/2024	
	27/06/2024 9:57	Vanadium	0.04	mg/L	TRUE	REG	0.01	29/06/2024	2/07/2024	
	27/06/2024 9:57	Zinc	0.195	mg/L	FALSE	REG	0.005		4/07/2024	
	27/06/2024 9:57	Zinc	0.148	mg/L	TRUE	REG	0.005	29/06/2024	2/07/2024	
	27/06/2024 9:57	TSS	1970	mg/L	FALSE	REG	5	1/07/2024	1/07/2024	
	27/06/2024 9:57	Total Phosphorus as P (Organic Ph	1.74	mg/L	FALSE	REG	0.01	2/07/2024	2/07/2024	
	27/06/2024 9:57	Ammonia as N	0.05	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
	27/06/2024 9:57	Fluoride	0.1	mg/L	FALSE	REG	0.1	28/06/2024	1/07/2024	
	27/06/2024 9:57	Kjeldahl Nitrogen Total	1	mg/L	FALSE	REG	0.1	2/07/2024	2/07/2024	
	27/06/2024 9:57	Nitrate (as N)	0.14	mg/L	FALSE	REG	0.01		1/07/2024	
	27/06/2024 9:57	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
	27/06/2024 9:57	Nitrite + Nitrate as N	0.14	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
	27/06/2024 9:57	Reactive Phosphorus as P (Orthop	0.13	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
	27/06/2024 9:57	Sulfate as SO4 - Turbidimetric	38	mg/L	TRUE	REG	1	28/06/2024	28/06/2024	
	27/06/2024 9:57	Sodium	76	mg/L	FALSE	REG	1	4/07/2024	2/07/2024	
	27/06/2024 9:57	Sodium	71	mg/L	TRUE	REG	1	29/06/2024	2/07/2024	
	27/06/2024 9:57	TDS	517	mg/L	FALSE	REG	10		2/07/2024	
W4	27/06/2024 10:10	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Boron	0.05	mg/L	FALSE	REG	0.05	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Boron	0.05	mg/L	TRUE	REG	0.05	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Chromium (III+VI)	0.005	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Chromium (III+VI)	0.002	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Cobalt	0.004	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Cobalt	0.004	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Copper	0.01	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Copper	0.008	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Iron	4.69	mg/L	FALSE	REG	0.05	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Iron	1.88	mg/L	TRUE	REG	0.05	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Lead	0.004	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Lead	0.003	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Manganese	0.119	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Manganese	0.111	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Mercury	0.0001	mg/L	FALSE	REG	0.0001	1/07/2024	1/07/2024	
W4	27/06/2024 10:10	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/07/2024	1/07/2024	
W4	27/06/2024 10:10	Molybdenum	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	27/06/2024 10:10	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Nickel	0.01	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Nickel	0.007	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Selenium	0.01	mg/L	FALSE	REG	0.01	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Selenium	0.01	mg/L	TRUE	REG	0.01	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Silver	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Silver	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Vanadium	0.01	mg/L	FALSE	REG	0.01	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Vanadium	0.01	mg/L	TRUE	REG	0.01	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Zinc	0.037	mg/L	FALSE	REG	0.005	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Zinc	0.032	mg/L	TRUE	REG	0.005	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	TSS	250	mg/L	FALSE	REG	5	1/07/2024	1/07/2024	
W4	27/06/2024 10:10	Total Phosphorus as P (Organic Ph	0.3	mg/L	FALSE	REG	0.01	2/07/2024	2/07/2024	
W4	27/06/2024 10:10	Ammonia as N	0.24	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
W4	27/06/2024 10:10	Fluoride	0.1	mg/L	FALSE	REG	0.1	28/06/2024	1/07/2024	
W4	27/06/2024 10:10	Kjeldahl Nitrogen Total	2.3	mg/L	FALSE	REG	0.1	2/07/2024	2/07/2024	
W4	27/06/2024 10:10	Nitrate (as N)	0.09	mg/L	FALSE	REG	0.01		1/07/2024	
W4	27/06/2024 10:10	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
W4	27/06/2024 10:10	Nitrite + Nitrate as N	0.09	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
W4	27/06/2024 10:10	Reactive Phosphorus as P (Orthop	0.03	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
W4	27/06/2024 10:10	Sulfate as SO4 - Turbidimetric	12	mg/L	TRUE	REG	1	28/06/2024	28/06/2024	
W4	27/06/2024 10:10	Sodium	31	mg/L	FALSE	REG	1	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Sodium	28	mg/L	TRUE	REG	1	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	TDS	223	mg/L	FALSE	REG	10		2/07/2024	
	28/06/2024 19:24	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
	28/06/2024 19:24	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
	28/06/2024 19:24	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	28/06/2024	28/06/2024	
	28/06/2024 20:14	Fluoride	0.1	mg/L	FALSE	REG	0.1	28/06/2024	1/07/2024	
	28/06/2024 21:40	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
	28/06/2024 21:40	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	28/06/2024	28/06/2024	
	29/06/2024 11:42	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Boron	0.05	mg/L	FALSE	REG	0.05	29/06/2024	2/07/2024	
	29/06/2024 11:42	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Cobalt	0.001	mg/L	FALSE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Copper	0.001	mg/L	FALSE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Iron	0.05	mg/L	FALSE	REG	0.05	29/06/2024	2/07/2024	
	29/06/2024 11:42	Lead	0.001	mg/L	FALSE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Manganese	0.001	mg/L	FALSE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Molybdenum	0.001	mg/L	FALSE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Nickel	0.001	mg/L	FALSE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Selenium	0.01	mg/L	FALSE	REG	0.01	29/06/2024	2/07/2024	
	29/06/2024 11:42	Silver	0.001	mg/L	FALSE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:42	Vanadium	0.01	mg/L	FALSE	REG	0.01	29/06/2024	2/07/2024	
	29/06/2024 11:42	Zinc	0.005	mg/L	FALSE	REG	0.005	29/06/2024	2/07/2024	
	29/06/2024 11:42	Sodium	1	mg/L	FALSE	REG	1	29/06/2024	2/07/2024	
	29/06/2024 11:48	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	29/06/2024	2/07/2024	
	29/06/2024 11:48	Boron	0.05	mg/L	TRUE	REG	0.05	29/06/2024	2/07/2024	
	29/06/2024 11:48	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:48	Cobalt	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:48	Copper	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	29/06/2024 11:48	Iron	0.05	mg/L	TRUE	REG	0.05	29/06/2024	2/07/2024	
	29/06/2024 11:48	Lead	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:48	Manganese	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:48	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:48	Nickel	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:48	Selenium	0.01	mg/L	TRUE	REG	0.01	29/06/2024	2/07/2024	
	29/06/2024 11:48	Silver	0.001	mg/L	TRUE	REG	0.001	29/06/2024	2/07/2024	
	29/06/2024 11:48	Vanadium	0.01	mg/L	TRUE	REG	0.01	29/06/2024	2/07/2024	
	29/06/2024 11:48	Zinc	0.005	mg/L	TRUE	REG	0.005	29/06/2024	2/07/2024	
	29/06/2024 11:48	Sodium	1	mg/L	TRUE	REG	1	29/06/2024	2/07/2024	
	1/07/2024 11:03	Mercury	0.0001	mg/L	FALSE	REG	0.0001	1/07/2024	1/07/2024	
	1/07/2024 12:55	TSS	5	mg/L	FALSE	REG	5	1/07/2024	1/07/2024	
	1/07/2024 12:55	TDS	10	mg/L	FALSE	REG	10	1/07/2024	1/07/2024	
	1/07/2024 15:46	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Boron	0.05	mg/L	FALSE	REG	0.05	1/07/2024	2/07/2024	
	1/07/2024 15:46	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Cobalt	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Copper	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Iron	0.05	mg/L	FALSE	REG	0.05	1/07/2024	2/07/2024	
	1/07/2024 15:46	Lead	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Manganese	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Molybdenum	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Nickel	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Selenium	0.01	mg/L	FALSE	REG	0.01	1/07/2024	2/07/2024	
	1/07/2024 15:46	Silver	0.001	mg/L	FALSE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 15:46	Vanadium	0.01	mg/L	FALSE	REG	0.01	1/07/2024	2/07/2024	
	1/07/2024 15:46	Zinc	0.005	mg/L	FALSE	REG	0.005	1/07/2024	2/07/2024	
	1/07/2024 15:46	Sodium	1	mg/L	FALSE	REG	1	1/07/2024	2/07/2024	
	1/07/2024 16:17	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Boron	0.05	mg/L	TRUE	REG	0.05	1/07/2024	2/07/2024	
	1/07/2024 16:17	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Cobalt	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Copper	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Iron	0.05	mg/L	TRUE	REG	0.05	1/07/2024	2/07/2024	
	1/07/2024 16:17	Lead	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Manganese	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Molybdenum	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Nickel	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Selenium	0.01	mg/L	TRUE	REG	0.01	1/07/2024	2/07/2024	
	1/07/2024 16:17	Silver	0.001	mg/L	TRUE	REG	0.001	1/07/2024	2/07/2024	
	1/07/2024 16:17	Vanadium	0.01	mg/L	TRUE	REG	0.01	1/07/2024	2/07/2024	
	1/07/2024 16:17	Zinc	0.005	mg/L	TRUE	REG	0.005	1/07/2024	2/07/2024	
	1/07/2024 16:17	Sodium	1	mg/L	TRUE	REG	1	1/07/2024	2/07/2024	
	1/07/2024 16:49	Mercury	0.0001	mg/L	TRUE	REG	0.0001	1/07/2024	1/07/2024	
	2/07/2024 10:13	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	2/07/2024	2/07/2024	
	2/07/2024 10:13	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	2/07/2024	2/07/2024	
W8	5/07/2024 15:05	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Boron	0.06	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Boron	0.05	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W8	5/07/2024 15:05	Chromium (III+VI)	0.012	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Cobalt	0.007	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Copper	0.02	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Copper	0.003	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Iron	11.7	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Iron	0.06	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Lead	0.006	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Lead	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Manganese	0.197	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Manganese	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
W8	5/07/2024 15:05	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Nickel	0.02	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Nickel	0.002	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Selenium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Silver	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Vanadium	0.03	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Zinc	0.049	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Zinc	0.005	mg/L	TRUE	REG	0.005	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	TSS	64	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Total Phosphorus as P (Organic Ph	0.43	mg/L	FALSE	REG	0.01	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W8	5/07/2024 15:05	Fluoride	0.2	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	Kjeldahl Nitrogen Total	0.9	mg/L	FALSE	REG	0.1	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		10/07/2024	
W8	5/07/2024 15:05	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W8	5/07/2024 15:05	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W8	5/07/2024 15:05	Reactive Phosphorus as P (Orthop	0.02	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W8	5/07/2024 15:05	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
W8	5/07/2024 15:05	Sodium	14	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Sodium	13	mg/L	TRUE	REG	1	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	TDS	683	mg/L	FALSE	REG	10	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Boron	0.07	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Boron	0.05	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Chromium (III+VI)	0.013	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Cobalt	0.011	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Copper	0.022	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Copper	0.002	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Iron	13	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W8	5/07/2024 15:30	Iron	0.05	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Lead	0.007	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Lead	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Manganese	0.441	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Manganese	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
W8	5/07/2024 15:30	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Nickel	0.022	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Nickel	0.002	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Selenium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Silver	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Vanadium	0.04	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Zinc	0.049	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Zinc	0.005	mg/L	TRUE	REG	0.005	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	TSS	435	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Total Phosphorus as P (Organic Ph	0.49	mg/L	FALSE	REG	0.01	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Ammonia as N	0.27	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W8	5/07/2024 15:30	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Kjeldahl Nitrogen Total	2.3	mg/L	FALSE	REG	0.1	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Nitrate (as N)	0.1	mg/L	FALSE	REG	0.01		10/07/2024	
W8	5/07/2024 15:30	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W8	5/07/2024 15:30	Nitrite + Nitrate as N	0.11	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W8	5/07/2024 15:30	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W8	5/07/2024 15:30	Sulfate as SO4 - Turbidimetric	24	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
W8	5/07/2024 15:30	Sodium	23	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Sodium	21	mg/L	TRUE	REG	1	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	TDS	530	mg/L	FALSE	REG	10	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Boron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Boron	0.05	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Chromium (III+VI)	0.007	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Cobalt	0.004	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Copper	0.013	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Copper	0.005	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Iron	5.01	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Iron	0.06	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Lead	0.003	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Lead	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Manganese	0.171	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Manganese	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
W6	5/07/2024 16:25	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	5/07/2024 16:25	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Nickel	0.011	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Nickel	0.003	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Selenium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Silver	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Vanadium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Zinc	0.055	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Zinc	0.007	mg/L	TRUE	REG	0.005	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	TSS	98	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Total Phosphorus as P (Organic Ph	0.52	mg/L	FALSE	REG	0.01	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W6	5/07/2024 16:25	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Kjeldahl Nitrogen Total	1.6	mg/L	FALSE	REG	0.1	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		10/07/2024	
W6	5/07/2024 16:25	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W6	5/07/2024 16:25	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W6	5/07/2024 16:25	Reactive Phosphorus as P (Orthop	0.25	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W6	5/07/2024 16:25	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
W6	5/07/2024 16:25	Sodium	11	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Sodium	10	mg/L	TRUE	REG	1	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	TDS	274	mg/L	FALSE	REG	10	11/07/2024	11/07/2024	
	5/07/2024 16:37	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
	5/07/2024 16:37	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Boron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	5/07/2024 16:37	Boron	0.05	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
	5/07/2024 16:37	Chromium (III+VI)	0.006	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	5/07/2024 16:37	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Cobalt	0.004	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	5/07/2024 16:37	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Copper	0.013	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	5/07/2024 16:37	Copper	0.005	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Iron	4.52	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	5/07/2024 16:37	Iron	0.06	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
	5/07/2024 16:37	Lead	0.003	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	5/07/2024 16:37	Lead	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Manganese	0.163	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	5/07/2024 16:37	Manganese	0.002	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
	5/07/2024 16:37	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	5/07/2024 16:37	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Nickel	0.011	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	5/07/2024 16:37	Nickel	0.003	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	5/07/2024 16:37	Selenium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
	5/07/2024 16:37	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	5/07/2024 16:37	Silver	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	5/07/2024 16:37	Vanadium	0.02	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	5/07/2024 16:37	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
	5/07/2024 16:37	Zinc	0.065	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
	5/07/2024 16:37	Zinc	0.009	mg/L	TRUE	REG	0.005	11/07/2024	11/07/2024	
	5/07/2024 16:37	TSS	95	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
	5/07/2024 16:37	Total Phosphorus as P (Organic Ph	0.5	mg/L	FALSE	REG	0.01	11/07/2024	11/07/2024	
	5/07/2024 16:37	Ammonia as N	0.02	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	5/07/2024 16:37	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
	5/07/2024 16:37	Kjeldahl Nitrogen Total	1.7	mg/L	FALSE	REG	0.1	11/07/2024	11/07/2024	
	5/07/2024 16:37	Nitrate (as N)	0.01	mg/L	FALSE	REG	0.01		10/07/2024	
	5/07/2024 16:37	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	5/07/2024 16:37	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	5/07/2024 16:37	Reactive Phosphorus as P (Orthop	0.27	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	5/07/2024 16:37	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
	5/07/2024 16:37	Sodium	11	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	5/07/2024 16:37	Sodium	10	mg/L	TRUE	REG	1	11/07/2024	11/07/2024	
	5/07/2024 16:37	TDS	273	mg/L	FALSE	REG	10	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Boron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Boron	0.05	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Chromium (III+VI)	0.016	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Cobalt	0.003	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Copper	0.009	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Copper	0.004	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Iron	7.27	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Iron	0.08	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Lead	0.002	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Lead	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Manganese	0.068	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Manganese	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
W2	6/07/2024 7:02	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Nickel	0.01	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Nickel	0.003	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Selenium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Silver	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Vanadium	0.02	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Zinc	0.018	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Zinc	0.005	mg/L	TRUE	REG	0.005	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	TSS	39	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Total Phosphorus as P (Organic Ph	0.14	mg/L	FALSE	REG	0.01	11/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W2	6/07/2024 7:02	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W2	6/07/2024 7:02	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Kjeldahl Nitrogen Total	0.9	mg/L	FALSE	REG	0.1	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Nitrate (as N)	0.07	mg/L	FALSE	REG	0.01		10/07/2024	
W2	6/07/2024 7:02	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W2	6/07/2024 7:02	Nitrite + Nitrate as N	0.07	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W2	6/07/2024 7:02	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
W2	6/07/2024 7:02	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
W2	6/07/2024 7:02	Sodium	23	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Sodium	22	mg/L	TRUE	REG	1	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	TDS	344	mg/L	FALSE	REG	10	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Antimony	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Antimony	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1	6/07/2024 7:05	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		15/07/2024	
IR1	6/07/2024 7:05	Boron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Boron	0.05	mg/L	TRUE	REG	0.05		15/07/2024	
IR1	6/07/2024 7:05	Chromium (III+VI)	0.015	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1	6/07/2024 7:05	Cobalt	0.003	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Cobalt	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1	6/07/2024 7:05	Copper	0.009	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Copper	0.004	mg/L	TRUE	REG	0.001		15/07/2024	
IR1	6/07/2024 7:05	Iron	6.77	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Iron	0.3	mg/L	TRUE	REG	0.05		15/07/2024	
IR1	6/07/2024 7:05	Lead	0.002	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Lead	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1	6/07/2024 7:05	Manganese	0.067	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Manganese	0.01	mg/L	TRUE	REG	0.001		15/07/2024	
IR1	6/07/2024 7:05	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Mercury	0.0001	mg/L	TRUE	REG	0.0001	10/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Molybdenum	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1	6/07/2024 7:05	Nickel	0.01	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Nickel	0.003	mg/L	TRUE	REG	0.001		15/07/2024	
IR1	6/07/2024 7:05	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Selenium	0.01	mg/L	TRUE	REG	0.01		15/07/2024	
IR1	6/07/2024 7:05	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Silver	0.001	mg/L	TRUE	REG	0.001	10/07/2024	12/07/2024	
IR1	6/07/2024 7:05	Vanadium	0.02	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Vanadium	0.01	mg/L	TRUE	REG	0.01		15/07/2024	
IR1	6/07/2024 7:05	Zinc	0.016	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Zinc	0.005	mg/L	TRUE	REG	0.005		15/07/2024	
IR1	6/07/2024 7:05	TSS	41	mg/L	FALSE	REG	5		12/07/2024	
IR1	6/07/2024 7:05	Ammonia as N	0.01	mg/L	FALSE	REG	0.01		10/07/2024	
IR1	6/07/2024 7:05	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Nitrate (as N)	0.07	mg/L	FALSE	REG	0.01		10/07/2024	
IR1	6/07/2024 7:05	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
IR1	6/07/2024 7:05	Nitrite + Nitrate as N	0.07	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
IR1	6/07/2024 7:05	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR1	6/07/2024 7:05	Sodium	23	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Sodium	22	mg/L	TRUE	REG	1	10/07/2024	12/07/2024	
IR1	6/07/2024 7:05	TDS	321	mg/L	FALSE	REG	10		12/07/2024	
	6/07/2024 7:41	Antimony	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Antimony	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
	6/07/2024 7:41	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		15/07/2024	
	6/07/2024 7:41	Boron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	6/07/2024 7:41	Boron	0.05	mg/L	TRUE	REG	0.05		15/07/2024	
	6/07/2024 7:41	Chromium (III+VI)	0.012	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
	6/07/2024 7:41	Cobalt	0.003	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Cobalt	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
	6/07/2024 7:41	Copper	0.008	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Copper	0.005	mg/L	TRUE	REG	0.001		15/07/2024	
	6/07/2024 7:41	Iron	5.48	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	6/07/2024 7:41	Iron	0.3	mg/L	TRUE	REG	0.05		15/07/2024	
	6/07/2024 7:41	Lead	0.002	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Lead	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
	6/07/2024 7:41	Manganese	0.063	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Manganese	0.01	mg/L	TRUE	REG	0.001		15/07/2024	
	6/07/2024 7:41	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
	6/07/2024 7:41	Mercury	0.0001	mg/L	TRUE	REG	0.0001	10/07/2024	10/07/2024	
	6/07/2024 7:41	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Molybdenum	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
	6/07/2024 7:41	Nickel	0.009	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Nickel	0.004	mg/L	TRUE	REG	0.001		15/07/2024	
	6/07/2024 7:41	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	6/07/2024 7:41	Selenium	0.01	mg/L	TRUE	REG	0.01		15/07/2024	
	6/07/2024 7:41	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	6/07/2024 7:41	Silver	0.001	mg/L	TRUE	REG	0.001	10/07/2024	12/07/2024	
	6/07/2024 7:41	Vanadium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	6/07/2024 7:41	Vanadium	0.01	mg/L	TRUE	REG	0.01		15/07/2024	
	6/07/2024 7:41	Zinc	0.014	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
	6/07/2024 7:41	Zinc	0.005	mg/L	TRUE	REG	0.005		15/07/2024	
	6/07/2024 7:41	TSS	39	mg/L	FALSE	REG	5		12/07/2024	
	6/07/2024 7:41	Ammonia as N	0.06	mg/L	FALSE	REG	0.01		10/07/2024	
	6/07/2024 7:41	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
	6/07/2024 7:41	Nitrate (as N)	0.07	mg/L	FALSE	REG	0.01		10/07/2024	
	6/07/2024 7:41	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	6/07/2024 7:41	Nitrite + Nitrate as N	0.07	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	6/07/2024 7:41	Sulfate as SO4 - Turbidimetric	3	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
	6/07/2024 7:41	Sodium	23	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	6/07/2024 7:41	Sodium	23	mg/L	TRUE	REG	1	10/07/2024	12/07/2024	
	6/07/2024 7:41	TDS	325	mg/L	FALSE	REG	10		12/07/2024	
IR1A	6/07/2024 8:34	Antimony	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Antimony	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1A	6/07/2024 8:34	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		15/07/2024	
IR1A	6/07/2024 8:34	Boron	0.09	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR1A	6/07/2024 8:34	Boron	0.09	mg/L	TRUE	REG	0.05		15/07/2024	
IR1A	6/07/2024 8:34	Chromium (III+VI)	0.006	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1A	6/07/2024 8:34	Cobalt	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Cobalt	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1A	6/07/2024 8:34	Copper	0.004	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Copper	0.002	mg/L	TRUE	REG	0.001		15/07/2024	
IR1A	6/07/2024 8:34	Iron	2.48	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Iron	0.15	mg/L	TRUE	REG	0.05		15/07/2024	
IR1A	6/07/2024 8:34	Lead	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Lead	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1A	6/07/2024 8:34	Manganese	0.026	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Manganese	0.008	mg/L	TRUE	REG	0.001		15/07/2024	
IR1A	6/07/2024 8:34	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Mercury	0.0001	mg/L	TRUE	REG	0.0001	10/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Molybdenum	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1A	6/07/2024 8:34	Nickel	0.004	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Nickel	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR1A	6/07/2024 8:34	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Selenium	0.01	mg/L	TRUE	REG	0.01		15/07/2024	
IR1A	6/07/2024 8:34	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Silver	0.001	mg/L	TRUE	REG	0.001	10/07/2024	12/07/2024	
IR1A	6/07/2024 8:34	Vanadium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Vanadium	0.01	mg/L	TRUE	REG	0.01		15/07/2024	
IR1A	6/07/2024 8:34	Zinc	0.01	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Zinc	0.005	mg/L	TRUE	REG	0.005		15/07/2024	
IR1A	6/07/2024 8:34	TSS	5	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
IR1A	6/07/2024 8:34	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Nitrate (as N)	0.14	mg/L	FALSE	REG	0.01		10/07/2024	
IR1A	6/07/2024 8:34	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
IR1A	6/07/2024 8:34	Nitrite + Nitrate as N	0.14	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
IR1A	6/07/2024 8:34	Sulfate as SO4 - Turbidimetric	12	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
IR1A	6/07/2024 8:34	Sodium	86	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Sodium	89	mg/L	TRUE	REG	1	10/07/2024	12/07/2024	
IR1A	6/07/2024 8:34	TDS	449	mg/L	FALSE	REG	10	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Antimony	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Antimony	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR5	6/07/2024 9:39	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		15/07/2024	
IR5	6/07/2024 9:39	Boron	0.06	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Boron	0.06	mg/L	TRUE	REG	0.05		15/07/2024	
IR5	6/07/2024 9:39	Chromium (III+VI)	0.011	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR5	6/07/2024 9:39	Cobalt	0.002	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Cobalt	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR5	6/07/2024 9:39	Copper	0.008	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Copper	0.004	mg/L	TRUE	REG	0.001		15/07/2024	
IR5	6/07/2024 9:39	Iron	5.48	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR5	6/07/2024 9:39	Iron	0.21	mg/L	TRUE	REG	0.05		15/07/2024	
IR5	6/07/2024 9:39	Lead	0.002	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Lead	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR5	6/07/2024 9:39	Manganese	0.05	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Manganese	0.013	mg/L	TRUE	REG	0.001		15/07/2024	
IR5	6/07/2024 9:39	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Mercury	0.0001	mg/L	TRUE	REG	0.0001	10/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Molybdenum	0.001	mg/L	TRUE	REG	0.001		15/07/2024	
IR5	6/07/2024 9:39	Nickel	0.008	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Nickel	0.002	mg/L	TRUE	REG	0.001		15/07/2024	
IR5	6/07/2024 9:39	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Selenium	0.01	mg/L	TRUE	REG	0.01		15/07/2024	
IR5	6/07/2024 9:39	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Silver	0.001	mg/L	TRUE	REG	0.001	10/07/2024	12/07/2024	
IR5	6/07/2024 9:39	Vanadium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Vanadium	0.01	mg/L	TRUE	REG	0.01		15/07/2024	
IR5	6/07/2024 9:39	Zinc	0.016	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Zinc	0.005	mg/L	TRUE	REG	0.005		15/07/2024	
IR5	6/07/2024 9:39	TSS	5	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Ammonia as N	0.02	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
IR5	6/07/2024 9:39	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Nitrate (as N)	0.02	mg/L	FALSE	REG	0.01		10/07/2024	
IR5	6/07/2024 9:39	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
IR5	6/07/2024 9:39	Nitrite + Nitrate as N	0.02	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
IR5	6/07/2024 9:39	Sulfate as SO4 - Turbidimetric	5	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
IR5	6/07/2024 9:39	Sodium	28	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Sodium	28	mg/L	TRUE	REG	1	10/07/2024	12/07/2024	
IR5	6/07/2024 9:39	TDS	305	mg/L	FALSE	REG	10		12/07/2024	
	9/07/2024 19:45	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 19:45	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 19:45	Reactive Phosphorus as P (Orthop	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 19:45	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
	9/07/2024 19:45	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	9/07/2024	9/07/2024	
	9/07/2024 19:52	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 19:52	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 19:52	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 19:52	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 19:52	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 19:52	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	9/07/2024	9/07/2024	
	9/07/2024 20:17	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
	9/07/2024 20:17	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
	9/07/2024 20:17	Fluoride	0.1	mg/L	FALSE	REG	0.1	9/07/2024	10/07/2024	
	10/07/2024 20:01	Mercury	0.0001	mg/L	TRUE	REG	0.0001	10/07/2024	10/07/2024	
	10/07/2024 20:03	Antimony	0.001	mg/L	TRUE	REG	0.001	10/07/2024	15/07/2024	
	10/07/2024 20:03	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	10/07/2024	15/07/2024	
	10/07/2024 20:03	Boron	0.05	mg/L	TRUE	REG	0.05	10/07/2024	15/07/2024	
	10/07/2024 20:03	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	10/07/2024	15/07/2024	
	10/07/2024 20:03	Cobalt	0.001	mg/L	TRUE	REG	0.001	10/07/2024	15/07/2024	
	10/07/2024 20:03	Iron	0.05	mg/L	TRUE	REG	0.05	10/07/2024	15/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	10/07/2024 20:03	Lead	0.001	mg/L	TRUE	REG	0.001	10/07/2024	15/07/2024	
	10/07/2024 20:03	Manganese	0.001	mg/L	TRUE	REG	0.001	10/07/2024	15/07/2024	
	10/07/2024 20:03	Molybdenum	0.001	mg/L	TRUE	REG	0.001	10/07/2024	15/07/2024	
	10/07/2024 20:03	Nickel	0.001	mg/L	TRUE	REG	0.001	10/07/2024	15/07/2024	
	10/07/2024 20:03	Selenium	0.01	mg/L	TRUE	REG	0.01	10/07/2024	15/07/2024	
	10/07/2024 20:03	Silver	0.001	mg/L	TRUE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 20:03	Vanadium	0.01	mg/L	TRUE	REG	0.01	10/07/2024	15/07/2024	
	10/07/2024 20:03	Zinc	0.005	mg/L	TRUE	REG	0.005	10/07/2024	15/07/2024	
	10/07/2024 20:03	Sodium	1	mg/L	TRUE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:32	Antimony	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Antimony	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Boron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	10/07/2024 21:32	Boron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	10/07/2024 21:32	Boron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	10/07/2024 21:32	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Cobalt	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Cobalt	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Cobalt	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Copper	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Copper	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Copper	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Iron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	10/07/2024 21:32	Iron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	10/07/2024 21:32	Iron	0.05	mg/L	FALSE	REG	0.05	10/07/2024	11/07/2024	
	10/07/2024 21:32	Lead	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Lead	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Lead	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Manganese	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Manganese	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Manganese	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Molybdenum	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Nickel	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Nickel	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Nickel	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	10/07/2024 21:32	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	10/07/2024 21:32	Selenium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	10/07/2024 21:32	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Silver	0.001	mg/L	FALSE	REG	0.001	10/07/2024	11/07/2024	
	10/07/2024 21:32	Vanadium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	10/07/2024 21:32	Vanadium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	
	10/07/2024 21:32	Vanadium	0.01	mg/L	FALSE	REG	0.01	10/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	10/07/2024 21:32	Zinc	0.005	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
	10/07/2024 21:32	Zinc	0.005	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
	10/07/2024 21:32	Zinc	0.005	mg/L	FALSE	REG	0.005	10/07/2024	11/07/2024	
	10/07/2024 21:32	Sodium	1	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:32	Sodium	1	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:32	Sodium	1	mg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:34	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
	10/07/2024 21:34	Mercury	0.0001	mg/L	FALSE	REG	0.0001	10/07/2024	10/07/2024	
	11/07/2024 8:01	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	11/07/2024	11/07/2024	
	11/07/2024 8:01	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	11/07/2024	11/07/2024	
	11/07/2024 11:02	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Boron	0.05	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
	11/07/2024 11:02	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Cobalt	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Copper	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Iron	0.05	mg/L	TRUE	REG	0.05	11/07/2024	11/07/2024	
	11/07/2024 11:02	Lead	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Manganese	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Mercury	0.0001	mg/L	TRUE	REG	0.0001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Molybdenum	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Nickel	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Selenium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
	11/07/2024 11:02	Silver	0.001	mg/L	TRUE	REG	0.001	11/07/2024	11/07/2024	
	11/07/2024 11:02	Vanadium	0.01	mg/L	TRUE	REG	0.01	11/07/2024	11/07/2024	
	11/07/2024 11:02	Zinc	0.005	mg/L	TRUE	REG	0.005	11/07/2024	11/07/2024	
	11/07/2024 11:02	Sodium	1	mg/L	TRUE	REG	1	11/07/2024	11/07/2024	
	11/07/2024 12:11	TSS	5	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
	11/07/2024 12:11	TDS	10	mg/L	FALSE	REG	10	11/07/2024	11/07/2024	
	11/07/2024 13:36	TSS	5	mg/L	FALSE	REG	5	11/07/2024	11/07/2024	
	11/07/2024 13:36	TDS	10	mg/L	FALSE	REG	10	11/07/2024	11/07/2024	
	17/07/2024 7:30	Calcium	6	mg/L	TRUE	REG	1	19/07/2024	21/07/2024	
	17/07/2024 7:30	Magnesium	4	mg/L	TRUE	REG	1	19/07/2024	21/07/2024	
	17/07/2024 7:30	Potassium	14	mg/L	TRUE	REG	1	19/07/2024	21/07/2024	
	17/07/2024 7:30	Alkalinity (Bicarbonate as CaCO3)	45	mg/L	FALSE	REG	1	18/07/2024	19/07/2024	
	17/07/2024 7:30	Alkalinity (Carbonate as CaCO3)	16	mg/L	FALSE	REG	1	18/07/2024	19/07/2024	
	17/07/2024 7:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	18/07/2024	19/07/2024	
	17/07/2024 7:30	Alkalinity (total) as CaCO3	62	mg/L	FALSE	REG	1	18/07/2024	19/07/2024	
	17/07/2024 7:30	Chloride	17	mg/L	FALSE	REG	1	18/07/2024	18/07/2024	
	17/07/2024 7:30	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	18/07/2024	18/07/2024	
	17/07/2024 7:30	Sodium	16	mg/L	TRUE	REG	1	19/07/2024	21/07/2024	
	18/07/2024 20:17	Chloride	1	mg/L	FALSE	REG	1	18/07/2024	18/07/2024	
	18/07/2024 20:17	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	18/07/2024	18/07/2024	
	19/07/2024 6:47	Calcium	1	mg/L	TRUE	REG	1	19/07/2024	21/07/2024	
	19/07/2024 6:47	Magnesium	1	mg/L	TRUE	REG	1	19/07/2024	21/07/2024	
	19/07/2024 6:47	Potassium	1	mg/L	TRUE	REG	1	19/07/2024	21/07/2024	
	19/07/2024 6:47	Sodium	1	mg/L	TRUE	REG	1	19/07/2024	21/07/2024	
RWD	22/07/2024 9:53	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	24/07/2024	25/07/2024	
RWD	22/07/2024 9:53	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	22/07/2024 9:53	Cobalt	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Cobalt	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
RWD	22/07/2024 9:53	Copper	0.002	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Copper	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
RWD	22/07/2024 9:53	Lead	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Lead	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
RWD	22/07/2024 9:53	Nickel	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Nickel	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
RWD	22/07/2024 9:53	Zinc	0.005	mg/L	FALSE	REG	0.005	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Zinc	0.005	mg/L	TRUE	REG	0.005	24/07/2024	25/07/2024	
RWD	22/07/2024 9:53	TSS	5	mg/L	FALSE	REG	5	26/07/2024	26/07/2024	
RWD	22/07/2024 9:53	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/07/2024	25/07/2024	
RWD	22/07/2024 9:53	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	23/07/2024	23/07/2024	
RWD	22/07/2024 9:53	Sodium	11	mg/L	FALSE	REG	1	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Sodium	11	mg/L	TRUE	REG	1	24/07/2024	25/07/2024	
RWD	22/07/2024 9:53	TDS	127	mg/L	FALSE	REG	10	26/07/2024	26/07/2024	
	22/07/2024 10:01	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	24/07/2024	27/07/2024	
	22/07/2024 10:01	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	24/07/2024	25/07/2024	
	22/07/2024 10:01	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	22/07/2024 10:01	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	22/07/2024 10:01	Cobalt	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	22/07/2024 10:01	Cobalt	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	22/07/2024 10:01	Copper	0.002	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	22/07/2024 10:01	Copper	0.002	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	22/07/2024 10:01	Lead	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	22/07/2024 10:01	Lead	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	22/07/2024 10:01	Nickel	0.002	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	22/07/2024 10:01	Nickel	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	22/07/2024 10:01	Zinc	0.016	mg/L	FALSE	REG	0.005	24/07/2024	27/07/2024	
	22/07/2024 10:01	Zinc	0.005	mg/L	TRUE	REG	0.005	24/07/2024	25/07/2024	
	22/07/2024 10:01	TSS	5	mg/L	FALSE	REG	5	26/07/2024	26/07/2024	
	22/07/2024 10:01	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/07/2024	25/07/2024	
	22/07/2024 10:01	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	23/07/2024	23/07/2024	
	22/07/2024 10:01	Sodium	11	mg/L	FALSE	REG	1	24/07/2024	27/07/2024	
	22/07/2024 10:01	Sodium	11	mg/L	TRUE	REG	1	24/07/2024	25/07/2024	
	22/07/2024 10:01	TDS	126	mg/L	FALSE	REG	10	26/07/2024	26/07/2024	
593	22/07/2024 12:55	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
593	22/07/2024 12:55	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
593	22/07/2024 12:55	Calcium	152	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
593	22/07/2024 12:55	Iron	3.69	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
593	22/07/2024 12:55	Iron	0.83	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
593	22/07/2024 12:55	Magnesium	208	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
593	22/07/2024 12:55	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
593	22/07/2024 12:55	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
593	22/07/2024 12:55	Potassium	12	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
593	22/07/2024 12:55	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
593	22/07/2024 12:55	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
593	22/07/2024 12:55	Alkalinity (Bicarbonate as CaCO3)	514	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
593	22/07/2024 12:55	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
593	22/07/2024 12:55	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
593	22/07/2024 12:55	Alkalinity (total) as CaCO3	514	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
593	22/07/2024 12:55	Chloride	5290	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
593	22/07/2024 12:55	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
593	22/07/2024 12:55	Sodium	2670	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
594	22/07/2024 14:00	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Calcium	511	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Iron	2.04	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
594	22/07/2024 14:00	Iron	1.19	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Magnesium	500	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Molybdenum	0.009	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
594	22/07/2024 14:00	Molybdenum	0.008	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Potassium	16	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
594	22/07/2024 14:00	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Alkalinity (Bicarbonate as CaCO3)	241	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
594	22/07/2024 14:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
594	22/07/2024 14:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
594	22/07/2024 14:00	Alkalinity (total) as CaCO3	241	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
594	22/07/2024 14:00	Chloride	7800	mg/L	FALSE	REG	1		31/07/2024	
594	22/07/2024 14:00	Sulfate as SO4 - Turbidimetric	842	mg/L	TRUE	REG	1		31/07/2024	
594	22/07/2024 14:00	Sodium	3440	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Calcium	57	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Iron	1.98	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	Iron	0.05	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Magnesium	44	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Potassium	3	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Alkalinity (Bicarbonate as CaCO3)	322	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID28	22/07/2024 15:05	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID28	22/07/2024 15:05	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID28	22/07/2024 15:05	Alkalinity (total) as CaCO3	322	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID28	22/07/2024 15:05	Chloride	276	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID28	22/07/2024 15:05	Sulfate as SO4 - Turbidimetric	26	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MBID28	22/07/2024 15:05	Sodium	164	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	22/07/2024 15:10	Antimony	0.005	mg/L	FALSE	REG	0.001		2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/07/2024 15:10	Antimony	0.005	mg/L	TRUE	REG	0.001		1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/07/2024 15:10	Calcium	592	mg/L	TRUE	REG	1		1/08/2024	
	22/07/2024 15:10	Iron	5.84	mg/L	FALSE	REG	0.05		2/08/2024	
	22/07/2024 15:10	Iron	4.58	mg/L	TRUE	REG	0.05		1/08/2024	
	22/07/2024 15:10	Magnesium	462	mg/L	TRUE	REG	1		1/08/2024	
	22/07/2024 15:10	Molybdenum	0.005	mg/L	FALSE	REG	0.001		2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/07/2024 15:10	Molybdenum	0.005	mg/L	TRUE	REG	0.001		1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/07/2024 15:10	Potassium	34	mg/L	TRUE	REG	1		1/08/2024	
	22/07/2024 15:10	Selenium	0.05	mg/L	FALSE	REG	0.01		2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/07/2024 15:10	Selenium	0.05	mg/L	TRUE	REG	0.01		1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/07/2024 15:10	Alkalinity (Bicarbonate as CaCO3)	254	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	22/07/2024 15:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	22/07/2024 15:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	22/07/2024 15:10	Alkalinity (total) as CaCO3	254	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	22/07/2024 15:10	Chloride	11100	mg/L	FALSE	REG	1		31/07/2024	
	22/07/2024 15:10	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1		31/07/2024	
	22/07/2024 15:10	Sodium	5110	mg/L	TRUE	REG	1		1/08/2024	
MBID23	22/07/2024 15:55	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MBID23	22/07/2024 15:55	Calcium	136	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID23	22/07/2024 15:55	Iron	2.9	mg/L	FALSE	REG	0.05	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Iron	0.59	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MBID23	22/07/2024 15:55	Magnesium	142	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID23	22/07/2024 15:55	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MBID23	22/07/2024 15:55	Potassium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID23	22/07/2024 15:55	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MBID23	22/07/2024 15:55	Alkalinity (Bicarbonate as CaCO3)	685	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID23	22/07/2024 15:55	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID23	22/07/2024 15:55	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID23	22/07/2024 15:55	Alkalinity (total) as CaCO3	685	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID23	22/07/2024 15:55	Chloride	1160	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID23	22/07/2024 15:55	Sulfate as SO4 - Turbidimetric	36	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MBID23	22/07/2024 15:55	Sodium	580	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	23/07/2024 9:06	Antimony	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
	23/07/2024 9:06	Antimony	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	23/07/2024 9:06	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		29/07/2024	
	23/07/2024 9:06	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/07/2024	26/07/2024	
	23/07/2024 9:06	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
	23/07/2024 9:06	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	23/07/2024 9:06	Cobalt	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
	23/07/2024 9:06	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	23/07/2024 9:06	Copper	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
	23/07/2024 9:06	Copper	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	23/07/2024 9:06	Lead	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
	23/07/2024 9:06	Lead	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	23/07/2024 9:06	Nickel	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
	23/07/2024 9:06	Nickel	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	23/07/2024 9:06	Zinc	0.006	mg/L	FALSE	REG	0.005		29/07/2024	
	23/07/2024 9:06	Zinc	0.005	mg/L	TRUE	REG	0.005	26/07/2024	26/07/2024	
	23/07/2024 9:06	TSS	5	mg/L	FALSE	REG	5	26/07/2024	26/07/2024	
	23/07/2024 9:06	Fluoride	0.6	mg/L	FALSE	REG	0.1	24/07/2024	25/07/2024	
	23/07/2024 9:06	Sulfate as SO4 - Turbidimetric	346	mg/L	TRUE	REG	1	24/07/2024	24/07/2024	
	23/07/2024 9:06	Sodium	1340	mg/L	FALSE	REG	1	26/07/2024	27/07/2024	
	23/07/2024 9:06	Sodium	1240	mg/L	TRUE	REG	1	26/07/2024	26/07/2024	
	23/07/2024 9:06	TDS	4340	mg/L	FALSE	REG	10	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Antimony	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
RWD	23/07/2024 9:32	Antimony	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	23/07/2024 9:32	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		29/07/2024	
RWD	23/07/2024 9:32	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
RWD	23/07/2024 9:32	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Cobalt	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
RWD	23/07/2024 9:32	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Copper	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
RWD	23/07/2024 9:32	Copper	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Lead	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
RWD	23/07/2024 9:32	Lead	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Nickel	0.001	mg/L	FALSE	REG	0.001		29/07/2024	
RWD	23/07/2024 9:32	Nickel	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Zinc	0.006	mg/L	FALSE	REG	0.005		29/07/2024	
RWD	23/07/2024 9:32	Zinc	0.006	mg/L	TRUE	REG	0.005	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	TSS	5	mg/L	FALSE	REG	5	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Fluoride	0.6	mg/L	FALSE	REG	0.1	24/07/2024	25/07/2024	
RWD	23/07/2024 9:32	Sulfate as SO4 - Turbidimetric	346	mg/L	TRUE	REG	1	24/07/2024	24/07/2024	
RWD	23/07/2024 9:32	Sodium	1280	mg/L	FALSE	REG	1	26/07/2024	27/07/2024	
RWD	23/07/2024 9:32	Sodium	1300	mg/L	TRUE	REG	1	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	TDS	4330	mg/L	FALSE	REG	10	26/07/2024	26/07/2024	
MBID21	23/07/2024 13:45	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MBID21	23/07/2024 13:45	Calcium	7	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID21	23/07/2024 13:45	Iron	8.22	mg/L	FALSE	REG	0.05	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Iron	0.05	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MBID21	23/07/2024 13:45	Magnesium	25	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID21	23/07/2024 13:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Molybdenum	0.002	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MBID21	23/07/2024 13:45	Potassium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID21	23/07/2024 13:45	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MBID21	23/07/2024 13:45	Alkalinity (Bicarbonate as CaCO3)	619	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID21	23/07/2024 13:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID21	23/07/2024 13:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID21	23/07/2024 13:45	Alkalinity (total) as CaCO3	619	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID21	23/07/2024 13:45	Chloride	910	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MBID21	23/07/2024 13:45	Sulfate as SO4 - Turbidimetric	92	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MBID21	23/07/2024 13:45	Sodium	816	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	23/07/2024 17:48	Fluoride	0.1	mg/L	FALSE	REG	0.1	23/07/2024	25/07/2024	
	23/07/2024 17:52	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	23/07/2024	23/07/2024	
MB8	24/07/2024 7:45	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Barium	7.59	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Barium	7.62	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Calcium	260	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Iron	0.78	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Iron	0.05	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Magnesium	93	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
MB8	24/07/2024 7:45	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8	24/07/2024 7:45	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Potassium	14	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Strontium	13.8	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Strontium	14.1	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	TSS	5	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
MB8	24/07/2024 7:45	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MB8	24/07/2024 7:45	Alkalinity (Bicarbonate as CaCO3)	111	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Alkalinity (total) as CaCO3	111	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Chloride	3740	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Sodium	1640	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	TDS	6230	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
MB8	24/07/2024 7:45	Rubidium	0.024	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Barium	0.187	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Barium	0.191	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Calcium	261	mg/L	TRUE	REG	1		1/08/2024	
BC2	24/07/2024 7:50	Iron	0.05	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Iron	0.05	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Magnesium	371	mg/L	TRUE	REG	1		1/08/2024	
BC2	24/07/2024 7:50	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
BC2	24/07/2024 7:50	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	
BC2	24/07/2024 7:50	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Potassium	6	mg/L	TRUE	REG	1		1/08/2024	
BC2	24/07/2024 7:50	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Strontium	8.03	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Strontium	8.2	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	TSS	5	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
BC2	24/07/2024 7:50	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	
BC2	24/07/2024 7:50	Alkalinity (Bicarbonate as CaCO3)	584	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Alkalinity (total) as CaCO3	584	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Chloride	2680	mg/L	FALSE	REG	1		30/07/2024	
BC2	24/07/2024 7:50	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Sulfate as SO4 - Turbidimetric	117	mg/L	TRUE	REG	1		30/07/2024	
BC2	24/07/2024 7:50	Sodium	1060	mg/L	TRUE	REG	1		1/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
BC2	24/07/2024 7:50	TDS	5700	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
BC2	24/07/2024 7:50	Rubidium	0.011	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Barium	0.238	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Barium	0.23	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Calcium	94	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Iron	3.76	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Iron	3.27	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Magnesium	116	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
MB2	24/07/2024 9:05	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	
MB2	24/07/2024 9:05	Molybdenum	0.012	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Molybdenum	0.012	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Potassium	8	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Strontium	3.91	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Strontium	3.76	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	TSS	6	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
MB2	24/07/2024 9:05	Total Phosphorus as P (Organic Ph	0.09	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	
MB2	24/07/2024 9:05	Alkalinity (Bicarbonate as CaCO3)	628	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Alkalinity (total) as CaCO3	628	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Chloride	1700	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Fluoride	0.5	mg/L	FALSE	REG	0.1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Sulfate as SO4 - Turbidimetric	114	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Sodium	1040	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	TDS	3550	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
MB2	24/07/2024 9:05	Rubidium	0.013	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 9:10	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 9:10	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 9:10	Barium	0.228	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 9:10	Barium	0.215	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 9:10	Calcium	91	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 9:10	Iron	3.46	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
	24/07/2024 9:10	Iron	2.96	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
	24/07/2024 9:10	Magnesium	117	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 9:10	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
	24/07/2024 9:10	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	
	24/07/2024 9:10	Molybdenum	0.01	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 9:10	Molybdenum	0.01	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 9:10	Potassium	8	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 9:10	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
	24/07/2024 9:10	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
	24/07/2024 9:10	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 9:10	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/07/2024 9:10	Strontium	3.8	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 9:10	Strontium	3.77	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 9:10	TSS	6	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
	24/07/2024 9:10	Total Phosphorus as P (Organic Ph	0.09	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	
	24/07/2024 9:10	Alkalinity (Bicarbonate as CaCO3)	736	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 9:10	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 9:10	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 9:10	Alkalinity (total) as CaCO3	736	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 9:10	Chloride	1730	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 9:10	Fluoride	0.5	mg/L	FALSE	REG	0.1	30/07/2024	31/07/2024	
	24/07/2024 9:10	Sulfate as SO4 - Turbidimetric	119	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 9:10	Sodium	1050	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 9:10	TDS	3570	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
	24/07/2024 9:10	Rubidium	0.012	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Barium	0.282	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Barium	0.184	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Calcium	150	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Iron	1.06	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Iron	0.9	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Magnesium	237	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
MB12	24/07/2024 10:25	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	
MB12	24/07/2024 10:25	Molybdenum	0.003	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Molybdenum	0.002	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Potassium	13	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Strontium	5.93	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Strontium	6.04	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	TSS	5	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
MB12	24/07/2024 10:25	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MB12	24/07/2024 10:25	Alkalinity (Bicarbonate as CaCO3)	508	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Alkalinity (total) as CaCO3	508	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Chloride	2980	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Sulfate as SO4 - Turbidimetric	284	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Sodium	1290	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	TDS	5930	mg/L	FALSE	REG	10		1/08/2024	
MB12	24/07/2024 10:25	Rubidium	0.019	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Barium	0.096	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Barium	0.096	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Calcium	68	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB14	24/07/2024 11:35	Iron	0.6	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Iron	0.42	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Magnesium	153	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Molybdenum	0.002	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Molybdenum	0.002	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Potassium	8	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Strontium	1.47	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Strontium	1.47	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	TSS	5	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Total Phosphorus as P (Organic Ph)	0.04	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	
MB14	24/07/2024 11:35	Alkalinity (Bicarbonate as CaCO3)	837	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Alkalinity (total) as CaCO3	837	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Chloride	850	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB14	24/07/2024 11:35	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Sulfate as SO4 - Turbidimetric	60	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MB14	24/07/2024 11:35	Sodium	454	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	TDS	2080	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Rubidium	0.013	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 13:03	Antimony	0.006	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	24/07/2024 13:03	Barium	0.048	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	24/07/2024 13:03	Calcium	25	mg/L	TRUE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Iron	0.05	mg/L	TRUE	REG	0.05	29/07/2024	29/07/2024	
	24/07/2024 13:03	Magnesium	38	mg/L	TRUE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/07/2024	30/07/2024	
	24/07/2024 13:03	Molybdenum	0.052	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	24/07/2024 13:03	Potassium	8	mg/L	TRUE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Selenium	0.01	mg/L	TRUE	REG	0.01	29/07/2024	29/07/2024	
	24/07/2024 13:03	Silver	0.001	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	24/07/2024 13:03	Strontium	1.41	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	24/07/2024 13:03	Total Phosphorus as P (Organic Ph)	0.06	mg/L	FALSE	REG	0.01	29/07/2024	29/07/2024	
	24/07/2024 13:03	Alkalinity (Bicarbonate as CaCO3)	295	mg/L	FALSE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Alkalinity (total) as CaCO3	295	mg/L	FALSE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Chloride	814	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	24/07/2024 13:03	Fluoride	0.8	mg/L	FALSE	REG	0.1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Sulfate as SO4 - Turbidimetric	504	mg/L	TRUE	REG	1	31/07/2024	31/07/2024	
	24/07/2024 13:03	Sodium	720	mg/L	TRUE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:03	Acidity (as CaCO3)	1	mg/L	FALSE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:30	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 13:30	Antimony	0.001	mg/L	TRUE	REG	0.001		1/08/2024	
	24/07/2024 13:30	Barium	0.191	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/07/2024 13:30	Barium	0.168	mg/L	TRUE	REG	0.001		1/08/2024	
	24/07/2024 13:30	Calcium	485	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 13:30	Iron	0.51	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
	24/07/2024 13:30	Iron	0.45	mg/L	TRUE	REG	0.05		1/08/2024	
	24/07/2024 13:30	Magnesium	140	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 13:30	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
	24/07/2024 13:30	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	
	24/07/2024 13:30	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 13:30	Molybdenum	0.001	mg/L	TRUE	REG	0.001		1/08/2024	
	24/07/2024 13:30	Potassium	17	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 13:30	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
	24/07/2024 13:30	Selenium	0.01	mg/L	TRUE	REG	0.01		1/08/2024	
	24/07/2024 13:30	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 13:30	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 13:30	Strontium	8.16	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	24/07/2024 13:30	Strontium	8.02	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 13:30	TSS	5	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
	24/07/2024 13:30	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	24/07/2024 13:30	Alkalinity (Bicarbonate as CaCO3)	67	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 13:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 13:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 13:30	Alkalinity (total) as CaCO3	67	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 13:30	Chloride	3330	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 13:30	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	30/07/2024	
	24/07/2024 13:30	Sulfate as SO4 - Turbidimetric	137	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 13:30	Sodium	1080	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 13:30	TDS	5760	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
	24/07/2024 13:30	Rubidium	0.03	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	Antimony	0.005	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Antimony	0.003	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	Barium	0.877	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Barium	0.588	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	Calcium	454	mg/L	TRUE	REG	1		1/08/2024	
MB7	24/07/2024 15:30	Iron	2.84	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Iron	0.1	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	Magnesium	282	mg/L	TRUE	REG	1		1/08/2024	
MB7	24/07/2024 15:30	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
MB7	24/07/2024 15:30	Mercury	0.0002	mg/L	TRUE	REG	0.0001		1/08/2024	
MB7	24/07/2024 15:30	Molybdenum	0.184	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Molybdenum	0.135	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	Potassium	23	mg/L	TRUE	REG	1		1/08/2024	
MB7	24/07/2024 15:30	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	Strontium	43	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Strontium	37.3	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	TSS	29	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
MB7	24/07/2024 15:30	Total Phosphorus as P (Organic Ph	0.05	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MB7	24/07/2024 15:30	Alkalinity (Bicarbonate as CaCO3)	286	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB7	24/07/2024 15:30	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Alkalinity (total) as CaCO3	286	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Chloride	6560	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Sulfate as SO4 - Turbidimetric	189	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Sodium	2990	mg/L	TRUE	REG	1		1/08/2024	
MB7	24/07/2024 15:30	TDS	9870	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
MB7	24/07/2024 15:30	Rubidium	0.038	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Barium	8.85	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Barium	8.59	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Calcium	271	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Iron	1.1	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Iron	0.92	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Magnesium	120	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	31/07/2024	
MB9A	24/07/2024 17:15	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	
MB9A	24/07/2024 17:15	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Potassium	18	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Strontium	14.1	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Strontium	13.7	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	TSS	5	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
MB9A	24/07/2024 17:15	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	
MB9A	24/07/2024 17:15	Alkalinity (Bicarbonate as CaCO3)	122	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB9A	24/07/2024 17:15	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB9A	24/07/2024 17:15	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB9A	24/07/2024 17:15	Alkalinity (total) as CaCO3	122	mg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB9A	24/07/2024 17:15	Chloride	4150	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Fluoride	0.1	mg/L	FALSE	REG	0.1		31/07/2024	
MB9A	24/07/2024 17:15	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Sodium	1700	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	TDS	6710	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
MB9A	24/07/2024 17:15	Rubidium	0.031	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	24/07/2024 19:02	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	24/07/2024	24/07/2024	
	24/07/2024 19:21	Fluoride	0.1	mg/L	FALSE	REG	0.1	24/07/2024	25/07/2024	
	24/07/2024 19:55	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	24/07/2024	27/07/2024	
	24/07/2024 19:55	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	24/07/2024 19:55	Cobalt	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	24/07/2024 19:55	Copper	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	24/07/2024 19:55	Lead	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	24/07/2024 19:55	Nickel	0.001	mg/L	FALSE	REG	0.001	24/07/2024	27/07/2024	
	24/07/2024 19:55	Zinc	0.005	mg/L	FALSE	REG	0.005	24/07/2024	27/07/2024	
	24/07/2024 19:55	Sodium	1	mg/L	FALSE	REG	1	24/07/2024	27/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/07/2024 20:00	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	24/07/2024	25/07/2024	
	24/07/2024 20:00	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	24/07/2024 20:00	Cobalt	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	24/07/2024 20:00	Copper	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	24/07/2024 20:00	Lead	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	24/07/2024 20:00	Nickel	0.001	mg/L	TRUE	REG	0.001	24/07/2024	25/07/2024	
	24/07/2024 20:00	Zinc	0.005	mg/L	TRUE	REG	0.005	24/07/2024	25/07/2024	
	24/07/2024 20:00	Sodium	1	mg/L	TRUE	REG	1	24/07/2024	25/07/2024	
	25/07/2024 8:45	TSS	78	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
	25/07/2024 8:45	Total Phosphorus as P (Organic Ph	17	mg/L	FALSE	REG	0.01	31/07/2024	31/07/2024	
	25/07/2024 8:45	Organic Nitrogen, as N	29	mg/L	FALSE	REG	0.1		5/08/2024	
	25/07/2024 8:45	Alkalinity (Bicarbonate as CaCO3)	637	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 8:45	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 8:45	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 8:45	Alkalinity (total) as CaCO3	637	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 8:45	Ammonia as N	119	mg/L	FALSE	REG	0.01	5/08/2024	5/08/2024	
	25/07/2024 8:45	BOD	133	mg/L	FALSE	REG	2		30/07/2024	
	25/07/2024 8:45	COD	318	mg/L	FALSE	REG	10		5/08/2024	
	25/07/2024 8:45	Kjeldahl Nitrogen Total	148	mg/L	FALSE	REG	0.1	31/07/2024	31/07/2024	
	25/07/2024 8:45	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		5/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	25/07/2024 8:45	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/07/2024	30/07/2024	
	25/07/2024 8:45	Nitrite + Nitrate as N	0.05	mg/L	FALSE	REG	0.01	5/08/2024	5/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	25/07/2024 8:45	Reactive Phosphorus as P (Orthop	15.5	mg/L	FALSE	REG	0.01	30/07/2024	30/07/2024	
	25/07/2024 8:45	Sulfate as SO4 - Turbidimetric	34	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
	25/07/2024 8:45	Acidity (as CaCO3)	22	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	TSS	80	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	Total Phosphorus as P (Organic Ph	16.8	mg/L	FALSE	REG	0.01	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	Organic Nitrogen, as N	24	mg/L	FALSE	REG	0.1		5/08/2024	
Isaac Plains STP	25/07/2024 9:00	Alkalinity (Bicarbonate as CaCO3)	623	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	Alkalinity (total) as CaCO3	623	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	Ammonia as N	123	mg/L	FALSE	REG	0.01	5/08/2024	5/08/2024	
Isaac Plains STP	25/07/2024 9:00	BOD	52	mg/L	FALSE	REG	2		30/07/2024	
Isaac Plains STP	25/07/2024 9:00	COD	316	mg/L	FALSE	REG	10		5/08/2024	
Isaac Plains STP	25/07/2024 9:00	Kjeldahl Nitrogen Total	147	mg/L	FALSE	REG	0.1	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	Nitrate (as N)	0.05	mg/L	FALSE	REG	0.01		5/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	25/07/2024 9:00	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/07/2024	30/07/2024	
Isaac Plains STP	25/07/2024 9:00	Nitrite + Nitrate as N	0.05	mg/L	FALSE	REG	0.01	5/08/2024	5/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Isaac Plains STP	25/07/2024 9:00	Reactive Phosphorus as P (Orthop	15	mg/L	FALSE	REG	0.01	30/07/2024	30/07/2024	
Isaac Plains STP	25/07/2024 9:00	Sulfate as SO4 - Turbidimetric	36	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
Isaac Plains STP	25/07/2024 9:00	Acidity (as CaCO3)	27	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 9:25	TSS	15	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
	25/07/2024 9:25	Organic Nitrogen, as N	8.3	mg/L	FALSE	REG	0.1		5/08/2024	
	25/07/2024 9:25	Total Phosphorus as P (Organic Ph	16.4	mg/L	FALSE	REG	0.01	31/07/2024	31/07/2024	
	25/07/2024 9:25	Alkalinity (Bicarbonate as CaCO3)	184	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 9:25	Alkalinity (Carbonate as CaCO3)	1	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 9:25	Alkalinity (Hydroxide) as CaCO3	1	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 9:25	Alkalinity (total) as CaCO3	184	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 9:25	Ammonia as N	36	mg/L	FALSE	REG	0.01		5/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	25/07/2024 9:25	BOD	9	mg/L	FALSE	REG	2		30/07/2024	
	25/07/2024 9:25	COD	84	mg/L	FALSE	REG	10		5/08/2024	
	25/07/2024 9:25	Kjeldahl Nitrogen Total	44.3	mg/L	FALSE	REG	0.1	31/07/2024	31/07/2024	
	25/07/2024 9:25	Nitrate (as N)	1.29	mg/L	FALSE	REG	0.01		5/08/2024	
	25/07/2024 9:25	Nitrite (as N)	7.62	mg/L	FALSE	REG	0.01		31/07/2024	
	25/07/2024 9:25	Nitrite + Nitrate as N	8.91	mg/L	FALSE	REG	0.01	5/08/2024	5/08/2024	
	25/07/2024 9:25	Reactive Phosphorus as P (Orthophosphoric)	14.3	mg/L	FALSE	REG	0.01		31/07/2024	
	25/07/2024 9:25	Sulfate as SO4 - Turbidimetric	30	mg/L	TRUE	REG	1		31/07/2024	
	25/07/2024 9:25	Acidity (as CaCO3)	16	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	26/07/2024 7:34	Antimony	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	26/07/2024 7:34	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	26/07/2024	26/07/2024	
	26/07/2024 7:34	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	26/07/2024 7:34	Cobalt	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	26/07/2024 7:34	Copper	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	26/07/2024 7:34	Lead	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	26/07/2024 7:34	Nickel	0.001	mg/L	TRUE	REG	0.001	26/07/2024	26/07/2024	
	26/07/2024 7:34	Zinc	0.005	mg/L	TRUE	REG	0.005	26/07/2024	26/07/2024	
	26/07/2024 7:34	Sodium	1	mg/L	TRUE	REG	1	26/07/2024	26/07/2024	
	26/07/2024 7:42	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	26/07/2024	29/07/2024	
	26/07/2024 7:42	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	26/07/2024	29/07/2024	
	26/07/2024 7:42	Cobalt	0.001	mg/L	FALSE	REG	0.001	26/07/2024	29/07/2024	
	26/07/2024 7:42	Copper	0.001	mg/L	FALSE	REG	0.001	26/07/2024	29/07/2024	
	26/07/2024 7:42	Lead	0.001	mg/L	FALSE	REG	0.001	26/07/2024	29/07/2024	
	26/07/2024 7:42	Nickel	0.001	mg/L	FALSE	REG	0.001	26/07/2024	29/07/2024	
	26/07/2024 7:42	Zinc	0.005	mg/L	FALSE	REG	0.005	26/07/2024	29/07/2024	
	26/07/2024 7:42	Sodium	1	mg/L	FALSE	REG	1	26/07/2024	27/07/2024	
	26/07/2024 10:58	TSS	5	mg/L	FALSE	REG	5	26/07/2024	26/07/2024	
	26/07/2024 10:58	TSS	5	mg/L	FALSE	REG	5	26/07/2024	26/07/2024	
	26/07/2024 10:58	TDS	10	mg/L	FALSE	REG	10	26/07/2024	26/07/2024	
	26/07/2024 10:58	TDS	10	mg/L	FALSE	REG	10	26/07/2024	26/07/2024	
	29/07/2024 7:48	Antimony	0.001	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	29/07/2024 7:48	Barium	0.001	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	29/07/2024 7:48	Calcium	1	mg/L	TRUE	REG	1	29/07/2024	29/07/2024	
	29/07/2024 7:48	Iron	0.05	mg/L	TRUE	REG	0.05	29/07/2024	29/07/2024	
	29/07/2024 7:48	Magnesium	1	mg/L	TRUE	REG	1	29/07/2024	29/07/2024	
	29/07/2024 7:48	Mercury	0.0001	mg/L	TRUE	REG	0.0001	29/07/2024	30/07/2024	
	29/07/2024 7:48	Molybdenum	0.001	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	29/07/2024 7:48	Potassium	1	mg/L	TRUE	REG	1	29/07/2024	29/07/2024	
	29/07/2024 7:48	Selenium	0.01	mg/L	TRUE	REG	0.01	29/07/2024	29/07/2024	
	29/07/2024 7:48	Silver	0.001	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	29/07/2024 7:48	Strontium	0.001	mg/L	TRUE	REG	0.001	29/07/2024	29/07/2024	
	29/07/2024 7:48	Sodium	1	mg/L	TRUE	REG	1	29/07/2024	29/07/2024	
	29/07/2024 8:40	Total Phosphorus as P (Organic Phosphorus)	0.01	mg/L	FALSE	REG	0.01	29/07/2024	29/07/2024	
	29/07/2024 13:30	Fluoride	0.1	mg/L	FALSE	REG	0.1	29/07/2024	29/07/2024	
	30/07/2024 15:16	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	30/07/2024	
	30/07/2024 15:23	Chloride	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 15:23	Chloride	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 15:23	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 15:23	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 17:05	BOD	2	mg/L	FALSE	REG	2		30/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	30/07/2024 19:25	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	31/07/2024	
	30/07/2024 19:25	Fluoride	0.1	mg/L	FALSE	REG	0.1	30/07/2024	31/07/2024	
	30/07/2024 19:27	Chloride	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 19:27	Chloride	1	mg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 19:27	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 19:27	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 20:43	Nitrite (as N)	0.01	mg/L	FALSE	REG	0.01	30/07/2024	30/07/2024	
	30/07/2024 20:43	Reactive Phosphorus as P (Orthop)	0.01	mg/L	FALSE	REG	0.01	30/07/2024	30/07/2024	
	30/07/2024 20:43	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	30/07/2024	30/07/2024	
	31/07/2024 7:51	Total Phosphorus as P (Organic Ph)	0.01	mg/L	FALSE	REG	0.01	31/07/2024	31/07/2024	
	31/07/2024 7:51	Kjeldahl Nitrogen Total	0.1	mg/L	FALSE	REG	0.1	31/07/2024	31/07/2024	
	31/07/2024 8:26	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	31/07/2024	
	31/07/2024 8:26	Iron	0.05	mg/L	FALSE	REG	0.05	31/07/2024	31/07/2024	
	31/07/2024 8:26	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	31/07/2024	
	31/07/2024 8:26	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	31/07/2024	
	31/07/2024 9:37	TSS	5	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
	31/07/2024 9:38	TSS	5	mg/L	FALSE	REG	5	31/07/2024	31/07/2024	
	31/07/2024 9:38	TDS	10	mg/L	FALSE	REG	10	31/07/2024	31/07/2024	
	31/07/2024 10:11	Chloride	1	mg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	31/07/2024 10:11	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	31/07/2024	31/07/2024	
	31/07/2024 12:24	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	31/07/2024 12:24	Antimony	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	31/07/2024 12:24	Barium	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	31/07/2024 12:24	Calcium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Calcium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Iron	0.05	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
	31/07/2024 12:24	Iron	0.05	mg/L	TRUE	REG	0.05	31/07/2024	1/08/2024	
	31/07/2024 12:24	Magnesium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Magnesium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	31/07/2024 12:24	Molybdenum	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	31/07/2024 12:24	Potassium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Potassium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
	31/07/2024 12:24	Selenium	0.01	mg/L	TRUE	REG	0.01	31/07/2024	1/08/2024	
	31/07/2024 12:24	Silver	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	31/07/2024 12:24	Strontium	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	31/07/2024 12:24	Sodium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Sodium	1	mg/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Rubidium	0.001	mg/L	TRUE	REG	0.001	31/07/2024	1/08/2024	
	31/07/2024 12:37	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	1/08/2024	
	31/07/2024 12:37	Mercury	0.0001	mg/L	TRUE	REG	0.0001	31/07/2024	31/07/2024	
	31/07/2024 12:46	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	31/07/2024 12:46	Antimony	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	31/07/2024 12:46	Barium	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	31/07/2024 12:46	Iron	0.05	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
	31/07/2024 12:46	Iron	0.05	mg/L	FALSE	REG	0.05	31/07/2024	2/08/2024	
	31/07/2024 12:46	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	31/07/2024 12:46	Molybdenum	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	31/07/2024 12:46	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	31/07/2024 12:46	Selenium	0.01	mg/L	FALSE	REG	0.01	31/07/2024	2/08/2024	
	31/07/2024 12:46	Silver	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	31/07/2024 12:46	Strontium	0.001	mg/L	FALSE	REG	0.001	31/07/2024	2/08/2024	
	31/07/2024 12:57	Mercury	0.0001	mg/L	FALSE	REG	0.0001	31/07/2024	1/08/2024	
	1/08/2024 7:58	Total Phosphorus as P (Organic Ph	0.01	mg/L	FALSE	REG	0.01	1/08/2024	1/08/2024	
	5/08/2024 7:39	COD	10	mg/L	FALSE	REG	10		5/08/2024	
	5/08/2024 10:09	Ammonia as N	0.01	mg/L	FALSE	REG	0.01	5/08/2024	5/08/2024	
	5/08/2024 10:09	Nitrite + Nitrate as N	0.01	mg/L	FALSE	REG	0.01	5/08/2024	5/08/2024	
	22/08/2024 8:50	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		29/08/2024	
	22/08/2024 8:50	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	27/08/2024	28/08/2024	
	22/08/2024 8:50	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:50	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 8:50	Cobalt	0.001	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:50	Cobalt	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 8:50	Copper	0.002	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:50	Copper	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 8:50	Lead	0.001	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:50	Lead	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 8:50	Nickel	0.001	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:50	Nickel	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 8:50	Zinc	0.009	mg/L	FALSE	REG	0.005		29/08/2024	
	22/08/2024 8:50	Zinc	0.005	mg/L	TRUE	REG	0.005	27/08/2024	28/08/2024	
	22/08/2024 8:50	TSS	6	mg/L	FALSE	REG	5	28/08/2024	28/08/2024	
	22/08/2024 8:50	Fluoride	0.1	mg/L	FALSE	REG	0.1	24/08/2024	26/08/2024	
	22/08/2024 8:50	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	26/08/2024	26/08/2024	
	22/08/2024 8:50	Sodium	14	mg/L	FALSE	REG	1	27/08/2024	29/08/2024	
	22/08/2024 8:50	Sodium	16	mg/L	TRUE	REG	1	27/08/2024	28/08/2024	
	22/08/2024 8:50	TDS	104	mg/L	FALSE	REG	10	28/08/2024	28/08/2024	
	22/08/2024 8:56	Cadmium	0.0001	mg/L	FALSE	REG	0.0001		29/08/2024	
	22/08/2024 8:56	Cadmium	0.0001	mg/L	TRUE	REG	0.0001		29/08/2024	
	22/08/2024 8:56	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Cobalt	0.001	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Cobalt	0.001	mg/L	TRUE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Copper	0.002	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Copper	0.002	mg/L	TRUE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Lead	0.001	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Lead	0.001	mg/L	TRUE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Nickel	0.001	mg/L	FALSE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Nickel	0.001	mg/L	TRUE	REG	0.001		29/08/2024	
	22/08/2024 8:56	Zinc	0.008	mg/L	FALSE	REG	0.005		29/08/2024	
	22/08/2024 8:56	Zinc	0.005	mg/L	TRUE	REG	0.005		29/08/2024	
	22/08/2024 8:56	TSS	5	mg/L	FALSE	REG	5	28/08/2024	28/08/2024	
	22/08/2024 8:56	Fluoride	0.1	mg/L	FALSE	REG	0.1	24/08/2024	26/08/2024	
	22/08/2024 8:56	Sulfate as SO4 - Turbidimetric	2	mg/L	TRUE	REG	1	26/08/2024	26/08/2024	
	22/08/2024 8:56	Sodium	14	mg/L	FALSE	REG	1	27/08/2024	29/08/2024	
	22/08/2024 8:56	Sodium	14	mg/L	TRUE	REG	1	27/08/2024	28/08/2024	
	22/08/2024 8:56	TDS	93	mg/L	FALSE	REG	10	28/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Antimony	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Antimony	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	22/08/2024 10:01	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Cobalt	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Cobalt	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Copper	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Copper	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Lead	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Lead	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Nickel	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Nickel	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Zinc	0.005	mg/L	FALSE	REG	0.005	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Zinc	0.005	mg/L	TRUE	REG	0.005	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	TSS	5	mg/L	FALSE	REG	5	28/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Fluoride	0.5	mg/L	FALSE	REG	0.1	24/08/2024	26/08/2024	
RWD	22/08/2024 10:01	Sulfate as SO4 - Turbidimetric	314	mg/L	TRUE	REG	1	26/08/2024	26/08/2024	
RWD	22/08/2024 10:01	Sodium	1320	mg/L	FALSE	REG	1	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Sodium	1300	mg/L	TRUE	REG	1	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	TDS	4610	mg/L	FALSE	REG	10	28/08/2024	28/08/2024	
	22/08/2024 10:24	Antimony	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	22/08/2024 10:24	Antimony	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 10:24	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	27/08/2024	29/08/2024	
	22/08/2024 10:24	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	27/08/2024	28/08/2024	
	22/08/2024 10:24	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	22/08/2024 10:24	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 10:24	Cobalt	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	22/08/2024 10:24	Cobalt	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 10:24	Copper	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	22/08/2024 10:24	Copper	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 10:24	Lead	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	22/08/2024 10:24	Lead	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 10:24	Nickel	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	22/08/2024 10:24	Nickel	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	22/08/2024 10:24	Zinc	0.005	mg/L	FALSE	REG	0.005	27/08/2024	29/08/2024	
	22/08/2024 10:24	Zinc	0.005	mg/L	TRUE	REG	0.005	27/08/2024	28/08/2024	
	22/08/2024 10:24	TSS	5	mg/L	FALSE	REG	5	28/08/2024	28/08/2024	
	22/08/2024 10:24	Fluoride	0.6	mg/L	FALSE	REG	0.1	24/08/2024	26/08/2024	
	22/08/2024 10:24	Sulfate as SO4 - Turbidimetric	318	mg/L	TRUE	REG	1	26/08/2024	26/08/2024	
	22/08/2024 10:24	Sodium	1280	mg/L	FALSE	REG	1	27/08/2024	29/08/2024	
	22/08/2024 10:24	Sodium	1310	mg/L	TRUE	REG	1	27/08/2024	28/08/2024	
	22/08/2024 10:24	TDS	4840	mg/L	FALSE	REG	10	28/08/2024	28/08/2024	
	24/08/2024 10:10	Fluoride	0.1	mg/L	FALSE	REG	0.1	24/08/2024	26/08/2024	
	24/08/2024 10:10	Fluoride	0.1	mg/L	FALSE	REG	0.1	24/08/2024	26/08/2024	
	26/08/2024 8:19	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	26/08/2024	26/08/2024	
	26/08/2024 8:19	Sulfate as SO4 - Turbidimetric	1	mg/L	TRUE	REG	1	26/08/2024	26/08/2024	
	27/08/2024 6:47	Antimony	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Antimony	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	27/08/2024	28/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	27/08/2024 6:47	Cadmium	0.0001	mg/L	TRUE	REG	0.0001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Chromium (III+VI)	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Cobalt	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Cobalt	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Cobalt	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Copper	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Copper	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Copper	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Lead	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Lead	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Lead	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Nickel	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Nickel	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Nickel	0.001	mg/L	TRUE	REG	0.001	27/08/2024	28/08/2024	
	27/08/2024 6:47	Zinc	0.005	mg/L	TRUE	REG	0.005	27/08/2024	28/08/2024	
	27/08/2024 6:47	Zinc	0.005	mg/L	TRUE	REG	0.005	27/08/2024	28/08/2024	
	27/08/2024 6:47	Zinc	0.005	mg/L	TRUE	REG	0.005	27/08/2024	28/08/2024	
	27/08/2024 6:47	Sodium	1	mg/L	TRUE	REG	1	27/08/2024	28/08/2024	
	27/08/2024 6:47	Sodium	1	mg/L	TRUE	REG	1	27/08/2024	28/08/2024	
	27/08/2024 6:47	Sodium	1	mg/L	TRUE	REG	1	27/08/2024	28/08/2024	
	27/08/2024 8:21	Antimony	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Cadmium	0.0001	mg/L	FALSE	REG	0.0001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Chromium (III+VI)	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Cobalt	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Cobalt	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Copper	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Copper	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Lead	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Lead	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Nickel	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Nickel	0.001	mg/L	FALSE	REG	0.001	27/08/2024	29/08/2024	
	27/08/2024 8:21	Zinc	0.005	mg/L	FALSE	REG	0.005	27/08/2024	29/08/2024	
	27/08/2024 8:21	Zinc	0.005	mg/L	FALSE	REG	0.005	27/08/2024	29/08/2024	
	27/08/2024 8:21	Sodium	1	mg/L	FALSE	REG	1	27/08/2024	29/08/2024	
	27/08/2024 8:21	Sodium	1	mg/L	FALSE	REG	1	27/08/2024	29/08/2024	
	28/08/2024 20:53	TSS	5	mg/L	FALSE	REG	5	28/08/2024	28/08/2024	
	28/08/2024 20:53	TSS	5	mg/L	FALSE	REG	5	28/08/2024	28/08/2024	
	28/08/2024 20:53	TDS	10	mg/L	FALSE	REG	10	28/08/2024	28/08/2024	
	28/08/2024 20:53	TDS	10	mg/L	FALSE	REG	10	28/08/2024	28/08/2024	
	1/06/2023 15:23	Aluminium	10	ug/L	TRUE	REG	10	1/06/2023	1/06/2023	
	1/06/2023 15:23	Arsenic	1	ug/L	TRUE	REG	1	1/06/2023	1/06/2023	
	1/06/2023 19:01	Aluminium	10	ug/L	FALSE	REG	10	1/06/2023	3/06/2023	
	1/06/2023 19:01	Arsenic	1	ug/L	FALSE	REG	1	1/06/2023	3/06/2023	
	2/06/2023 13:09	Aluminium	10	ug/L	TRUE	REG	10	2/06/2023	2/06/2023	
	2/06/2023 13:09	Arsenic	1	ug/L	TRUE	REG	1	2/06/2023	2/06/2023	
RWD	11/06/2023 12:51	Aluminium	540	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	11/06/2023 12:51	Aluminium	170	ug/L	TRUE	REG	10	15/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
RWD	11/06/2023 12:51	Arsenic	1	ug/L	TRUE	REG	1	15/06/2023	16/06/2023	
S2	11/06/2023 12:52	Aluminium	40	ug/L	FALSE	REG	10	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Aluminium	10	ug/L	TRUE	REG	10		19/06/2023	
S2	11/06/2023 12:52	Arsenic	1	ug/L	FALSE	REG	1	16/06/2023	17/06/2023	
S2	11/06/2023 12:52	Arsenic	1	ug/L	TRUE	REG	1		19/06/2023	
CHPPPP	11/06/2023 12:57	Aluminium	170	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Aluminium	10	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
CHPPPP	11/06/2023 12:57	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
	11/06/2023 13:18	Aluminium	150	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
	11/06/2023 13:18	Aluminium	10	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
	11/06/2023 13:18	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
	11/06/2023 13:18	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Aluminium	140	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Aluminium	10	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
RD1	11/06/2023 13:20	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Aluminium	100	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Aluminium	10	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
S2SED	11/06/2023 13:34	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Aluminium	570	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Aluminium	20	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
Farm Dam 2	11/06/2023 14:14	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Aluminium	120	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Aluminium	10	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Arsenic	3	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
RD2	11/06/2023 14:31	Arsenic	4	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Aluminium	660	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Aluminium	20	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
MIA DAM	11/06/2023 15:11	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Aluminium	450	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Aluminium	20	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
HD2	11/06/2023 15:17	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Aluminium	90	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Aluminium	10	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Arsenic	2	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
FPD	11/06/2023 15:35	Arsenic	2	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Aluminium	290	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Aluminium	20	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
SSD	11/06/2023 15:52	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Aluminium	340	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Aluminium	30	ug/L	TRUE	REG	10	15/06/2023	16/06/2023	
SSD	11/06/2023 16:07	Arsenic	2	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SSD	11/06/2023 16:07	Arsenic	1	ug/L	TRUE	REG	1	15/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Aluminium	300	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Aluminium	30	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
ROM DAM	11/06/2023 16:30	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 19:19	Aluminium	10	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
	14/06/2023 19:19	Aluminium	10	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
	14/06/2023 19:19	Aluminium	10	ug/L	FALSE	REG	10	14/06/2023	16/06/2023	
	14/06/2023 19:19	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 19:19	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 19:19	Arsenic	1	ug/L	FALSE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 23:34	Aluminium	10	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
	14/06/2023 23:34	Aluminium	10	ug/L	TRUE	REG	10	14/06/2023	16/06/2023	
	14/06/2023 23:34	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
	14/06/2023 23:34	Arsenic	1	ug/L	TRUE	REG	1	14/06/2023	16/06/2023	
	15/06/2023 19:40	Aluminium	10	ug/L	TRUE	REG	10	15/06/2023	16/06/2023	
	15/06/2023 19:40	Aluminium	10	ug/L	TRUE	REG	10	15/06/2023	16/06/2023	
	15/06/2023 19:40	Arsenic	1	ug/L	TRUE	REG	1	15/06/2023	16/06/2023	
	15/06/2023 19:40	Arsenic	1	ug/L	TRUE	REG	1	15/06/2023	16/06/2023	
	16/06/2023 20:55	Aluminium	10	ug/L	FALSE	REG	10	16/06/2023	17/06/2023	
	16/06/2023 20:55	Arsenic	1	ug/L	FALSE	REG	1	16/06/2023	17/06/2023	
	19/06/2023 8:12	Aluminium	10	ug/L	TRUE	REG	10	19/06/2023	19/06/2023	
N1S	20/06/2023 8:00	Aluminium	10	ug/L	TRUE	REG	10	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Arsenic	2	ug/L	TRUE	REG	1	27/06/2023	27/06/2023	
BC2	20/06/2023 9:54	Aluminium	250	ug/L	FALSE	REG	10		30/06/2023	
BC2	20/06/2023 9:54	Aluminium	10	ug/L	TRUE	REG	10		30/06/2023	
BC2	20/06/2023 9:54	Arsenic	1	ug/L	FALSE	REG	1		30/06/2023	
BC2	20/06/2023 9:54	Arsenic	1	ug/L	TRUE	REG	1		30/06/2023	
MB2	20/06/2023 11:07	Aluminium	290	ug/L	FALSE	REG	10	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	
MB2	20/06/2023 11:07	Arsenic	36	ug/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Arsenic	32	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Aluminium	620	ug/L	FALSE	REG	10	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	
MB14	20/06/2023 12:34	Arsenic	5	ug/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Arsenic	4	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
SB2	20/06/2023 15:01	Aluminium	50	ug/L	FALSE	REG	10		30/06/2023	
SB2	20/06/2023 15:01	Aluminium	10	ug/L	TRUE	REG	10		30/06/2023	
SB2	20/06/2023 15:01	Arsenic	2	ug/L	FALSE	REG	1		30/06/2023	
SB2	20/06/2023 15:01	Arsenic	2	ug/L	TRUE	REG	1		30/06/2023	
MB12	20/06/2023 17:09	Aluminium	10	ug/L	FALSE	REG	10	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	
MB12	20/06/2023 17:09	Arsenic	14	ug/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Arsenic	13	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Aluminium	420	ug/L	FALSE	REG	10		30/06/2023	
MB7	21/06/2023 7:25	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	
MB7	21/06/2023 7:25	Arsenic	2	ug/L	FALSE	REG	1		30/06/2023	
MB7	21/06/2023 7:25	Arsenic	1	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB9A	21/06/2023 10:12	Aluminium	3500	ug/L	FALSE	REG	10	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	21/06/2023 10:12	Arsenic	3	ug/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Arsenic	1	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Aluminium	40	ug/L	FALSE	REG	10	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	
MB1	21/06/2023 13:45	Arsenic	1	ug/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Arsenic	1	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Aluminium	110	ug/L	FALSE	REG	10	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	
MB8B	21/06/2023 16:45	Arsenic	11	ug/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Arsenic	5	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
	27/06/2023 10:51	Aluminium	10	ug/L	TRUE	REG	10	27/06/2023	27/06/2023	
	27/06/2023 10:51	Arsenic	1	ug/L	TRUE	REG	1	27/06/2023	27/06/2023	
	28/06/2023 16:41	Aluminium	10	ug/L	FALSE	REG	10	28/06/2023	29/06/2023	
	28/06/2023 16:41	Arsenic	1	ug/L	FALSE	REG	1	28/06/2023	29/06/2023	
	28/06/2023 16:44	Aluminium	10	ug/L	FALSE	REG	10	28/06/2023	29/06/2023	
	28/06/2023 16:44	Arsenic	1	ug/L	FALSE	REG	1	28/06/2023	29/06/2023	
	29/06/2023 8:02	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	
	29/06/2023 8:02	Aluminium	10	ug/L	TRUE	REG	10	29/06/2023	30/06/2023	
	29/06/2023 8:02	Arsenic	1	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
	29/06/2023 8:02	Arsenic	1	ug/L	TRUE	REG	1	29/06/2023	30/06/2023	
RWD	6/07/2023 5:52	Aluminium	820	ug/L	FALSE	REG	10	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Aluminium	170	ug/L	TRUE	REG	10	10/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Arsenic	1	ug/L	FALSE	REG	1	10/07/2023	12/07/2023	
RWD	6/07/2023 5:52	Arsenic	1	ug/L	TRUE	REG	1	10/07/2023	11/07/2023	
	6/07/2023 6:04	Aluminium	700	ug/L	FALSE	REG	10		13/07/2023	
	6/07/2023 6:04	Aluminium	130	ug/L	TRUE	REG	10	8/07/2023	12/07/2023	
	6/07/2023 6:04	Arsenic	1	ug/L	FALSE	REG	1		13/07/2023	
	6/07/2023 6:04	Arsenic	1	ug/L	TRUE	REG	1	8/07/2023	12/07/2023	
	8/07/2023 16:07	Aluminium	10	ug/L	TRUE	REG	10	8/07/2023	12/07/2023	
	8/07/2023 16:07	Arsenic	1	ug/L	TRUE	REG	1	8/07/2023	12/07/2023	
	10/07/2023 20:39	Aluminium	10	ug/L	FALSE	REG	10	10/07/2023	12/07/2023	
	10/07/2023 20:39	Arsenic	1	ug/L	FALSE	REG	1	10/07/2023	12/07/2023	
	10/07/2023 21:10	Aluminium	10	ug/L	TRUE	REG	10	10/07/2023	11/07/2023	
	10/07/2023 21:10	Arsenic	1	ug/L	TRUE	REG	1	10/07/2023	11/07/2023	
MBID28	17/07/2023 14:40	Aluminium	60	ug/L	FALSE	REG	10	22/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID28	17/07/2023 14:40	Arsenic	1	ug/L	FALSE	REG	1	22/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Aluminium	2790	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID23	17/07/2023 15:20	Arsenic	2	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
593	17/07/2023 17:00	Aluminium	740	ug/L	FALSE	REG	10	22/07/2023	24/07/2023	
593	17/07/2023 17:00	Aluminium	10	ug/L	TRUE	REG	10	22/07/2023	25/07/2023	
593	17/07/2023 17:00	Arsenic	4	ug/L	FALSE	REG	1	22/07/2023	24/07/2023	
593	17/07/2023 17:00	Arsenic	1	ug/L	TRUE	REG	1	22/07/2023	25/07/2023	
594	17/07/2023 17:40	Aluminium	200	ug/L	FALSE	REG	10	22/07/2023	25/07/2023	
594	17/07/2023 17:40	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
594	17/07/2023 17:40	Arsenic	4	ug/L	FALSE	REG	1	22/07/2023	25/07/2023	
594	17/07/2023 17:40	Arsenic	4	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID18	18/07/2023 8:30	Aluminium	160	ug/L	FALSE	REG	10		25/07/2023	
MBID18	18/07/2023 8:30	Aluminium	50	ug/L	TRUE	REG	10		27/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	18/07/2023 8:30	Arsenic	5	ug/L	FALSE	REG	1		25/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	18/07/2023 8:30	Arsenic	5	ug/L	TRUE	REG	1		27/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID08	18/07/2023 10:40	Aluminium	860	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID08	18/07/2023 10:40	Arsenic	1	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Aluminium	1060	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Arsenic	1	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Aluminium	100	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Arsenic	1	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Aluminium	230	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Aluminium	20	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID04	18/07/2023 14:10	Arsenic	10	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Arsenic	10	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Aluminium	240	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID10	18/07/2023 15:10	Arsenic	1	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Aluminium	3680	ug/L	FALSE	REG	10		25/07/2023	
MBID21A	18/07/2023 16:00	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Arsenic	2	ug/L	FALSE	REG	1		25/07/2023	
MBID21A	18/07/2023 16:00	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Aluminium	9200	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID19A	18/07/2023 17:10	Arsenic	2	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Aluminium	6040	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Arsenic	3	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Arsenic	2	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
	22/07/2023 16:09	Aluminium	10	ug/L	FALSE	REG	10	22/07/2023	25/07/2023	
	22/07/2023 16:09	Arsenic	1	ug/L	FALSE	REG	1	22/07/2023	25/07/2023	
	22/07/2023 16:12	Aluminium	10	ug/L	TRUE	REG	10	22/07/2023	25/07/2023	
	22/07/2023 16:12	Arsenic	1	ug/L	TRUE	REG	1	22/07/2023	25/07/2023	
	22/07/2023 16:14	Aluminium	10	ug/L	FALSE	REG	10	22/07/2023	24/07/2023	
	22/07/2023 16:14	Arsenic	1	ug/L	FALSE	REG	1	22/07/2023	24/07/2023	
	24/07/2023 9:33	Aluminium	10	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
	24/07/2023 9:33	Aluminium	10	ug/L	FALSE	REG	10	24/07/2023	24/07/2023	
	24/07/2023 9:33	Arsenic	1	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
	24/07/2023 9:33	Arsenic	1	ug/L	FALSE	REG	1	24/07/2023	24/07/2023	
	24/07/2023 9:42	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
	24/07/2023 9:42	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	
	24/07/2023 10:14	Aluminium	10	ug/L	TRUE	REG	10	24/07/2023	25/07/2023	
	24/07/2023 10:14	Arsenic	1	ug/L	TRUE	REG	1	24/07/2023	25/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	25/07/2023 13:05	Aluminium	10800	ug/L	FALSE	REG	10	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Aluminium	10	ug/L	TRUE	REG	10	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Arsenic	2	ug/L	FALSE	REG	1	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Arsenic	1	ug/L	TRUE	REG	1	1/08/2023	1/08/2023	
W4	25/07/2023 13:33	Aluminium	790	ug/L	FALSE	REG	10	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Aluminium	80	ug/L	TRUE	REG	10	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Arsenic	1	ug/L	FALSE	REG	1	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Arsenic	1	ug/L	TRUE	REG	1	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Aluminium	3410	ug/L	FALSE	REG	10	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Aluminium	10	ug/L	TRUE	REG	10	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Arsenic	2	ug/L	FALSE	REG	1	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Arsenic	2	ug/L	TRUE	REG	1	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Aluminium	1220	ug/L	FALSE	REG	10		1/08/2023	
W6	25/07/2023 15:35	Aluminium	40	ug/L	TRUE	REG	10	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Arsenic	1	ug/L	FALSE	REG	1		1/08/2023	
W6	25/07/2023 15:35	Arsenic	1	ug/L	TRUE	REG	1	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Aluminium	1380	ug/L	FALSE	REG	10		1/08/2023	
W6	25/07/2023 15:42	Aluminium	40	ug/L	TRUE	REG	10	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Arsenic	1	ug/L	FALSE	REG	1		1/08/2023	
W6	25/07/2023 15:42	Arsenic	1	ug/L	TRUE	REG	1	1/08/2023	1/08/2023	
	29/07/2023 15:59	Aluminium	10	ug/L	TRUE	REG	10	29/07/2023	31/07/2023	
	29/07/2023 15:59	Arsenic	1	ug/L	TRUE	REG	1	29/07/2023	31/07/2023	
	29/07/2023 16:00	Aluminium	10	ug/L	FALSE	REG	10	29/07/2023	31/07/2023	
	29/07/2023 16:00	Arsenic	1	ug/L	FALSE	REG	1	29/07/2023	31/07/2023	
	1/08/2023 13:49	Aluminium	10	ug/L	TRUE	REG	10	1/08/2023	1/08/2023	
	1/08/2023 13:49	Arsenic	1	ug/L	TRUE	REG	1	1/08/2023	1/08/2023	
N1S	8/08/2023 17:00	Aluminium	10	ug/L	TRUE	REG	10	17/08/2023	17/08/2023	
N1S	8/08/2023 17:00	Arsenic	6	ug/L	TRUE	REG	1	17/08/2023	17/08/2023	
	17/08/2023 18:38	Aluminium	10	ug/L	TRUE	REG	10	17/08/2023	17/08/2023	
	17/08/2023 18:38	Arsenic	1	ug/L	TRUE	REG	1	17/08/2023	17/08/2023	
RWD	19/08/2023 12:39	Aluminium	910	ug/L	FALSE	REG	10		29/08/2023	
RWD	19/08/2023 12:39	Aluminium	240	ug/L	TRUE	REG	10	24/08/2023	26/08/2023	
RWD	19/08/2023 12:39	Arsenic	1	ug/L	FALSE	REG	1		29/08/2023	
RWD	19/08/2023 12:39	Arsenic	1	ug/L	TRUE	REG	1	24/08/2023	26/08/2023	
	19/08/2023 12:47	Aluminium	500	ug/L	FALSE	REG	10		29/08/2023	
	19/08/2023 12:47	Aluminium	240	ug/L	TRUE	REG	10	24/08/2023	26/08/2023	
	19/08/2023 12:47	Arsenic	1	ug/L	FALSE	REG	1		29/08/2023	
	19/08/2023 12:47	Arsenic	1	ug/L	TRUE	REG	1	24/08/2023	26/08/2023	
	24/08/2023 10:06	Aluminium	10	ug/L	FALSE	REG	10	24/08/2023	27/08/2023	
	24/08/2023 10:06	Arsenic	1	ug/L	FALSE	REG	1	24/08/2023	27/08/2023	
	24/08/2023 11:13	Aluminium	10	ug/L	TRUE	REG	10	24/08/2023	26/08/2023	
	24/08/2023 11:13	Arsenic	1	ug/L	TRUE	REG	1	24/08/2023	26/08/2023	
SB2	27/08/2023 8:00	Aluminium	110	ug/L	FALSE	REG	10		5/09/2023	
SB2	27/08/2023 8:00	Aluminium	20	ug/L	TRUE	REG	10		4/09/2023	
SB2	27/08/2023 8:00	Arsenic	2	ug/L	FALSE	REG	1		5/09/2023	
SB2	27/08/2023 8:00	Arsenic	2	ug/L	TRUE	REG	1		4/09/2023	
BC2	27/08/2023 9:24	Aluminium	990	ug/L	FALSE	REG	10		5/09/2023	
BC2	27/08/2023 9:24	Aluminium	10	ug/L	TRUE	REG	10	31/08/2023	2/09/2023	
BC2	27/08/2023 9:24	Arsenic	3	ug/L	FALSE	REG	1		5/09/2023	
BC2	27/08/2023 9:24	Arsenic	1	ug/L	TRUE	REG	1	31/08/2023	2/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB2	27/08/2023 10:55	Aluminium	220	ug/L	FALSE	REG	10	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Aluminium	20	ug/L	TRUE	REG	10	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Arsenic	33	ug/L	FALSE	REG	1	31/08/2023	2/09/2023	
MB2	27/08/2023 10:55	Arsenic	27	ug/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Aluminium	160	ug/L	FALSE	REG	10	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Aluminium	20	ug/L	TRUE	REG	10	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Arsenic	3	ug/L	FALSE	REG	1	31/08/2023	2/09/2023	
MB14	27/08/2023 13:00	Arsenic	4	ug/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Aluminium	50	ug/L	FALSE	REG	10	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Aluminium	20	ug/L	TRUE	REG	10	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Arsenic	9	ug/L	FALSE	REG	1	31/08/2023	2/09/2023	
MB12	27/08/2023 14:27	Arsenic	7	ug/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Aluminium	70	ug/L	FALSE	REG	10	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Aluminium	20	ug/L	TRUE	REG	10	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Arsenic	1	ug/L	FALSE	REG	1	31/08/2023	2/09/2023	
MB7	27/08/2023 18:00	Arsenic	1	ug/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Aluminium	530	ug/L	FALSE	REG	10	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Aluminium	20	ug/L	TRUE	REG	10	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Arsenic	1	ug/L	FALSE	REG	1	31/08/2023	2/09/2023	
MB9A	28/08/2023 9:00	Arsenic	1	ug/L	TRUE	REG	1	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Aluminium	40	ug/L	FALSE	REG	10	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Aluminium	20	ug/L	TRUE	REG	10	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Arsenic	10	ug/L	FALSE	REG	1	31/08/2023	2/09/2023	
MB8B	28/08/2023 11:48	Arsenic	5	ug/L	TRUE	REG	1	31/08/2023	2/09/2023	
	31/08/2023 17:50	Aluminium	10	ug/L	TRUE	REG	10	31/08/2023	2/09/2023	
	31/08/2023 17:50	Arsenic	1	ug/L	TRUE	REG	1	31/08/2023	2/09/2023	
	31/08/2023 17:59	Aluminium	10	ug/L	FALSE	REG	10	31/08/2023	2/09/2023	
	31/08/2023 17:59	Arsenic	1	ug/L	FALSE	REG	1	31/08/2023	2/09/2023	
N1S	3/09/2023 13:15	Aluminium	10	ug/L	TRUE	REG	10	9/09/2023	9/09/2023	
N1S	3/09/2023 13:15	Arsenic	2	ug/L	TRUE	REG	1	9/09/2023	9/09/2023	
	9/09/2023 15:50	Aluminium	10	ug/L	TRUE	REG	10	9/09/2023	9/09/2023	
	9/09/2023 15:50	Arsenic	1	ug/L	TRUE	REG	1	9/09/2023	9/09/2023	
RWD	12/09/2023 6:40	Aluminium	1130	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Aluminium	160	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Arsenic	1	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
RWD	12/09/2023 6:40	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Aluminium	110	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Aluminium	10	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Arsenic	2	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
CHPPPP	12/09/2023 7:05	Arsenic	2	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Aluminium	100	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Aluminium	10	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Arsenic	2	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
S2SED	12/09/2023 7:20	Arsenic	2	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Aluminium	240	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Aluminium	10	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Arsenic	1	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
RD1	12/09/2023 7:30	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
S2	12/09/2023 8:00	Aluminium	90	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Aluminium	10	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
S2	12/09/2023 8:00	Arsenic	2	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
S2	12/09/2023 8:00	Arsenic	2	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Aluminium	3190	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Aluminium	60	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Arsenic	6	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
RD2	12/09/2023 8:15	Arsenic	5	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Aluminium	470	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Aluminium	20	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Arsenic	1	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Aluminium	400	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Aluminium	20	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Arsenic	1	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
Farm Dam 2	12/09/2023 10:30	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
FPD	12/09/2023 11:00	Aluminium	50	ug/L	FALSE	REG	10	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Aluminium	10	ug/L	TRUE	REG	10	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Arsenic	2	ug/L	FALSE	REG	1	16/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Arsenic	2	ug/L	TRUE	REG	1	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Aluminium	920	ug/L	FALSE	REG	10	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Aluminium	50	ug/L	TRUE	REG	10	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Arsenic	2	ug/L	FALSE	REG	1	16/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Arsenic	2	ug/L	TRUE	REG	1	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Aluminium	3850	ug/L	FALSE	REG	10		19/09/2023	
MIA DAM	12/09/2023 12:45	Aluminium	80	ug/L	TRUE	REG	10	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Arsenic	1	ug/L	FALSE	REG	1		19/09/2023	
MIA DAM	12/09/2023 12:45	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Aluminium	4060	ug/L	FALSE	REG	10		19/09/2023	
MIA DAM	12/09/2023 12:45	Aluminium	90	ug/L	TRUE	REG	10	16/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Arsenic	1	ug/L	FALSE	REG	1		19/09/2023	
MIA DAM	12/09/2023 12:45	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Aluminium	1540	ug/L	FALSE	REG	10	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Aluminium	30	ug/L	TRUE	REG	10	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Arsenic	1	ug/L	FALSE	REG	1	16/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	18/09/2023	
N1S	14/09/2023 12:50	Aluminium	10	ug/L	TRUE	REG	10	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Arsenic	5	ug/L	TRUE	REG	1	26/09/2023	27/09/2023	
	15/09/2023 16:50	Aluminium	10	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
	15/09/2023 16:50	Aluminium	10	ug/L	FALSE	REG	10	15/09/2023	16/09/2023	
	15/09/2023 16:50	Arsenic	1	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
	15/09/2023 16:50	Arsenic	1	ug/L	FALSE	REG	1	15/09/2023	16/09/2023	
	16/09/2023 10:09	Aluminium	10	ug/L	TRUE	REG	10	16/09/2023	16/09/2023	
	16/09/2023 10:09	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	16/09/2023	
	16/09/2023 16:23	Aluminium	10	ug/L	FALSE	REG	10	16/09/2023	18/09/2023	
	16/09/2023 16:23	Aluminium	10	ug/L	TRUE	REG	10	16/09/2023	18/09/2023	
	16/09/2023 16:23	Arsenic	1	ug/L	FALSE	REG	1	16/09/2023	18/09/2023	
	16/09/2023 16:23	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	18/09/2023	
	16/09/2023 16:24	Aluminium	10	ug/L	TRUE	REG	10	16/09/2023	18/09/2023	
	16/09/2023 16:24	Arsenic	1	ug/L	TRUE	REG	1	16/09/2023	18/09/2023	
	18/09/2023 10:00	Aluminium	70	ug/L	FALSE	REG	10	22/09/2023	25/09/2023	
	18/09/2023 10:00	Aluminium	10	ug/L	TRUE	REG	10	22/09/2023	24/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	18/09/2023 10:00	Arsenic	1	ug/L	FALSE	REG	1	22/09/2023	25/09/2023	
	18/09/2023 10:00	Arsenic	1	ug/L	TRUE	REG	1	22/09/2023	24/09/2023	
	18/09/2023 10:00	Aluminium	70	ug/L	FALSE	REG	10	22/09/2023	25/09/2023	
	18/09/2023 10:00	Aluminium	10	ug/L	TRUE	REG	10	22/09/2023	24/09/2023	
	18/09/2023 10:00	Arsenic	1	ug/L	FALSE	REG	1	22/09/2023	25/09/2023	
	18/09/2023 10:00	Arsenic	1	ug/L	TRUE	REG	1	22/09/2023	24/09/2023	
	22/09/2023 20:37	Aluminium	10	ug/L	FALSE	REG	10	22/09/2023	25/09/2023	
	22/09/2023 20:37	Aluminium	10	ug/L	FALSE	REG	10	22/09/2023	25/09/2023	
	22/09/2023 20:37	Aluminium	10	ug/L	TRUE	REG	10	22/09/2023	24/09/2023	
	22/09/2023 20:37	Arsenic	1	ug/L	FALSE	REG	1	22/09/2023	25/09/2023	
	22/09/2023 20:37	Arsenic	1	ug/L	FALSE	REG	1	22/09/2023	25/09/2023	
	22/09/2023 20:37	Arsenic	1	ug/L	TRUE	REG	1	22/09/2023	24/09/2023	
RWD	23/09/2023 8:45	Aluminium	520	ug/L	FALSE	REG	10	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Aluminium	110	ug/L	TRUE	REG	10	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Arsenic	1	ug/L	FALSE	REG	1	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Arsenic	1	ug/L	TRUE	REG	1	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Aluminium	560	ug/L	FALSE	REG	10	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Aluminium	120	ug/L	TRUE	REG	10	30/09/2023	3/10/2023	
RWD	23/09/2023 8:45	Arsenic	1	ug/L	FALSE	REG	1	3/10/2023	3/10/2023	
RWD	23/09/2023 8:45	Arsenic	1	ug/L	TRUE	REG	1	30/09/2023	3/10/2023	
	26/09/2023 20:48	Aluminium	10	ug/L	TRUE	REG	10	26/09/2023	27/09/2023	
	26/09/2023 20:48	Arsenic	1	ug/L	TRUE	REG	1	26/09/2023	27/09/2023	
	30/09/2023 17:19	Aluminium	10	ug/L	TRUE	REG	10	30/09/2023	3/10/2023	
	30/09/2023 17:19	Arsenic	1	ug/L	TRUE	REG	1	30/09/2023	3/10/2023	
	3/10/2023 9:01	Aluminium	10	ug/L	FALSE	REG	10	3/10/2023	3/10/2023	
	3/10/2023 9:01	Arsenic	1	ug/L	FALSE	REG	1	3/10/2023	3/10/2023	
N1S	22/10/2023 13:45	Aluminium	10	ug/L	TRUE	REG	10	26/10/2023	27/10/2023	
N1S	22/10/2023 13:45	Arsenic	6	ug/L	TRUE	REG	1	26/10/2023	27/10/2023	
MBID23	23/10/2023 10:25	Aluminium	610	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Aluminium	10	ug/L	TRUE	REG	10		1/11/2023	
MBID23	23/10/2023 10:25	Arsenic	2	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	
MBID23	23/10/2023 10:25	Arsenic	1	ug/L	TRUE	REG	1		1/11/2023	
MBID28	23/10/2023 11:30	Aluminium	1440	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Aluminium	10	ug/L	TRUE	REG	10		1/11/2023	
MBID28	23/10/2023 11:30	Arsenic	1	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	
MBID28	23/10/2023 11:30	Arsenic	1	ug/L	TRUE	REG	1		1/11/2023	
593	23/10/2023 13:40	Aluminium	30	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Aluminium	10	ug/L	TRUE	REG	10		1/11/2023	
593	23/10/2023 13:40	Arsenic	1	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	
593	23/10/2023 13:40	Arsenic	1	ug/L	TRUE	REG	1		1/11/2023	
594	23/10/2023 14:35	Aluminium	540	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Aluminium	10	ug/L	TRUE	REG	10		1/11/2023	
594	23/10/2023 14:35	Arsenic	4	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	
594	23/10/2023 14:35	Arsenic	3	ug/L	TRUE	REG	1		1/11/2023	
MBID18	24/10/2023 7:35	Aluminium	100	ug/L	FALSE	REG	10		3/11/2023	
MBID18	24/10/2023 7:35	Aluminium	50	ug/L	TRUE	REG	10		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	24/10/2023 7:35	Arsenic	5	ug/L	FALSE	REG	1		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID18	24/10/2023 7:35	Arsenic	5	ug/L	TRUE	REG	1		3/11/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MBID08	24/10/2023 9:25	Aluminium	1070	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Aluminium	10	ug/L	TRUE	REG	10		1/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID08	24/10/2023 9:25	Arsenic	1	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	
MBID08	24/10/2023 9:25	Arsenic	1	ug/L	TRUE	REG	1		1/11/2023	
MBID07	24/10/2023 10:30	Aluminium	60	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Aluminium	10	ug/L	TRUE	REG	10		1/11/2023	
MBID07	24/10/2023 10:30	Arsenic	1	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	
MBID07	24/10/2023 10:30	Arsenic	1	ug/L	TRUE	REG	1		1/11/2023	
	24/10/2023 10:35	Aluminium	50	ug/L	FALSE	REG	10		3/11/2023	
	24/10/2023 10:35	Aluminium	10	ug/L	TRUE	REG	10	1/11/2023	3/11/2023	
	24/10/2023 10:35	Arsenic	1	ug/L	FALSE	REG	1		3/11/2023	
	24/10/2023 10:35	Arsenic	1	ug/L	TRUE	REG	1	1/11/2023	3/11/2023	
	24/10/2023 10:40	Aluminium	10	ug/L	FALSE	REG	10	1/11/2023	3/11/2023	
	24/10/2023 10:40	Aluminium	10	ug/L	TRUE	REG	10	1/11/2023	3/11/2023	
	24/10/2023 10:40	Arsenic	1	ug/L	FALSE	REG	1	1/11/2023	3/11/2023	
	24/10/2023 10:40	Arsenic	1	ug/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	Aluminium	190	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
MBID15	24/10/2023 11:50	Aluminium	10	ug/L	TRUE	REG	10		1/11/2023	
MBID15	24/10/2023 11:50	Arsenic	2	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	
MBID15	24/10/2023 11:50	Arsenic	1	ug/L	TRUE	REG	1		1/11/2023	
MBID04	24/10/2023 13:50	Aluminium	60	ug/L	FALSE	REG	10	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Aluminium	40	ug/L	TRUE	REG	10	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Arsenic	9	ug/L	FALSE	REG	1	1/11/2023	3/11/2023	
MBID04	24/10/2023 13:50	Arsenic	8	ug/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	Aluminium	110	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
MBID10	24/10/2023 14:30	Aluminium	10	ug/L	TRUE	REG	10		1/11/2023	
MBID10	24/10/2023 14:30	Arsenic	1	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	
MBID10	24/10/2023 14:30	Arsenic	1	ug/L	TRUE	REG	1		1/11/2023	
MBID21A	24/10/2023 15:00	Aluminium	2820	ug/L	FALSE	REG	10	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Aluminium	10	ug/L	TRUE	REG	10	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Arsenic	2	ug/L	FALSE	REG	1	1/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Arsenic	1	ug/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Aluminium	26500	ug/L	FALSE	REG	10	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Aluminium	10	ug/L	TRUE	REG	10	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Arsenic	3	ug/L	FALSE	REG	1	1/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Arsenic	1	ug/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Aluminium	80	ug/L	FALSE	REG	10	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Aluminium	10	ug/L	TRUE	REG	10	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Arsenic	1	ug/L	FALSE	REG	1	1/11/2023	3/11/2023	
MBID01	25/10/2023 7:45	Arsenic	1	ug/L	TRUE	REG	1	1/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Aluminium	2410	ug/L	FALSE	REG	10	1/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Aluminium	10	ug/L	TRUE	REG	10	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Arsenic	4	ug/L	FALSE	REG	1	1/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Arsenic	2	ug/L	TRUE	REG	1	1/11/2023	2/11/2023	
	26/10/2023 16:01	Aluminium	10	ug/L	TRUE	REG	10	26/10/2023	27/10/2023	
	26/10/2023 16:01	Arsenic	1	ug/L	TRUE	REG	1	26/10/2023	27/10/2023	
	28/10/2023 15:36	Aluminium	10	ug/L	TRUE	REG	10	28/10/2023	1/11/2023	
	28/10/2023 15:36	Aluminium	10	ug/L	TRUE	REG	10	28/10/2023	1/11/2023	
	28/10/2023 15:36	Arsenic	1	ug/L	TRUE	REG	1	28/10/2023	1/11/2023	
	28/10/2023 15:36	Arsenic	1	ug/L	TRUE	REG	1	28/10/2023	1/11/2023	
	28/10/2023 16:12	Aluminium	10	ug/L	FALSE	REG	10	28/10/2023	30/10/2023	
	28/10/2023 16:12	Arsenic	1	ug/L	FALSE	REG	1	28/10/2023	30/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	1/11/2023 15:53	Aluminium	10	ug/L	FALSE	REG	10	1/11/2023	3/11/2023	
	1/11/2023 15:53	Aluminium	10	ug/L	FALSE	REG	10	1/11/2023	3/11/2023	
	1/11/2023 15:53	Arsenic	1	ug/L	FALSE	REG	1	1/11/2023	3/11/2023	
	1/11/2023 15:53	Arsenic	1	ug/L	FALSE	REG	1	1/11/2023	3/11/2023	
	1/11/2023 16:08	Aluminium	10	ug/L	TRUE	REG	10	1/11/2023	3/11/2023	
	1/11/2023 16:08	Arsenic	1	ug/L	TRUE	REG	1	1/11/2023	3/11/2023	
	1/11/2023 16:10	Aluminium	10	ug/L	TRUE	REG	10	1/11/2023	2/11/2023	
	1/11/2023 16:10	Arsenic	1	ug/L	TRUE	REG	1	1/11/2023	2/11/2023	
N1S	21/11/2023 15:00	Aluminium	10	ug/L	TRUE	REG	10	28/11/2023	28/11/2023	
N1S	21/11/2023 15:00	Arsenic	5	ug/L	TRUE	REG	1	28/11/2023	28/11/2023	
RWD	21/11/2023 18:07	Aluminium	1680	ug/L	FALSE	REG	10		1/12/2023	
RWD	21/11/2023 18:07	Aluminium	510	ug/L	TRUE	REG	10		4/12/2023	
RWD	21/11/2023 18:07	Arsenic	1	ug/L	FALSE	REG	1		1/12/2023	
RWD	21/11/2023 18:07	Arsenic	1	ug/L	TRUE	REG	1		4/12/2023	
RWD	21/11/2023 18:09	Aluminium	1720	ug/L	FALSE	REG	10		1/12/2023	
RWD	21/11/2023 18:09	Aluminium	510	ug/L	TRUE	REG	10		4/12/2023	
RWD	21/11/2023 18:09	Arsenic	1	ug/L	FALSE	REG	1		1/12/2023	
RWD	21/11/2023 18:09	Arsenic	1	ug/L	TRUE	REG	1		4/12/2023	
W2	27/11/2023 15:00	Aluminium	2460	ug/L	FALSE	REG	10	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Aluminium	50	ug/L	TRUE	REG	10	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Arsenic	4	ug/L	FALSE	REG	1	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Arsenic	3	ug/L	TRUE	REG	1	2/12/2023	7/12/2023	
FG1	27/11/2023 15:30	Aluminium	27700	ug/L	FALSE	REG	10		4/12/2023	
FG1	27/11/2023 15:30	Aluminium	10	ug/L	TRUE	REG	10		6/12/2023	
FG1	27/11/2023 15:30	Arsenic	5	ug/L	FALSE	REG	1		4/12/2023	
FG1	27/11/2023 15:30	Arsenic	1	ug/L	TRUE	REG	1		6/12/2023	
	28/11/2023 13:31	Aluminium	10	ug/L	TRUE	REG	10	28/11/2023	28/11/2023	
	28/11/2023 13:31	Arsenic	1	ug/L	TRUE	REG	1	28/11/2023	28/11/2023	
FG2	28/11/2023 15:45	Aluminium	30400	ug/L	FALSE	REG	10		4/12/2023	
FG2	28/11/2023 15:45	Aluminium	60	ug/L	TRUE	REG	10		6/12/2023	
FG2	28/11/2023 15:45	Arsenic	2	ug/L	FALSE	REG	1		4/12/2023	
FG2	28/11/2023 15:45	Arsenic	1	ug/L	TRUE	REG	1		6/12/2023	
	28/11/2023 15:48	Aluminium	10	ug/L	TRUE	REG	10	28/11/2023	3/12/2023	
	28/11/2023 15:48	Arsenic	1	ug/L	TRUE	REG	1	28/11/2023	3/12/2023	
	29/11/2023 7:57	Aluminium	10	ug/L	FALSE	REG	10	29/11/2023	1/12/2023	
	29/11/2023 14:34	Aluminium	10	ug/L	TRUE	REG	10	29/11/2023	2/12/2023	
	29/11/2023 14:34	Arsenic	1	ug/L	TRUE	REG	1	29/11/2023	2/12/2023	
	1/12/2023 18:21	Aluminium	10	ug/L	FALSE	REG	10	1/12/2023	4/12/2023	
	1/12/2023 18:21	Arsenic	1	ug/L	FALSE	REG	1	1/12/2023	4/12/2023	
	2/12/2023 11:33	Aluminium	10	ug/L	FALSE	REG	10	2/12/2023	2/12/2023	
	2/12/2023 11:33	Arsenic	1	ug/L	FALSE	REG	1	2/12/2023	2/12/2023	
	2/12/2023 11:42	Aluminium	10	ug/L	TRUE	REG	10	2/12/2023	7/12/2023	
	2/12/2023 11:42	Arsenic	1	ug/L	TRUE	REG	1	2/12/2023	7/12/2023	
W6	4/12/2023 16:50	Aluminium	7870	ug/L	FALSE	REG	10		13/12/2023	
W6	4/12/2023 16:50	Aluminium	10	ug/L	TRUE	REG	10	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Arsenic	2	ug/L	FALSE	REG	1		13/12/2023	
W6	4/12/2023 16:50	Arsenic	1	ug/L	TRUE	REG	1	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Aluminium	54000	ug/L	FALSE	REG	10		13/12/2023	
W7	4/12/2023 16:53	Aluminium	10	ug/L	TRUE	REG	10	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Arsenic	3	ug/L	FALSE	REG	1		13/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W7	4/12/2023 16:53	Arsenic	1	ug/L	TRUE	REG	1	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Aluminium	32800	ug/L	FALSE	REG	10		14/12/2023	
W5	4/12/2023 16:56	Aluminium	10	ug/L	TRUE	REG	10	8/12/2023	11/12/2023	
W5	4/12/2023 16:56	Arsenic	5	ug/L	FALSE	REG	1		14/12/2023	
W5	4/12/2023 16:56	Arsenic	1	ug/L	TRUE	REG	1	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Aluminium	51900	ug/L	FALSE	REG	10		13/12/2023	
W1	4/12/2023 17:01	Aluminium	1840	ug/L	TRUE	REG	10	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Arsenic	4	ug/L	FALSE	REG	1		13/12/2023	
W1	4/12/2023 17:01	Arsenic	1	ug/L	TRUE	REG	1	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Aluminium	27200	ug/L	FALSE	REG	10		13/12/2023	
W4	4/12/2023 17:03	Aluminium	10	ug/L	TRUE	REG	10	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Arsenic	3	ug/L	FALSE	REG	1		13/12/2023	
W4	4/12/2023 17:03	Arsenic	1	ug/L	TRUE	REG	1	8/12/2023	11/12/2023	
	4/12/2023 20:04	Aluminium	10	ug/L	TRUE	REG	10	4/12/2023	6/12/2023	
	4/12/2023 20:04	Arsenic	1	ug/L	TRUE	REG	1	4/12/2023	6/12/2023	
	8/12/2023 21:12	Aluminium	10	ug/L	TRUE	REG	10	8/12/2023	11/12/2023	
	8/12/2023 21:12	Arsenic	1	ug/L	TRUE	REG	1	8/12/2023	11/12/2023	
RWD	11/12/2023 7:55	Aluminium	1360	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Aluminium	230	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
RWD	11/12/2023 7:55	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
RWD	11/12/2023 7:55	Arsenic	1	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	Aluminium	550	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
CHPPPP	11/12/2023 8:18	Arsenic	2	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
CHPPPP	11/12/2023 8:18	Arsenic	2	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	Aluminium	20	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
N1S	11/12/2023 8:34	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
N1S	11/12/2023 8:34	Arsenic	1	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	Aluminium	160	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
S2SED	11/12/2023 8:51	Arsenic	2	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
S2SED	11/12/2023 8:51	Arsenic	2	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
	11/12/2023 8:57	Aluminium	150	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
	11/12/2023 8:57	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
	11/12/2023 8:57	Arsenic	2	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
	11/12/2023 8:57	Arsenic	2	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	Aluminium	1270	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
RD1	11/12/2023 9:08	Arsenic	2	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
RD1	11/12/2023 9:08	Arsenic	2	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	Aluminium	50	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
S2	11/12/2023 9:23	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
S2	11/12/2023 9:23	Arsenic	1	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	Aluminium	280	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
S3	11/12/2023 9:57	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
S3	11/12/2023 9:57	Arsenic	1	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	Aluminium	10	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Pit 4	11/12/2023 9:59	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
Pit 4	11/12/2023 9:59	Arsenic	2	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
Pit 4	11/12/2023 9:59	Arsenic	2	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	Aluminium	860	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Aluminium	40	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
Farm Dam 2	11/12/2023 10:22	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
Farm Dam 2	11/12/2023 10:22	Arsenic	1	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	Aluminium	2750	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Aluminium	20	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
RD2	11/12/2023 10:39	Arsenic	4	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
RD2	11/12/2023 10:39	Arsenic	4	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
MIA DAM	11/12/2023 11:35	Aluminium	16000	ug/L	FALSE	REG	10	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Aluminium	110	ug/L	TRUE	REG	10	14/12/2023	19/12/2023	
MIA DAM	11/12/2023 11:35	Arsenic	2	ug/L	FALSE	REG	1	14/12/2023	18/12/2023	
MIA DAM	11/12/2023 11:35	Arsenic	1	ug/L	TRUE	REG	1	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Aluminium	430	ug/L	FALSE	REG	10	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Aluminium	10	ug/L	TRUE	REG	10	14/12/2023	19/12/2023	
MWD	11/12/2023 11:40	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	18/12/2023	
MWD	11/12/2023 11:40	Arsenic	1	ug/L	TRUE	REG	1	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Aluminium	2310	ug/L	FALSE	REG	10	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Aluminium	10	ug/L	TRUE	REG	10	14/12/2023	19/12/2023	
SSD	11/12/2023 12:09	Arsenic	9	ug/L	FALSE	REG	1	14/12/2023	18/12/2023	
SSD	11/12/2023 12:09	Arsenic	10	ug/L	TRUE	REG	1	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Aluminium	610	ug/L	FALSE	REG	10	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Aluminium	10	ug/L	TRUE	REG	10	14/12/2023	19/12/2023	
FPD	11/12/2023 12:35	Arsenic	2	ug/L	FALSE	REG	1	14/12/2023	18/12/2023	
FPD	11/12/2023 12:35	Arsenic	2	ug/L	TRUE	REG	1	14/12/2023	19/12/2023	
	11/12/2023 12:49	Aluminium	470	ug/L	FALSE	REG	10		20/12/2023	
	11/12/2023 12:49	Aluminium	10	ug/L	TRUE	REG	10	14/12/2023	19/12/2023	
	11/12/2023 12:49	Arsenic	1	ug/L	FALSE	REG	1		20/12/2023	
	11/12/2023 12:49	Arsenic	2	ug/L	TRUE	REG	1	14/12/2023	19/12/2023	
	11/12/2023 17:57	Aluminium	10	ug/L	FALSE	REG	10	11/12/2023	13/12/2023	
	14/12/2023 16:51	Aluminium	10	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
	14/12/2023 16:51	Aluminium	10	ug/L	FALSE	REG	10	14/12/2023	20/12/2023	
	14/12/2023 16:51	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
	14/12/2023 16:51	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	20/12/2023	
	14/12/2023 16:54	Aluminium	10	ug/L	FALSE	REG	10	14/12/2023	18/12/2023	
	14/12/2023 16:54	Arsenic	1	ug/L	FALSE	REG	1	14/12/2023	18/12/2023	
	14/12/2023 17:03	Aluminium	10	ug/L	TRUE	REG	10	14/12/2023	19/12/2023	
	14/12/2023 17:03	Arsenic	1	ug/L	TRUE	REG	1	14/12/2023	19/12/2023	
	15/12/2023 8:44	Aluminium	10	ug/L	TRUE	REG	10	15/12/2023	21/12/2023	
	15/12/2023 8:44	Arsenic	1	ug/L	TRUE	REG	1	15/12/2023	21/12/2023	
N1S	18/12/2023 10:30	Aluminium	430	ug/L	TRUE	REG	10	28/12/2023	2/01/2024	
N1S	18/12/2023 10:30	Arsenic	20	ug/L	TRUE	REG	1	28/12/2023	2/01/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	28/12/2023 11:39	Aluminium	10	ug/L	TRUE	REG	10	28/12/2023	2/01/2024	
	28/12/2023 11:39	Arsenic	1	ug/L	TRUE	REG	1	28/12/2023	2/01/2024	
W4	3/01/2024 11:20	Aluminium	60500	ug/L	FALSE	REG	10	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Aluminium	20	ug/L	TRUE	REG	10	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Arsenic	4	ug/L	FALSE	REG	1	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W2	3/01/2024 11:23	Aluminium	65400	ug/L	FALSE	REG	10	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Aluminium	20	ug/L	TRUE	REG	10	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Arsenic	5	ug/L	FALSE	REG	1	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Aluminium	34000	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Aluminium	10	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Arsenic	4	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Aluminium	21000	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Aluminium	40	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Arsenic	4	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Aluminium	26800	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Aluminium	40	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Arsenic	4	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Aluminium	18000	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Aluminium	10	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Arsenic	3	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Aluminium	1130	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Aluminium	10	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Arsenic	1	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 11:57	Aluminium	25300	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
	3/01/2024 11:57	Aluminium	20	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
	3/01/2024 11:57	Arsenic	3	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 11:57	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Aluminium	25300	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Aluminium	10	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Arsenic	3	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Aluminium	21900	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Aluminium	20	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Arsenic	3	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 12:10	Aluminium	28700	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
	3/01/2024 12:10	Aluminium	20	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
	3/01/2024 12:10	Arsenic	5	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 12:10	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 12:15	Aluminium	45000	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
	3/01/2024 12:15	Aluminium	80	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
	3/01/2024 12:15	Arsenic	6	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 12:15	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
IR1	3/01/2024 12:28	Aluminium	82600	ug/L	FALSE	REG	10		11/01/2024	
IR1	3/01/2024 12:28	Aluminium	30	ug/L	TRUE	REG	10	11/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Arsenic	7	ug/L	FALSE	REG	1		11/01/2024	
IR1	3/01/2024 12:28	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Aluminium	13200	ug/L	FALSE	REG	10		11/01/2024	
FG1	3/01/2024 12:37	Aluminium	10	ug/L	TRUE	REG	10	11/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FG1	3/01/2024 12:37	Arsenic	2	ug/L	FALSE	REG	1		11/01/2024	
FG1	3/01/2024 12:37	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	11/01/2024	
IR1A	4/01/2024 16:43	Aluminium	6850	ug/L	FALSE	REG	10		22/01/2024	
IR1A	4/01/2024 16:43	Aluminium	250	ug/L	TRUE	REG	10	18/01/2024	20/01/2024	
IR1A	4/01/2024 16:43	Arsenic	2	ug/L	FALSE	REG	1		22/01/2024	
IR1A	4/01/2024 16:43	Arsenic	1	ug/L	TRUE	REG	1	18/01/2024	20/01/2024	
IR2	4/01/2024 17:15	Aluminium	6200	ug/L	FALSE	REG	10		22/01/2024	
IR2	4/01/2024 17:15	Aluminium	30	ug/L	TRUE	REG	10	18/01/2024	18/01/2024	
IR2	4/01/2024 17:15	Arsenic	1	ug/L	FALSE	REG	1		22/01/2024	
IR2	4/01/2024 17:15	Arsenic	1	ug/L	TRUE	REG	1	18/01/2024	18/01/2024	
IR5	5/01/2024 6:56	Aluminium	7350	ug/L	FALSE	REG	10		22/01/2024	
IR5	5/01/2024 6:56	Aluminium	220	ug/L	TRUE	REG	10	18/01/2024	20/01/2024	
IR5	5/01/2024 6:56	Arsenic	2	ug/L	FALSE	REG	1		22/01/2024	
IR5	5/01/2024 6:56	Arsenic	1	ug/L	TRUE	REG	1	18/01/2024	20/01/2024	
	5/01/2024 7:01	Aluminium	6080	ug/L	FALSE	REG	10		22/01/2024	
	5/01/2024 7:01	Aluminium	400	ug/L	TRUE	REG	10		22/01/2024	
	5/01/2024 7:01	Arsenic	1	ug/L	FALSE	REG	1		22/01/2024	
	5/01/2024 7:01	Arsenic	1	ug/L	TRUE	REG	1		22/01/2024	
IR4	5/01/2024 7:36	Aluminium	4740	ug/L	FALSE	REG	10		22/01/2024	
IR4	5/01/2024 7:36	Aluminium	40	ug/L	TRUE	REG	10	18/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Arsenic	1	ug/L	FALSE	REG	1		22/01/2024	
IR4	5/01/2024 7:36	Arsenic	1	ug/L	TRUE	REG	1	18/01/2024	18/01/2024	
	8/01/2024 17:22	Aluminium	10	ug/L	FALSE	REG	10	8/01/2024	11/01/2024	
	8/01/2024 17:22	Aluminium	10	ug/L	FALSE	REG	10	8/01/2024	11/01/2024	
	8/01/2024 17:22	Arsenic	1	ug/L	FALSE	REG	1	8/01/2024	11/01/2024	
	8/01/2024 17:22	Arsenic	1	ug/L	FALSE	REG	1	8/01/2024	11/01/2024	
	11/01/2024 9:16	Aluminium	10	ug/L	FALSE	REG	10	11/01/2024	11/01/2024	
	11/01/2024 9:16	Arsenic	1	ug/L	FALSE	REG	1	11/01/2024	11/01/2024	
	11/01/2024 9:52	Aluminium	10	ug/L	TRUE	REG	10	11/01/2024	12/01/2024	
	11/01/2024 9:52	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	12/01/2024	
	11/01/2024 11:34	Aluminium	10	ug/L	TRUE	REG	10	11/01/2024	11/01/2024	
	11/01/2024 11:34	Aluminium	10	ug/L	TRUE	REG	10	11/01/2024	11/01/2024	
	11/01/2024 11:34	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	11/01/2024	
	11/01/2024 11:34	Arsenic	1	ug/L	TRUE	REG	1	11/01/2024	11/01/2024	
	17/01/2024 12:15	Aluminium	10	ug/L	FALSE	REG	10	17/01/2024	20/01/2024	
	17/01/2024 12:15	Arsenic	1	ug/L	FALSE	REG	1	17/01/2024	20/01/2024	
	17/01/2024 12:26	Aluminium	10	ug/L	TRUE	REG	10	17/01/2024	18/01/2024	
	17/01/2024 12:26	Arsenic	1	ug/L	TRUE	REG	1	17/01/2024	18/01/2024	
RWD	18/01/2024 7:34	Aluminium	240	ug/L	FALSE	REG	10		28/01/2024	
RWD	18/01/2024 7:34	Aluminium	10	ug/L	TRUE	REG	10	25/01/2024	29/01/2024	
RWD	18/01/2024 7:34	Arsenic	1	ug/L	FALSE	REG	1		28/01/2024	
RWD	18/01/2024 7:34	Arsenic	1	ug/L	TRUE	REG	1	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	Aluminium	230	ug/L	FALSE	REG	10		28/01/2024	
RWD	18/01/2024 7:49	Aluminium	10	ug/L	TRUE	REG	10	25/01/2024	29/01/2024	
RWD	18/01/2024 7:49	Arsenic	1	ug/L	FALSE	REG	1		28/01/2024	
RWD	18/01/2024 7:49	Arsenic	1	ug/L	TRUE	REG	1	25/01/2024	29/01/2024	
	18/01/2024 8:06	Aluminium	10	ug/L	TRUE	REG	10	18/01/2024	20/01/2024	
	18/01/2024 8:06	Arsenic	1	ug/L	TRUE	REG	1	18/01/2024	20/01/2024	
	18/01/2024 11:52	Aluminium	10	ug/L	TRUE	REG	10	18/01/2024	18/01/2024	
	18/01/2024 11:52	Arsenic	1	ug/L	TRUE	REG	1	18/01/2024	18/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	23/01/2024 12:30	Aluminium	10	ug/L	TRUE	REG	10		2/02/2024	
N1S	23/01/2024 12:30	Arsenic	2	ug/L	TRUE	REG	1		2/02/2024	
	24/01/2024 11:46	Aluminium	10	ug/L	FALSE	REG	10	24/01/2024	24/01/2024	
	24/01/2024 11:46	Arsenic	1	ug/L	FALSE	REG	1	24/01/2024	24/01/2024	
	25/01/2024 21:52	Aluminium	10	ug/L	TRUE	REG	10	25/01/2024	29/01/2024	
	25/01/2024 21:52	Arsenic	1	ug/L	TRUE	REG	1	25/01/2024	29/01/2024	
	1/02/2024 18:47	Aluminium	10	ug/L	TRUE	REG	10	1/02/2024	2/02/2024	
	1/02/2024 18:47	Arsenic	1	ug/L	TRUE	REG	1	1/02/2024	2/02/2024	
MBID23	6/02/2024 9:45	Aluminium	16600	ug/L	FALSE	REG	10		17/02/2024	
MBID23	6/02/2024 9:45	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Arsenic	6	ug/L	FALSE	REG	1		17/02/2024	
MBID23	6/02/2024 9:45	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Aluminium	11200	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Arsenic	2	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Aluminium	880	ug/L	FALSE	REG	10		17/02/2024	
593	6/02/2024 13:50	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
593	6/02/2024 13:50	Arsenic	4	ug/L	FALSE	REG	1		17/02/2024	
593	6/02/2024 13:50	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Aluminium	710	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Arsenic	3	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
594	6/02/2024 15:30	Arsenic	2	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Aluminium	1050	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Arsenic	2	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Arsenic	2	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Aluminium	390	ug/L	FALSE	REG	10		17/02/2024	
MBID18	7/02/2024 7:50	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Arsenic	1	ug/L	FALSE	REG	1		17/02/2024	
MBID18	7/02/2024 7:50	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Aluminium	570	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Arsenic	1	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Aluminium	250	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Arsenic	1	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
MBID07	7/02/2024 11:00	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Aluminium	10	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Arsenic	1	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
MBID04	7/02/2024 11:50	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Aluminium	20	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Arsenic	1	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Aluminium	24400	ug/L	FALSE	REG	10		17/02/2024	
MBID21A	7/02/2024 12:30	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID21A	7/02/2024 12:30	Arsenic	11	ug/L	FALSE	REG	1		17/02/2024	
MBID21A	7/02/2024 12:30	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Aluminium	420	ug/L	FALSE	REG	10		17/02/2024	
MBID19A	7/02/2024 13:10	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Arsenic	1	ug/L	FALSE	REG	1		17/02/2024	
MBID19A	7/02/2024 13:10	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
	7/02/2024 13:15	Aluminium	2950	ug/L	FALSE	REG	10		17/02/2024	
	7/02/2024 13:15	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
	7/02/2024 13:15	Arsenic	1	ug/L	FALSE	REG	1		17/02/2024	
	7/02/2024 13:15	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Aluminium	150	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Arsenic	1	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
MBID01	7/02/2024 13:30	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
W4	15/02/2024 8:17	Aluminium	10800	ug/L	FALSE	REG	10	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Aluminium	10	ug/L	TRUE	REG	10	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Arsenic	1	ug/L	FALSE	REG	1	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Arsenic	1	ug/L	TRUE	REG	1	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Aluminium	58300	ug/L	FALSE	REG	10	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Aluminium	10	ug/L	TRUE	REG	10	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Arsenic	3	ug/L	FALSE	REG	1	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Arsenic	1	ug/L	TRUE	REG	1	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Aluminium	209000	ug/L	FALSE	REG	10	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Aluminium	10	ug/L	TRUE	REG	10	23/02/2024	23/02/2024	
IR2	15/02/2024 10:49	Arsenic	8	ug/L	FALSE	REG	1	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Arsenic	1	ug/L	TRUE	REG	1	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Aluminium	118000	ug/L	FALSE	REG	10	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Aluminium	20	ug/L	TRUE	REG	10	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Arsenic	5	ug/L	FALSE	REG	1	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Arsenic	1	ug/L	TRUE	REG	1	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	Aluminium	11400	ug/L	FALSE	REG	10	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Arsenic	2	ug/L	FALSE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Aluminium	12300	ug/L	FALSE	REG	10	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Arsenic	2	ug/L	FALSE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Aluminium	17800	ug/L	FALSE	REG	10		26/02/2024	
W8	16/02/2024 10:04	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Arsenic	4	ug/L	FALSE	REG	1		26/02/2024	
W8	16/02/2024 10:04	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
	16/02/2024 10:15	Aluminium	14900	ug/L	FALSE	REG	10		25/02/2024	
	16/02/2024 10:15	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
	16/02/2024 10:15	Arsenic	5	ug/L	FALSE	REG	1		25/02/2024	
	16/02/2024 10:15	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
	16/02/2024 10:37	Aluminium	10	ug/L	TRUE	REG	10	16/02/2024	16/02/2024	
	16/02/2024 10:37	Arsenic	1	ug/L	TRUE	REG	1	16/02/2024	16/02/2024	
W5	16/02/2024 10:56	Aluminium	60500	ug/L	FALSE	REG	10	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	16/02/2024 10:56	Arsenic	7	ug/L	FALSE	REG	1	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Aluminium	15200	ug/L	FALSE	REG	10	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Arsenic	2	ug/L	FALSE	REG	1	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Aluminium	16600	ug/L	FALSE	REG	10	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Arsenic	2	ug/L	FALSE	REG	1	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
	16/02/2024 12:56	Aluminium	10	ug/L	FALSE	REG	10	16/02/2024	16/02/2024	
	16/02/2024 12:56	Arsenic	1	ug/L	FALSE	REG	1	16/02/2024	16/02/2024	
N1S	20/02/2024 13:00	Aluminium	10	ug/L	TRUE	REG	10	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Arsenic	3	ug/L	TRUE	REG	1	27/02/2024	27/02/2024	
	21/02/2024 16:44	Aluminium	10	ug/L	FALSE	REG	10	21/02/2024	22/02/2024	
	21/02/2024 16:44	Aluminium	10	ug/L	FALSE	REG	10	21/02/2024	22/02/2024	
	21/02/2024 16:44	Arsenic	1	ug/L	FALSE	REG	1	21/02/2024	22/02/2024	
	21/02/2024 16:44	Arsenic	1	ug/L	FALSE	REG	1	21/02/2024	22/02/2024	
RWD	22/02/2024 8:31	Aluminium	90	ug/L	FALSE	REG	10	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Aluminium	30	ug/L	TRUE	REG	10	28/02/2024	1/03/2024	
RWD	22/02/2024 8:31	Arsenic	1	ug/L	FALSE	REG	1	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	Arsenic	1	ug/L	TRUE	REG	1	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	Aluminium	70	ug/L	FALSE	REG	10	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Aluminium	20	ug/L	TRUE	REG	10	28/02/2024	1/03/2024	
RWD	22/02/2024 8:37	Arsenic	1	ug/L	FALSE	REG	1	27/02/2024	27/02/2024	
RWD	22/02/2024 8:37	Arsenic	1	ug/L	TRUE	REG	1	28/02/2024	1/03/2024	
	23/02/2024 10:58	Aluminium	10	ug/L	TRUE	REG	10	23/02/2024	23/02/2024	
	23/02/2024 10:58	Aluminium	10	ug/L	TRUE	REG	10	23/02/2024	23/02/2024	
	23/02/2024 10:58	Arsenic	1	ug/L	TRUE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 10:58	Arsenic	1	ug/L	TRUE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 11:36	Aluminium	10	ug/L	FALSE	REG	10	23/02/2024	23/02/2024	
	23/02/2024 11:36	Arsenic	1	ug/L	FALSE	REG	1	23/02/2024	23/02/2024	
	25/02/2024 10:38	Aluminium	10	ug/L	FALSE	REG	10	25/02/2024	26/02/2024	
	25/02/2024 10:38	Aluminium	10	ug/L	FALSE	REG	10	25/02/2024	26/02/2024	
	25/02/2024 10:38	Arsenic	1	ug/L	FALSE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 10:38	Arsenic	1	ug/L	FALSE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
	25/02/2024 14:19	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
	25/02/2024 14:19	Aluminium	10	ug/L	TRUE	REG	10	25/02/2024	26/02/2024	
	25/02/2024 14:19	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Arsenic	1	ug/L	TRUE	REG	1	25/02/2024	26/02/2024	
	27/02/2024 17:10	Aluminium	10	ug/L	FALSE	REG	10	27/02/2024	27/02/2024	
	27/02/2024 17:10	Arsenic	1	ug/L	FALSE	REG	1	27/02/2024	27/02/2024	
	27/02/2024 18:32	Aluminium	10	ug/L	TRUE	REG	10	27/02/2024	27/02/2024	
	27/02/2024 18:32	Arsenic	1	ug/L	TRUE	REG	1	27/02/2024	27/02/2024	
FG2	28/02/2024 12:36	Aluminium	1250	ug/L	FALSE	REG	10	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Aluminium	10	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
FG2	28/02/2024 12:36	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR2	28/02/2024 12:40	Aluminium	60	ug/L	FALSE	REG	10	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Aluminium	10	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Aluminium	1850	ug/L	FALSE	REG	10	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Aluminium	60	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Aluminium	6410	ug/L	FALSE	REG	10	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Aluminium	120	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Arsenic	2	ug/L	FALSE	REG	1	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:47	Aluminium	50	ug/L	FALSE	REG	10	4/03/2024	5/03/2024	
	28/02/2024 12:47	Aluminium	10	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
	28/02/2024 12:47	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	5/03/2024	
	28/02/2024 12:47	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Aluminium	50	ug/L	FALSE	REG	10	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Aluminium	10	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:51	Aluminium	1010	ug/L	FALSE	REG	10	4/03/2024	4/03/2024	
	28/02/2024 12:51	Aluminium	10	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
	28/02/2024 12:51	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:51	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:54	Aluminium	370	ug/L	FALSE	REG	10	4/03/2024	4/03/2024	
	28/02/2024 12:54	Aluminium	10	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
	28/02/2024 12:54	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:54	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:59	Aluminium	610	ug/L	FALSE	REG	10	4/03/2024	5/03/2024	
	28/02/2024 12:59	Aluminium	10	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
	28/02/2024 12:59	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	5/03/2024	
	28/02/2024 12:59	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 21:55	Aluminium	10	ug/L	TRUE	REG	10	28/02/2024	1/03/2024	
	28/02/2024 21:55	Arsenic	1	ug/L	TRUE	REG	1	28/02/2024	1/03/2024	
BC2	29/02/2024 9:41	Aluminium	10	ug/L	FALSE	REG	10		10/03/2024	
BC2	29/02/2024 9:41	Aluminium	10	ug/L	TRUE	REG	10		10/03/2024	
BC2	29/02/2024 9:41	Arsenic	1	ug/L	FALSE	REG	1		10/03/2024	
BC2	29/02/2024 9:41	Arsenic	1	ug/L	TRUE	REG	1		10/03/2024	
MB2	29/02/2024 11:08	Aluminium	50	ug/L	FALSE	REG	10	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Aluminium	10	ug/L	TRUE	REG	10	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Arsenic	27	ug/L	FALSE	REG	1	6/03/2024	8/03/2024	
MB2	29/02/2024 11:08	Arsenic	25	ug/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Aluminium	40	ug/L	FALSE	REG	10	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Aluminium	10	ug/L	TRUE	REG	10	6/03/2024	8/03/2024	
MB14	29/02/2024 13:25	Arsenic	3	ug/L	FALSE	REG	1	6/03/2024	9/03/2024	
MB14	29/02/2024 13:25	Arsenic	3	ug/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Aluminium	10	ug/L	FALSE	REG	10	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Aluminium	10	ug/L	TRUE	REG	10	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Arsenic	14	ug/L	FALSE	REG	1	6/03/2024	8/03/2024	
MB12	29/02/2024 15:13	Arsenic	12	ug/L	TRUE	REG	1	6/03/2024	8/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8B	1/03/2024 8:00	Aluminium	30	ug/L	FALSE	REG	10	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Aluminium	10	ug/L	TRUE	REG	10	7/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Arsenic	10	ug/L	FALSE	REG	1	6/03/2024	8/03/2024	
MB8B	1/03/2024 8:00	Arsenic	1	ug/L	TRUE	REG	1	7/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Aluminium	10	ug/L	FALSE	REG	10	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Aluminium	10	ug/L	TRUE	REG	10	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Arsenic	1	ug/L	FALSE	REG	1	6/03/2024	8/03/2024	
MB7	1/03/2024 8:55	Arsenic	1	ug/L	TRUE	REG	1	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Aluminium	1240	ug/L	FALSE	REG	10	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Aluminium	10	ug/L	TRUE	REG	10	6/03/2024	8/03/2024	
MB9A	1/03/2024 11:35	Arsenic	2	ug/L	FALSE	REG	1	6/03/2024	9/03/2024	
MB9A	1/03/2024 11:35	Arsenic	1	ug/L	TRUE	REG	1	6/03/2024	8/03/2024	
	4/03/2024 8:40	Aluminium	10	ug/L	FALSE	REG	10	4/03/2024	4/03/2024	
	4/03/2024 8:40	Aluminium	10	ug/L	FALSE	REG	10	4/03/2024	4/03/2024	
	4/03/2024 8:40	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	4/03/2024	
	4/03/2024 8:40	Arsenic	1	ug/L	FALSE	REG	1	4/03/2024	4/03/2024	
	4/03/2024 10:01	Aluminium	10	ug/L	TRUE	REG	10	4/03/2024	4/03/2024	
	4/03/2024 10:01	Arsenic	1	ug/L	TRUE	REG	1	4/03/2024	4/03/2024	
	6/03/2024 18:42	Aluminium	10	ug/L	TRUE	REG	10	6/03/2024	8/03/2024	
	6/03/2024 18:42	Arsenic	1	ug/L	TRUE	REG	1	6/03/2024	8/03/2024	
	6/03/2024 18:52	Aluminium	10	ug/L	FALSE	REG	10	6/03/2024	9/03/2024	
	6/03/2024 18:52	Arsenic	1	ug/L	FALSE	REG	1	6/03/2024	9/03/2024	
	6/03/2024 18:56	Aluminium	10	ug/L	FALSE	REG	10	6/03/2024	8/03/2024	
	6/03/2024 18:56	Arsenic	1	ug/L	FALSE	REG	1	6/03/2024	8/03/2024	
	7/03/2024 21:41	Aluminium	10	ug/L	TRUE	REG	10	7/03/2024	8/03/2024	
	7/03/2024 21:41	Arsenic	1	ug/L	TRUE	REG	1	7/03/2024	8/03/2024	
RWD	12/03/2024 8:04	Aluminium	1330	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Aluminium	70	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
RWD	12/03/2024 8:04	Arsenic	1	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
RWD	12/03/2024 8:04	Arsenic	1	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	Aluminium	460	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Aluminium	10	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
CHPPPP	12/03/2024 8:14	Arsenic	2	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
CHPPPP	12/03/2024 8:14	Arsenic	2	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	Aluminium	710	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Aluminium	10	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
RD1	12/03/2024 8:37	Arsenic	2	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
RD1	12/03/2024 8:37	Arsenic	2	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	Aluminium	130	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Aluminium	10	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
S2SED	12/03/2024 8:57	Arsenic	2	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
S2SED	12/03/2024 8:57	Arsenic	2	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	Aluminium	60	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Aluminium	10	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
S2	12/03/2024 9:14	Arsenic	1	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
S2	12/03/2024 9:14	Arsenic	1	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	Aluminium	1260	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Aluminium	60	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
RD2	12/03/2024 9:40	Arsenic	4	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
RD2	12/03/2024 9:40	Arsenic	4	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	12/03/2024 9:49	Aluminium	1520	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
	12/03/2024 9:49	Aluminium	80	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
	12/03/2024 9:49	Arsenic	4	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
	12/03/2024 9:49	Arsenic	4	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	Aluminium	730	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Aluminium	10	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
Farm Dam 2	12/03/2024 10:08	Arsenic	1	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
Farm Dam 2	12/03/2024 10:08	Arsenic	1	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	Aluminium	50	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Aluminium	10	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
Pit 4	12/03/2024 10:37	Arsenic	1	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
Pit 4	12/03/2024 10:37	Arsenic	1	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
SSD	13/03/2024 7:28	Aluminium	660	ug/L	FALSE	REG	10		19/03/2024	
SSD	13/03/2024 7:28	Aluminium	70	ug/L	TRUE	REG	10	18/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Arsenic	2	ug/L	FALSE	REG	1		19/03/2024	
SSD	13/03/2024 7:28	Arsenic	2	ug/L	TRUE	REG	1	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Aluminium	790	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Aluminium	20	ug/L	TRUE	REG	10	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Arsenic	1	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Arsenic	1	ug/L	TRUE	REG	1	18/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Aluminium	80	ug/L	FALSE	REG	10		20/03/2024	
FPD	13/03/2024 8:08	Aluminium	20	ug/L	TRUE	REG	10		20/03/2024	
FPD	13/03/2024 8:08	Arsenic	3	ug/L	FALSE	REG	1		20/03/2024	
FPD	13/03/2024 8:08	Arsenic	2	ug/L	TRUE	REG	1		20/03/2024	
RWD	13/03/2024 8:27	Aluminium	70	ug/L	FALSE	REG	10		20/03/2024	
RWD	13/03/2024 8:27	Aluminium	30	ug/L	TRUE	REG	10		20/03/2024	
RWD	13/03/2024 8:27	Arsenic	1	ug/L	FALSE	REG	1		20/03/2024	
RWD	13/03/2024 8:27	Arsenic	1	ug/L	TRUE	REG	1		20/03/2024	
MIA DAM	13/03/2024 9:24	Aluminium	8710	ug/L	FALSE	REG	10		19/03/2024	
MIA DAM	13/03/2024 9:24	Aluminium	150	ug/L	TRUE	REG	10	18/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Arsenic	1	ug/L	FALSE	REG	1		19/03/2024	
MIA DAM	13/03/2024 9:24	Arsenic	1	ug/L	TRUE	REG	1	18/03/2024	19/03/2024	
	13/03/2024 9:43	Aluminium	7770	ug/L	FALSE	REG	10		19/03/2024	
	13/03/2024 9:43	Aluminium	170	ug/L	TRUE	REG	10	18/03/2024	19/03/2024	
	13/03/2024 9:43	Arsenic	1	ug/L	FALSE	REG	1		19/03/2024	
	13/03/2024 9:43	Arsenic	1	ug/L	TRUE	REG	1	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Aluminium	240	ug/L	FALSE	REG	10		19/03/2024	
MWD	13/03/2024 10:03	Aluminium	10	ug/L	TRUE	REG	10	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Arsenic	1	ug/L	FALSE	REG	1		19/03/2024	
MWD	13/03/2024 10:03	Arsenic	1	ug/L	TRUE	REG	1	18/03/2024	19/03/2024	
	15/03/2024 7:44	Aluminium	10	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
	15/03/2024 7:44	Aluminium	10	ug/L	TRUE	REG	10	15/03/2024	18/03/2024	
	15/03/2024 7:44	Arsenic	1	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
	15/03/2024 7:44	Arsenic	1	ug/L	TRUE	REG	1	15/03/2024	18/03/2024	
	15/03/2024 7:47	Aluminium	10	ug/L	FALSE	REG	10	15/03/2024	16/03/2024	
	15/03/2024 7:47	Arsenic	1	ug/L	FALSE	REG	1	15/03/2024	16/03/2024	
	15/03/2024 14:57	Aluminium	10	ug/L	FALSE	REG	10	15/03/2024	19/03/2024	
	16/03/2024 11:07	Aluminium	10	ug/L	TRUE	REG	10	16/03/2024	19/03/2024	
	16/03/2024 11:07	Arsenic	1	ug/L	TRUE	REG	1	16/03/2024	19/03/2024	
	18/03/2024 7:53	Aluminium	10	ug/L	FALSE	REG	10	18/03/2024	19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	18/03/2024 7:53	Arsenic	1	ug/L	FALSE	REG	1	18/03/2024	19/03/2024	
	18/03/2024 10:31	Aluminium	10	ug/L	TRUE	REG	10	18/03/2024	19/03/2024	
	18/03/2024 10:31	Arsenic	1	ug/L	TRUE	REG	1	18/03/2024	19/03/2024	
RWD	19/03/2024 7:55	Aluminium	340	ug/L	FALSE	REG	10	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Aluminium	260	ug/L	TRUE	REG	10	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Arsenic	1	ug/L	FALSE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 7:55	Arsenic	1	ug/L	TRUE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Aluminium	380	ug/L	FALSE	REG	10	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Aluminium	240	ug/L	TRUE	REG	10	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Arsenic	1	ug/L	FALSE	REG	1	22/03/2024	23/03/2024	
RWD	19/03/2024 8:05	Arsenic	1	ug/L	TRUE	REG	1	22/03/2024	23/03/2024	
	22/03/2024 7:36	Aluminium	10	ug/L	TRUE	REG	10	22/03/2024	23/03/2024	
	22/03/2024 7:36	Arsenic	1	ug/L	TRUE	REG	1	22/03/2024	23/03/2024	
	22/03/2024 8:41	Aluminium	10	ug/L	FALSE	REG	10	22/03/2024	23/03/2024	
	22/03/2024 8:41	Arsenic	1	ug/L	FALSE	REG	1	22/03/2024	23/03/2024	
N1S	27/03/2024 13:00	Aluminium	10	ug/L	TRUE	REG	10		10/04/2024	
N1S	27/03/2024 13:00	Arsenic	6	ug/L	TRUE	REG	1		10/04/2024	
	9/04/2024 11:06	Aluminium	10	ug/L	TRUE	REG	10	9/04/2024	10/04/2024	
	9/04/2024 11:06	Arsenic	1	ug/L	TRUE	REG	1	9/04/2024	10/04/2024	
BC2	17/04/2024 7:30	Aluminium	10	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Aluminium	10	ug/L	TRUE	REG	10		27/04/2024	
BC2	17/04/2024 7:30	Arsenic	1	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
BC2	17/04/2024 7:30	Arsenic	1	ug/L	TRUE	REG	1		27/04/2024	
MB2	17/04/2024 9:10	Aluminium	1820	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Aluminium	10	ug/L	TRUE	REG	10		27/04/2024	
MB2	17/04/2024 9:10	Arsenic	3	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
MB2	17/04/2024 9:10	Arsenic	2	ug/L	TRUE	REG	1		27/04/2024	
MB12	17/04/2024 9:40	Aluminium	50	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Aluminium	10	ug/L	TRUE	REG	10		27/04/2024	
MB12	17/04/2024 9:40	Arsenic	10	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
MB12	17/04/2024 9:40	Arsenic	7	ug/L	TRUE	REG	1		27/04/2024	
MB14	17/04/2024 11:25	Aluminium	340	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Aluminium	10	ug/L	TRUE	REG	10		27/04/2024	
MB14	17/04/2024 11:25	Arsenic	2	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
MB14	17/04/2024 11:25	Arsenic	1	ug/L	TRUE	REG	1		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Aluminium	40	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
Swamp Bore 2	17/04/2024 12:30	Aluminium	10	ug/L	TRUE	REG	10		27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Arsenic	3	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
Swamp Bore 2	17/04/2024 12:30	Arsenic	4	ug/L	TRUE	REG	1		27/04/2024	
N1S	17/04/2024 13:00	Aluminium	170	ug/L	TRUE	REG	10	20/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Arsenic	3	ug/L	TRUE	REG	1	20/04/2024	23/04/2024	
MB9A	17/04/2024 14:25	Aluminium	120	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
MB9A	17/04/2024 14:25	Aluminium	10	ug/L	TRUE	REG	10		27/04/2024	
MB9A	17/04/2024 14:25	Arsenic	1	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
MB9A	17/04/2024 14:25	Arsenic	1	ug/L	TRUE	REG	1		27/04/2024	
MB8B	17/04/2024 16:40	Aluminium	130	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Aluminium	10	ug/L	TRUE	REG	10	24/04/2024	26/04/2024	
MB8B	17/04/2024 16:40	Arsenic	20	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
MB8B	17/04/2024 16:40	Arsenic	5	ug/L	TRUE	REG	1	24/04/2024	26/04/2024	
MB7	17/04/2024 17:00	Aluminium	270	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB7	17/04/2024 17:00	Aluminium	10	ug/L	TRUE	REG	10		27/04/2024	
MB7	17/04/2024 17:00	Arsenic	1	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
MB7	17/04/2024 17:00	Arsenic	1	ug/L	TRUE	REG	1		27/04/2024	
	20/04/2024 14:57	Aluminium	10	ug/L	TRUE	REG	10	20/04/2024	23/04/2024	
	20/04/2024 14:57	Arsenic	1	ug/L	TRUE	REG	1	20/04/2024	23/04/2024	
RWD	23/04/2024 8:41	Aluminium	1070	ug/L	FALSE	REG	10		29/04/2024	
RWD	23/04/2024 8:41	Aluminium	190	ug/L	TRUE	REG	10	26/04/2024	27/04/2024	
RWD	23/04/2024 8:41	Arsenic	1	ug/L	FALSE	REG	1		29/04/2024	
RWD	23/04/2024 8:41	Arsenic	1	ug/L	TRUE	REG	1	26/04/2024	27/04/2024	
	23/04/2024 8:51	Aluminium	780	ug/L	FALSE	REG	10		30/04/2024	
	23/04/2024 8:51	Aluminium	180	ug/L	TRUE	REG	10	26/04/2024	27/04/2024	
	23/04/2024 8:51	Arsenic	1	ug/L	FALSE	REG	1		30/04/2024	
	23/04/2024 8:51	Arsenic	1	ug/L	TRUE	REG	1	26/04/2024	27/04/2024	
	24/04/2024 11:31	Aluminium	10	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
	24/04/2024 11:31	Aluminium	10	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
	24/04/2024 11:31	Aluminium	10	ug/L	FALSE	REG	10	24/04/2024	25/04/2024	
	24/04/2024 11:31	Arsenic	1	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
	24/04/2024 11:31	Arsenic	1	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
	24/04/2024 11:31	Arsenic	1	ug/L	FALSE	REG	1	24/04/2024	25/04/2024	
	24/04/2024 11:34	Aluminium	10	ug/L	TRUE	REG	10	24/04/2024	26/04/2024	
	24/04/2024 11:34	Aluminium	10	ug/L	TRUE	REG	10	24/04/2024	26/04/2024	
	24/04/2024 11:34	Aluminium	10	ug/L	TRUE	REG	10	24/04/2024	26/04/2024	
	24/04/2024 11:34	Arsenic	1	ug/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Arsenic	1	ug/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Arsenic	1	ug/L	TRUE	REG	1	24/04/2024	26/04/2024	
	24/04/2024 11:34	Arsenic	1	ug/L	TRUE	REG	1	24/04/2024	26/04/2024	
	26/04/2024 15:57	Aluminium	10	ug/L	TRUE	REG	10	26/04/2024	27/04/2024	
	26/04/2024 15:57	Arsenic	1	ug/L	TRUE	REG	1	26/04/2024	27/04/2024	
	26/04/2024 16:06	Aluminium	10	ug/L	FALSE	REG	10	26/04/2024	27/04/2024	
	26/04/2024 16:06	Arsenic	1	ug/L	FALSE	REG	1	26/04/2024	27/04/2024	
N1S	21/05/2024	Aluminium	5820	ug/L	TRUE	REG	10		28/05/2024	
N1S	21/05/2024	Arsenic	28	ug/L	TRUE	REG	1		28/05/2024	
RWD	22/05/2024 7:20	Aluminium	1000	ug/L	FALSE	REG	10	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Aluminium	140	ug/L	TRUE	REG	10	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Arsenic	1	ug/L	FALSE	REG	1	25/05/2024	28/05/2024	
RWD	22/05/2024 7:20	Arsenic	1	ug/L	TRUE	REG	1	25/05/2024	28/05/2024	
	22/05/2024 7:34	Aluminium	1080	ug/L	FALSE	REG	10	25/05/2024	28/05/2024	
	22/05/2024 7:34	Aluminium	140	ug/L	TRUE	REG	10	25/05/2024	28/05/2024	
	22/05/2024 7:34	Arsenic	1	ug/L	FALSE	REG	1	25/05/2024	28/05/2024	
	22/05/2024 7:34	Arsenic	1	ug/L	TRUE	REG	1	25/05/2024	28/05/2024	
	25/05/2024 13:49	Aluminium	10	ug/L	FALSE	REG	10	25/05/2024	27/05/2024	
	25/05/2024 13:49	Arsenic	1	ug/L	FALSE	REG	1	25/05/2024	27/05/2024	
	25/05/2024 14:52	Aluminium	10	ug/L	TRUE	REG	10	25/05/2024	28/05/2024	
	25/05/2024 14:52	Arsenic	1	ug/L	TRUE	REG	1	25/05/2024	28/05/2024	
	27/05/2024 13:25	Aluminium	10	ug/L	TRUE	REG	10	27/05/2024	28/05/2024	
	27/05/2024 13:25	Arsenic	1	ug/L	TRUE	REG	1	27/05/2024	28/05/2024	
RWD	11/06/2024 7:30	Aluminium	1050	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Aluminium	290	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
	11/06/2024 7:40	Aluminium	1250	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	11/06/2024 7:40	Aluminium	300	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
	11/06/2024 7:40	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
	11/06/2024 7:40	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Aluminium	170	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Aluminium	20	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Aluminium	60	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Aluminium	10	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Aluminium	160	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Aluminium	30	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Aluminium	70	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Aluminium	10	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Aluminium	20	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Aluminium	10	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Aluminium	30	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Aluminium	10	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Arsenic	2	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Arsenic	2	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Aluminium	30	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Aluminium	10	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
SSD	12/06/2024 7:46	Aluminium	1120	ug/L	FALSE	REG	10	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Aluminium	350	ug/L	TRUE	REG	10	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Arsenic	1	ug/L	FALSE	REG	1	14/06/2024	15/06/2024	
SSD	12/06/2024 7:46	Arsenic	1	ug/L	TRUE	REG	1	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Aluminium	150	ug/L	FALSE	REG	10	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Aluminium	10	ug/L	TRUE	REG	10	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Arsenic	1	ug/L	FALSE	REG	1	14/06/2024	15/06/2024	
FPD	12/06/2024 8:20	Arsenic	1	ug/L	TRUE	REG	1	14/06/2024	15/06/2024	
	12/06/2024 8:39	Aluminium	130	ug/L	FALSE	REG	10	14/06/2024	15/06/2024	
	12/06/2024 8:39	Aluminium	10	ug/L	TRUE	REG	10	14/06/2024	15/06/2024	
	12/06/2024 8:39	Arsenic	1	ug/L	FALSE	REG	1	14/06/2024	15/06/2024	
	12/06/2024 8:39	Arsenic	1	ug/L	TRUE	REG	1	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Aluminium	90	ug/L	FALSE	REG	10	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Aluminium	10	ug/L	TRUE	REG	10	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Arsenic	1	ug/L	FALSE	REG	1	14/06/2024	15/06/2024	
MWD	12/06/2024 9:00	Arsenic	1	ug/L	TRUE	REG	1	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Aluminium	20	ug/L	FALSE	REG	10	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Aluminium	10	ug/L	TRUE	REG	10	14/06/2024	15/06/2024	
RWD	12/06/2024 9:33	Arsenic	1	ug/L	FALSE	REG	1	14/06/2024	15/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	12/06/2024 9:33	Arsenic	1	ug/L	TRUE	REG	1	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Aluminium	1150	ug/L	FALSE	REG	10	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Aluminium	90	ug/L	TRUE	REG	10	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Arsenic	1	ug/L	FALSE	REG	1	14/06/2024	15/06/2024	
MIA DAM	12/06/2024 9:53	Arsenic	1	ug/L	TRUE	REG	1	14/06/2024	15/06/2024	
N1S	12/06/2024 12:21	Aluminium	10	ug/L	TRUE	REG	10	24/06/2024	24/06/2024	
N1S	12/06/2024 12:21	Arsenic	1	ug/L	TRUE	REG	1	24/06/2024	24/06/2024	
	13/06/2024 17:20	Aluminium	10	ug/L	TRUE	REG	10	13/06/2024	14/06/2024	
	13/06/2024 17:20	Arsenic	1	ug/L	TRUE	REG	1	13/06/2024	14/06/2024	
	13/06/2024 17:51	Aluminium	10	ug/L	FALSE	REG	10	13/06/2024	14/06/2024	
	13/06/2024 17:51	Arsenic	1	ug/L	FALSE	REG	1	13/06/2024	14/06/2024	
	14/06/2024 17:28	Aluminium	10	ug/L	TRUE	REG	10	14/06/2024	15/06/2024	
	14/06/2024 17:28	Arsenic	1	ug/L	TRUE	REG	1	14/06/2024	15/06/2024	
	14/06/2024 17:55	Aluminium	10	ug/L	FALSE	REG	10	14/06/2024	15/06/2024	
	14/06/2024 17:55	Arsenic	1	ug/L	FALSE	REG	1	14/06/2024	15/06/2024	
	14/06/2024 18:03	Aluminium	10	ug/L	TRUE	REG	10	14/06/2024	15/06/2024	
	14/06/2024 18:03	Arsenic	1	ug/L	TRUE	REG	1	14/06/2024	15/06/2024	
RWD	24/06/2024 9:57	Aluminium	1040	ug/L	FALSE	REG	10		1/07/2024	
RWD	24/06/2024 9:57	Aluminium	330	ug/L	TRUE	REG	10	26/06/2024	27/06/2024	
RWD	24/06/2024 9:57	Arsenic	1	ug/L	FALSE	REG	1		1/07/2024	
RWD	24/06/2024 9:57	Arsenic	1	ug/L	TRUE	REG	1	26/06/2024	27/06/2024	
	24/06/2024 9:57	Aluminium	1110	ug/L	FALSE	REG	10		1/07/2024	
	24/06/2024 9:57	Aluminium	340	ug/L	TRUE	REG	10	26/06/2024	27/06/2024	
	24/06/2024 9:57	Arsenic	1	ug/L	FALSE	REG	1		1/07/2024	
	24/06/2024 9:57	Arsenic	1	ug/L	TRUE	REG	1	26/06/2024	27/06/2024	
	24/06/2024 13:39	Aluminium	10	ug/L	TRUE	REG	10	24/06/2024	24/06/2024	
	24/06/2024 13:39	Arsenic	1	ug/L	TRUE	REG	1	24/06/2024	24/06/2024	
	26/06/2024 14:02	Aluminium	10	ug/L	FALSE	REG	10	26/06/2024	1/07/2024	
	26/06/2024 14:02	Arsenic	1	ug/L	FALSE	REG	1	26/06/2024	1/07/2024	
	26/06/2024 14:08	Aluminium	10	ug/L	TRUE	REG	10	26/06/2024	27/06/2024	
	26/06/2024 14:08	Arsenic	1	ug/L	TRUE	REG	1	26/06/2024	27/06/2024	
W5	27/06/2024 9:53	Aluminium	46500	ug/L	FALSE	REG	10		4/07/2024	
W5	27/06/2024 9:53	Aluminium	15000	ug/L	TRUE	REG	10	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Arsenic	6	ug/L	FALSE	REG	1		4/07/2024	
W5	27/06/2024 9:53	Arsenic	3	ug/L	TRUE	REG	1	1/07/2024	2/07/2024	
	27/06/2024 9:57	Aluminium	48300	ug/L	FALSE	REG	10		4/07/2024	
	27/06/2024 9:57	Aluminium	14100	ug/L	TRUE	REG	10	29/06/2024	2/07/2024	
	27/06/2024 9:57	Arsenic	5	ug/L	FALSE	REG	1		4/07/2024	
	27/06/2024 9:57	Arsenic	3	ug/L	TRUE	REG	1	29/06/2024	2/07/2024	
W4	27/06/2024 10:10	Aluminium	4070	ug/L	FALSE	REG	10	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Aluminium	1270	ug/L	TRUE	REG	10	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Arsenic	1	ug/L	FALSE	REG	1	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Arsenic	1	ug/L	TRUE	REG	1	1/07/2024	2/07/2024	
	29/06/2024 11:42	Aluminium	10	ug/L	FALSE	REG	10	29/06/2024	2/07/2024	
	29/06/2024 11:42	Arsenic	1	ug/L	FALSE	REG	1	29/06/2024	2/07/2024	
	29/06/2024 11:48	Aluminium	10	ug/L	TRUE	REG	10	29/06/2024	2/07/2024	
	29/06/2024 11:48	Arsenic	1	ug/L	TRUE	REG	1	29/06/2024	2/07/2024	
	1/07/2024 15:46	Aluminium	10	ug/L	FALSE	REG	10	1/07/2024	2/07/2024	
	1/07/2024 15:46	Arsenic	1	ug/L	FALSE	REG	1	1/07/2024	2/07/2024	
	1/07/2024 16:17	Aluminium	10	ug/L	TRUE	REG	10	1/07/2024	2/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	1/07/2024 16:17	Arsenic	1	ug/L	TRUE	REG	1	1/07/2024	2/07/2024	
W8	5/07/2024 15:05	Aluminium	11200	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Aluminium	30	ug/L	TRUE	REG	10	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Arsenic	2	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Arsenic	1	ug/L	TRUE	REG	1	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Aluminium	11000	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Aluminium	10	ug/L	TRUE	REG	10	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Arsenic	3	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Arsenic	1	ug/L	TRUE	REG	1	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Aluminium	5590	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Aluminium	10	ug/L	TRUE	REG	10	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Arsenic	2	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
W6	5/07/2024 16:25	Arsenic	1	ug/L	TRUE	REG	1	11/07/2024	11/07/2024	
	5/07/2024 16:37	Aluminium	4940	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
	5/07/2024 16:37	Aluminium	10	ug/L	TRUE	REG	10	11/07/2024	11/07/2024	
	5/07/2024 16:37	Arsenic	2	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
	5/07/2024 16:37	Arsenic	2	ug/L	TRUE	REG	1	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Aluminium	5360	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Aluminium	20	ug/L	TRUE	REG	10	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Arsenic	1	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Arsenic	1	ug/L	TRUE	REG	1	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Aluminium	5080	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Aluminium	320	ug/L	TRUE	REG	10		15/07/2024	
IR1	6/07/2024 7:05	Arsenic	1	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Arsenic	1	ug/L	TRUE	REG	1		15/07/2024	
	6/07/2024 7:41	Aluminium	4200	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
	6/07/2024 7:41	Aluminium	330	ug/L	TRUE	REG	10		15/07/2024	
	6/07/2024 7:41	Arsenic	1	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
	6/07/2024 7:41	Arsenic	1	ug/L	TRUE	REG	1		15/07/2024	
IR1A	6/07/2024 8:34	Aluminium	2000	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Aluminium	240	ug/L	TRUE	REG	10		15/07/2024	
IR1A	6/07/2024 8:34	Arsenic	1	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Arsenic	1	ug/L	TRUE	REG	1		15/07/2024	
IR5	6/07/2024 9:39	Aluminium	4500	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Aluminium	310	ug/L	TRUE	REG	10		15/07/2024	
IR5	6/07/2024 9:39	Arsenic	1	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Arsenic	1	ug/L	TRUE	REG	1		15/07/2024	
	10/07/2024 20:03	Aluminium	10	ug/L	TRUE	REG	10	10/07/2024	15/07/2024	
	10/07/2024 20:03	Arsenic	1	ug/L	TRUE	REG	1	10/07/2024	15/07/2024	
	10/07/2024 21:32	Aluminium	10	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
	10/07/2024 21:32	Aluminium	10	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
	10/07/2024 21:32	Aluminium	10	ug/L	FALSE	REG	10	10/07/2024	11/07/2024	
	10/07/2024 21:32	Arsenic	1	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:32	Arsenic	1	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:32	Arsenic	1	ug/L	FALSE	REG	1	10/07/2024	11/07/2024	
	11/07/2024 11:02	Aluminium	10	ug/L	TRUE	REG	10	11/07/2024	11/07/2024	
	11/07/2024 11:02	Arsenic	1	ug/L	TRUE	REG	1	11/07/2024	11/07/2024	
RWD	22/07/2024 9:53	Aluminium	490	ug/L	FALSE	REG	10	24/07/2024	27/07/2024	
RWD	22/07/2024 9:53	Aluminium	320	ug/L	TRUE	REG	10	24/07/2024	25/07/2024	
RWD	22/07/2024 9:53	Arsenic	1	ug/L	FALSE	REG	1	24/07/2024	27/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	22/07/2024 9:53	Arsenic	1	ug/L	TRUE	REG	1	24/07/2024	25/07/2024	
	22/07/2024 10:01	Aluminium	870	ug/L	FALSE	REG	10	24/07/2024	27/07/2024	
	22/07/2024 10:01	Aluminium	320	ug/L	TRUE	REG	10	24/07/2024	25/07/2024	
	22/07/2024 10:01	Arsenic	1	ug/L	FALSE	REG	1	24/07/2024	27/07/2024	
	22/07/2024 10:01	Arsenic	1	ug/L	TRUE	REG	1	24/07/2024	25/07/2024	
593	22/07/2024 12:55	Aluminium	630	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
593	22/07/2024 12:55	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
593	22/07/2024 12:55	Arsenic	3	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
593	22/07/2024 12:55	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Aluminium	300	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
594	22/07/2024 14:00	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
594	22/07/2024 14:00	Arsenic	2	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
594	22/07/2024 14:00	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Aluminium	1450	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MBID28	22/07/2024 15:05	Arsenic	1	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
	22/07/2024 15:10	Aluminium	50	ug/L	FALSE	REG	10		2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/07/2024 15:10	Aluminium	50	ug/L	TRUE	REG	10		1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/07/2024 15:10	Arsenic	5	ug/L	FALSE	REG	1		2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	22/07/2024 15:10	Arsenic	5	ug/L	TRUE	REG	1		1/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MBID23	22/07/2024 15:55	Aluminium	610	ug/L	FALSE	REG	10	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MBID23	22/07/2024 15:55	Arsenic	2	ug/L	FALSE	REG	1	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
	23/07/2024 9:06	Aluminium	50	ug/L	FALSE	REG	10		29/07/2024	
	23/07/2024 9:06	Aluminium	10	ug/L	TRUE	REG	10	26/07/2024	26/07/2024	
	23/07/2024 9:06	Arsenic	2	ug/L	FALSE	REG	1		29/07/2024	
	23/07/2024 9:06	Arsenic	2	ug/L	TRUE	REG	1	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Aluminium	70	ug/L	FALSE	REG	10		29/07/2024	
RWD	23/07/2024 9:32	Aluminium	10	ug/L	TRUE	REG	10	26/07/2024	26/07/2024	
RWD	23/07/2024 9:32	Arsenic	2	ug/L	FALSE	REG	1		29/07/2024	
RWD	23/07/2024 9:32	Arsenic	2	ug/L	TRUE	REG	1	26/07/2024	26/07/2024	
MBID21	23/07/2024 13:45	Aluminium	4020	ug/L	FALSE	REG	10	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MBID21	23/07/2024 13:45	Arsenic	3	ug/L	FALSE	REG	1	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Aluminium	10	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	Arsenic	9	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Arsenic	4	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Aluminium	10	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Arsenic	1	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
BC2	24/07/2024 7:50	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Aluminium	50	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Arsenic	16	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
MB2	24/07/2024 9:05	Arsenic	13	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 9:10	Aluminium	60	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/07/2024 9:10	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
	24/07/2024 9:10	Arsenic	15	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
	24/07/2024 9:10	Arsenic	14	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Aluminium	10	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Arsenic	4	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
MB12	24/07/2024 10:25	Arsenic	3	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Aluminium	60	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Arsenic	1	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
MB14	24/07/2024 11:35	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 13:03	Aluminium	10	ug/L	TRUE	REG	10	29/07/2024	29/07/2024	
	24/07/2024 13:03	Arsenic	11	ug/L	TRUE	REG	1	29/07/2024	29/07/2024	
	24/07/2024 13:30	Aluminium	10	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
	24/07/2024 13:30	Aluminium	10	ug/L	TRUE	REG	10		1/08/2024	
	24/07/2024 13:30	Arsenic	2	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
	24/07/2024 13:30	Arsenic	2	ug/L	TRUE	REG	1		1/08/2024	
MB7	24/07/2024 15:30	Aluminium	890	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Aluminium	20	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MB7	24/07/2024 15:30	Arsenic	1	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Aluminium	40	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
MB9A	24/07/2024 17:15	Arsenic	1	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
	24/07/2024 19:55	Aluminium	10	ug/L	FALSE	REG	10	24/07/2024	27/07/2024	
	24/07/2024 19:55	Arsenic	1	ug/L	FALSE	REG	1	24/07/2024	27/07/2024	
	24/07/2024 20:00	Aluminium	10	ug/L	TRUE	REG	10	24/07/2024	25/07/2024	
	24/07/2024 20:00	Arsenic	1	ug/L	TRUE	REG	1	24/07/2024	25/07/2024	
	26/07/2024 7:34	Aluminium	10	ug/L	TRUE	REG	10	26/07/2024	26/07/2024	
	26/07/2024 7:34	Arsenic	1	ug/L	TRUE	REG	1	26/07/2024	26/07/2024	
	26/07/2024 7:42	Aluminium	10	ug/L	FALSE	REG	10	26/07/2024	29/07/2024	
	26/07/2024 7:42	Arsenic	1	ug/L	FALSE	REG	1	26/07/2024	29/07/2024	
	29/07/2024 7:48	Aluminium	10	ug/L	TRUE	REG	10	29/07/2024	29/07/2024	
	29/07/2024 7:48	Arsenic	1	ug/L	TRUE	REG	1	29/07/2024	29/07/2024	
	31/07/2024 8:26	Aluminium	10	ug/L	FALSE	REG	10	31/07/2024	31/07/2024	
	31/07/2024 8:26	Arsenic	1	ug/L	FALSE	REG	1	31/07/2024	31/07/2024	
	31/07/2024 12:24	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
	31/07/2024 12:24	Aluminium	10	ug/L	TRUE	REG	10	31/07/2024	1/08/2024	
	31/07/2024 12:24	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:24	Arsenic	1	ug/L	TRUE	REG	1	31/07/2024	1/08/2024	
	31/07/2024 12:46	Aluminium	10	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
	31/07/2024 12:46	Aluminium	10	ug/L	FALSE	REG	10	31/07/2024	2/08/2024	
	31/07/2024 12:46	Arsenic	1	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
	31/07/2024 12:46	Arsenic	1	ug/L	FALSE	REG	1	31/07/2024	2/08/2024	
	22/08/2024 8:50	Aluminium	840	ug/L	FALSE	REG	10		29/08/2024	
	22/08/2024 8:50	Aluminium	630	ug/L	TRUE	REG	10	27/08/2024	28/08/2024	
	22/08/2024 8:50	Arsenic	1	ug/L	FALSE	REG	1		29/08/2024	
	22/08/2024 8:50	Arsenic	1	ug/L	TRUE	REG	1	27/08/2024	28/08/2024	
	22/08/2024 8:56	Aluminium	900	ug/L	FALSE	REG	10		29/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/08/2024 8:56	Aluminium	750	ug/L	TRUE	REG	10		29/08/2024	
	22/08/2024 8:56	Arsenic	1	ug/L	FALSE	REG	1		29/08/2024	
	22/08/2024 8:56	Arsenic	1	ug/L	TRUE	REG	1		29/08/2024	
RWD	22/08/2024 10:01	Aluminium	20	ug/L	FALSE	REG	10	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Aluminium	10	ug/L	TRUE	REG	10	27/08/2024	28/08/2024	
RWD	22/08/2024 10:01	Arsenic	2	ug/L	FALSE	REG	1	27/08/2024	29/08/2024	
RWD	22/08/2024 10:01	Arsenic	2	ug/L	TRUE	REG	1	27/08/2024	28/08/2024	
	22/08/2024 10:24	Aluminium	20	ug/L	FALSE	REG	10	27/08/2024	29/08/2024	
	22/08/2024 10:24	Aluminium	10	ug/L	TRUE	REG	10	27/08/2024	28/08/2024	
	22/08/2024 10:24	Arsenic	2	ug/L	FALSE	REG	1	27/08/2024	29/08/2024	
	22/08/2024 10:24	Arsenic	2	ug/L	TRUE	REG	1	27/08/2024	28/08/2024	
	27/08/2024 6:47	Aluminium	10	ug/L	TRUE	REG	10	27/08/2024	28/08/2024	
	27/08/2024 6:47	Aluminium	10	ug/L	TRUE	REG	10	27/08/2024	28/08/2024	
	27/08/2024 6:47	Aluminium	10	ug/L	TRUE	REG	10	27/08/2024	28/08/2024	
	27/08/2024 6:47	Arsenic	1	ug/L	TRUE	REG	1	27/08/2024	28/08/2024	
	27/08/2024 6:47	Arsenic	1	ug/L	TRUE	REG	1	27/08/2024	28/08/2024	
	27/08/2024 6:47	Arsenic	1	ug/L	TRUE	REG	1	27/08/2024	28/08/2024	
	27/08/2024 8:21	Aluminium	10	ug/L	FALSE	REG	10	27/08/2024	29/08/2024	
	27/08/2024 8:21	Aluminium	10	ug/L	FALSE	REG	10	27/08/2024	29/08/2024	
	27/08/2024 8:21	Arsenic	1	ug/L	FALSE	REG	1	27/08/2024	29/08/2024	
	27/08/2024 8:21	Arsenic	1	ug/L	FALSE	REG	1	27/08/2024	29/08/2024	
	2/06/2023 7:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	2/06/2023	5/06/2023	
	2/06/2023 7:00	Antimony	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Barium	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Boron	1	mg/kg	TRUE	REG	1	2/06/2023	5/06/2023	
	2/06/2023 7:00	Calcium	10	mg/kg	TRUE	REG	10	2/06/2023	5/06/2023	
	2/06/2023 7:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Copper	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Iron	1	mg/kg	TRUE	REG	1	2/06/2023	5/06/2023	
	2/06/2023 7:00	Lead	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Magnesium	10	mg/kg	TRUE	REG	10	2/06/2023	5/06/2023	
	2/06/2023 7:00	Manganese	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	2/06/2023	5/06/2023	
	2/06/2023 7:00	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	2/06/2023	5/06/2023	
	2/06/2023 7:00	Potassium	10	mg/kg	TRUE	REG	10	2/06/2023	5/06/2023	
	2/06/2023 7:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	2/06/2023	5/06/2023	
	2/06/2023 7:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	2/06/2023	5/06/2023	
	2/06/2023 7:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	2/06/2023	5/06/2023	
	2/06/2023 7:00	Chloride	10	mg/kg	FALSE	REG	10	2/06/2023	5/06/2023	
	2/06/2023 7:00	Sodium	10	mg/kg	TRUE	REG	10	2/06/2023	5/06/2023	
	2/06/2023 7:00	Sulphate	10	mg/kg	TRUE	REG	10	2/06/2023	5/06/2023	
	2/06/2023 9:23	Sulphate	100	mg/kg	FALSE	REG	100	2/06/2023	3/06/2023	
Rejects - Compos	14/06/2023 11:00	Aluminium	0.2	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Antimony	0.03	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Arsenic	0.1	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	14/06/2023 11:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Barium	0.08	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Boron	1	mg/kg	TRUE	REG	1	21/06/2023	22/06/2023	
Rejects - Compos	14/06/2023 11:00	Calcium	20	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Rejects - Compos	14/06/2023 11:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Copper	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Iron	1	mg/kg	TRUE	REG	1	21/06/2023	22/06/2023	
Rejects - Compos	14/06/2023 11:00	Lead	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Magnesium	10	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Rejects - Compos	14/06/2023 11:00	Manganese	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	21/06/2023	22/06/2023	
Rejects - Compos	14/06/2023 11:00	Molybdenum	0.47	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Potassium	10	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Rejects - Compos	14/06/2023 11:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	21/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Acidity	5	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Rejects - Compos	14/06/2023 11:00	Alkalinity (Bicarbonate as CaCO3)	18600	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Rejects - Compos	14/06/2023 11:00	Alkalinity (Carbonate as CaCO3)	193	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Rejects - Compos	14/06/2023 11:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Rejects - Compos	14/06/2023 11:00	Alkalinity (total) as CaCO3	18800	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Rejects - Compos	14/06/2023 11:00	Chloride	120	mg/kg	FALSE	REG	10	21/06/2023	22/06/2023	
Rejects - Compos	14/06/2023 11:00	Sodium	340	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Rejects - Compos	14/06/2023 11:00	Sulphate	280	mg/kg	FALSE	REG	100	22/06/2023	23/06/2023	
Rejects - Compos	14/06/2023 11:00	Sulphate	180	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Aluminium	0.2	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Antimony	0.02	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Barium	0.13	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Boron	1	mg/kg	TRUE	REG	1	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Calcium	120	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Copper	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Iron	1	mg/kg	TRUE	REG	1	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Lead	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Magnesium	70	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Manganese	0.07	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Molybdenum	0.14	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Potassium	90	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	21/06/2023	23/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	14/06/2023 11:00	Acidity	5	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Tailings Thickene	14/06/2023 11:00	Alkalinity (Bicarbonate as CaCO3)	47600	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Tailings Thickene	14/06/2023 11:00	Alkalinity (Carbonate as CaCO3)	193	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Tailings Thickene	14/06/2023 11:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Tailings Thickene	14/06/2023 11:00	Alkalinity (total) as CaCO3	47800	mg/kg	FALSE	REG	5	21/06/2023	21/06/2023	
Tailings Thickene	14/06/2023 11:00	Chloride	2280	mg/kg	FALSE	REG	10	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Sodium	1520	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
Tailings Thickene	14/06/2023 11:00	Sulphate	2010	mg/kg	FALSE	REG	100	22/06/2023	23/06/2023	
Tailings Thickene	14/06/2023 11:00	Sulphate	1150	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
N1S	20/06/2023 8:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Antimony	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Barium	0.34	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Boron	1	mg/kg	TRUE	REG	1	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Calcium	60	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Copper	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Iron	1	mg/kg	TRUE	REG	1	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Lead	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Magnesium	60	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Manganese	0.14	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Molybdenum	0.08	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Potassium	10	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Acidity	5	mg/kg	FALSE	REG	5	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Alkalinity (Bicarbonate as CaCO3)	16200	mg/kg	FALSE	REG	5	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Alkalinity (Carbonate as CaCO3)	193	mg/kg	FALSE	REG	5	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Alkalinity (total) as CaCO3	16400	mg/kg	FALSE	REG	5	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Chloride	520	mg/kg	FALSE	REG	10	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Sodium	560	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
N1S	20/06/2023 8:00	Sulphate	950	mg/kg	FALSE	REG	100	22/06/2023	23/06/2023	
N1S	20/06/2023 8:00	Sulphate	460	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
	21/06/2023 16:55	Aluminium	0.1	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
	21/06/2023 16:55	Antimony	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Arsenic	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Cadmium	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Barium	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Beryllium	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Boron	1	mg/kg	TRUE	REG	1	21/06/2023	22/06/2023	
	21/06/2023 16:55	Calcium	10	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
	21/06/2023 16:55	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Cobalt	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	21/06/2023 16:55	Copper	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Iron	1	mg/kg	TRUE	REG	1	21/06/2023	22/06/2023	
	21/06/2023 16:55	Lead	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Magnesium	10	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
	21/06/2023 16:55	Manganese	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	21/06/2023	22/06/2023	
	21/06/2023 16:55	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Nickel	0.01	mg/kg	TRUE	REG	0.01	21/06/2023	23/06/2023	
	21/06/2023 16:55	Potassium	10	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
	21/06/2023 16:55	Selenium	0.1	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
	21/06/2023 16:55	Vanadium	0.1	mg/kg	TRUE	REG	0.1	21/06/2023	23/06/2023	
	21/06/2023 16:55	Zinc	0.05	mg/kg	TRUE	REG	0.05	21/06/2023	23/06/2023	
	21/06/2023 16:55	Chloride	10	mg/kg	FALSE	REG	10	21/06/2023	22/06/2023	
	21/06/2023 16:55	Sodium	10	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
	21/06/2023 16:55	Sulphate	10	mg/kg	TRUE	REG	10	21/06/2023	22/06/2023	
	22/06/2023 7:03	Sulphate	100	mg/kg	FALSE	REG	100	22/06/2023	23/06/2023	
	22/06/2023 18:07	Sulphate	100	mg/kg	FALSE	REG	100	22/06/2023	23/06/2023	
	26/06/2023 12:57	Boron	50	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	26/06/2023 12:57	Calcium	80	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 12:57	Copper	12	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 12:57	Iron	18200	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	26/06/2023 12:57	Magnesium	90	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 12:57	Manganese	597	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 12:57	Potassium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 12:57	Zinc	12	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 12:57	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	3/07/2023	4/07/2023	
	26/06/2023 12:57	Bicarbonate Extractable P (Olsen)	235	mg/kg	FALSE	REG	10	3/07/2023	4/07/2023	
	26/06/2023 12:57	Total Phosphorus as P (Organic Ph	82	mg/kg	FALSE	REG	2	29/06/2023	29/06/2023	
	26/06/2023 12:57	Ammonia as N	20	mg/kg	FALSE	REG	20		30/06/2023	
	26/06/2023 12:57	Chloride	1620	mg/kg	FALSE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 12:57	Kjeldahl Nitrogen Total	190	mg/kg	FALSE	REG	20	29/06/2023	29/06/2023	
	26/06/2023 12:57	Nitrate (as N)	3.1	mg/kg	FALSE	REG	0.1		6/07/2023	
	26/06/2023 12:57	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	26/06/2023 12:57	Nitrogen (Total Oxidised)	3.1	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	26/06/2023 12:57	Nitrogen (Total)	190	mg/kg	FALSE	REG	20		6/07/2023	
	26/06/2023 12:57	Sodium	1110	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 12:57	Sulphate	540	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:04	Boron	50	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	26/06/2023 13:04	Calcium	100	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:04	Copper	13	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:04	Iron	16600	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	26/06/2023 13:04	Magnesium	60	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:04	Manganese	1240	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:04	Potassium	20	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:04	Zinc	14	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:04	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	3/07/2023	4/07/2023	
	26/06/2023 13:04	Bicarbonate Extractable P (Olsen)	269	mg/kg	FALSE	REG	10	3/07/2023	4/07/2023	
	26/06/2023 13:04	Total Phosphorus as P (Organic Ph	133	mg/kg	FALSE	REG	2	29/06/2023	29/06/2023	
	26/06/2023 13:04	Ammonia as N	20	mg/kg	FALSE	REG	20		30/06/2023	
	26/06/2023 13:04	Chloride	880	mg/kg	FALSE	REG	10	30/06/2023	4/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	26/06/2023 13:04	Kjeldahl Nitrogen Total	770	mg/kg	FALSE	REG	20	29/06/2023	29/06/2023	
	26/06/2023 13:04	Nitrate (as N)	8.1	mg/kg	FALSE	REG	0.1		6/07/2023	
	26/06/2023 13:04	Nitrite (as N)	0.2	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	26/06/2023 13:04	Nitrogen (Total Oxidised)	8.3	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	26/06/2023 13:04	Nitrogen (Total)	780	mg/kg	FALSE	REG	20		6/07/2023	
	26/06/2023 13:04	Sodium	630	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:04	Sulphate	350	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:17	Boron	50	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	26/06/2023 13:17	Calcium	40	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:17	Copper	11	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:17	Iron	14600	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	26/06/2023 13:17	Magnesium	20	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:17	Manganese	512	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:17	Potassium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:17	Zinc	10	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:17	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	3/07/2023	4/07/2023	
	26/06/2023 13:17	Bicarbonate Extractable P (Olsen)	227	mg/kg	FALSE	REG	10	3/07/2023	4/07/2023	
	26/06/2023 13:17	Total Phosphorus as P (Organic Ph)	121	mg/kg	FALSE	REG	2	29/06/2023	29/06/2023	
	26/06/2023 13:17	Ammonia as N	20	mg/kg	FALSE	REG	20		30/06/2023	
	26/06/2023 13:17	Chloride	70	mg/kg	FALSE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:17	Kjeldahl Nitrogen Total	800	mg/kg	FALSE	REG	20	29/06/2023	29/06/2023	
	26/06/2023 13:17	Nitrate (as N)	0.6	mg/kg	FALSE	REG	0.1		6/07/2023	
	26/06/2023 13:17	Nitrite (as N)	0.2	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	26/06/2023 13:17	Nitrogen (Total Oxidised)	0.8	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	26/06/2023 13:17	Nitrogen (Total)	800	mg/kg	FALSE	REG	20		6/07/2023	
	26/06/2023 13:17	Sodium	190	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:17	Sulphate	40	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:25	Boron	50	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	26/06/2023 13:25	Calcium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:25	Copper	11	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:25	Iron	17500	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	26/06/2023 13:25	Magnesium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:25	Manganese	573	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:25	Potassium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:25	Zinc	9	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	26/06/2023 13:25	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	3/07/2023	4/07/2023	
	26/06/2023 13:25	Bicarbonate Extractable P (Olsen)	170	mg/kg	FALSE	REG	10	3/07/2023	4/07/2023	
	26/06/2023 13:25	Total Phosphorus as P (Organic Ph)	82	mg/kg	FALSE	REG	2	29/06/2023	29/06/2023	
	26/06/2023 13:25	Ammonia as N	20	mg/kg	FALSE	REG	20		30/06/2023	
	26/06/2023 13:25	Chloride	180	mg/kg	FALSE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:25	Kjeldahl Nitrogen Total	320	mg/kg	FALSE	REG	20	29/06/2023	29/06/2023	
	26/06/2023 13:25	Nitrate (as N)	0.1	mg/kg	FALSE	REG	0.1		6/07/2023	
	26/06/2023 13:25	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	26/06/2023 13:25	Nitrogen (Total Oxidised)	0.1	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	26/06/2023 13:25	Nitrogen (Total)	320	mg/kg	FALSE	REG	20		6/07/2023	
	26/06/2023 13:25	Sodium	400	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	26/06/2023 13:25	Sulphate	130	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	27/06/2023 14:22	Aluminium	0.1	mg/kg	TRUE	REG	0.1	27/06/2023	28/06/2023	
	27/06/2023 14:22	Antimony	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Arsenic	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	27/06/2023 14:22	Cadmium	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Barium	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Beryllium	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Boron	1	mg/kg	TRUE	REG	1	27/06/2023	28/06/2023	
	27/06/2023 14:22	Calcium	10	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
	27/06/2023 14:22	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Cobalt	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Copper	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Iron	1	mg/kg	TRUE	REG	1	27/06/2023	28/06/2023	
	27/06/2023 14:22	Lead	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Magnesium	10	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
	27/06/2023 14:22	Manganese	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	27/06/2023	28/06/2023	
	27/06/2023 14:22	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Nickel	0.01	mg/kg	TRUE	REG	0.01	27/06/2023	28/06/2023	
	27/06/2023 14:22	Potassium	10	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
	27/06/2023 14:22	Selenium	0.1	mg/kg	TRUE	REG	0.1	27/06/2023	28/06/2023	
	27/06/2023 14:22	Vanadium	0.1	mg/kg	TRUE	REG	0.1	27/06/2023	28/06/2023	
	27/06/2023 14:22	Zinc	0.05	mg/kg	TRUE	REG	0.05	27/06/2023	28/06/2023	
	27/06/2023 14:22	Chloride	10	mg/kg	FALSE	REG	10	27/06/2023	28/06/2023	
	27/06/2023 14:22	Sodium	10	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
	27/06/2023 14:22	Sulphate	10	mg/kg	TRUE	REG	10	27/06/2023	28/06/2023	
	28/06/2023 11:56	Boron	50	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 11:56	Calcium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:56	Copper	5	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 11:56	Iron	1750	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 11:56	Magnesium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:56	Manganese	61	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 11:56	Potassium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:56	Zinc	5	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 11:56	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	6/07/2023	6/07/2023	
	28/06/2023 11:56	Bicarbonate Extractable P (Olsen)	100	mg/kg	FALSE	REG	10	5/07/2023	6/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
	28/06/2023 11:56	Total Phosphorus as P (Organic Ph	34	mg/kg	FALSE	REG	2	3/07/2023	3/07/2023	
	28/06/2023 11:56	Ammonia as N	20	mg/kg	FALSE	REG	20		4/07/2023	
	28/06/2023 11:56	Chloride	10	mg/kg	FALSE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:56	Kjeldahl Nitrogen Total	110	mg/kg	FALSE	REG	20	3/07/2023	3/07/2023	
	28/06/2023 11:56	Nitrate (as N)	2.1	mg/kg	FALSE	REG	0.1		5/07/2023	
	28/06/2023 11:56	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 11:56	Nitrogen (Total Oxidised)	2.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 11:56	Nitrogen (Total)	110	mg/kg	FALSE	REG	20		10/07/2023	
	28/06/2023 11:56	Sodium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:56	Sulphate	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:58	Boron	50	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 11:58	Calcium	60	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:58	Copper	6	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 11:58	Iron	5800	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 11:58	Magnesium	20	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:58	Manganese	186	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 11:58	Potassium	80	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:58	Zinc	10	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/06/2023 11:58	Bicarbonate Ext. P (Colwell)	50	mg/kg	FALSE	REG	5	6/07/2023	6/07/2023	
	28/06/2023 11:58	Bicarbonate Extractable P (Olsen)	551	mg/kg	FALSE	REG	10	5/07/2023	6/07/2023	
	28/06/2023 11:58	Total Phosphorus as P (Organic Ph	221	mg/kg	FALSE	REG	2	3/07/2023	3/07/2023	
	28/06/2023 11:58	Ammonia as N	120	mg/kg	FALSE	REG	20		4/07/2023	
	28/06/2023 11:58	Chloride	60	mg/kg	FALSE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:58	Kjeldahl Nitrogen Total	1060	mg/kg	FALSE	REG	20	3/07/2023	3/07/2023	
	28/06/2023 11:58	Nitrate (as N)	70.4	mg/kg	FALSE	REG	0.1		5/07/2023	
	28/06/2023 11:58	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 11:58	Nitrogen (Total Oxidised)	70.4	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 11:58	Nitrogen (Total)	1130	mg/kg	FALSE	REG	20		10/07/2023	
	28/06/2023 11:58	Sodium	80	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 11:58	Sulphate	110	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:01	Boron	50	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 12:01	Calcium	50	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:01	Copper	7	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:01	Iron	9500	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 12:01	Magnesium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:01	Manganese	140	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:01	Potassium	30	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:01	Zinc	5	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:01	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	6/07/2023	6/07/2023	
	28/06/2023 12:01	Bicarbonate Extractable P (Olsen)	340	mg/kg	FALSE	REG	10	5/07/2023	6/07/2023	
	28/06/2023 12:01	Total Phosphorus as P (Organic Ph	123	mg/kg	FALSE	REG	2	3/07/2023	3/07/2023	
	28/06/2023 12:01	Ammonia as N	20	mg/kg	FALSE	REG	20		4/07/2023	
	28/06/2023 12:01	Chloride	130	mg/kg	FALSE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:01	Kjeldahl Nitrogen Total	290	mg/kg	FALSE	REG	20	3/07/2023	3/07/2023	
	28/06/2023 12:01	Nitrate (as N)	17.6	mg/kg	FALSE	REG	0.1		5/07/2023	
	28/06/2023 12:01	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 12:01	Nitrogen (Total Oxidised)	17.6	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 12:01	Nitrogen (Total)	310	mg/kg	FALSE	REG	20		10/07/2023	
	28/06/2023 12:01	Sodium	110	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:01	Sulphate	50	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:03	Boron	50	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 12:03	Calcium	20	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:03	Copper	5	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:03	Iron	5520	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 12:03	Magnesium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:03	Manganese	121	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:03	Potassium	20	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:03	Zinc	5	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:03	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	6/07/2023	6/07/2023	
	28/06/2023 12:03	Bicarbonate Extractable P (Olsen)	227	mg/kg	FALSE	REG	10	5/07/2023	6/07/2023	
	28/06/2023 12:03	Total Phosphorus as P (Organic Ph	106	mg/kg	FALSE	REG	2	3/07/2023	3/07/2023	
	28/06/2023 12:03	Ammonia as N	20	mg/kg	FALSE	REG	20		4/07/2023	
	28/06/2023 12:03	Chloride	50	mg/kg	FALSE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:03	Kjeldahl Nitrogen Total	310	mg/kg	FALSE	REG	20	3/07/2023	3/07/2023	
	28/06/2023 12:03	Nitrate (as N)	9.1	mg/kg	FALSE	REG	0.1		5/07/2023	
	28/06/2023 12:03	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 12:03	Nitrogen (Total Oxidised)	9.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 12:03	Nitrogen (Total)	320	mg/kg	FALSE	REG	20		10/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/06/2023 12:03	Sodium	80	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:03	Sulphate	30	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:04	Boron	50	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 12:04	Calcium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:04	Copper	14	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:04	Iron	26900	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	28/06/2023 12:04	Magnesium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:04	Manganese	476	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:04	Potassium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:04	Zinc	7	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	28/06/2023 12:04	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	6/07/2023	6/07/2023	
	28/06/2023 12:04	Bicarbonate Extractable P (Olsen)	299	mg/kg	FALSE	REG	10	5/07/2023	6/07/2023	
	28/06/2023 12:04	Total Phosphorus as P (Organic Ph)	142	mg/kg	FALSE	REG	2	3/07/2023	3/07/2023	
	28/06/2023 12:04	Ammonia as N	20	mg/kg	FALSE	REG	20		4/07/2023	
	28/06/2023 12:04	Chloride	10	mg/kg	FALSE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:04	Kjeldahl Nitrogen Total	470	mg/kg	FALSE	REG	20	3/07/2023	3/07/2023	
	28/06/2023 12:04	Nitrate (as N)	4.2	mg/kg	FALSE	REG	0.1		5/07/2023	
	28/06/2023 12:04	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 12:04	Nitrogen (Total Oxidised)	4.2	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	28/06/2023 12:04	Nitrogen (Total)	470	mg/kg	FALSE	REG	20		10/07/2023	
	28/06/2023 12:04	Sodium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	28/06/2023 12:04	Sulphate	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	29/06/2023 18:27	Boron	50	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	29/06/2023 18:27	Copper	5	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	29/06/2023 18:27	Iron	50	mg/kg	FALSE	REG	50	29/06/2023	29/06/2023	
	29/06/2023 18:27	Manganese	5	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	29/06/2023 18:27	Zinc	5	mg/kg	FALSE	REG	5	29/06/2023	29/06/2023	
	29/06/2023 18:27	Total Phosphorus as P (Organic Ph)	2	mg/kg	FALSE	REG	2	29/06/2023	29/06/2023	
	29/06/2023 18:27	Kjeldahl Nitrogen Total	20	mg/kg	FALSE	REG	20	29/06/2023	29/06/2023	
	30/06/2023 13:23	Calcium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	30/06/2023 13:23	Magnesium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	30/06/2023 13:23	Potassium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	30/06/2023 13:23	Chloride	10	mg/kg	FALSE	REG	10	30/06/2023	4/07/2023	
	30/06/2023 13:23	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	30/06/2023 13:23	Nitrogen (Total Oxidised)	0.1	mg/kg	FALSE	REG	0.1	30/06/2023	4/07/2023	
	30/06/2023 13:23	Sodium	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	30/06/2023 13:23	Sulphate	10	mg/kg	TRUE	REG	10	30/06/2023	4/07/2023	
	30/06/2023 14:05	Ammonia as N	20	mg/kg	FALSE	REG	20		30/06/2023	
	3/07/2023 7:53	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	3/07/2023	4/07/2023	
	3/07/2023 12:14	Bicarbonate Extractable P (Olsen)	100	mg/kg	FALSE	REG	100	3/07/2023	4/07/2023	
	3/07/2023 17:02	Total Phosphorus as P (Organic Ph)	2	mg/kg	FALSE	REG	2	3/07/2023	3/07/2023	
	3/07/2023 17:02	Kjeldahl Nitrogen Total	20	mg/kg	FALSE	REG	20	3/07/2023	3/07/2023	
	3/07/2023 18:14	Boron	50	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	3/07/2023 18:14	Copper	5	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	3/07/2023 18:14	Iron	50	mg/kg	FALSE	REG	50	3/07/2023	5/07/2023	
	3/07/2023 18:14	Manganese	5	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	3/07/2023 18:14	Zinc	5	mg/kg	FALSE	REG	5	3/07/2023	5/07/2023	
	4/07/2023 7:00	Calcium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	4/07/2023 7:00	Magnesium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	4/07/2023 7:00	Potassium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	4/07/2023 7:00	Chloride	10	mg/kg	FALSE	REG	10	4/07/2023	5/07/2023	
	4/07/2023 7:00	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	4/07/2023 7:00	Nitrogen (Total Oxidised)	0.1	mg/kg	FALSE	REG	0.1	4/07/2023	5/07/2023	
	4/07/2023 7:00	Sodium	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	4/07/2023 7:00	Sulphate	10	mg/kg	TRUE	REG	10	4/07/2023	5/07/2023	
	4/07/2023 14:51	Ammonia as N	20	mg/kg	FALSE	REG	20		4/07/2023	
	5/07/2023 11:51	Bicarbonate Extractable P (Olsen)	100	mg/kg	FALSE	REG	100	5/07/2023	6/07/2023	
Rejects - Compos	5/07/2023 12:00	Aluminium	2160	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Antimony	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Arsenic	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Cadmium	1	mg/kg	FALSE	REG	1	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Boron	50	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Calcium	20	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:00	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Cobalt	3	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Copper	32	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Iron	19400	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Lead	10	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Magnesium	20	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:00	Manganese	280	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Molybdenum	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Nickel	5	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Potassium	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:00	Selenium	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Zinc	31	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	Alkalinity (Bicarbonate as CaCO3)	1610	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:00	Alkalinity (Carbonate as CaCO3)	36	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:00	Alkalinity (total) as CaCO3	1650	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:00	Chloride	80	mg/kg	FALSE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:00	Sodium	440	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:00	Sulphate	740	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:04	Aluminium	2160	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Antimony	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Arsenic	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Cadmium	1	mg/kg	FALSE	REG	1	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Boron	50	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Calcium	30	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:04	Chromium (III+VI)	3	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Cobalt	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Copper	32	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Iron	19500	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Lead	15	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Magnesium	20	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:04	Manganese	287	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Molybdenum	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Nickel	4	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Potassium	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:04	Selenium	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Zinc	16	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Alkalinity (Bicarbonate as CaCO3)	2820	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	5/07/2023 12:04	Alkalinity (Carbonate as CaCO3)	36	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:04	Alkalinity (total) as CaCO3	2850	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:04	Chloride	100	mg/kg	FALSE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:04	Sodium	390	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:04	Sulphate	670	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Aluminium	2860	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Antimony	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Arsenic	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Cadmium	1	mg/kg	FALSE	REG	1	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Boron	50	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Calcium	20	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Chromium (III+VI)	3	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Cobalt	3	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Copper	32	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Iron	16100	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Lead	9	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Magnesium	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Manganese	279	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Molybdenum	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Nickel	4	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Potassium	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Selenium	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Zinc	24	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Alkalinity (Bicarbonate as CaCO3)	5350	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Alkalinity (Carbonate as CaCO3)	89	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Alkalinity (total) as CaCO3	5440	mg/kg	FALSE	REG	5	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Chloride	180	mg/kg	FALSE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Sodium	360	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Sulphate	280	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
	6/07/2023 8:02	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	6/07/2023	6/07/2023	
	8/07/2023 6:56	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 6:56	Calcium	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:56	Copper	16	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 6:56	Iron	19100	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 6:56	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:56	Manganese	513	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 6:56	Potassium	30	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:56	Zinc	15	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 6:56	Bicarbonate Ext. P (Colwell)	7	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 6:56	Bicarbonate Extractable P (Olsen)	216	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 6:56	Total Phosphorus as P (Organic Ph	340	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 6:56	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 6:56	Chloride	40	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:56	Kjeldahl Nitrogen Total	1060	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 6:56	Nitrate (as N)	2.6	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 6:56	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 6:56	Nitrogen (Total Oxidised)	2.7	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 6:56	Nitrogen (Total)	1060	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 6:56	Sodium	30	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:56	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 6:59	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 6:59	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:59	Copper	16	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 6:59	Iron	20500	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 6:59	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:59	Manganese	355	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 6:59	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:59	Zinc	19	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 6:59	Bicarbonate Ext. P (Colwell)	8	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 6:59	Bicarbonate Extractable P (Olsen)	341	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 6:59	Total Phosphorus as P (Organic Ph)	199	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 6:59	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 6:59	Chloride	100	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:59	Kjeldahl Nitrogen Total	400	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 6:59	Nitrate (as N)	7.3	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 6:59	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 6:59	Nitrogen (Total Oxidised)	7.3	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 6:59	Nitrogen (Total)	410	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 6:59	Sodium	330	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 6:59	Sulphate	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:35	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 7:35	Calcium	70	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:35	Copper	9	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 7:35	Iron	17300	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 7:35	Magnesium	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:35	Manganese	249	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 7:35	Potassium	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:35	Zinc	8	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 7:35	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 7:35	Bicarbonate Extractable P (Olsen)	186	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 7:35	Total Phosphorus as P (Organic Ph)	87	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 7:35	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 7:35	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:35	Kjeldahl Nitrogen Total	290	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 7:35	Nitrate (as N)	4.7	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 7:35	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 7:35	Nitrogen (Total Oxidised)	4.7	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 7:35	Nitrogen (Total)	290	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 7:35	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:35	Sulphate	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:53	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 7:53	Calcium	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:53	Copper	6	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 7:53	Iron	5810	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 7:53	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:53	Manganese	329	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 7:53	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:53	Zinc	6	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 7:53	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 7:53	Bicarbonate Extractable P (Olsen)	153	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 7:53	Total Phosphorus as P (Organic Ph	88	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 7:53	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 7:53	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:53	Kjeldahl Nitrogen Total	190	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 7:53	Nitrate (as N)	1.9	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 7:53	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 7:53	Nitrogen (Total Oxidised)	1.9	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 7:53	Nitrogen (Total)	190	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 7:53	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 7:53	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:07	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:07	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:07	Copper	9	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:07	Iron	15900	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:07	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:07	Manganese	1430	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:07	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:07	Zinc	8	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:07	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 8:07	Bicarbonate Extractable P (Olsen)	198	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 8:07	Total Phosphorus as P (Organic Ph	153	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 8:07	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 8:07	Chloride	40	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:07	Kjeldahl Nitrogen Total	410	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 8:07	Nitrate (as N)	12.4	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 8:07	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:07	Nitrogen (Total Oxidised)	12.4	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:07	Nitrogen (Total)	420	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 8:07	Sodium	50	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:07	Sulphate	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:15	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:15	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:15	Copper	11	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:15	Iron	16800	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:15	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:15	Manganese	412	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:15	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:15	Zinc	8	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:15	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 8:15	Bicarbonate Extractable P (Olsen)	345	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 8:15	Total Phosphorus as P (Organic Ph	147	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 8:15	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 8:15	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:15	Kjeldahl Nitrogen Total	500	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 8:15	Nitrate (as N)	2.4	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 8:15	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:15	Nitrogen (Total Oxidised)	2.4	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:15	Nitrogen (Total)	500	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 8:15	Sodium	30	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:15	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 8:26	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:26	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:26	Copper	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:26	Iron	2710	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:26	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:26	Manganese	166	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:26	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:26	Zinc	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:26	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 8:26	Bicarbonate Extractable P (Olsen)	144	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 8:26	Total Phosphorus as P (Organic Ph)	64	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 8:26	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 8:26	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:26	Kjeldahl Nitrogen Total	190	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 8:26	Nitrate (as N)	4.2	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 8:26	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:26	Nitrogen (Total Oxidised)	4.2	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:26	Nitrogen (Total)	190	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 8:26	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:26	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:41	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:41	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:41	Copper	11	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:41	Iron	18700	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:41	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:41	Manganese	715	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:41	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:41	Zinc	12	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:41	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 8:41	Bicarbonate Extractable P (Olsen)	140	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 8:41	Total Phosphorus as P (Organic Ph)	160	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 8:41	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 8:41	Chloride	20	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:41	Kjeldahl Nitrogen Total	630	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 8:41	Nitrate (as N)	5.2	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 8:41	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:41	Nitrogen (Total Oxidised)	5.2	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:41	Nitrogen (Total)	640	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 8:41	Sodium	190	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:41	Sulphate	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:52	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:52	Calcium	40	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:52	Copper	15	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:52	Iron	15800	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 8:52	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:52	Manganese	705	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:52	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:52	Zinc	14	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 8:52	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 8:52	Bicarbonate Extractable P (Olsen)	254	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 8:52	Total Phosphorus as P (Organic Ph	147	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 8:52	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 8:52	Chloride	30	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:52	Kjeldahl Nitrogen Total	800	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 8:52	Nitrate (as N)	5.3	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 8:52	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:52	Nitrogen (Total Oxidised)	5.3	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:52	Nitrogen (Total)	800	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 8:52	Sodium	70	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 8:52	Sulphate	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:06	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 9:06	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:06	Copper	8	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 9:06	Iron	7930	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 9:06	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:06	Manganese	245	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 9:06	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:06	Zinc	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 9:06	Bicarbonate Ext. P (Colwell)	7	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 9:06	Bicarbonate Extractable P (Olsen)	356	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 9:06	Total Phosphorus as P (Organic Ph	190	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 9:06	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 9:06	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:06	Kjeldahl Nitrogen Total	670	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 9:06	Nitrate (as N)	7.8	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 9:06	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 9:06	Nitrogen (Total Oxidised)	7.8	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 9:06	Nitrogen (Total)	680	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 9:06	Sodium	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:06	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:09	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 9:09	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:09	Copper	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 9:09	Iron	8570	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 9:09	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:09	Manganese	158	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 9:09	Potassium	50	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:09	Zinc	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 9:09	Bicarbonate Ext. P (Colwell)	8	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 9:09	Bicarbonate Extractable P (Olsen)	491	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 9:09	Total Phosphorus as P (Organic Ph	125	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 9:09	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 9:09	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:09	Kjeldahl Nitrogen Total	250	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 9:09	Nitrate (as N)	9	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 9:09	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 9:09	Nitrogen (Total Oxidised)	9	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 9:09	Nitrogen (Total)	260	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 9:09	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 9:09	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 10:46	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 10:46	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 10:46	Copper	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 10:46	Iron	4790	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 10:46	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 10:46	Manganese	134	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 10:46	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 10:46	Zinc	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 10:46	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 10:46	Bicarbonate Extractable P (Olsen)	191	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 10:46	Total Phosphorus as P (Organic Ph)	107	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 10:46	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 10:46	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 10:46	Kjeldahl Nitrogen Total	300	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 10:46	Nitrate (as N)	2.2	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 10:46	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 10:46	Nitrogen (Total Oxidised)	2.2	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 10:46	Nitrogen (Total)	300	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 10:46	Sodium	30	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 10:46	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:01	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 11:01	Calcium	30	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:01	Copper	13	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:01	Iron	20600	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 11:01	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:01	Manganese	638	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:01	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:01	Zinc	13	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:01	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 11:01	Bicarbonate Extractable P (Olsen)	104	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 11:01	Total Phosphorus as P (Organic Ph)	294	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 11:01	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 11:01	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:01	Kjeldahl Nitrogen Total	680	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 11:01	Nitrate (as N)	2.5	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 11:01	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:01	Nitrogen (Total Oxidised)	2.5	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:01	Nitrogen (Total)	680	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 11:01	Sodium	90	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:01	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:36	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 11:36	Calcium	50	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:36	Copper	12	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:36	Iron	19900	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 11:36	Magnesium	20	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:36	Manganese	435	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:36	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:36	Zinc	8	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:36	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 11:36	Bicarbonate Extractable P (Olsen)	156	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 11:36	Total Phosphorus as P (Organic Ph	176	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 11:36	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 11:36	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:36	Kjeldahl Nitrogen Total	1080	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 11:36	Nitrate (as N)	4.4	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 11:36	Nitrite (as N)	0.2	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:36	Nitrogen (Total Oxidised)	4.6	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:36	Nitrogen (Total)	1080	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 11:36	Sodium	60	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:36	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:48	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 11:48	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:48	Copper	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:48	Iron	5000	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 11:48	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:48	Manganese	154	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:48	Potassium	30	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:48	Zinc	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 11:48	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 11:48	Bicarbonate Extractable P (Olsen)	396	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 11:48	Total Phosphorus as P (Organic Ph	122	mg/kg	FALSE	REG	2		19/07/2023	
	8/07/2023 11:48	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 11:48	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:48	Kjeldahl Nitrogen Total	490	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 11:48	Nitrate (as N)	6.3	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 11:48	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:48	Nitrogen (Total Oxidised)	6.3	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:48	Nitrogen (Total)	500	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 11:48	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 11:48	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:01	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 12:01	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:01	Copper	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:01	Iron	5720	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 12:01	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:01	Manganese	60	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:01	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:01	Zinc	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:01	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 12:01	Bicarbonate Extractable P (Olsen)	100	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
	8/07/2023 12:01	Total Phosphorus as P (Organic Ph	132	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 12:01	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 12:01	Chloride	20	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:01	Kjeldahl Nitrogen Total	310	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 12:01	Nitrate (as N)	4.3	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 12:01	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:01	Nitrogen (Total Oxidised)	4.3	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:01	Nitrogen (Total)	310	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 12:01	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:01	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 12:10	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 12:10	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:10	Copper	6	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:10	Iron	7400	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 12:10	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:10	Manganese	128	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:10	Potassium	30	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:10	Zinc	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:10	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 12:10	Bicarbonate Extractable P (Olsen)	182	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 12:10	Total Phosphorus as P (Organic Ph)	162	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 12:10	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 12:10	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:10	Kjeldahl Nitrogen Total	560	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 12:10	Nitrate (as N)	1.7	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 12:10	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:10	Nitrogen (Total Oxidised)	1.7	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:10	Nitrogen (Total)	560	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 12:10	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:10	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:19	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 12:19	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:19	Copper	11	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:19	Iron	9220	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 12:19	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:19	Manganese	246	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:19	Potassium	40	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:19	Zinc	8	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:19	Bicarbonate Ext. P (Colwell)	6	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 12:19	Bicarbonate Extractable P (Olsen)	733	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	
	8/07/2023 12:19	Total Phosphorus as P (Organic Ph)	231	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 12:19	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 12:19	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:19	Kjeldahl Nitrogen Total	890	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 12:19	Nitrate (as N)	2.1	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 12:19	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:19	Nitrogen (Total Oxidised)	2.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:19	Nitrogen (Total)	890	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 12:19	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:19	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:20	Copper	10	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:20	Iron	6630	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	8/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:20	Manganese	236	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:20	Potassium	40	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:20	Zinc	8	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	8/07/2023 12:20	Bicarbonate Ext. P (Colwell)	7	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	8/07/2023 12:20	Bicarbonate Extractable P (Olsen)	741	mg/kg	FALSE	REG	10	18/07/2023	19/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 12:20	Total Phosphorus as P (Organic Ph	217	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	8/07/2023 12:20	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	8/07/2023 12:20	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:20	Kjeldahl Nitrogen Total	580	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	8/07/2023 12:20	Nitrate (as N)	2	mg/kg	FALSE	REG	0.1		14/07/2023	
	8/07/2023 12:20	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:20	Nitrogen (Total Oxidised)	2	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:20	Nitrogen (Total)	580	mg/kg	FALSE	REG	20		19/07/2023	
	8/07/2023 12:20	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	8/07/2023 12:20	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	10/07/2023 10:22	Aluminium	50	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
	10/07/2023 10:22	Antimony	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
	10/07/2023 10:22	Arsenic	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
	10/07/2023 10:22	Cadmium	1	mg/kg	FALSE	REG	1	10/07/2023	11/07/2023	
	10/07/2023 10:22	Boron	50	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
	10/07/2023 10:22	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
	10/07/2023 10:22	Cobalt	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
	10/07/2023 10:22	Copper	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
	10/07/2023 10:22	Iron	50	mg/kg	FALSE	REG	50	10/07/2023	11/07/2023	
	10/07/2023 10:22	Lead	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
	10/07/2023 10:22	Manganese	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
	10/07/2023 10:22	Molybdenum	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
	10/07/2023 10:22	Nickel	2	mg/kg	FALSE	REG	2	10/07/2023	11/07/2023	
	10/07/2023 10:22	Selenium	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
	10/07/2023 10:22	Zinc	5	mg/kg	FALSE	REG	5	10/07/2023	11/07/2023	
	11/07/2023 8:00	Calcium	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
	11/07/2023 8:00	Magnesium	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
	11/07/2023 8:00	Potassium	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
	11/07/2023 8:00	Chloride	10	mg/kg	FALSE	REG	10	11/07/2023	12/07/2023	
	11/07/2023 8:00	Sodium	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
	11/07/2023 8:00	Sulphate	10	mg/kg	TRUE	REG	10	11/07/2023	12/07/2023	
	12/07/2023 12:37	Boron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	12/07/2023 12:37	Copper	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	12/07/2023 12:37	Iron	50	mg/kg	FALSE	REG	50	12/07/2023	12/07/2023	
	12/07/2023 12:37	Manganese	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	12/07/2023 12:37	Zinc	5	mg/kg	FALSE	REG	5	12/07/2023	12/07/2023	
	12/07/2023 12:52	Ammonia as N	20	mg/kg	FALSE	REG	20		12/07/2023	
	12/07/2023 16:06	Total Phosphorus as P (Organic Ph	2	mg/kg	FALSE	REG	2	12/07/2023	13/07/2023	
	12/07/2023 16:06	Kjeldahl Nitrogen Total	20	mg/kg	FALSE	REG	20	12/07/2023	13/07/2023	
	13/07/2023 8:00	Calcium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	13/07/2023 8:00	Magnesium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	13/07/2023 8:00	Potassium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	13/07/2023 8:00	Chloride	10	mg/kg	FALSE	REG	10	13/07/2023	13/07/2023	
	13/07/2023 8:00	Nitrite (as N)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	13/07/2023 8:00	Nitrogen (Total Oxidised)	0.1	mg/kg	FALSE	REG	0.1	13/07/2023	13/07/2023	
	13/07/2023 8:00	Sodium	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
	13/07/2023 8:00	Sulphate	10	mg/kg	TRUE	REG	10	13/07/2023	13/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	7690	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	260	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	12	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	12600	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	106	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	52	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	2530	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	680	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	230	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	7280	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	110	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	16	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	18900	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	376	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	46	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	2760	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	750	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	8340	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	80	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	31	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	33300	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	837	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	53	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	2850	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	780	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	6780	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	20	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	33	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	44700	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	1000	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	65	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1890	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	520	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	6220	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH28- RSID0351	17/07/2023 12:06	Barium	180	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	26	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	37900	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	785	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	54	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1760	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	470	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	140	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	5620	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	30	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	41	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	19000	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	241	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	62	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1380	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	380	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	8040	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	50	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	8	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	22100	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	265	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	38	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1360	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	370	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	9620	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	110	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	18	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	26400	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	497	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	50	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1600	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	440	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	8180	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	140	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	18	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	39100	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	1070	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	20	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	44	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1970	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	470	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	8340	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	160	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	21	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	67900	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	1520	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	20	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	45	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1720	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	450	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	6030	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	160	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	16	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	29300	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	764	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	20	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	44	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1620	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	440	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Aluminium	7680	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Barium	210	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Copper	26	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Iron	42400	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Manganese	805	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Potassium	20	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Zinc	65	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH28- RSID0351	17/07/2023 12:06	Total Soluble Salts	1810	mg/kg	FALSE	REG	5		31/07/2023	
OH28- RSID0351	17/07/2023 12:06	Sodium	470	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH28- RSID0351	17/07/2023 12:06	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
	17/07/2023 21:32	Bicarbonate Ext. P (Colwell)	5	mg/kg	FALSE	REG	5	17/07/2023	20/07/2023	
	18/07/2023 7:36	Bicarbonate Extractable P (Olsen)	100	mg/kg	FALSE	REG	100	18/07/2023	19/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	10100	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	160	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	20	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	16	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	19400	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	751	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	36	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1560	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	460	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	330	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	9170	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	70	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	8	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	22100	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	319	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	63	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1210	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	350	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	7230	mg/kg	FALSE	REG	50		4/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	210	mg/kg	FALSE	REG	10		4/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50		4/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	12	mg/kg	FALSE	REG	5		4/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	71700	mg/kg	FALSE	REG	50		4/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	2030	mg/kg	FALSE	REG	5		4/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	46	mg/kg	FALSE	REG	5		4/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1200	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	360	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	7270	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	160	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	13	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	18400	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	566	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	43	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1400	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	410	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	140	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	5590	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	40	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	31	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	22900	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	409	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	54	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1810	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	530	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	130	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	10700	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	30	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	23	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	38300	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	2180	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	52	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1570	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	470	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	11100	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	50	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	22	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	34800	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	1890	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	58	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1440	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	420	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	12200	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	70	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH24 - RSID0353	19/07/2023 11:53	Copper	35	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	41000	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	588	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	66	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1330	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	400	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	9080	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	60	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	16	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	26700	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	1280	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	37	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1060	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	300	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	10400	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	190	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	42	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	35800	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	401	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	63	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1230	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	360	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	11100	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	210	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	38	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	39400	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	974	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	67	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1460	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	420	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	110	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	7590	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	180	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	23	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	27600	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	579	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	45	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1200	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	360	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	8160	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	160	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	15	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	39200	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	920	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	40	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1280	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	390	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	8690	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	150	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	21	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	29400	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	810	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	43	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1150	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	350	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	8250	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	190	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	31	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	32000	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	459	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	50	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1360	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	400	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH24 - RSID0353	19/07/2023 11:53	Aluminium	6260	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	160	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	13	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	42300	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	816	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	41	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1120	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	340	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	6360	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	250	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	52	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	32000	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	715	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	67	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1260	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	390	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	110	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	3750	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	260	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	61	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	5990	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	48	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	91	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1220	mg/kg	FALSE	REG	5		1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sodium	370	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	160	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Aluminium	3690	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Barium	220	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Copper	21	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Iron	13500	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Manganese	310	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Zinc	53	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Total Soluble Salts	1480	mg/kg	FALSE	REG	5		1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH24 - RSID0353	19/07/2023 11:53	Sodium	450	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Sulphate	140	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	11500	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	40	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	35100	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	504	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	53	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	1060	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	340	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	120	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	14300	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	20	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	33	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	47400	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	1010	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	62	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	1990	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	540	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	130	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	13600	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	31	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	42700	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	342	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	60	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	1440	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	420	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	9740	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	30	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	30	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	43000	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	1220	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH18 - RSID0363	22/07/2023 11:45	Zinc	46	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	1010	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	380	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	11200	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	26	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	39100	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	821	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	45	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	830	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	280	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	10200	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	50	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	25	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	44200	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	1620	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	46	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	1060	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	360	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	7260	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	140	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	39	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	24800	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	437	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	48	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	943	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	300	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	6130	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	130	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	54	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	23800	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH18 - RSID0363	22/07/2023 11:45	Manganese	360	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	52	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	1200	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	440	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	160	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	11900	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	40	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	48	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	41100	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	775	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	59	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	987	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	330	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	9720	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	320	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	19	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	37400	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	1130	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	53	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	2570	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	700	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	8950	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	180	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	24	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	28700	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	1250	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	54	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	2270	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	630	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	10300	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	60	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	24	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH18 - RSID0363	22/07/2023 11:45	Iron	33900	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	1030	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	58	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	2230	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	590	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	190	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Aluminium	13800	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Barium	60	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Copper	40	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Iron	42600	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Manganese	1160	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Zinc	67	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Total Soluble Salts	1840	mg/kg	FALSE	REG	5		31/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Sodium	490	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Sulphate	150	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	15200	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	27	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	48300	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	1440	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	57	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	1180	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	400	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	110	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	11800	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	27	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	40800	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	1050	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	47	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	1180	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	360	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	9060	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	20	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	26	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	39700	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	1140	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	52	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	1450	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	420	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	11800	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	34	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	43600	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	678	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	60	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	1200	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	400	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	10900	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	20	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	32	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	37200	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	448	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	48	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	1040	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	320	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	6140	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	70	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	36	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	32600	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	541	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	59	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	1340	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	390	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	8650	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH12 - RSID0366	22/07/2023 11:59	Barium	60	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	20	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	18	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	30700	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	20	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	454	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	224	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	784	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	170	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	190	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	12700	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	80	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	30	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	43000	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	410	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	72	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	2210	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	590	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	12000	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	40	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	34	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	40200	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	999	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	64	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	1940	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	540	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Sulphate	140	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Aluminium	13400	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Barium	90	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Copper	31	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Iron	45200	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Manganese	540	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Zinc	67	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH12 - RSID0366	22/07/2023 11:59	Total Soluble Salts	2070	mg/kg	FALSE	REG	5		31/07/2023	
OH12 - RSID0366	22/07/2023 11:59	Sodium	610	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH12 - RSID0368	22/07/2023 11:59	Sulphate	170	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	12500	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	29	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	36400	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	583	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	52	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1130	mg/kg	FALSE	REG	5		31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	380	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	150	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	11900	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	20	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	34	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	35700	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	363	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	52	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1220	mg/kg	FALSE	REG	5		31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	410	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	13100	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	120	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	32	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	42300	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	650	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	58	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1540	mg/kg	FALSE	REG	5		31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	520	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	110	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	7800	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	20	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	20	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	31700	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	529	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	42	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1360	mg/kg	FALSE	REG	5		31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	440	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	10000	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	30	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	32100	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	591	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	42	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1400	mg/kg	FALSE	REG	5		31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	460	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	120	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	8460	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	100	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	34	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	27600	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	616	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	48	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1460	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	450	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	8920	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	120	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	22	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	27100	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	478	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	44	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	2390	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	670	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	10900	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	80	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	32	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	29600	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	651	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	66	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	2190	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	870	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	15500	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	20	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	44	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	39200	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	1700	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	73	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1650	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	550	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	260	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	11500	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	20	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	48	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	27700	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	220	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	51	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1640	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	560	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	180	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	8960	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	20	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	39	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	21600	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	130	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	46	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1480	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	480	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	120	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	11500	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	100	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	31	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	37300	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	637	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	60	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	1800	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	500	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	130	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	9640	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	170	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	28	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	34000	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	810	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	54	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	2240	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	630	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	7940	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	200	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	30	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	36200	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	578	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	64	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	2170	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	620	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Aluminium	7720	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Barium	160	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Copper	39	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Iron	28800	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Manganese	398	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Zinc	64	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Total Soluble Salts	2010	mg/kg	FALSE	REG	5		1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sodium	600	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Sulphate	130	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
	28/07/2023 10:38	Aluminium	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Aluminium	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Aluminium	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Aluminium	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/07/2023 10:38	Aluminium	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
	28/07/2023 10:38	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
	28/07/2023 10:38	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
	28/07/2023 10:38	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
	28/07/2023 10:38	Barium	10	mg/kg	FALSE	REG	10	28/07/2023	1/08/2023	
	28/07/2023 10:38	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Boron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Copper	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Copper	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Copper	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Copper	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Copper	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Iron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Iron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Iron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Iron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Iron	50	mg/kg	FALSE	REG	50	28/07/2023	1/08/2023	
	28/07/2023 10:38	Manganese	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Manganese	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Manganese	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Manganese	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Manganese	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Zinc	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Zinc	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Zinc	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 10:38	Zinc	5	mg/kg	FALSE	REG	5	28/07/2023	1/08/2023	
	28/07/2023 11:22	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
	28/07/2023 11:22	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
	28/07/2023 11:22	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
	28/07/2023 11:22	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
	28/07/2023 11:22	Sulphate	100	mg/kg	FALSE	REG	100	28/07/2023	31/07/2023	
	29/07/2023 7:55	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Calcium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Magnesium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	29/07/2023 7:55	Potassium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Sodium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Sodium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Sodium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Sodium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
	29/07/2023 7:55	Sodium	10	mg/kg	TRUE	REG	10	29/07/2023	1/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Aluminium	4220	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Barium	100	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Copper	10	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Iron	14700	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Manganese	493	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Zinc	16	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Total Soluble Salts	459	mg/kg	FALSE	REG	5		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sodium	120	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sulphate	100	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Aluminium	1030	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Barium	10	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Copper	5	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Iron	11300	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Manganese	79	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Zinc	11	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Total Soluble Salts	682	mg/kg	FALSE	REG	5		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sodium	190	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sulphate	100	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Aluminium	6780	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Barium	40	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Copper	14	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Iron	19000	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Manganese	763	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Zinc	33	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Total Soluble Salts	1720	mg/kg	FALSE	REG	5		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sodium	460	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sulphate	120	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Aluminium	11300	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Barium	10	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Copper	38	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH01 - RSID0379	31/07/2023 12:20	Iron	34200	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Manganese	561	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Zinc	71	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Total Soluble Salts	1690	mg/kg	FALSE	REG	5		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sodium	460	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sulphate	130	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Aluminium	11300	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Barium	20	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Copper	26	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Iron	31400	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Manganese	1250	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Zinc	51	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Total Soluble Salts	1330	mg/kg	FALSE	REG	5		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sodium	360	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sulphate	100	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Aluminium	12800	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Barium	30	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Copper	38	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Iron	38000	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Manganese	574	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Zinc	64	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Total Soluble Salts	1690	mg/kg	FALSE	REG	5		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sodium	460	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sulphate	120	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Aluminium	6730	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Barium	50	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Copper	15	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Iron	40900	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Manganese	973	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Zinc	39	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Total Soluble Salts	1440	mg/kg	FALSE	REG	5		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sodium	390	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sulphate	100	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Aluminium	5830	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Barium	80	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH01 - RSID0379	31/07/2023 12:20	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Copper	48	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Iron	36600	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Manganese	634	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Zinc	81	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Total Soluble Salts	1780	mg/kg	FALSE	REG	5		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sodium	480	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Sulphate	190	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
	31/07/2023 18:41	Aluminium	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Aluminium	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Aluminium	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Barium	10	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
	31/07/2023 18:41	Barium	10	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
	31/07/2023 18:41	Barium	10	mg/kg	FALSE	REG	10	31/07/2023	2/08/2023	
	31/07/2023 18:41	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Boron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Copper	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Copper	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Copper	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Iron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Iron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Iron	50	mg/kg	FALSE	REG	50	31/07/2023	2/08/2023	
	31/07/2023 18:41	Manganese	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Manganese	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Manganese	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Zinc	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Zinc	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Zinc	5	mg/kg	FALSE	REG	5	31/07/2023	2/08/2023	
	31/07/2023 18:41	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
	31/07/2023 18:41	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
	31/07/2023 18:41	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2023	1/08/2023	
	1/08/2023 15:42	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Calcium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Potassium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Sodium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Sodium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
	1/08/2023 15:42	Sodium	10	mg/kg	TRUE	REG	10	1/08/2023	3/08/2023	
N1S	8/08/2023 17:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Antimony	0.02	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Arsenic	0.02	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	8/08/2023 17:00	Barium	0.4	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Boron	1	mg/kg	TRUE	REG	1	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Calcium	40	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Copper	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Iron	1	mg/kg	TRUE	REG	1	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Lead	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Magnesium	40	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Manganese	0.13	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Molybdenum	0.08	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Potassium	10	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	14/08/2023	16/08/2023	
N1S	8/08/2023 17:00	Acidity	5	mg/kg	FALSE	REG	5	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Alkalinity (Bicarbonate as CaCO3)	26600	mg/kg	FALSE	REG	5	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Alkalinity (Carbonate as CaCO3)	148	mg/kg	FALSE	REG	5	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Alkalinity (total) as CaCO3	26700	mg/kg	FALSE	REG	5	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Chloride	520	mg/kg	FALSE	REG	10	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Sodium	500	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Sulphate	560	mg/kg	FALSE	REG	100	15/08/2023	15/08/2023	
N1S	8/08/2023 17:00	Sulphate	330	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
	14/08/2023 17:44	Aluminium	0.1	mg/kg	TRUE	REG	0.1	14/08/2023	16/08/2023	
	14/08/2023 17:44	Antimony	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Arsenic	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Cadmium	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Barium	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Beryllium	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Boron	1	mg/kg	TRUE	REG	1	14/08/2023	15/08/2023	
	14/08/2023 17:44	Calcium	10	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
	14/08/2023 17:44	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Cobalt	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Copper	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Iron	1	mg/kg	TRUE	REG	1	14/08/2023	15/08/2023	
	14/08/2023 17:44	Lead	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Magnesium	10	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
	14/08/2023 17:44	Manganese	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	14/08/2023	16/08/2023	
	14/08/2023 17:44	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Nickel	0.01	mg/kg	TRUE	REG	0.01	14/08/2023	16/08/2023	
	14/08/2023 17:44	Potassium	10	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
	14/08/2023 17:44	Selenium	0.1	mg/kg	TRUE	REG	0.1	14/08/2023	16/08/2023	
	14/08/2023 17:44	Vanadium	0.1	mg/kg	TRUE	REG	0.1	14/08/2023	16/08/2023	
	14/08/2023 17:44	Zinc	0.05	mg/kg	TRUE	REG	0.05	14/08/2023	16/08/2023	
	14/08/2023 17:44	Chloride	10	mg/kg	FALSE	REG	10	14/08/2023	15/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	14/08/2023 17:44	Sodium	10	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
	14/08/2023 17:44	Sulphate	10	mg/kg	TRUE	REG	10	14/08/2023	15/08/2023	
	15/08/2023 11:32	Sulphate	100	mg/kg	FALSE	REG	100	15/08/2023	15/08/2023	
Rejects Grab San	19/08/2023 13:00	Aluminium	0.2	mg/kg	TRUE	REG	0.1		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Antimony	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Arsenic	0.03	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
Rejects Grab San	19/08/2023 13:00	Barium	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Boron	1	mg/kg	TRUE	REG	1	5/09/2023	6/09/2023	
Rejects Grab San	19/08/2023 13:00	Calcium	10	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
Rejects Grab San	19/08/2023 13:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Copper	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Iron	1	mg/kg	TRUE	REG	1	5/09/2023	6/09/2023	
Rejects Grab San	19/08/2023 13:00	Lead	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Magnesium	10	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
Rejects Grab San	19/08/2023 13:00	Manganese	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	5/09/2023	6/09/2023	
Rejects Grab San	19/08/2023 13:00	Molybdenum	0.08	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Nickel	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Potassium	10	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
Rejects Grab San	19/08/2023 13:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	5/09/2023	7/09/2023	
Rejects Grab San	19/08/2023 13:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Zinc	0.05	mg/kg	TRUE	REG	0.05		7/09/2023	
Rejects Grab San	19/08/2023 13:00	Acidity	5	mg/kg	FALSE	REG	5	5/09/2023	5/09/2023	
Rejects Grab San	19/08/2023 13:00	Alkalinity (Bicarbonate as CaCO3)	206	mg/kg	FALSE	REG	5	5/09/2023	5/09/2023	
Rejects Grab San	19/08/2023 13:00	Alkalinity (Carbonate as CaCO3)	154	mg/kg	FALSE	REG	5	5/09/2023	5/09/2023	
Rejects Grab San	19/08/2023 13:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	5/09/2023	5/09/2023	
Rejects Grab San	19/08/2023 13:00	Alkalinity (total) as CaCO3	360	mg/kg	FALSE	REG	5	5/09/2023	5/09/2023	
Rejects Grab San	19/08/2023 13:00	Chloride	150	mg/kg	FALSE	REG	10	5/09/2023	6/09/2023	
Rejects Grab San	19/08/2023 13:00	Sodium	200	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
Rejects Grab San	19/08/2023 13:00	Sulphate	100	mg/kg	FALSE	REG	100	29/08/2023	31/08/2023	
Rejects Grab San	19/08/2023 13:00	Sulphate	70	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
Tailings Thickene	19/08/2023 13:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Antimony	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
Tailings Thickene	19/08/2023 13:00	Barium	0.13	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Boron	1	mg/kg	TRUE	REG	1	28/08/2023	4/09/2023	
Tailings Thickene	19/08/2023 13:00	Calcium	80	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
Tailings Thickene	19/08/2023 13:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Copper	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Iron	1	mg/kg	TRUE	REG	1	28/08/2023	4/09/2023	
Tailings Thickene	19/08/2023 13:00	Lead	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Magnesium	80	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
Tailings Thickene	19/08/2023 13:00	Manganese	0.03	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	28/08/2023	6/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	19/08/2023 13:00	Molybdenum	0.17	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Nickel	0.01	mg/kg	TRUE	REG	0.01		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Potassium	20	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
Tailings Thickene	19/08/2023 13:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	28/08/2023	7/09/2023	
Tailings Thickene	19/08/2023 13:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Zinc	0.05	mg/kg	TRUE	REG	0.05		7/09/2023	
Tailings Thickene	19/08/2023 13:00	Acidity	5	mg/kg	FALSE	REG	5	28/08/2023	29/08/2023	
Tailings Thickene	19/08/2023 13:00	Alkalinity (Bicarbonate as CaCO3)	31300	mg/kg	FALSE	REG	5	28/08/2023	29/08/2023	
Tailings Thickene	19/08/2023 13:00	Alkalinity (Carbonate as CaCO3)	297	mg/kg	FALSE	REG	5	28/08/2023	29/08/2023	
Tailings Thickene	19/08/2023 13:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	28/08/2023	29/08/2023	
Tailings Thickene	19/08/2023 13:00	Alkalinity (total) as CaCO3	31600	mg/kg	FALSE	REG	5	28/08/2023	29/08/2023	
Tailings Thickene	19/08/2023 13:00	Chloride	1670	mg/kg	FALSE	REG	10	28/08/2023	28/08/2023	
Tailings Thickene	19/08/2023 13:00	Sodium	1140	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
Tailings Thickene	19/08/2023 13:00	Sulphate	1360	mg/kg	FALSE	REG	100		5/09/2023	
Tailings Thickene	19/08/2023 13:00	Sulphate	1110	mg/kg	TRUE	REG	10		5/09/2023	
	25/08/2023 12:41	Aluminium	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
	25/08/2023 12:41	Barium	10	mg/kg	FALSE	REG	10	25/08/2023	28/08/2023	
	25/08/2023 12:41	Boron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
	25/08/2023 12:41	Calcium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
	25/08/2023 12:41	Copper	5	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
	25/08/2023 12:41	Iron	50	mg/kg	FALSE	REG	50	25/08/2023	28/08/2023	
	25/08/2023 12:41	Magnesium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
	25/08/2023 12:41	Manganese	5	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
	25/08/2023 12:41	Potassium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
	25/08/2023 12:41	Zinc	5	mg/kg	FALSE	REG	5	25/08/2023	28/08/2023	
	25/08/2023 12:41	Sodium	10	mg/kg	TRUE	REG	10	25/08/2023	30/08/2023	
	25/08/2023 12:41	Sulphate	100	mg/kg	FALSE	REG	100	25/08/2023	28/08/2023	
	28/08/2023 7:07	Sulphate	100	mg/kg	FALSE	REG	100	28/08/2023	29/08/2023	
	28/08/2023 15:30	Aluminium	0.1	mg/kg	TRUE	REG	0.1	28/08/2023	7/09/2023	
	28/08/2023 15:30	Antimony	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Arsenic	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Cadmium	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Barium	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Beryllium	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Boron	1	mg/kg	TRUE	REG	1	28/08/2023	4/09/2023	
	28/08/2023 15:30	Calcium	10	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
	28/08/2023 15:30	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Cobalt	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Copper	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Iron	1	mg/kg	TRUE	REG	1	28/08/2023	4/09/2023	
	28/08/2023 15:30	Lead	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Magnesium	10	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
	28/08/2023 15:30	Manganese	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	28/08/2023	6/09/2023	
	28/08/2023 15:30	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Nickel	0.01	mg/kg	TRUE	REG	0.01	28/08/2023	7/09/2023	
	28/08/2023 15:30	Potassium	10	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
	28/08/2023 15:30	Selenium	0.1	mg/kg	TRUE	REG	0.1	28/08/2023	7/09/2023	
	28/08/2023 15:30	Vanadium	0.1	mg/kg	TRUE	REG	0.1	28/08/2023	7/09/2023	
	28/08/2023 15:30	Zinc	0.05	mg/kg	TRUE	REG	0.05	28/08/2023	7/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/08/2023 15:30	Chloride	10	mg/kg	FALSE	REG	10	28/08/2023	28/08/2023	
	28/08/2023 15:30	Sodium	10	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
	28/08/2023 15:30	Sulphate	10	mg/kg	TRUE	REG	10	28/08/2023	4/09/2023	
	29/08/2023 18:03	Sulphate	100	mg/kg	FALSE	REG	100	29/08/2023	31/08/2023	
N1S	3/09/2023 13:44	Aluminium	0.1	mg/kg	TRUE	REG	0.1	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Antimony	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Arsenic	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Cadmium	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Barium	0.16	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Beryllium	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Boron	1	mg/kg	TRUE	REG	1	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Calcium	40	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Cobalt	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Copper	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Iron	1	mg/kg	TRUE	REG	1	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Lead	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Magnesium	40	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Manganese	0.04	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Molybdenum	0.04	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Nickel	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Potassium	10	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Selenium	0.1	mg/kg	TRUE	REG	0.1	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Vanadium	0.1	mg/kg	TRUE	REG	0.1	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Zinc	0.05	mg/kg	TRUE	REG	0.05	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Acidity	5	mg/kg	FALSE	REG	5	13/09/2023	13/09/2023	
N1S	3/09/2023 13:44	Alkalinity (Bicarbonate as CaCO3)	20000	mg/kg	FALSE	REG	5	13/09/2023	13/09/2023	
N1S	3/09/2023 13:44	Alkalinity (Carbonate as CaCO3)	743	mg/kg	FALSE	REG	5	13/09/2023	13/09/2023	
N1S	3/09/2023 13:44	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	13/09/2023	13/09/2023	
N1S	3/09/2023 13:44	Alkalinity (total) as CaCO3	20800	mg/kg	FALSE	REG	5	13/09/2023	13/09/2023	
N1S	3/09/2023 13:44	Chloride	460	mg/kg	FALSE	REG	10	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Sodium	420	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
N1S	3/09/2023 13:44	Sulphate	400	mg/kg	FALSE	REG	100	13/09/2023	14/09/2023	
N1S	3/09/2023 13:44	Sulphate	280	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
	5/09/2023 16:55	Aluminium	0.1	mg/kg	TRUE	REG	0.1	5/09/2023	7/09/2023	
	5/09/2023 16:55	Antimony	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Arsenic	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Cadmium	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Barium	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Beryllium	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Boron	1	mg/kg	TRUE	REG	1	5/09/2023	6/09/2023	
	5/09/2023 16:55	Calcium	10	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
	5/09/2023 16:55	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Cobalt	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Copper	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Iron	1	mg/kg	TRUE	REG	1	5/09/2023	6/09/2023	
	5/09/2023 16:55	Lead	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Magnesium	10	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
	5/09/2023 16:55	Manganese	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	5/09/2023 16:55	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	5/09/2023	6/09/2023	
	5/09/2023 16:55	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Nickel	0.01	mg/kg	TRUE	REG	0.01	5/09/2023	7/09/2023	
	5/09/2023 16:55	Potassium	10	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
	5/09/2023 16:55	Selenium	0.1	mg/kg	TRUE	REG	0.1	5/09/2023	7/09/2023	
	5/09/2023 16:55	Vanadium	0.1	mg/kg	TRUE	REG	0.1	5/09/2023	7/09/2023	
	5/09/2023 16:55	Zinc	0.05	mg/kg	TRUE	REG	0.05	5/09/2023	7/09/2023	
	5/09/2023 16:55	Chloride	10	mg/kg	FALSE	REG	10	5/09/2023	6/09/2023	
	5/09/2023 16:55	Sodium	10	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
	5/09/2023 16:55	Sulphate	10	mg/kg	TRUE	REG	10	5/09/2023	6/09/2023	
	13/09/2023 12:21	Sulphate	100	mg/kg	FALSE	REG	100	13/09/2023	14/09/2023	
	13/09/2023 15:21	Aluminium	0.1	mg/kg	TRUE	REG	0.1	13/09/2023	15/09/2023	
	13/09/2023 15:21	Antimony	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Arsenic	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Cadmium	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Barium	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Beryllium	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Boron	1	mg/kg	TRUE	REG	1	13/09/2023	15/09/2023	
	13/09/2023 15:21	Calcium	10	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
	13/09/2023 15:21	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Cobalt	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Copper	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Iron	1	mg/kg	TRUE	REG	1	13/09/2023	15/09/2023	
	13/09/2023 15:21	Lead	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Magnesium	10	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
	13/09/2023 15:21	Manganese	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	13/09/2023	15/09/2023	
	13/09/2023 15:21	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Nickel	0.01	mg/kg	TRUE	REG	0.01	13/09/2023	15/09/2023	
	13/09/2023 15:21	Potassium	10	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
	13/09/2023 15:21	Selenium	0.1	mg/kg	TRUE	REG	0.1	13/09/2023	15/09/2023	
	13/09/2023 15:21	Vanadium	0.1	mg/kg	TRUE	REG	0.1	13/09/2023	15/09/2023	
	13/09/2023 15:21	Zinc	0.05	mg/kg	TRUE	REG	0.05	13/09/2023	15/09/2023	
	13/09/2023 15:21	Chloride	10	mg/kg	FALSE	REG	10	13/09/2023	15/09/2023	
	13/09/2023 15:21	Sodium	10	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
	13/09/2023 15:21	Sulphate	10	mg/kg	TRUE	REG	10	13/09/2023	15/09/2023	
N1S	14/09/2023 12:50	Aluminium	0.1	mg/kg	TRUE	REG	0.1	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Antimony	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Arsenic	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Cadmium	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Barium	0.15	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Beryllium	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Boron	1	mg/kg	TRUE	REG	1	26/09/2023	3/10/2023	
N1S	14/09/2023 12:50	Calcium	100	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
N1S	14/09/2023 12:50	Chromium (III+VI)	0.02	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Cobalt	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Copper	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Iron	1	mg/kg	TRUE	REG	1	26/09/2023	3/10/2023	
N1S	14/09/2023 12:50	Lead	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Magnesium	70	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	14/09/2023 12:50	Manganese	0.07	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	26/09/2023	3/10/2023	
N1S	14/09/2023 12:50	Molybdenum	0.14	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Nickel	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Potassium	30	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
N1S	14/09/2023 12:50	Selenium	0.1	mg/kg	TRUE	REG	0.1	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Vanadium	0.1	mg/kg	TRUE	REG	0.1	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Zinc	0.05	mg/kg	TRUE	REG	0.05	26/09/2023	4/10/2023	
N1S	14/09/2023 12:50	Acidity	84	mg/kg	FALSE	REG	5	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Alkalinity (Bicarbonate as CaCO3)	12700	mg/kg	FALSE	REG	5	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Alkalinity (total) as CaCO3	12700	mg/kg	FALSE	REG	5	26/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Chloride	840	mg/kg	FALSE	REG	10	26/09/2023	3/10/2023	
N1S	14/09/2023 12:50	Sodium	700	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
N1S	14/09/2023 12:50	Sulphate	880	mg/kg	FALSE	REG	100	25/09/2023	27/09/2023	
N1S	14/09/2023 12:50	Sulphate	620	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
	25/09/2023 17:43	Sulphate	100	mg/kg	FALSE	REG	100	25/09/2023	27/09/2023	
	26/09/2023 21:13	Aluminium	0.1	mg/kg	TRUE	REG	0.1	26/09/2023	4/10/2023	
	26/09/2023 21:13	Antimony	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Arsenic	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Cadmium	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Barium	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Beryllium	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Boron	1	mg/kg	TRUE	REG	1	26/09/2023	3/10/2023	
	26/09/2023 21:13	Calcium	10	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
	26/09/2023 21:13	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Cobalt	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Copper	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Iron	1	mg/kg	TRUE	REG	1	26/09/2023	3/10/2023	
	26/09/2023 21:13	Lead	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Magnesium	10	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
	26/09/2023 21:13	Manganese	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	26/09/2023	3/10/2023	
	26/09/2023 21:13	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Nickel	0.01	mg/kg	TRUE	REG	0.01	26/09/2023	4/10/2023	
	26/09/2023 21:13	Potassium	10	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
	26/09/2023 21:13	Selenium	0.1	mg/kg	TRUE	REG	0.1	26/09/2023	4/10/2023	
	26/09/2023 21:13	Vanadium	0.1	mg/kg	TRUE	REG	0.1	26/09/2023	4/10/2023	
	26/09/2023 21:13	Zinc	0.05	mg/kg	TRUE	REG	0.05	26/09/2023	4/10/2023	
	26/09/2023 21:13	Chloride	10	mg/kg	FALSE	REG	10	26/09/2023	3/10/2023	
	26/09/2023 21:13	Sodium	10	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
	26/09/2023 21:13	Sulphate	10	mg/kg	TRUE	REG	10	26/09/2023	3/10/2023	
Rejects - Compos	1/10/2023 7:14	Aluminium	3160	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Antimony	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Arsenic	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Cadmium	1	mg/kg	FALSE	REG	1	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Boron	50	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Calcium	50	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Chromium (III+VI)	3	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	1/10/2023 7:14	Cobalt	3	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Copper	29	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Iron	16000	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Lead	10	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Magnesium	40	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Manganese	217	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Molybdenum	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Nickel	5	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Potassium	10	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Selenium	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Zinc	20	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Alkalinity (Bicarbonate as CaCO3)	8790	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:14	Alkalinity (Carbonate as CaCO3)	77	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:14	Alkalinity (total) as CaCO3	8870	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:14	Chloride	300	mg/kg	FALSE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Sodium	550	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	Sulphate	900	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Aluminium	2760	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Antimony	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Arsenic	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Cadmium	1	mg/kg	FALSE	REG	1	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Boron	50	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Calcium	160	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Chromium (III+VI)	3	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Cobalt	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Copper	30	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Iron	21100	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Lead	10	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Magnesium	120	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Manganese	384	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Molybdenum	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Nickel	4	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Potassium	20	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Selenium	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Zinc	53	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Alkalinity (Bicarbonate as CaCO3)	8100	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:19	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:19	Alkalinity (total) as CaCO3	8100	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:19	Chloride	480	mg/kg	FALSE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Sodium	660	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Sulphate	1410	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Aluminium	3040	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Antimony	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Arsenic	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Cadmium	1	mg/kg	FALSE	REG	1	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Boron	50	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Calcium	80	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Chromium (III+VI)	3	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Cobalt	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Copper	31	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	1/10/2023 7:24	Iron	25200	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Lead	26	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Magnesium	50	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Manganese	457	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Molybdenum	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Nickel	5	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Potassium	20	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Selenium	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Zinc	39	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Alkalinity (Bicarbonate as CaCO3)	5710	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:24	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:24	Alkalinity (total) as CaCO3	5710	mg/kg	FALSE	REG	5	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:24	Chloride	280	mg/kg	FALSE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Sodium	640	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Sulphate	1170	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
Rejects Grab San	3/10/2023 6:15	Aluminium	0.5	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Antimony	0.02	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Arsenic	0.05	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Cadmium	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Barium	0.18	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Beryllium	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Boron	50	mg/kg	FALSE	REG	50	16/10/2023	19/10/2023	
Rejects Grab San	3/10/2023 6:15	Calcium	10	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Cobalt	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Copper	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Iron	9900	mg/kg	FALSE	REG	50	16/10/2023	19/10/2023	
Rejects Grab San	3/10/2023 6:15	Lead	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Magnesium	10	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Manganese	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	17/10/2023	19/10/2023	
Rejects Grab San	3/10/2023 6:15	Molybdenum	0.21	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Nickel	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Potassium	10	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Selenium	0.1	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Vanadium	0.1	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Zinc	0.05	mg/kg	TRUE	REG	0.05	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Acidity	5	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Alkalinity (Bicarbonate as CaCO3)	7170	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Alkalinity (Carbonate as CaCO3)	146	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Alkalinity (total) as CaCO3	7310	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Chloride	120	mg/kg	FALSE	REG	10	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Sodium	260	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Rejects Grab San	3/10/2023 6:15	Sulphate	330	mg/kg	FALSE	REG	100	16/10/2023	17/10/2023	
Rejects Grab San	3/10/2023 6:15	Sulphate	220	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
	10/10/2023 14:11	Aluminium	50	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
	10/10/2023 14:11	Antimony	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
	10/10/2023 14:11	Arsenic	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
	10/10/2023 14:11	Cadmium	1	mg/kg	FALSE	REG	1	10/10/2023	12/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	10/10/2023 14:11	Boron	50	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
	10/10/2023 14:11	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
	10/10/2023 14:11	Cobalt	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
	10/10/2023 14:11	Copper	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
	10/10/2023 14:11	Iron	50	mg/kg	FALSE	REG	50	10/10/2023	12/10/2023	
	10/10/2023 14:11	Lead	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
	10/10/2023 14:11	Manganese	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
	10/10/2023 14:11	Molybdenum	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
	10/10/2023 14:11	Nickel	2	mg/kg	FALSE	REG	2	10/10/2023	12/10/2023	
	10/10/2023 14:11	Selenium	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
	10/10/2023 14:11	Zinc	5	mg/kg	FALSE	REG	5	10/10/2023	12/10/2023	
	11/10/2023 14:18	Calcium	10	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
	11/10/2023 14:18	Magnesium	10	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
	11/10/2023 14:18	Potassium	10	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
	11/10/2023 14:18	Chloride	10	mg/kg	FALSE	REG	10	11/10/2023	12/10/2023	
	11/10/2023 14:18	Sodium	10	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
	11/10/2023 14:18	Sulphate	10	mg/kg	TRUE	REG	10	11/10/2023	12/10/2023	
	16/10/2023 21:03	Boron	50	mg/kg	FALSE	REG	50	16/10/2023	19/10/2023	
	16/10/2023 21:03	Iron	50	mg/kg	FALSE	REG	50	16/10/2023	19/10/2023	
	16/10/2023 21:03	Sulphate	100	mg/kg	FALSE	REG	100	16/10/2023	17/10/2023	
	17/10/2023 14:28	Aluminium	0.1	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
	17/10/2023 14:28	Antimony	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Arsenic	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Cadmium	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Barium	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Beryllium	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Calcium	10	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
	17/10/2023 14:28	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Cobalt	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Copper	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Lead	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Magnesium	10	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
	17/10/2023 14:28	Manganese	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	17/10/2023	19/10/2023	
	17/10/2023 14:28	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Nickel	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
	17/10/2023 14:28	Potassium	10	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
	17/10/2023 14:28	Selenium	0.1	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
	17/10/2023 14:28	Vanadium	0.1	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
	17/10/2023 14:28	Zinc	0.05	mg/kg	TRUE	REG	0.05	17/10/2023	18/10/2023	
	17/10/2023 14:28	Chloride	10	mg/kg	FALSE	REG	10	17/10/2023	18/10/2023	
	17/10/2023 14:28	Sodium	10	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
	17/10/2023 14:28	Sulphate	10	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
N1S	22/10/2023 13:45	Aluminium	0.1	mg/kg	TRUE	REG	0.1		2/11/2023	
N1S	22/10/2023 13:45	Antimony	0.01	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Arsenic	0.02	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Cadmium	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
N1S	22/10/2023 13:45	Barium	0.28	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Beryllium	0.01	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Boron	1	mg/kg	TRUE	REG	1	31/10/2023	1/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	22/10/2023 13:45	Calcium	30	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Cobalt	0.01	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Copper	0.01	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Iron	1	mg/kg	TRUE	REG	1	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Lead	0.01	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Magnesium	30	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Manganese	0.02	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	31/10/2023	2/11/2023	
N1S	22/10/2023 13:45	Molybdenum	0.09	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Nickel	0.01	mg/kg	TRUE	REG	0.01		2/11/2023	
N1S	22/10/2023 13:45	Potassium	10	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Selenium	0.1	mg/kg	TRUE	REG	0.1	31/10/2023	2/11/2023	
N1S	22/10/2023 13:45	Vanadium	0.1	mg/kg	TRUE	REG	0.1		2/11/2023	
N1S	22/10/2023 13:45	Zinc	0.05	mg/kg	TRUE	REG	0.05		2/11/2023	
N1S	22/10/2023 13:45	Acidity	5	mg/kg	FALSE	REG	5	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Alkalinity (Bicarbonate as CaCO3)	24500	mg/kg	FALSE	REG	5	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Alkalinity (Carbonate as CaCO3)	167	mg/kg	FALSE	REG	5	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Alkalinity (total) as CaCO3	24600	mg/kg	FALSE	REG	5	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Chloride	460	mg/kg	FALSE	REG	10	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Sodium	480	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
N1S	22/10/2023 13:45	Sulphate	560	mg/kg	FALSE	REG	100	31/10/2023	31/10/2023	
N1S	22/10/2023 13:45	Sulphate	430	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
	31/10/2023 13:22	Sulphate	100	mg/kg	FALSE	REG	100	31/10/2023	31/10/2023	
	31/10/2023 15:15	Aluminium	0.1	mg/kg	TRUE	REG	0.1	31/10/2023	2/11/2023	
	31/10/2023 15:15	Antimony	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Arsenic	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Cadmium	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Barium	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Beryllium	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Boron	1	mg/kg	TRUE	REG	1	31/10/2023	1/11/2023	
	31/10/2023 15:15	Calcium	10	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
	31/10/2023 15:15	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Cobalt	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Copper	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Iron	1	mg/kg	TRUE	REG	1	31/10/2023	1/11/2023	
	31/10/2023 15:15	Lead	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Magnesium	10	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
	31/10/2023 15:15	Manganese	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	31/10/2023	2/11/2023	
	31/10/2023 15:15	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Nickel	0.01	mg/kg	TRUE	REG	0.01	31/10/2023	2/11/2023	
	31/10/2023 15:15	Potassium	10	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
	31/10/2023 15:15	Selenium	0.1	mg/kg	TRUE	REG	0.1	31/10/2023	2/11/2023	
	31/10/2023 15:15	Vanadium	0.1	mg/kg	TRUE	REG	0.1	31/10/2023	2/11/2023	
	31/10/2023 15:15	Zinc	0.05	mg/kg	TRUE	REG	0.05	31/10/2023	2/11/2023	
	31/10/2023 15:15	Chloride	10	mg/kg	FALSE	REG	10	31/10/2023	1/11/2023	
	31/10/2023 15:15	Sodium	10	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	
	31/10/2023 15:15	Sulphate	10	mg/kg	TRUE	REG	10	31/10/2023	1/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects Grab San	18/11/2023 9:30	Aluminium	0.9	mg/kg	TRUE	REG	0.1		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Antimony	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Arsenic	0.04	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Cadmium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Barium	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Beryllium	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Boron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Calcium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Cobalt	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Copper	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Iron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Lead	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Magnesium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Manganese	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	30/11/2023	6/12/2023	
Rejects Grab San	18/11/2023 9:30	Molybdenum	0.1	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Nickel	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Potassium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Selenium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Vanadium	0.1	mg/kg	TRUE	REG	0.1		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Zinc	0.05	mg/kg	TRUE	REG	0.05		7/12/2023	
Rejects Grab San	18/11/2023 9:30	Acidity	5	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Rejects Grab San	18/11/2023 9:30	Alkalinity (Bicarbonate as CaCO3)	287	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Rejects Grab San	18/11/2023 9:30	Alkalinity (Carbonate as CaCO3)	137	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Rejects Grab San	18/11/2023 9:30	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Rejects Grab San	18/11/2023 9:30	Alkalinity (total) as CaCO3	424	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Rejects Grab San	18/11/2023 9:30	Chloride	40	mg/kg	FALSE	REG	10	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Sodium	200	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
Rejects Grab San	18/11/2023 9:30	Sulphate	100	mg/kg	FALSE	REG	100	29/11/2023	6/12/2023	
Rejects Grab San	18/11/2023 9:30	Sulphate	50	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Aluminium	0.2	mg/kg	TRUE	REG	0.1		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Antimony	0.02	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Arsenic	0.04	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Cadmium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Barium	0.26	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Beryllium	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Boron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Calcium	70	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Cobalt	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Copper	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Iron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Lead	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Magnesium	60	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Manganese	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	30/11/2023	6/12/2023	
Tailings Thickene	18/11/2023 9:30	Molybdenum	0.25	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Nickel	0.01	mg/kg	TRUE	REG	0.01		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Potassium	40	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	18/11/2023 9:30	Selenium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Vanadium	0.1	mg/kg	TRUE	REG	0.1		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Zinc	0.05	mg/kg	TRUE	REG	0.05		7/12/2023	
Tailings Thickene	18/11/2023 9:30	Acidity	5	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Tailings Thickene	18/11/2023 9:30	Alkalinity (Bicarbonate as CaCO3)	43400	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Tailings Thickene	18/11/2023 9:30	Alkalinity (Carbonate as CaCO3)	1670	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Tailings Thickene	18/11/2023 9:30	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Tailings Thickene	18/11/2023 9:30	Alkalinity (total) as CaCO3	45100	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
Tailings Thickene	18/11/2023 9:30	Chloride	1720	mg/kg	FALSE	REG	10	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Sodium	1250	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
Tailings Thickene	18/11/2023 9:30	Sulphate	1470	mg/kg	FALSE	REG	100	29/11/2023	6/12/2023	
Tailings Thickene	18/11/2023 9:30	Sulphate	980	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Aluminium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Antimony	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Arsenic	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Cadmium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Barium	0.18	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Beryllium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Boron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Calcium	40	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Cobalt	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Copper	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Iron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Lead	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Magnesium	40	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Manganese	0.04	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	30/11/2023	6/12/2023	
N1S	21/11/2023 14:30	Molybdenum	0.1	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Nickel	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Potassium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Selenium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Vanadium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Zinc	0.05	mg/kg	TRUE	REG	0.05	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Acidity	5	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
N1S	21/11/2023 14:30	Alkalinity (Bicarbonate as CaCO3)	13700	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
N1S	21/11/2023 14:30	Alkalinity (Carbonate as CaCO3)	77	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
N1S	21/11/2023 14:30	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
N1S	21/11/2023 14:30	Alkalinity (total) as CaCO3	13800	mg/kg	FALSE	REG	5	30/11/2023	30/11/2023	
N1S	21/11/2023 14:30	Chloride	710	mg/kg	FALSE	REG	10	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Sodium	580	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
N1S	21/11/2023 14:30	Sulphate	580	mg/kg	FALSE	REG	100	29/11/2023	6/12/2023	
N1S	21/11/2023 14:30	Sulphate	430	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	29/11/2023 20:05	Sulphate	100	mg/kg	FALSE	REG	100	29/11/2023	6/12/2023	
	29/11/2023 20:05	Sulphate	100	mg/kg	FALSE	REG	100	29/11/2023	6/12/2023	
	30/11/2023 9:33	Aluminium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Aluminium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Antimony	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Antimony	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Arsenic	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	30/11/2023 9:33	Arsenic	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Cadmium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Cadmium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Barium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Barium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Beryllium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Beryllium	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Boron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Boron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Calcium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Calcium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Cobalt	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Cobalt	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Copper	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Copper	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Iron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Iron	1	mg/kg	TRUE	REG	1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Lead	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Lead	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Magnesium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Magnesium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Manganese	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Manganese	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	30/11/2023	6/12/2023	
	30/11/2023 9:33	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	30/11/2023	6/12/2023	
	30/11/2023 9:33	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Nickel	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Nickel	0.01	mg/kg	TRUE	REG	0.01	30/11/2023	5/12/2023	
	30/11/2023 9:33	Potassium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Potassium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Selenium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Selenium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Vanadium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Vanadium	0.1	mg/kg	TRUE	REG	0.1	30/11/2023	5/12/2023	
	30/11/2023 9:33	Zinc	0.05	mg/kg	TRUE	REG	0.05	30/11/2023	5/12/2023	
	30/11/2023 9:33	Zinc	0.05	mg/kg	TRUE	REG	0.05	30/11/2023	5/12/2023	
	30/11/2023 9:33	Chloride	10	mg/kg	FALSE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Chloride	10	mg/kg	FALSE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Sodium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Sodium	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Sulphate	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	30/11/2023 9:33	Sulphate	10	mg/kg	TRUE	REG	10	30/11/2023	5/12/2023	
	12/12/2023 7:29	Aluminium	2630	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	12/12/2023 7:29	Antimony	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:29	Arsenic	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:29	Cadmium	1	mg/kg	FALSE	REG	1	11/01/2024	12/01/2024	
	12/12/2023 7:29	Boron	50	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	12/12/2023 7:29	Calcium	30	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:29	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	12/12/2023 7:29	Cobalt	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	12/12/2023 7:29	Copper	31	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:29	Iron	14100	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	12/12/2023 7:29	Lead	14	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:29	Magnesium	20	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:29	Manganese	219	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:29	Molybdenum	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	12/12/2023 7:29	Nickel	4	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	12/12/2023 7:29	Potassium	10	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:29	Selenium	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:29	Zinc	32	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:29	Alkalinity (Bicarbonate as CaCO3)	6740	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	12/12/2023 7:29	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	12/12/2023 7:29	Alkalinity (total) as CaCO3	6740	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	12/12/2023 7:29	Chloride	160	mg/kg	FALSE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:29	Sodium	360	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:29	Sulphate	650	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:30	Aluminium	2560	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	12/12/2023 7:30	Antimony	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:30	Arsenic	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:30	Cadmium	1	mg/kg	FALSE	REG	1	11/01/2024	12/01/2024	
	12/12/2023 7:30	Boron	50	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	12/12/2023 7:30	Calcium	40	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:30	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	12/12/2023 7:30	Cobalt	3	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	12/12/2023 7:30	Copper	32	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:30	Iron	18400	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	12/12/2023 7:30	Lead	11	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:30	Magnesium	30	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:30	Manganese	322	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:30	Molybdenum	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	12/12/2023 7:30	Nickel	5	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	12/12/2023 7:30	Potassium	10	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:30	Selenium	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:30	Zinc	27	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	12/12/2023 7:30	Alkalinity (Bicarbonate as CaCO3)	2950	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	12/12/2023 7:30	Alkalinity (Carbonate as CaCO3)	843	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	12/12/2023 7:30	Alkalinity (total) as CaCO3	3790	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	12/12/2023 7:30	Chloride	180	mg/kg	FALSE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:30	Sodium	400	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	12/12/2023 7:30	Sulphate	800	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
N1S	18/12/2023 10:30	Aluminium	0.1	mg/kg	TRUE	REG	0.1	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Antimony	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Arsenic	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Cadmium	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Barium	0.08	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Beryllium	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Boron	1	mg/kg	TRUE	REG	1	22/12/2023	5/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	18/12/2023 10:30	Calcium	30	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Cobalt	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Copper	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Iron	1	mg/kg	TRUE	REG	1	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Lead	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Magnesium	40	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Manganese	1.21	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Nickel	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Potassium	20	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Selenium	0.1	mg/kg	TRUE	REG	0.1	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Vanadium	0.1	mg/kg	TRUE	REG	0.1	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Zinc	0.12	mg/kg	TRUE	REG	0.05	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Acidity	116	mg/kg	FALSE	REG	5	22/12/2023	22/12/2023	
N1S	18/12/2023 10:30	Alkalinity (Bicarbonate as CaCO3)	545	mg/kg	FALSE	REG	5	22/12/2023	22/12/2023	
N1S	18/12/2023 10:30	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	22/12/2023	22/12/2023	
N1S	18/12/2023 10:30	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	22/12/2023	22/12/2023	
N1S	18/12/2023 10:30	Alkalinity (total) as CaCO3	545	mg/kg	FALSE	REG	5	22/12/2023	22/12/2023	
N1S	18/12/2023 10:30	Chloride	220	mg/kg	FALSE	REG	10	22/12/2023	4/01/2024	
N1S	18/12/2023 10:30	Sodium	330	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
N1S	18/12/2023 10:30	Sulphate	530	mg/kg	FALSE	REG	100	22/12/2023	22/12/2023	
N1S	18/12/2023 10:30	Sulphate	340	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
Rejects Grab San	19/12/2023 10:15	Aluminium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Antimony	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Arsenic	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Cadmium	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Barium	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Beryllium	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Boron	1	mg/kg	TRUE	REG	1	5/01/2024	10/01/2024	
Rejects Grab San	19/12/2023 10:15	Calcium	10	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Rejects Grab San	19/12/2023 10:15	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Cobalt	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Copper	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Iron	1	mg/kg	TRUE	REG	1	5/01/2024	10/01/2024	
Rejects Grab San	19/12/2023 10:15	Lead	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Magnesium	10	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Rejects Grab San	19/12/2023 10:15	Manganese	0.07	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	5/01/2024	10/01/2024	
Rejects Grab San	19/12/2023 10:15	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Nickel	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Potassium	10	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Rejects Grab San	19/12/2023 10:15	Selenium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Vanadium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Zinc	0.05	mg/kg	TRUE	REG	0.05	5/01/2024	11/01/2024	
Rejects Grab San	19/12/2023 10:15	Acidity	147	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Rejects Grab San	19/12/2023 10:15	Alkalinity (Bicarbonate as CaCO3)	311	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Rejects Grab San	19/12/2023 10:15	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Rejects Grab San	19/12/2023 10:15	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects Grab San	19/12/2023 10:15	Alkalinity (total) as CaCO3	311	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Rejects Grab San	19/12/2023 10:15	Chloride	50	mg/kg	FALSE	REG	10	5/01/2024	10/01/2024	
Rejects Grab San	19/12/2023 10:15	Sodium	160	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Rejects Grab San	19/12/2023 10:15	Sulphate	280	mg/kg	FALSE	REG	100		9/01/2024	
Rejects Grab San	19/12/2023 10:15	Sulphate	270	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Aluminium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Antimony	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Arsenic	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Cadmium	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Barium	0.09	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Beryllium	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Boron	1	mg/kg	TRUE	REG	1	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Calcium	70	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Cobalt	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Copper	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Iron	1	mg/kg	TRUE	REG	1	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Lead	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Magnesium	110	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Manganese	2.57	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Nickel	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Potassium	60	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Selenium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Vanadium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Zinc	0.05	mg/kg	TRUE	REG	0.05	5/01/2024	11/01/2024	
Tailings Thickene	19/12/2023 10:30	Acidity	329	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Alkalinity (Bicarbonate as CaCO3)	1280	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Alkalinity (total) as CaCO3	1280	mg/kg	FALSE	REG	5	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Chloride	1030	mg/kg	FALSE	REG	10	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Sodium	780	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
Tailings Thickene	19/12/2023 10:30	Sulphate	2080	mg/kg	FALSE	REG	100		9/01/2024	
Tailings Thickene	19/12/2023 10:30	Sulphate	1400	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
	22/12/2023 8:16	Sulphate	100	mg/kg	FALSE	REG	100	22/12/2023	22/12/2023	
	22/12/2023 9:45	Aluminium	0.1	mg/kg	TRUE	REG	0.1	22/12/2023	5/01/2024	
	22/12/2023 9:45	Antimony	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Arsenic	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Cadmium	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Barium	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Beryllium	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Boron	1	mg/kg	TRUE	REG	1	22/12/2023	5/01/2024	
	22/12/2023 9:45	Calcium	10	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
	22/12/2023 9:45	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Cobalt	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Copper	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Iron	1	mg/kg	TRUE	REG	1	22/12/2023	5/01/2024	
	22/12/2023 9:45	Lead	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/12/2023 9:45	Magnesium	10	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
	22/12/2023 9:45	Manganese	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	22/12/2023	5/01/2024	
	22/12/2023 9:45	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Nickel	0.01	mg/kg	TRUE	REG	0.01	22/12/2023	5/01/2024	
	22/12/2023 9:45	Potassium	10	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
	22/12/2023 9:45	Selenium	0.1	mg/kg	TRUE	REG	0.1	22/12/2023	5/01/2024	
	22/12/2023 9:45	Vanadium	0.1	mg/kg	TRUE	REG	0.1	22/12/2023	5/01/2024	
	22/12/2023 9:45	Zinc	0.05	mg/kg	TRUE	REG	0.05	22/12/2023	5/01/2024	
	22/12/2023 9:45	Chloride	10	mg/kg	FALSE	REG	10	22/12/2023	4/01/2024	
	22/12/2023 9:45	Sodium	10	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
	22/12/2023 9:45	Sulphate	10	mg/kg	TRUE	REG	10	22/12/2023	5/01/2024	
	4/01/2024 10:08	Aluminium	2880	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	4/01/2024 10:08	Antimony	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	4/01/2024 10:08	Arsenic	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	4/01/2024 10:08	Cadmium	1	mg/kg	FALSE	REG	1	11/01/2024	12/01/2024	
	4/01/2024 10:08	Boron	50	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	4/01/2024 10:08	Calcium	30	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	4/01/2024 10:08	Chromium (III+VI)	3	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	4/01/2024 10:08	Cobalt	3	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	4/01/2024 10:08	Copper	33	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	4/01/2024 10:08	Iron	15000	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	4/01/2024 10:08	Lead	10	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	4/01/2024 10:08	Magnesium	20	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	4/01/2024 10:08	Manganese	238	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	4/01/2024 10:08	Molybdenum	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	4/01/2024 10:08	Nickel	5	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	4/01/2024 10:08	Potassium	10	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	4/01/2024 10:08	Selenium	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	4/01/2024 10:08	Zinc	26	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	4/01/2024 10:08	Alkalinity (Bicarbonate as CaCO3)	2530	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	4/01/2024 10:08	Alkalinity (Carbonate as CaCO3)	843	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	4/01/2024 10:08	Alkalinity (total) as CaCO3	3370	mg/kg	FALSE	REG	5	15/01/2024	16/01/2024	
	4/01/2024 10:08	Chloride	120	mg/kg	FALSE	REG	10	15/01/2024	16/01/2024	
	4/01/2024 10:08	Sodium	280	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	4/01/2024 10:08	Sulphate	390	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	4/01/2024 15:52	Sulphate	100	mg/kg	FALSE	REG	100	4/01/2024	9/01/2024	
	5/01/2024 15:17	Aluminium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
	5/01/2024 15:17	Antimony	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Arsenic	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Cadmium	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Barium	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Beryllium	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Boron	1	mg/kg	TRUE	REG	1	5/01/2024	10/01/2024	
	5/01/2024 15:17	Calcium	10	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
	5/01/2024 15:17	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Cobalt	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Copper	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Iron	1	mg/kg	TRUE	REG	1	5/01/2024	10/01/2024	
	5/01/2024 15:17	Lead	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	5/01/2024 15:17	Magnesium	10	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
	5/01/2024 15:17	Manganese	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	5/01/2024	10/01/2024	
	5/01/2024 15:17	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Nickel	0.01	mg/kg	TRUE	REG	0.01	5/01/2024	11/01/2024	
	5/01/2024 15:17	Potassium	10	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
	5/01/2024 15:17	Selenium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
	5/01/2024 15:17	Vanadium	0.1	mg/kg	TRUE	REG	0.1	5/01/2024	11/01/2024	
	5/01/2024 15:17	Zinc	0.05	mg/kg	TRUE	REG	0.05	5/01/2024	11/01/2024	
	5/01/2024 15:17	Chloride	10	mg/kg	FALSE	REG	10	5/01/2024	10/01/2024	
	5/01/2024 15:17	Sodium	10	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
	5/01/2024 15:17	Sulphate	10	mg/kg	TRUE	REG	10	5/01/2024	10/01/2024	
	11/01/2024 15:36	Aluminium	50	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	11/01/2024 15:36	Antimony	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	11/01/2024 15:36	Arsenic	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	11/01/2024 15:36	Cadmium	1	mg/kg	FALSE	REG	1	11/01/2024	12/01/2024	
	11/01/2024 15:36	Boron	50	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	11/01/2024 15:36	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	11/01/2024 15:36	Cobalt	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	11/01/2024 15:36	Copper	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	11/01/2024 15:36	Iron	50	mg/kg	FALSE	REG	50	11/01/2024	12/01/2024	
	11/01/2024 15:36	Lead	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	11/01/2024 15:36	Manganese	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	11/01/2024 15:36	Molybdenum	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	11/01/2024 15:36	Nickel	2	mg/kg	FALSE	REG	2	11/01/2024	12/01/2024	
	11/01/2024 15:36	Selenium	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	11/01/2024 15:36	Zinc	5	mg/kg	FALSE	REG	5	11/01/2024	12/01/2024	
	15/01/2024 9:01	Calcium	10	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	15/01/2024 9:01	Magnesium	10	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	15/01/2024 9:01	Potassium	10	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	15/01/2024 9:01	Chloride	10	mg/kg	FALSE	REG	10	15/01/2024	16/01/2024	
	15/01/2024 9:01	Sodium	10	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
	15/01/2024 9:01	Sulphate	10	mg/kg	TRUE	REG	10	15/01/2024	16/01/2024	
Rejects Grab San	18/01/2024 8:05	Aluminium	0.4	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Antimony	0.07	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Arsenic	0.68	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Cadmium	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Barium	0.05	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Beryllium	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Boron	1	mg/kg	TRUE	REG	1	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Calcium	10	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Cobalt	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Copper	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Iron	1	mg/kg	TRUE	REG	1	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Lead	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Magnesium	10	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Manganese	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Molybdenum	2.32	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects Grab San	18/01/2024 8:05	Nickel	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Potassium	10	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Selenium	0.2	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Vanadium	0.1	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Zinc	0.05	mg/kg	TRUE	REG	0.05	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Acidity	5	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Rejects Grab San	18/01/2024 8:05	Alkalinity (Bicarbonate as CaCO3)	6740	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Rejects Grab San	18/01/2024 8:05	Alkalinity (Carbonate as CaCO3)	843	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Rejects Grab San	18/01/2024 8:05	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Rejects Grab San	18/01/2024 8:05	Alkalinity (total) as CaCO3	7580	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Rejects Grab San	18/01/2024 8:05	Chloride	60	mg/kg	FALSE	REG	10	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Sodium	350	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Rejects Grab San	18/01/2024 8:05	Sulphate	270	mg/kg	FALSE	REG	100	9/02/2024	9/02/2024	
Rejects Grab San	18/01/2024 8:05	Sulphate	220	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
N1S	23/01/2024 13:10	Aluminium	0.1	mg/kg	TRUE	REG	0.1	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Antimony	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Arsenic	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Cadmium	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Barium	0.33	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Beryllium	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Boron	1	mg/kg	TRUE	REG	1	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Calcium	130	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Cobalt	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Copper	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Iron	1	mg/kg	TRUE	REG	1	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Lead	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Magnesium	100	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Manganese	1.17	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Molybdenum	0.12	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Nickel	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Potassium	40	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Selenium	0.1	mg/kg	TRUE	REG	0.1	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Vanadium	0.1	mg/kg	TRUE	REG	0.1	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Zinc	0.05	mg/kg	TRUE	REG	0.05	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Acidity	35	mg/kg	FALSE	REG	5	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Alkalinity (Bicarbonate as CaCO3)	5060	mg/kg	FALSE	REG	5	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Alkalinity (total) as CaCO3	5060	mg/kg	FALSE	REG	5	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Chloride	1260	mg/kg	FALSE	REG	10	1/02/2024	2/02/2024	
N1S	23/01/2024 13:10	Sodium	930	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	Sulphate	1000	mg/kg	FALSE	REG	100	31/01/2024	1/02/2024	
N1S	23/01/2024 13:10	Sulphate	830	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
	31/01/2024 6:54	Sulphate	100	mg/kg	FALSE	REG	100	31/01/2024	1/02/2024	
	1/02/2024 6:37	Aluminium	0.1	mg/kg	TRUE	REG	0.1	1/02/2024	2/02/2024	
	1/02/2024 6:37	Antimony	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Arsenic	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Cadmium	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	1/02/2024 6:37	Barium	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Beryllium	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Boron	1	mg/kg	TRUE	REG	1	1/02/2024	1/02/2024	
	1/02/2024 6:37	Calcium	10	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
	1/02/2024 6:37	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Cobalt	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Copper	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Iron	1	mg/kg	TRUE	REG	1	1/02/2024	1/02/2024	
	1/02/2024 6:37	Lead	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Magnesium	10	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
	1/02/2024 6:37	Manganese	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	1/02/2024	1/02/2024	
	1/02/2024 6:37	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Nickel	0.01	mg/kg	TRUE	REG	0.01	1/02/2024	2/02/2024	
	1/02/2024 6:37	Potassium	10	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
	1/02/2024 6:37	Selenium	0.1	mg/kg	TRUE	REG	0.1	1/02/2024	2/02/2024	
	1/02/2024 6:37	Vanadium	0.1	mg/kg	TRUE	REG	0.1	1/02/2024	2/02/2024	
	1/02/2024 6:37	Zinc	0.05	mg/kg	TRUE	REG	0.05	1/02/2024	2/02/2024	
	1/02/2024 6:37	Chloride	10	mg/kg	FALSE	REG	10	1/02/2024	2/02/2024	
	1/02/2024 6:37	Sodium	10	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
	1/02/2024 6:37	Sulphate	10	mg/kg	TRUE	REG	10	1/02/2024	1/02/2024	
	9/02/2024 7:01	Sulphate	100	mg/kg	FALSE	REG	100	9/02/2024	9/02/2024	
	12/02/2024 9:07	Aluminium	0.1	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
	12/02/2024 9:07	Antimony	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Arsenic	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Cadmium	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Barium	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Beryllium	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Boron	1	mg/kg	TRUE	REG	1	12/02/2024	15/02/2024	
	12/02/2024 9:07	Calcium	10	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
	12/02/2024 9:07	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Cobalt	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Copper	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Iron	1	mg/kg	TRUE	REG	1	12/02/2024	15/02/2024	
	12/02/2024 9:07	Lead	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Magnesium	10	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
	12/02/2024 9:07	Manganese	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	12/02/2024	15/02/2024	
	12/02/2024 9:07	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Nickel	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
	12/02/2024 9:07	Potassium	10	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
	12/02/2024 9:07	Selenium	0.1	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
	12/02/2024 9:07	Vanadium	0.1	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
	12/02/2024 9:07	Zinc	0.05	mg/kg	TRUE	REG	0.05	12/02/2024	15/02/2024	
	12/02/2024 9:07	Chloride	10	mg/kg	FALSE	REG	10	12/02/2024	15/02/2024	
	12/02/2024 9:07	Sodium	10	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
	12/02/2024 9:07	Sulphate	10	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
N1S	20/02/2024 13:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Antimony	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	20/02/2024 13:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Barium	0.26	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Boron	1	mg/kg	TRUE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Calcium	70	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Copper	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Iron	1	mg/kg	TRUE	REG	1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Lead	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Magnesium	60	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Manganese	0.16	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Molybdenum	0.14	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Potassium	20	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	27/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Acidity	5	mg/kg	FALSE	REG	5	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Alkalinity (Bicarbonate as CaCO3)	11800	mg/kg	FALSE	REG	5	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Alkalinity (Carbonate as CaCO3)	156	mg/kg	FALSE	REG	5	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Alkalinity (total) as CaCO3	12000	mg/kg	FALSE	REG	5	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Chloride	850	mg/kg	FALSE	REG	10	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Sodium	740	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	Sulphate	830	mg/kg	FALSE	REG	100	23/02/2024	28/02/2024	
N1S	20/02/2024 13:00	Sulphate	640	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
	23/02/2024 18:10	Sulphate	100	mg/kg	FALSE	REG	100	23/02/2024	28/02/2024	
	27/02/2024 7:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	27/02/2024	28/02/2024	
	27/02/2024 7:00	Antimony	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Barium	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Boron	1	mg/kg	TRUE	REG	1	27/02/2024	27/02/2024	
	27/02/2024 7:00	Calcium	10	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
	27/02/2024 7:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Copper	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Iron	1	mg/kg	TRUE	REG	1	27/02/2024	27/02/2024	
	27/02/2024 7:00	Lead	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Magnesium	10	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
	27/02/2024 7:00	Manganese	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	27/02/2024	28/02/2024	
	27/02/2024 7:00	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	27/02/2024	28/02/2024	
	27/02/2024 7:00	Potassium	10	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
	27/02/2024 7:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	27/02/2024	28/02/2024	
	27/02/2024 7:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	27/02/2024	28/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	27/02/2024 7:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	27/02/2024	28/02/2024	
	27/02/2024 7:00	Chloride	10	mg/kg	FALSE	REG	10	27/02/2024	27/02/2024	
	27/02/2024 7:00	Sodium	10	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
	27/02/2024 7:00	Sulphate	10	mg/kg	TRUE	REG	10	27/02/2024	27/02/2024	
Rejects Grab San	29/02/2024 8:45	Aluminium	0.7	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Antimony	0.04	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Arsenic	0.61	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Cadmium	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Barium	0.09	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Beryllium	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Boron	1	mg/kg	TRUE	REG	1	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Calcium	10	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Cobalt	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Copper	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Iron	1	mg/kg	TRUE	REG	1	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Lead	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Magnesium	10	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Manganese	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Molybdenum	0.27	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Nickel	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Potassium	10	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Selenium	0.1	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Vanadium	0.1	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Zinc	0.05	mg/kg	TRUE	REG	0.05	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Acidity	5	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	Alkalinity (Bicarbonate as CaCO3)	5220	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	Alkalinity (Carbonate as CaCO3)	311	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	Alkalinity (total) as CaCO3	5530	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	Chloride	230	mg/kg	FALSE	REG	10	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Sodium	390	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Sulphate	250	mg/kg	FALSE	REG	100	8/05/2024	8/05/2024	
Rejects Grab San	29/02/2024 8:45	Sulphate	200	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Rejects Grab San	29/02/2024 8:45	Aluminium	1.4	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Antimony	0.14	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Arsenic	0.31	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Cadmium	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Barium	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Beryllium	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Boron	1	mg/kg	TRUE	REG	1	7/03/2024	14/03/2024	
Rejects Grab San	29/02/2024 8:45	Calcium	10	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Rejects Grab San	29/02/2024 8:45	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Cobalt	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Copper	0.02	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Iron	1	mg/kg	TRUE	REG	1	7/03/2024	14/03/2024	
Rejects Grab San	29/02/2024 8:45	Lead	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Magnesium	10	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Rejects Grab San	29/02/2024 8:45	Manganese	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects Grab San	29/02/2024 8:45	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	7/03/2024	14/03/2024	
Rejects Grab San	29/02/2024 8:45	Molybdenum	0.05	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Nickel	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Potassium	10	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Rejects Grab San	29/02/2024 8:45	Selenium	0.1	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Vanadium	0.1	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Zinc	0.05	mg/kg	TRUE	REG	0.05	7/03/2024	15/03/2024	
Rejects Grab San	29/02/2024 8:45	Acidity	33	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Rejects Grab San	29/02/2024 8:45	Alkalinity (Bicarbonate as CaCO3)	311	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Rejects Grab San	29/02/2024 8:45	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Rejects Grab San	29/02/2024 8:45	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Rejects Grab San	29/02/2024 8:45	Alkalinity (total) as CaCO3	311	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Rejects Grab San	29/02/2024 8:45	Chloride	40	mg/kg	FALSE	REG	10	7/03/2024	18/03/2024	
Rejects Grab San	29/02/2024 8:45	Sodium	130	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Rejects Grab San	29/02/2024 8:45	Sulphate	630	mg/kg	FALSE	REG	100	6/03/2024	7/03/2024	
Rejects Grab San	29/02/2024 8:45	Sulphate	160	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
	6/03/2024 20:28	Sulphate	100	mg/kg	FALSE	REG	100	6/03/2024	7/03/2024	
	7/03/2024 14:41	Aluminium	0.1	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
	7/03/2024 14:41	Antimony	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Arsenic	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Cadmium	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Barium	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Beryllium	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Boron	1	mg/kg	TRUE	REG	1	7/03/2024	14/03/2024	
	7/03/2024 14:41	Calcium	10	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
	7/03/2024 14:41	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Cobalt	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Copper	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Iron	1	mg/kg	TRUE	REG	1	7/03/2024	14/03/2024	
	7/03/2024 14:41	Lead	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Magnesium	10	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
	7/03/2024 14:41	Manganese	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	7/03/2024	14/03/2024	
	7/03/2024 14:41	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Nickel	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
	7/03/2024 14:41	Potassium	10	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
	7/03/2024 14:41	Selenium	0.1	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
	7/03/2024 14:41	Vanadium	0.1	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
	7/03/2024 14:41	Zinc	0.05	mg/kg	TRUE	REG	0.05	7/03/2024	15/03/2024	
	7/03/2024 14:41	Chloride	10	mg/kg	FALSE	REG	10	7/03/2024	18/03/2024	
	7/03/2024 14:41	Sodium	10	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
	7/03/2024 14:41	Sulphate	10	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Rejects Grab San	19/03/2024 8:45	Aluminium	1.5	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Antimony	0.02	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Arsenic	0.23	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Cadmium	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Barium	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Beryllium	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Boron	1	mg/kg	TRUE	REG	1	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Calcium	10	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects Grab San	19/03/2024 8:45	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Cobalt	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Copper	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Iron	1	mg/kg	TRUE	REG	1	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Lead	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Magnesium	10	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Manganese	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Mercury	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Molybdenum	0.26	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Nickel	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Potassium	10	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Selenium	0.1	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Vanadium	0.1	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Zinc	0.05	mg/kg	TRUE	REG	0.05	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Acidity	5	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Rejects Grab San	19/03/2024 8:45	Alkalinity (Bicarbonate as CaCO3)	225	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Rejects Grab San	19/03/2024 8:45	Alkalinity (Carbonate as CaCO3)	50	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Rejects Grab San	19/03/2024 8:45	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Rejects Grab San	19/03/2024 8:45	Alkalinity (total) as CaCO3	275	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Rejects Grab San	19/03/2024 8:45	Chloride	50	mg/kg	FALSE	REG	10	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Sodium	170	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
Rejects Grab San	19/03/2024 8:45	Sulphate	100	mg/kg	FALSE	REG	100	5/04/2024	5/04/2024	
Rejects Grab San	19/03/2024 8:45	Sulphate	140	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Antimony	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Barium	0.73	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Boron	1	mg/kg	TRUE	REG	1	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Calcium	90	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Copper	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Iron	1	mg/kg	TRUE	REG	1	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Lead	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Magnesium	70	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Manganese	0.07	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Molybdenum	0.14	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Potassium	20	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Acidity	5	mg/kg	FALSE	REG	5	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Alkalinity (Bicarbonate as CaCO3)	10300	mg/kg	FALSE	REG	5	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Alkalinity (Carbonate as CaCO3)	182	mg/kg	FALSE	REG	5	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	9/04/2024	9/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	27/03/2024 13:00	Alkalinity (total) as CaCO3	10400	mg/kg	FALSE	REG	5	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	Chloride	1300	mg/kg	FALSE	REG	10	9/04/2024	11/04/2024	
N1S	27/03/2024 13:00	Sodium	860	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Sulphate	800	mg/kg	FALSE	REG	100	5/04/2024	5/04/2024	
N1S	27/03/2024 13:00	Sulphate	690	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
	5/04/2024 10:51	Sulphate	100	mg/kg	FALSE	REG	100	5/04/2024	5/04/2024	
	5/04/2024 12:47	Aluminium	0.1	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
	5/04/2024 12:47	Antimony	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Arsenic	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Cadmium	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Barium	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Beryllium	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Boron	1	mg/kg	TRUE	REG	1	5/04/2024	9/04/2024	
	5/04/2024 12:47	Calcium	10	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
	5/04/2024 12:47	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Cobalt	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Copper	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Iron	1	mg/kg	TRUE	REG	1	5/04/2024	9/04/2024	
	5/04/2024 12:47	Lead	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Magnesium	10	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
	5/04/2024 12:47	Manganese	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	5/04/2024	9/04/2024	
	5/04/2024 12:47	Mercury	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Nickel	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
	5/04/2024 12:47	Potassium	10	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
	5/04/2024 12:47	Selenium	0.1	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
	5/04/2024 12:47	Vanadium	0.1	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
	5/04/2024 12:47	Zinc	0.05	mg/kg	TRUE	REG	0.05	5/04/2024	9/04/2024	
	5/04/2024 12:47	Chloride	10	mg/kg	FALSE	REG	10	5/04/2024	9/04/2024	
	5/04/2024 12:47	Sodium	10	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
	5/04/2024 12:47	Sulphate	10	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
	5/04/2024 13:52	Sulphate	100	mg/kg	FALSE	REG	100	5/04/2024	5/04/2024	
	9/04/2024 8:36	Aluminium	0.1	mg/kg	TRUE	REG	0.1	9/04/2024	11/04/2024	
	9/04/2024 8:36	Antimony	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Arsenic	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Cadmium	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Barium	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Beryllium	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Boron	1	mg/kg	TRUE	REG	1	9/04/2024	10/04/2024	
	9/04/2024 8:36	Calcium	10	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
	9/04/2024 8:36	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Cobalt	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Copper	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Iron	1	mg/kg	TRUE	REG	1	9/04/2024	10/04/2024	
	9/04/2024 8:36	Lead	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Magnesium	10	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
	9/04/2024 8:36	Manganese	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	9/04/2024	10/04/2024	
	9/04/2024 8:36	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	9/04/2024 8:36	Nickel	0.01	mg/kg	TRUE	REG	0.01	9/04/2024	11/04/2024	
	9/04/2024 8:36	Potassium	10	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
	9/04/2024 8:36	Selenium	0.1	mg/kg	TRUE	REG	0.1	9/04/2024	11/04/2024	
	9/04/2024 8:36	Vanadium	0.1	mg/kg	TRUE	REG	0.1	9/04/2024	11/04/2024	
	9/04/2024 8:36	Zinc	0.05	mg/kg	TRUE	REG	0.05	9/04/2024	11/04/2024	
	9/04/2024 8:36	Chloride	10	mg/kg	FALSE	REG	10	9/04/2024	11/04/2024	
	9/04/2024 8:36	Sodium	10	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
	9/04/2024 8:36	Sulphate	10	mg/kg	TRUE	REG	10	9/04/2024	10/04/2024	
N1S	17/04/2024 13:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Antimony	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Barium	0.22	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Boron	1	mg/kg	TRUE	REG	1	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Calcium	30	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Copper	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Iron	1	mg/kg	TRUE	REG	1	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Lead	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Magnesium	20	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Manganese	0.05	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Molybdenum	0.1	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Potassium	10	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Acidity	5	mg/kg	FALSE	REG	5	23/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Alkalinity (Bicarbonate as CaCO3)	14600	mg/kg	FALSE	REG	5	23/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Alkalinity (Carbonate as CaCO3)	306	mg/kg	FALSE	REG	5	23/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	23/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Alkalinity (total) as CaCO3	14900	mg/kg	FALSE	REG	5	23/04/2024	23/04/2024	
N1S	17/04/2024 13:00	Chloride	380	mg/kg	FALSE	REG	10	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Sodium	460	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Sulphate	690	mg/kg	FALSE	REG	100	22/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Sulphate	490	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
	22/04/2024 15:31	Sulphate	100	mg/kg	FALSE	REG	100	22/04/2024	24/04/2024	
	23/04/2024 7:39	Aluminium	0.1	mg/kg	TRUE	REG	0.1	23/04/2024	24/04/2024	
	23/04/2024 7:39	Antimony	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Arsenic	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Cadmium	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Barium	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Beryllium	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Boron	1	mg/kg	TRUE	REG	1	23/04/2024	24/04/2024	
	23/04/2024 7:39	Calcium	10	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
	23/04/2024 7:39	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Cobalt	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	23/04/2024 7:39	Copper	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Iron	1	mg/kg	TRUE	REG	1	23/04/2024	24/04/2024	
	23/04/2024 7:39	Lead	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Magnesium	10	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
	23/04/2024 7:39	Manganese	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	23/04/2024	24/04/2024	
	23/04/2024 7:39	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Nickel	0.01	mg/kg	TRUE	REG	0.01	23/04/2024	24/04/2024	
	23/04/2024 7:39	Potassium	10	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
	23/04/2024 7:39	Selenium	0.1	mg/kg	TRUE	REG	0.1	23/04/2024	24/04/2024	
	23/04/2024 7:39	Vanadium	0.1	mg/kg	TRUE	REG	0.1	23/04/2024	24/04/2024	
	23/04/2024 7:39	Zinc	0.05	mg/kg	TRUE	REG	0.05	23/04/2024	24/04/2024	
	23/04/2024 7:39	Chloride	10	mg/kg	FALSE	REG	10	23/04/2024	24/04/2024	
	23/04/2024 7:39	Sodium	10	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
	23/04/2024 7:39	Sulphate	10	mg/kg	TRUE	REG	10	23/04/2024	24/04/2024	
Rejects - Compos	23/04/2024 9:30	Aluminium	2140	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Antimony	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Arsenic	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Cadmium	1	mg/kg	FALSE	REG	1	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Boron	50	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Calcium	1140	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Cobalt	3	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Copper	26	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Iron	29200	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Lead	11	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Magnesium	370	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Manganese	336	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Molybdenum	3	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Nickel	5	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Potassium	10	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Selenium	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Zinc	20	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (Bicarbonate as CaCO3)	545	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (total) as CaCO3	545	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Chloride	150	mg/kg	FALSE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Sodium	200	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Sulphate	5350	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Aluminium	2500	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Antimony	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Arsenic	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Cadmium	1	mg/kg	FALSE	REG	1	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Boron	50	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Calcium	170	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Cobalt	3	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Copper	30	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Iron	21300	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Lead	13	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	23/04/2024 9:30	Magnesium	100	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Manganese	296	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Molybdenum	3	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Nickel	6	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Potassium	20	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Selenium	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Zinc	30	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (Bicarbonate as CaCO3)	2140	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (total) as CaCO3	2140	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Chloride	60	mg/kg	FALSE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Sodium	430	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Sulphate	1720	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Aluminium	2340	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Antimony	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Arsenic	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Cadmium	1	mg/kg	FALSE	REG	1	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Boron	50	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Calcium	90	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Cobalt	3	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Copper	31	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Iron	18200	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Lead	12	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Magnesium	60	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Manganese	309	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Molybdenum	2	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Nickel	5	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Potassium	10	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Selenium	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Zinc	19	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (Bicarbonate as CaCO3)	1750	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Alkalinity (total) as CaCO3	1750	mg/kg	FALSE	REG	5	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Chloride	80	mg/kg	FALSE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Sodium	380	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
Rejects - Compos	23/04/2024 9:30	Sulphate	1060	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
	8/05/2024 14:07	Sulphate	100	mg/kg	FALSE	REG	100	8/05/2024	8/05/2024	
	9/05/2024 13:16	Aluminium	0.1	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
	9/05/2024 13:16	Antimony	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Arsenic	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Cadmium	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Barium	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Beryllium	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Boron	1	mg/kg	TRUE	REG	1	9/05/2024	10/05/2024	
	9/05/2024 13:16	Calcium	10	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
	9/05/2024 13:16	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Cobalt	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Copper	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Iron	1	mg/kg	TRUE	REG	1	9/05/2024	10/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	9/05/2024 13:16	Lead	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Magnesium	10	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
	9/05/2024 13:16	Manganese	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	9/05/2024	10/05/2024	
	9/05/2024 13:16	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Nickel	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
	9/05/2024 13:16	Potassium	10	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
	9/05/2024 13:16	Selenium	0.1	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
	9/05/2024 13:16	Vanadium	0.1	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
	9/05/2024 13:16	Zinc	0.05	mg/kg	TRUE	REG	0.05	9/05/2024	10/05/2024	
	9/05/2024 13:16	Chloride	10	mg/kg	FALSE	REG	10	9/05/2024	10/05/2024	
	9/05/2024 13:16	Sodium	10	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
	9/05/2024 13:16	Sulphate	10	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
	17/05/2024 15:18	Aluminium	50	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
	17/05/2024 15:18	Antimony	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
	17/05/2024 15:18	Arsenic	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
	17/05/2024 15:18	Cadmium	1	mg/kg	FALSE	REG	1	17/05/2024	20/05/2024	
	17/05/2024 15:18	Boron	50	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
	17/05/2024 15:18	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
	17/05/2024 15:18	Cobalt	2	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
	17/05/2024 15:18	Copper	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
	17/05/2024 15:18	Iron	50	mg/kg	FALSE	REG	50	17/05/2024	20/05/2024	
	17/05/2024 15:18	Lead	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
	17/05/2024 15:18	Manganese	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
	17/05/2024 15:18	Molybdenum	2	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
	17/05/2024 15:18	Nickel	2	mg/kg	FALSE	REG	2	17/05/2024	20/05/2024	
	17/05/2024 15:18	Selenium	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
	17/05/2024 15:18	Zinc	5	mg/kg	FALSE	REG	5	17/05/2024	20/05/2024	
	20/05/2024 7:47	Calcium	10	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
	20/05/2024 7:47	Magnesium	10	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
	20/05/2024 7:47	Potassium	10	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
	20/05/2024 7:47	Chloride	10	mg/kg	FALSE	REG	10	20/05/2024	22/05/2024	
	20/05/2024 7:47	Sodium	10	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
	20/05/2024 7:47	Sulphate	10	mg/kg	TRUE	REG	10	20/05/2024	22/05/2024	
N1S	21/05/2024	Aluminium	0.1	mg/kg	TRUE	REG	0.1	28/05/2024	28/05/2024	
N1S	21/05/2024	Antimony	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Arsenic	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Cadmium	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Barium	0.31	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Beryllium	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Boron	1	mg/kg	TRUE	REG	1	28/05/2024	28/05/2024	
N1S	21/05/2024	Calcium	60	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
N1S	21/05/2024	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Cobalt	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Copper	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Iron	1	mg/kg	TRUE	REG	1	28/05/2024	28/05/2024	
N1S	21/05/2024	Lead	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Magnesium	50	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
N1S	21/05/2024	Manganese	0.08	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	28/05/2024	28/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	21/05/2024	Molybdenum	0.08	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Nickel	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
N1S	21/05/2024	Potassium	20	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
N1S	21/05/2024	Selenium	0.1	mg/kg	TRUE	REG	0.1	28/05/2024	28/05/2024	
N1S	21/05/2024	Vanadium	0.1	mg/kg	TRUE	REG	0.1	28/05/2024	28/05/2024	
N1S	21/05/2024	Zinc	0.05	mg/kg	TRUE	REG	0.05	28/05/2024	28/05/2024	
N1S	21/05/2024	Acidity	5	mg/kg	FALSE	REG	5	28/05/2024	28/05/2024	
N1S	21/05/2024	Alkalinity (Bicarbonate as CaCO3)	14600	mg/kg	FALSE	REG	5	28/05/2024	28/05/2024	
N1S	21/05/2024	Alkalinity (Carbonate as CaCO3)	31	mg/kg	FALSE	REG	5	28/05/2024	28/05/2024	
N1S	21/05/2024	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	28/05/2024	28/05/2024	
N1S	21/05/2024	Alkalinity (total) as CaCO3	14600	mg/kg	FALSE	REG	5	28/05/2024	28/05/2024	
N1S	21/05/2024	Chloride	490	mg/kg	FALSE	REG	10	28/05/2024	28/05/2024	
N1S	21/05/2024	Sodium	460	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
N1S	21/05/2024	Sulphate	580	mg/kg	FALSE	REG	100	28/05/2024	28/05/2024	
N1S	21/05/2024	Sulphate	390	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
Rejects Grab San	22/05/2024 7:40	Aluminium	2	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Antimony	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Arsenic	0.11	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Cadmium	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Barium	0.02	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Beryllium	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Calcium	10	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Cobalt	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Copper	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Lead	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Magnesium	10	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Manganese	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Molybdenum	0.04	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Nickel	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Potassium	10	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Selenium	0.1	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Vanadium	0.1	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Zinc	0.05	mg/kg	TRUE	REG	0.05	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Acidity	5	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Rejects Grab San	22/05/2024 7:40	Alkalinity (Bicarbonate as CaCO3)	311	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Rejects Grab San	22/05/2024 7:40	Alkalinity (Carbonate as CaCO3)	78	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Rejects Grab San	22/05/2024 7:40	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Rejects Grab San	22/05/2024 7:40	Alkalinity (total) as CaCO3	389	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Rejects Grab San	22/05/2024 7:40	Chloride	30	mg/kg	FALSE	REG	10	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Sodium	160	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Sulphate	100	mg/kg	FALSE	REG	100	29/05/2024	29/05/2024	
Rejects Grab San	22/05/2024 7:40	Sulphate	40	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Aluminium	0.1	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Antimony	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Arsenic	0.03	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Cadmium	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Barium	0.24	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Beryllium	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	22/05/2024 7:40	Calcium	60	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Cobalt	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Copper	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Lead	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Magnesium	40	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Manganese	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Molybdenum	0.12	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Nickel	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Potassium	20	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Selenium	0.1	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Vanadium	0.1	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Zinc	0.05	mg/kg	TRUE	REG	0.05	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Acidity	5	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Tailings Thickene	22/05/2024 7:40	Alkalinity (Bicarbonate as CaCO3)	11400	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Tailings Thickene	22/05/2024 7:40	Alkalinity (Carbonate as CaCO3)	78	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Tailings Thickene	22/05/2024 7:40	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Tailings Thickene	22/05/2024 7:40	Alkalinity (total) as CaCO3	11400	mg/kg	FALSE	REG	5	29/05/2024	29/05/2024	
Tailings Thickene	22/05/2024 7:40	Chloride	810	mg/kg	FALSE	REG	10	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Sodium	640	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
Tailings Thickene	22/05/2024 7:40	Sulphate	1470	mg/kg	FALSE	REG	100	29/05/2024	29/05/2024	
Tailings Thickene	22/05/2024 7:40	Sulphate	720	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
	28/05/2024 7:18	Aluminium	0.1	mg/kg	TRUE	REG	0.1	28/05/2024	28/05/2024	
	28/05/2024 7:18	Antimony	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Arsenic	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Cadmium	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Barium	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Beryllium	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Boron	1	mg/kg	TRUE	REG	1	28/05/2024	28/05/2024	
	28/05/2024 7:18	Calcium	10	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
	28/05/2024 7:18	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Cobalt	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Copper	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Iron	1	mg/kg	TRUE	REG	1	28/05/2024	28/05/2024	
	28/05/2024 7:18	Lead	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Magnesium	10	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
	28/05/2024 7:18	Manganese	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	28/05/2024	28/05/2024	
	28/05/2024 7:18	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Nickel	0.01	mg/kg	TRUE	REG	0.01	28/05/2024	28/05/2024	
	28/05/2024 7:18	Potassium	10	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
	28/05/2024 7:18	Selenium	0.1	mg/kg	TRUE	REG	0.1	28/05/2024	28/05/2024	
	28/05/2024 7:18	Vanadium	0.1	mg/kg	TRUE	REG	0.1	28/05/2024	28/05/2024	
	28/05/2024 7:18	Zinc	0.05	mg/kg	TRUE	REG	0.05	28/05/2024	28/05/2024	
	28/05/2024 7:18	Chloride	10	mg/kg	FALSE	REG	10	28/05/2024	28/05/2024	
	28/05/2024 7:18	Sodium	10	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
	28/05/2024 7:18	Sulphate	10	mg/kg	TRUE	REG	10	28/05/2024	28/05/2024	
	28/05/2024 7:33	Sulphate	100	mg/kg	FALSE	REG	100	28/05/2024	28/05/2024	
	29/05/2024 10:34	Sulphate	100	mg/kg	FALSE	REG	100	29/05/2024	29/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	29/05/2024 17:15	Aluminium	0.1	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
	29/05/2024 17:15	Antimony	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Arsenic	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Cadmium	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Barium	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Beryllium	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Calcium	10	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
	29/05/2024 17:15	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Cobalt	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Copper	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Lead	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Magnesium	10	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
	29/05/2024 17:15	Manganese	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	29/05/2024	30/05/2024	
	29/05/2024 17:15	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Nickel	0.01	mg/kg	TRUE	REG	0.01	29/05/2024	30/05/2024	
	29/05/2024 17:15	Potassium	10	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
	29/05/2024 17:15	Selenium	0.1	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
	29/05/2024 17:15	Vanadium	0.1	mg/kg	TRUE	REG	0.1	29/05/2024	30/05/2024	
	29/05/2024 17:15	Zinc	0.05	mg/kg	TRUE	REG	0.05	29/05/2024	30/05/2024	
	29/05/2024 17:15	Chloride	10	mg/kg	FALSE	REG	10	29/05/2024	30/05/2024	
	29/05/2024 17:15	Sodium	10	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
	29/05/2024 17:15	Sulphate	10	mg/kg	TRUE	REG	10	29/05/2024	30/05/2024	
N1S	12/06/2024 12:23	Aluminium	0.1	mg/kg	TRUE	REG	0.1	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Antimony	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Arsenic	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Cadmium	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Barium	0.3	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Beryllium	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Boron	1	mg/kg	TRUE	REG	1	24/06/2024	26/06/2024	
N1S	12/06/2024 12:23	Calcium	60	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
N1S	12/06/2024 12:23	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Cobalt	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Copper	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Iron	1	mg/kg	TRUE	REG	1	24/06/2024	26/06/2024	
N1S	12/06/2024 12:23	Lead	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Magnesium	50	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
N1S	12/06/2024 12:23	Manganese	0.1	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	24/06/2024	26/06/2024	
N1S	12/06/2024 12:23	Molybdenum	0.09	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Nickel	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Potassium	20	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
N1S	12/06/2024 12:23	Selenium	0.1	mg/kg	TRUE	REG	0.1	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Vanadium	0.1	mg/kg	TRUE	REG	0.1	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Zinc	0.05	mg/kg	TRUE	REG	0.05	24/06/2024	27/06/2024	
N1S	12/06/2024 12:23	Acidity	5	mg/kg	FALSE	REG	5	24/06/2024	25/06/2024	
N1S	12/06/2024 12:23	Alkalinity (Bicarbonate as CaCO3)	9960	mg/kg	FALSE	REG	5	24/06/2024	25/06/2024	
N1S	12/06/2024 12:23	Alkalinity (Carbonate as CaCO3)	78	mg/kg	FALSE	REG	5	24/06/2024	25/06/2024	
N1S	12/06/2024 12:23	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	24/06/2024	25/06/2024	
N1S	12/06/2024 12:23	Alkalinity (total) as CaCO3	10000	mg/kg	FALSE	REG	5	24/06/2024	25/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	12/06/2024 12:23	Chloride	650	mg/kg	FALSE	REG	10	24/06/2024	26/06/2024	
N1S	12/06/2024 12:23	Sodium	640	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
N1S	12/06/2024 12:23	Sulphate	730	mg/kg	FALSE	REG	100	22/06/2024	24/06/2024	
N1S	12/06/2024 12:23	Sulphate	540	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
	22/06/2024 9:01	Sulphate	100	mg/kg	FALSE	REG	100	22/06/2024	24/06/2024	
	24/06/2024 8:28	Aluminium	0.1	mg/kg	TRUE	REG	0.1	24/06/2024	27/06/2024	
	24/06/2024 8:28	Antimony	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Arsenic	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Cadmium	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Barium	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Beryllium	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Boron	1	mg/kg	TRUE	REG	1	24/06/2024	26/06/2024	
	24/06/2024 8:28	Calcium	10	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
	24/06/2024 8:28	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Cobalt	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Copper	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Iron	1	mg/kg	TRUE	REG	1	24/06/2024	26/06/2024	
	24/06/2024 8:28	Lead	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Magnesium	10	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
	24/06/2024 8:28	Manganese	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	24/06/2024	26/06/2024	
	24/06/2024 8:28	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Nickel	0.01	mg/kg	TRUE	REG	0.01	24/06/2024	27/06/2024	
	24/06/2024 8:28	Potassium	10	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
	24/06/2024 8:28	Selenium	0.1	mg/kg	TRUE	REG	0.1	24/06/2024	27/06/2024	
	24/06/2024 8:28	Vanadium	0.1	mg/kg	TRUE	REG	0.1	24/06/2024	27/06/2024	
	24/06/2024 8:28	Zinc	0.05	mg/kg	TRUE	REG	0.05	24/06/2024	27/06/2024	
	24/06/2024 8:28	Chloride	10	mg/kg	FALSE	REG	10	24/06/2024	26/06/2024	
	24/06/2024 8:28	Sodium	10	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
	24/06/2024 8:28	Sulphate	10	mg/kg	TRUE	REG	10	24/06/2024	26/06/2024	
Rejects Grab San	24/06/2024 11:28	Aluminium	4980	mg/kg	FALSE	REG	50	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Antimony	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Arsenic	7	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Cadmium	1	mg/kg	FALSE	REG	1	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Boron	50	mg/kg	FALSE	REG	50	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Calcium	20	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Rejects Grab San	24/06/2024 11:28	Chromium (III+VI)	3	mg/kg	FALSE	REG	2	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Cobalt	4	mg/kg	FALSE	REG	2	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Copper	47	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Iron	15300	mg/kg	FALSE	REG	50	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Lead	26	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Magnesium	10	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Rejects Grab San	24/06/2024 11:28	Manganese	152	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Molybdenum	2	mg/kg	FALSE	REG	2	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Nickel	6	mg/kg	FALSE	REG	2	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Potassium	30	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Rejects Grab San	24/06/2024 11:28	Selenium	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Zinc	35	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Alkalinity (Bicarbonate as CaCO3)	33500	mg/kg	FALSE	REG	5	1/07/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Alkalinity (Carbonate as CaCO3)	149	mg/kg	FALSE	REG	5	1/07/2024	2/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects Grab San	24/06/2024 11:28	Alkalinity (total) as CaCO3	33600	mg/kg	FALSE	REG	5	1/07/2024	2/07/2024	
Rejects Grab San	24/06/2024 11:28	Chloride	120	mg/kg	FALSE	REG	10	1/07/2024	3/07/2024	
Rejects Grab San	24/06/2024 11:28	Sodium	380	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Rejects Grab San	24/06/2024 11:28	Sulphate	200	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Aluminium	0.1	mg/kg	TRUE	REG	0.1	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Antimony	0.02	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Arsenic	0.05	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Cadmium	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Barium	0.26	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Beryllium	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Boron	1	mg/kg	TRUE	REG	1	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Calcium	60	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Cobalt	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Copper	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Iron	1	mg/kg	TRUE	REG	1	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Lead	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Magnesium	50	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Manganese	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Molybdenum	0.21	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Nickel	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Potassium	40	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Selenium	0.1	mg/kg	TRUE	REG	0.1	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Vanadium	0.1	mg/kg	TRUE	REG	0.1	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Zinc	0.05	mg/kg	TRUE	REG	0.05	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Acidity	5	mg/kg	FALSE	REG	5	1/07/2024	2/07/2024	
Tailings Thickene	24/06/2024 11:28	Alkalinity (Bicarbonate as CaCO3)	35700	mg/kg	FALSE	REG	5	1/07/2024	2/07/2024	
Tailings Thickene	24/06/2024 11:28	Alkalinity (Carbonate as CaCO3)	149	mg/kg	FALSE	REG	5	1/07/2024	2/07/2024	
Tailings Thickene	24/06/2024 11:28	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	1/07/2024	2/07/2024	
Tailings Thickene	24/06/2024 11:28	Alkalinity (total) as CaCO3	35900	mg/kg	FALSE	REG	5	1/07/2024	2/07/2024	
Tailings Thickene	24/06/2024 11:28	Chloride	1150	mg/kg	FALSE	REG	10	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Sodium	820	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
Tailings Thickene	24/06/2024 11:28	Sulphate	920	mg/kg	FALSE	REG	100	27/06/2024	2/07/2024	
Tailings Thickene	24/06/2024 11:28	Sulphate	640	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
	27/06/2024 20:26	Aluminium	50	mg/kg	FALSE	REG	50	27/06/2024	2/07/2024	
	27/06/2024 20:26	Antimony	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
	27/06/2024 20:26	Arsenic	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
	27/06/2024 20:26	Cadmium	1	mg/kg	FALSE	REG	1	27/06/2024	2/07/2024	
	27/06/2024 20:26	Boron	50	mg/kg	FALSE	REG	50	27/06/2024	2/07/2024	
	27/06/2024 20:26	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	27/06/2024	2/07/2024	
	27/06/2024 20:26	Cobalt	2	mg/kg	FALSE	REG	2	27/06/2024	2/07/2024	
	27/06/2024 20:26	Copper	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
	27/06/2024 20:26	Iron	50	mg/kg	FALSE	REG	50	27/06/2024	2/07/2024	
	27/06/2024 20:26	Lead	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
	27/06/2024 20:26	Manganese	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
	27/06/2024 20:26	Molybdenum	2	mg/kg	FALSE	REG	2	27/06/2024	2/07/2024	
	27/06/2024 20:26	Nickel	2	mg/kg	FALSE	REG	2	27/06/2024	2/07/2024	
	27/06/2024 20:26	Selenium	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	
	27/06/2024 20:26	Zinc	5	mg/kg	FALSE	REG	5	27/06/2024	2/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	27/06/2024 20:58	Sulphate	100	mg/kg	FALSE	REG	100	27/06/2024	2/07/2024	
	1/07/2024 8:41	Aluminium	0.1	mg/kg	TRUE	REG	0.1	1/07/2024	3/07/2024	
	1/07/2024 8:41	Antimony	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Arsenic	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Cadmium	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Barium	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Beryllium	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Boron	1	mg/kg	TRUE	REG	1	1/07/2024	3/07/2024	
	1/07/2024 8:41	Calcium	10	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
	1/07/2024 8:41	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Cobalt	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Copper	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Iron	1	mg/kg	TRUE	REG	1	1/07/2024	3/07/2024	
	1/07/2024 8:41	Lead	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Magnesium	10	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
	1/07/2024 8:41	Manganese	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	1/07/2024	3/07/2024	
	1/07/2024 8:41	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Nickel	0.01	mg/kg	TRUE	REG	0.01	1/07/2024	3/07/2024	
	1/07/2024 8:41	Potassium	10	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
	1/07/2024 8:41	Selenium	0.1	mg/kg	TRUE	REG	0.1	1/07/2024	3/07/2024	
	1/07/2024 8:41	Vanadium	0.1	mg/kg	TRUE	REG	0.1	1/07/2024	3/07/2024	
	1/07/2024 8:41	Zinc	0.05	mg/kg	TRUE	REG	0.05	1/07/2024	3/07/2024	
	1/07/2024 8:41	Chloride	10	mg/kg	FALSE	REG	10	1/07/2024	3/07/2024	
	1/07/2024 8:41	Sodium	10	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
	1/07/2024 8:41	Sulphate	10	mg/kg	TRUE	REG	10	1/07/2024	3/07/2024	
	8/07/2024 13:45	Aluminium	2090	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Antimony	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Arsenic	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Cadmium	1	mg/kg	FALSE	REG	1	23/07/2024	24/07/2024	
	8/07/2024 13:45	Boron	50	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Calcium	340	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Cobalt	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Copper	25	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Iron	21500	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Lead	11	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Magnesium	170	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Manganese	378	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Molybdenum	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Nickel	4	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Potassium	20	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Selenium	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Zinc	22	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Alkalinity (Bicarbonate as CaCO3)	9890	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Alkalinity (total) as CaCO3	9890	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Chloride	110	mg/kg	FALSE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Sodium	420	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Sulphate	2050	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2024 13:45	Aluminium	2300	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Antimony	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Arsenic	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Cadmium	1	mg/kg	FALSE	REG	1	23/07/2024	24/07/2024	
	8/07/2024 13:45	Boron	50	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Calcium	30	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Cobalt	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Copper	32	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Iron	19300	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Lead	15	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Magnesium	20	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Manganese	355	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Molybdenum	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Nickel	3	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Potassium	10	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Selenium	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Zinc	47	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Alkalinity (Bicarbonate as CaCO3)	3850	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Alkalinity (Carbonate as CaCO3)	47	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Alkalinity (total) as CaCO3	3890	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Chloride	140	mg/kg	FALSE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Sodium	320	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Sulphate	420	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Aluminium	2050	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Antimony	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Arsenic	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Cadmium	1	mg/kg	FALSE	REG	1	23/07/2024	24/07/2024	
	8/07/2024 13:45	Boron	50	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Calcium	170	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Cobalt	3	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Copper	31	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Iron	23300	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	8/07/2024 13:45	Lead	13	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Magnesium	100	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Manganese	399	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Molybdenum	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Nickel	4	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	8/07/2024 13:45	Potassium	20	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Selenium	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Zinc	24	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	8/07/2024 13:45	Alkalinity (Bicarbonate as CaCO3)	7710	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Alkalinity (Carbonate as CaCO3)	5	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Alkalinity (total) as CaCO3	7710	mg/kg	FALSE	REG	5	23/07/2024	23/07/2024	
	8/07/2024 13:45	Chloride	200	mg/kg	FALSE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Sodium	410	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	8/07/2024 13:45	Sulphate	1290	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	22/07/2024 10:25	Aluminium	2740	mg/kg	FALSE	REG	50		5/08/2024	
	22/07/2024 10:25	Antimony	5	mg/kg	FALSE	REG	5		5/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/07/2024 10:25	Arsenic	5	mg/kg	FALSE	REG	5		5/08/2024	
	22/07/2024 10:25	Cadmium	1	mg/kg	FALSE	REG	1		5/08/2024	
	22/07/2024 10:25	Boron	50	mg/kg	FALSE	REG	50		5/08/2024	
	22/07/2024 10:25	Calcium	30	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	22/07/2024 10:25	Chromium (III+VI)	2	mg/kg	FALSE	REG	2		5/08/2024	
	22/07/2024 10:25	Cobalt	4	mg/kg	FALSE	REG	2		5/08/2024	
	22/07/2024 10:25	Copper	28	mg/kg	FALSE	REG	5		5/08/2024	
	22/07/2024 10:25	Iron	13100	mg/kg	FALSE	REG	50		5/08/2024	
	22/07/2024 10:25	Lead	23	mg/kg	FALSE	REG	5		5/08/2024	
	22/07/2024 10:25	Magnesium	20	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	22/07/2024 10:25	Manganese	137	mg/kg	FALSE	REG	5		5/08/2024	
	22/07/2024 10:25	Molybdenum	2	mg/kg	FALSE	REG	2		5/08/2024	
	22/07/2024 10:25	Nickel	6	mg/kg	FALSE	REG	2		5/08/2024	
	22/07/2024 10:25	Potassium	40	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	22/07/2024 10:25	Selenium	5	mg/kg	FALSE	REG	5		5/08/2024	
	22/07/2024 10:25	Zinc	34	mg/kg	FALSE	REG	5		5/08/2024	
	22/07/2024 10:25	Alkalinity (Bicarbonate as CaCO3)	83200	mg/kg	FALSE	REG	5	1/08/2024	1/08/2024	
	22/07/2024 10:25	Alkalinity (Carbonate as CaCO3)	149	mg/kg	FALSE	REG	5	1/08/2024	1/08/2024	
	22/07/2024 10:25	Alkalinity (total) as CaCO3	83300	mg/kg	FALSE	REG	5	1/08/2024	1/08/2024	
	22/07/2024 10:25	Chloride	200	mg/kg	FALSE	REG	10	1/08/2024	2/08/2024	
	22/07/2024 10:25	Sodium	410	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	22/07/2024 10:25	Sulphate	70	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
Tailings Thickene	22/07/2024 10:26	Aluminium	1.5	mg/kg	TRUE	REG	0.1	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Antimony	0.09	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Arsenic	0.34	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Cadmium	0.01	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Barium	0.77	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Beryllium	0.01	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Boron	4	mg/kg	TRUE	REG	1	7/08/2024	2/08/2024	
Tailings Thickene	22/07/2024 10:26	Calcium	160	mg/kg	TRUE	REG	10	7/08/2024	2/08/2024	
Tailings Thickene	22/07/2024 10:26	Chromium (III+VI)	0.02	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Cobalt	0.01	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Copper	0.02	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Iron	1	mg/kg	TRUE	REG	1	7/08/2024	2/08/2024	
Tailings Thickene	22/07/2024 10:26	Lead	0.01	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Magnesium	100	mg/kg	TRUE	REG	10	7/08/2024	2/08/2024	
Tailings Thickene	22/07/2024 10:26	Manganese	0.05	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Mercury	0.0012	mg/kg	TRUE	REG	0.0005	7/08/2024	2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
Tailings Thickene	22/07/2024 10:26	Molybdenum	0.61	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Nickel	0.01	mg/kg	TRUE	REG	0.01	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Potassium	270	mg/kg	TRUE	REG	10	7/08/2024	2/08/2024	
Tailings Thickene	22/07/2024 10:26	Selenium	0.2	mg/kg	TRUE	REG	0.1	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Vanadium	0.4	mg/kg	TRUE	REG	0.1	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Zinc	0.05	mg/kg	TRUE	REG	0.05	7/08/2024	3/08/2024	
Tailings Thickene	22/07/2024 10:26	Acidity	5	mg/kg	FALSE	REG	5	7/08/2024	1/08/2024	
Tailings Thickene	22/07/2024 10:26	Alkalinity (Bicarbonate as CaCO3)	20000	mg/kg	FALSE	REG	5	7/08/2024	1/08/2024	
Tailings Thickene	22/07/2024 10:26	Alkalinity (Carbonate as CaCO3)	149	mg/kg	FALSE	REG	5	7/08/2024	1/08/2024	
Tailings Thickene	22/07/2024 10:26	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	7/08/2024	1/08/2024	
Tailings Thickene	22/07/2024 10:26	Alkalinity (total) as CaCO3	20200	mg/kg	FALSE	REG	5	7/08/2024	1/08/2024	
Tailings Thickene	22/07/2024 10:26	Chloride	3770	mg/kg	FALSE	REG	10	7/08/2024	2/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	22/07/2024 10:26	Sodium	3520	mg/kg	TRUE	REG	10	7/08/2024	2/08/2024	
Tailings Thickene	22/07/2024 10:26	Sulphate	1220	mg/kg	FALSE	REG	100		6/08/2024	
Tailings Thickene	22/07/2024 10:26	Sulphate	1110	mg/kg	TRUE	REG	10		7/08/2024	
	23/07/2024 14:09	Aluminium	50	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	23/07/2024 14:09	Antimony	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	23/07/2024 14:09	Arsenic	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	23/07/2024 14:09	Cadmium	1	mg/kg	FALSE	REG	1	23/07/2024	24/07/2024	
	23/07/2024 14:09	Boron	50	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	23/07/2024 14:09	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	23/07/2024 14:09	Cobalt	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	23/07/2024 14:09	Copper	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	23/07/2024 14:09	Iron	50	mg/kg	FALSE	REG	50	23/07/2024	24/07/2024	
	23/07/2024 14:09	Lead	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	23/07/2024 14:09	Manganese	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	23/07/2024 14:09	Molybdenum	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	23/07/2024 14:09	Nickel	2	mg/kg	FALSE	REG	2	23/07/2024	24/07/2024	
	23/07/2024 14:09	Selenium	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	23/07/2024 14:09	Zinc	5	mg/kg	FALSE	REG	5	23/07/2024	24/07/2024	
	23/07/2024 14:25	Calcium	10	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	23/07/2024 14:25	Magnesium	10	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	23/07/2024 14:25	Potassium	10	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	23/07/2024 14:25	Chloride	10	mg/kg	FALSE	REG	10	23/07/2024	24/07/2024	
	23/07/2024 14:25	Sodium	10	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	23/07/2024 14:25	Sulphate	10	mg/kg	TRUE	REG	10	23/07/2024	24/07/2024	
	24/07/2024 13:03	Aluminium	0.1	mg/kg	TRUE	REG	0.1	30/07/2024	31/07/2024	
	24/07/2024 13:03	Antimony	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Arsenic	0.08	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Cadmium	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Barium	0.08	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Beryllium	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Boron	1	mg/kg	TRUE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 13:03	Calcium	10	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	24/07/2024 13:03	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Cobalt	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Copper	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Iron	1	mg/kg	TRUE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 13:03	Lead	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Magnesium	10	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	24/07/2024 13:03	Manganese	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	30/07/2024	31/07/2024	
	24/07/2024 13:03	Molybdenum	0.07	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Nickel	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	Potassium	10	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	24/07/2024 13:03	Selenium	0.1	mg/kg	TRUE	REG	0.1	30/07/2024	31/07/2024	
	24/07/2024 13:03	Vanadium	0.1	mg/kg	TRUE	REG	0.1	30/07/2024	31/07/2024	
	24/07/2024 13:03	Zinc	0.05	mg/kg	TRUE	REG	0.05	30/07/2024	31/07/2024	
	24/07/2024 13:03	Acidity	5	mg/kg	FALSE	REG	5	30/07/2024	30/07/2024	
	24/07/2024 13:03	Alkalinity (Bicarbonate as CaCO3)	2000	mg/kg	FALSE	REG	5	30/07/2024	30/07/2024	
	24/07/2024 13:03	Alkalinity (Carbonate as CaCO3)	62	mg/kg	FALSE	REG	5	30/07/2024	30/07/2024	
	24/07/2024 13:03	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	30/07/2024	30/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/07/2024 13:03	Alkalinity (total) as CaCO3	2060	mg/kg	FALSE	REG	5	30/07/2024	30/07/2024	
	24/07/2024 13:03	Chloride	300	mg/kg	FALSE	REG	10	30/07/2024	31/07/2024	
	24/07/2024 13:03	Sodium	400	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	24/07/2024 13:03	Sulphate	260	mg/kg	FALSE	REG	100	29/07/2024	31/07/2024	
	24/07/2024 13:03	Sulphate	230	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	29/07/2024 18:45	Sulphate	100	mg/kg	FALSE	REG	100	29/07/2024	31/07/2024	
	30/07/2024 7:57	Aluminium	0.1	mg/kg	TRUE	REG	0.1	30/07/2024	31/07/2024	
	30/07/2024 7:57	Antimony	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Arsenic	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Cadmium	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Barium	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Beryllium	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Boron	1	mg/kg	TRUE	REG	1	30/07/2024	31/07/2024	
	30/07/2024 7:57	Calcium	10	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	30/07/2024 7:57	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Cobalt	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Copper	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Iron	1	mg/kg	TRUE	REG	1	30/07/2024	31/07/2024	
	30/07/2024 7:57	Lead	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Magnesium	10	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	30/07/2024 7:57	Manganese	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	30/07/2024	31/07/2024	
	30/07/2024 7:57	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Nickel	0.01	mg/kg	TRUE	REG	0.01	30/07/2024	31/07/2024	
	30/07/2024 7:57	Potassium	10	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	30/07/2024 7:57	Selenium	0.1	mg/kg	TRUE	REG	0.1	30/07/2024	31/07/2024	
	30/07/2024 7:57	Vanadium	0.1	mg/kg	TRUE	REG	0.1	30/07/2024	31/07/2024	
	30/07/2024 7:57	Zinc	0.05	mg/kg	TRUE	REG	0.05	30/07/2024	31/07/2024	
	30/07/2024 7:57	Chloride	10	mg/kg	FALSE	REG	10	30/07/2024	31/07/2024	
	30/07/2024 7:57	Sodium	10	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	30/07/2024 7:57	Sulphate	10	mg/kg	TRUE	REG	10	30/07/2024	31/07/2024	
	31/07/2024 16:27	Aluminium	50	mg/kg	FALSE	REG	50	31/07/2024	2/08/2024	
	31/07/2024 16:27	Antimony	5	mg/kg	FALSE	REG	5	31/07/2024	2/08/2024	
	31/07/2024 16:27	Arsenic	5	mg/kg	FALSE	REG	5	31/07/2024	2/08/2024	
	31/07/2024 16:27	Cadmium	1	mg/kg	FALSE	REG	1	31/07/2024	2/08/2024	
	31/07/2024 16:27	Boron	50	mg/kg	FALSE	REG	50	31/07/2024	2/08/2024	
	31/07/2024 16:27	Chromium (III+VI)	2	mg/kg	FALSE	REG	2	31/07/2024	2/08/2024	
	31/07/2024 16:27	Cobalt	2	mg/kg	FALSE	REG	2	31/07/2024	2/08/2024	
	31/07/2024 16:27	Copper	5	mg/kg	FALSE	REG	5	31/07/2024	2/08/2024	
	31/07/2024 16:27	Iron	50	mg/kg	FALSE	REG	50	31/07/2024	2/08/2024	
	31/07/2024 16:27	Lead	5	mg/kg	FALSE	REG	5	31/07/2024	5/08/2024	
	31/07/2024 16:27	Manganese	5	mg/kg	FALSE	REG	5	31/07/2024	2/08/2024	
	31/07/2024 16:27	Molybdenum	2	mg/kg	FALSE	REG	2	31/07/2024	2/08/2024	
	31/07/2024 16:27	Nickel	2	mg/kg	FALSE	REG	2	31/07/2024	2/08/2024	
	31/07/2024 16:27	Selenium	5	mg/kg	FALSE	REG	5	31/07/2024	2/08/2024	
	31/07/2024 16:27	Zinc	5	mg/kg	FALSE	REG	5	31/07/2024	2/08/2024	
	31/07/2024 20:41	Sulphate	100	mg/kg	FALSE	REG	100	31/07/2024	1/08/2024	
	1/08/2024 13:09	Aluminium	0.1	mg/kg	TRUE	REG	0.1	1/08/2024	3/08/2024	
	1/08/2024 13:09	Antimony	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Arsenic	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	1/08/2024 13:09	Cadmium	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Barium	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Beryllium	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Boron	1	mg/kg	TRUE	REG	1	1/08/2024	2/08/2024	
	1/08/2024 13:09	Calcium	10	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	1/08/2024 13:09	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Cobalt	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Copper	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Iron	1	mg/kg	TRUE	REG	1	1/08/2024	2/08/2024	
	1/08/2024 13:09	Lead	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Magnesium	10	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	1/08/2024 13:09	Manganese	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	1/08/2024	2/08/2024	
	1/08/2024 13:09	Molybdenum	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Nickel	0.01	mg/kg	TRUE	REG	0.01	1/08/2024	3/08/2024	
	1/08/2024 13:09	Potassium	10	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	1/08/2024 13:09	Selenium	0.1	mg/kg	TRUE	REG	0.1	1/08/2024	3/08/2024	
	1/08/2024 13:09	Vanadium	0.1	mg/kg	TRUE	REG	0.1	1/08/2024	3/08/2024	
	1/08/2024 13:09	Zinc	0.05	mg/kg	TRUE	REG	0.05	1/08/2024	3/08/2024	
	1/08/2024 13:09	Chloride	10	mg/kg	FALSE	REG	10	1/08/2024	2/08/2024	
	1/08/2024 13:09	Sodium	10	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	1/08/2024 13:09	Sulphate	10	mg/kg	TRUE	REG	10	1/08/2024	2/08/2024	
	2/06/2023 7:00	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	2/06/2023	2/06/2023	
RWD	11/06/2023 12:51	Electrical Conductivity (Lab)	118	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
S2	11/06/2023 12:52	Electrical Conductivity (Lab)	5520	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
CHPPPP	11/06/2023 12:57	Electrical Conductivity (Lab)	5420	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
	11/06/2023 13:18	Electrical Conductivity (Lab)	2040	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
RD1	11/06/2023 13:20	Electrical Conductivity (Lab)	2030	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
S2SED	11/06/2023 13:34	Electrical Conductivity (Lab)	5580	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
Farm Dam 2	11/06/2023 14:14	Electrical Conductivity (Lab)	465	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
RD2	11/06/2023 14:31	Electrical Conductivity (Lab)	1540	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
MIA DAM	11/06/2023 15:11	Electrical Conductivity (Lab)	522	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
HD2	11/06/2023 15:17	Electrical Conductivity (Lab)	2600	µS/cm	FALSE	REG	1	13/06/2023	13/06/2023	
FPD	11/06/2023 15:35	Electrical Conductivity (Lab)	8010	µS/cm	FALSE	REG	1	13/06/2023	13/06/2023	
SSD	11/06/2023 15:52	Electrical Conductivity (Lab)	3410	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
SSD	11/06/2023 16:07	Electrical Conductivity (Lab)	3450	µS/cm	FALSE	REG	1	14/06/2023	14/06/2023	
ROM DAM	11/06/2023 16:30	Electrical Conductivity (Lab)	3780	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
	13/06/2023 17:17	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/06/2023	13/06/2023	
	13/06/2023 18:19	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
	13/06/2023 18:19	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/06/2023	14/06/2023	
Rejects - Compos	14/06/2023 11:00	Electrical Conductivity (Lab)	349	µS/cm	FALSE	REG	1	21/06/2023	21/06/2023	
Tailings Thickene	14/06/2023 11:00	Electrical Conductivity (Lab)	1640	µS/cm	FALSE	REG	1	21/06/2023	21/06/2023	
	14/06/2023 16:29	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/06/2023	14/06/2023	
CHPP STP	15/06/2023 15:00	Electrical Conductivity (Lab)	963	µS/cm	FALSE	REG	1	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	Electrical Conductivity (Lab)	1240	µS/cm	FALSE	REG	1	23/06/2023	23/06/2023	
Isaac Plains STP	15/06/2023 15:00	Electrical Conductivity (Lab)	1230	µS/cm	FALSE	REG	1	23/06/2023	23/06/2023	
N1S	20/06/2023 8:00	Electrical Conductivity (Lab)	415	µS/cm	FALSE	REG	1	27/06/2023	27/06/2023	
BC2	20/06/2023 9:54	Electrical Conductivity (Lab)	6670	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	Electrical Conductivity (Lab)	7010	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	Electrical Conductivity (Lab)	3770	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SB2	20/06/2023 15:01	Electrical Conductivity (Lab)	8770	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	Electrical Conductivity (Lab)	13000	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
MB7	21/06/2023 7:25	Electrical Conductivity (Lab)	23300	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	Electrical Conductivity (Lab)	11200	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	Electrical Conductivity (Lab)	4380	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	Electrical Conductivity (Lab)	10200	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
	21/06/2023 16:55	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	21/06/2023	21/06/2023	
	23/06/2023 18:59	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/06/2023	23/06/2023	
	26/06/2023 12:57	Electrical Conductivity (Lab)	1340	µS/cm	FALSE	REG	1	30/06/2023	30/06/2023	
	26/06/2023 13:04	Electrical Conductivity (Lab)	822	µS/cm	FALSE	REG	1	30/06/2023	30/06/2023	
	26/06/2023 13:17	Electrical Conductivity (Lab)	225	µS/cm	FALSE	REG	1	30/06/2023	30/06/2023	
	26/06/2023 13:25	Electrical Conductivity (Lab)	427	µS/cm	FALSE	REG	1	30/06/2023	30/06/2023	
	27/06/2023 14:22	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	27/06/2023	27/06/2023	
	27/06/2023 15:37	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	27/06/2023	28/06/2023	
	28/06/2023 11:56	Electrical Conductivity (Lab)	10	µS/cm	FALSE	REG	1	4/07/2023	4/07/2023	
	28/06/2023 11:58	Electrical Conductivity (Lab)	286	µS/cm	FALSE	REG	1	4/07/2023	4/07/2023	
	28/06/2023 12:01	Electrical Conductivity (Lab)	184	µS/cm	FALSE	REG	1	4/07/2023	4/07/2023	
	28/06/2023 12:03	Electrical Conductivity (Lab)	104	µS/cm	FALSE	REG	1	4/07/2023	4/07/2023	
	28/06/2023 12:04	Electrical Conductivity (Lab)	22	µS/cm	FALSE	REG	1	4/07/2023	4/07/2023	
	30/06/2023 13:23	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/06/2023	30/06/2023	
	4/07/2023 7:00	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	4/07/2023	4/07/2023	
Rejects - Compos	5/07/2023 12:00	Electrical Conductivity (Lab)	415	µS/cm	FALSE	REG	1	11/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	Electrical Conductivity (Lab)	386	µS/cm	FALSE	REG	1	11/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	Electrical Conductivity (Lab)	330	µS/cm	FALSE	REG	1	11/07/2023	11/07/2023	
RWD	6/07/2023 5:52	Electrical Conductivity (Lab)	117	µS/cm	FALSE	REG	1	8/07/2023	10/07/2023	
	6/07/2023 6:04	Electrical Conductivity (Lab)	116	µS/cm	FALSE	REG	1	8/07/2023	10/07/2023	
	8/07/2023 6:56	Electrical Conductivity (Lab)	56	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 6:59	Electrical Conductivity (Lab)	269	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 7:35	Electrical Conductivity (Lab)	116	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 7:53	Electrical Conductivity (Lab)	26	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 8:07	Electrical Conductivity (Lab)	63	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 8:15	Electrical Conductivity (Lab)	32	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 8:26	Electrical Conductivity (Lab)	21	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 8:41	Electrical Conductivity (Lab)	160	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 8:52	Electrical Conductivity (Lab)	105	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 9:06	Electrical Conductivity (Lab)	16	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 9:09	Electrical Conductivity (Lab)	31	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 10:46	Electrical Conductivity (Lab)	46	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 11:01	Electrical Conductivity (Lab)	111	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 11:36	Electrical Conductivity (Lab)	106	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 11:48	Electrical Conductivity (Lab)	24	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 12:01	Electrical Conductivity (Lab)	24	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 12:10	Electrical Conductivity (Lab)	21	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 12:19	Electrical Conductivity (Lab)	25	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 12:20	Electrical Conductivity (Lab)	22	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
	8/07/2023 15:36	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	8/07/2023	10/07/2023	
	11/07/2023 8:00	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	11/07/2023	11/07/2023	
	13/07/2023 8:00	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/07/2023	13/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	745	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	813	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	840	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	557	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	519	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	406	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	399	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	470	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	580	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	507	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	475	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	Electrical Conductivity (Lab)	532	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
MBID28	17/07/2023 14:40	Electrical Conductivity (Lab)	1690	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
MBID23	17/07/2023 15:20	Electrical Conductivity (Lab)	5260	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
593	17/07/2023 17:00	Electrical Conductivity (Lab)	14500	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
594	17/07/2023 17:40	Electrical Conductivity (Lab)	21500	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
MBID18	18/07/2023 8:30	Electrical Conductivity (Lab)	29800	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
CHPP STP	18/07/2023 10:03	Electrical Conductivity (Lab)	850	µS/cm	FALSE	REG	1	20/07/2023	21/07/2023	
MBID08	18/07/2023 10:40	Electrical Conductivity (Lab)	6850	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
MIA STP	18/07/2023 10:44	Electrical Conductivity (Lab)	2060	µS/cm	FALSE	REG	1	25/07/2023	25/07/2023	
CHPP STP	18/07/2023 11:19	Electrical Conductivity (Lab)	1140	µS/cm	FALSE	REG	1	25/07/2023	25/07/2023	
MBID07	18/07/2023 12:00	Electrical Conductivity (Lab)	4600	µS/cm	FALSE	REG	1	25/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	Electrical Conductivity (Lab)	3010	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
MBID04	18/07/2023 14:10	Electrical Conductivity (Lab)	20000	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
MBID10	18/07/2023 15:10	Electrical Conductivity (Lab)	14500	µS/cm	FALSE	REG	1	25/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	Electrical Conductivity (Lab)	5860	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
MBID19A	18/07/2023 17:10	Electrical Conductivity (Lab)	4250	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
Isaac Plains STP	18/07/2023 17:40	Electrical Conductivity (Lab)	1410	µS/cm	FALSE	REG	1	25/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:00	Electrical Conductivity (Lab)	1420	µS/cm	FALSE	REG	1	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	Electrical Conductivity (Lab)	1370	µS/cm	FALSE	REG	1	25/07/2023	25/07/2023	
MBID17	19/07/2023 8:00	Electrical Conductivity (Lab)	6610	µS/cm	FALSE	REG	1	21/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:15	Electrical Conductivity (Lab)	980	µS/cm	FALSE	REG	1	20/07/2023	21/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	460	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	355	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	353	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	412	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	532	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	463	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	422	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	392	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	313	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	363	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	429	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	352	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	375	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	338	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	399	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	329	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	370	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	358	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Electrical Conductivity (Lab)	435	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
	20/07/2023 19:31	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/07/2023	21/07/2023	



Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	29/07/2023 7:55	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	29/07/2023	29/07/2023	
	29/07/2023 10:37	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	29/07/2023	31/07/2023	
OH01 - RSID0379	31/07/2023 12:20	Electrical Conductivity (Lab)	135	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Electrical Conductivity (Lab)	200	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Electrical Conductivity (Lab)	505	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Electrical Conductivity (Lab)	496	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Electrical Conductivity (Lab)	390	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Electrical Conductivity (Lab)	498	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Electrical Conductivity (Lab)	425	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Electrical Conductivity (Lab)	523	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
	1/08/2023 15:42	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
	1/08/2023 15:42	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
	1/08/2023 15:42	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/08/2023	1/08/2023	
N1S	8/08/2023 17:00	Electrical Conductivity (Lab)	418	µS/cm	FALSE	REG	1	14/08/2023	14/08/2023	
	14/08/2023 17:44	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/08/2023	14/08/2023	
RWD	19/08/2023 12:39	Electrical Conductivity (Lab)	126	µS/cm	FALSE	REG	1	23/08/2023	23/08/2023	
	19/08/2023 12:47	Electrical Conductivity (Lab)	129	µS/cm	FALSE	REG	1	23/08/2023	23/08/2023	
Rejects Grab Sam	19/08/2023 13:00	Electrical Conductivity (Lab)	136	µS/cm	FALSE	REG	1	5/09/2023	5/09/2023	
Tailings Thickene	19/08/2023 13:00	Electrical Conductivity (Lab)	1230	µS/cm	FALSE	REG	1	28/08/2023	28/08/2023	
	23/08/2023 9:24	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/08/2023	23/08/2023	
	25/08/2023 12:41	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	25/08/2023	25/08/2023	
SB2	27/08/2023 8:00	Electrical Conductivity (Lab)	9180	µS/cm	FALSE	REG	1	30/08/2023	1/09/2023	
BC2	27/08/2023 9:24	Electrical Conductivity (Lab)	7960	µS/cm	FALSE	REG	1		1/09/2023	
MB2	27/08/2023 10:55	Electrical Conductivity (Lab)	7380	µS/cm	FALSE	REG	1	30/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Electrical Conductivity (Lab)	3800	µS/cm	FALSE	REG	1	30/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Electrical Conductivity (Lab)	13300	µS/cm	FALSE	REG	1	30/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Electrical Conductivity (Lab)	23300	µS/cm	FALSE	REG	1	30/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Electrical Conductivity (Lab)	11700	µS/cm	FALSE	REG	1	30/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Electrical Conductivity (Lab)	10600	µS/cm	FALSE	REG	1	30/08/2023	31/08/2023	
	28/08/2023 15:30	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	28/08/2023	28/08/2023	
CHPP STP	28/08/2023 15:40	Electrical Conductivity (Lab)	1740	µS/cm	FALSE	REG	1		1/09/2023	
CHPP STP	28/08/2023 15:40	Electrical Conductivity (Lab)	1740	µS/cm	FALSE	REG	1	31/08/2023	1/09/2023	
CHPP STP	28/08/2023 16:00	Electrical Conductivity (Lab)	976	µS/cm	FALSE	REG	1	31/08/2023	31/08/2023	
MIA STP	28/08/2023 16:30	Electrical Conductivity (Lab)	1620	µS/cm	FALSE	REG	1	31/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:45	Electrical Conductivity (Lab)	1500	µS/cm	FALSE	REG	1	31/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:55	Electrical Conductivity (Lab)	1520	µS/cm	FALSE	REG	1	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 17:00	Electrical Conductivity (Lab)	1480	µS/cm	FALSE	REG	1	30/08/2023	1/09/2023	
	30/08/2023 17:52	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/08/2023	1/09/2023	
	30/08/2023 17:52	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/08/2023	1/09/2023	
	30/08/2023 17:52	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/08/2023	31/08/2023	
	30/08/2023 17:52	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/08/2023	1/09/2023	
	31/08/2023 20:42	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	31/08/2023	1/09/2023	
N1S	3/09/2023 13:44	Electrical Conductivity (Lab)	491	µS/cm	FALSE	REG	1	13/09/2023	13/09/2023	
	5/09/2023 16:55	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	5/09/2023	5/09/2023	
RWD	12/09/2023 6:40	Electrical Conductivity (Lab)	140	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
CHPPPP	12/09/2023 7:05	Electrical Conductivity (Lab)	5380	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
S2SED	12/09/2023 7:20	Electrical Conductivity (Lab)	5310	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
RD1	12/09/2023 7:30	Electrical Conductivity (Lab)	2670	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
S2	12/09/2023 8:00	Electrical Conductivity (Lab)	5300	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
RD2	12/09/2023 8:15	Electrical Conductivity (Lab)	2430	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Farm Dam 2	12/09/2023 10:30	Electrical Conductivity (Lab)	517	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	Electrical Conductivity (Lab)	518	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
FPD	12/09/2023 11:00	Electrical Conductivity (Lab)	6710	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
SSD	12/09/2023 11:45	Electrical Conductivity (Lab)	3890	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Electrical Conductivity (Lab)	642	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	Electrical Conductivity (Lab)	644	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	Electrical Conductivity (Lab)	3870	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
	13/09/2023 15:21	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/09/2023	13/09/2023	
N1S	14/09/2023 12:50	Electrical Conductivity (Lab)	775	µS/cm	FALSE	REG	1	26/09/2023	26/09/2023	
	15/09/2023 17:33	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
	15/09/2023 17:33	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
	15/09/2023 17:33	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	15/09/2023	18/09/2023	
	18/09/2023 10:00	Electrical Conductivity (Lab)	256	µS/cm	FALSE	REG	1		26/09/2023	
	18/09/2023 10:00	Electrical Conductivity (Lab)	373	µS/cm	FALSE	REG	1		27/09/2023	
	21/09/2023 21:36	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	21/09/2023	25/09/2023	
	21/09/2023 21:36	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	21/09/2023	25/09/2023	
RWD	23/09/2023 8:45	Electrical Conductivity (Lab)	143	µS/cm	FALSE	REG	1	30/09/2023	4/10/2023	
RWD	23/09/2023 8:45	Electrical Conductivity (Lab)	136	µS/cm	FALSE	REG	1	30/09/2023	4/10/2023	
	26/09/2023 21:13	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	26/09/2023	26/09/2023	
	30/09/2023 17:48	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/09/2023	4/10/2023	
Rejects - Compos	1/10/2023 7:14	Electrical Conductivity (Lab)	614	µS/cm	FALSE	REG	1	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:19	Electrical Conductivity (Lab)	832	µS/cm	FALSE	REG	1	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:24	Electrical Conductivity (Lab)	666	µS/cm	FALSE	REG	1	11/10/2023	11/10/2023	
Rejects Grab Sam	3/10/2023 6:15	Electrical Conductivity (Lab)	247	µS/cm	FALSE	REG	1	17/10/2023	17/10/2023	
Tailings Thickene	3/10/2023 6:15	Electrical Conductivity (Lab)	1900	µS/cm	FALSE	REG	1	17/10/2023	17/10/2023	
	11/10/2023 14:18	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	11/10/2023	11/10/2023	
	17/10/2023 14:28	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	17/10/2023	17/10/2023	
N1S	22/10/2023 13:45	Electrical Conductivity (Lab)	414	µS/cm	FALSE	REG	1	31/10/2023	31/10/2023	
MBID23	23/10/2023 10:25	Electrical Conductivity (Lab)	4440	µS/cm	FALSE	REG	1	27/10/2023	28/10/2023	
MBID28	23/10/2023 11:30	Electrical Conductivity (Lab)	1660	µS/cm	FALSE	REG	1	27/10/2023	28/10/2023	
593	23/10/2023 13:40	Electrical Conductivity (Lab)	13400	µS/cm	FALSE	REG	1	27/10/2023	28/10/2023	
594	23/10/2023 14:35	Electrical Conductivity (Lab)	21500	µS/cm	FALSE	REG	1	27/10/2023	28/10/2023	
MBID18	24/10/2023 7:35	Electrical Conductivity (Lab)	29200	µS/cm	FALSE	REG	1	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	Electrical Conductivity (Lab)	6850	µS/cm	FALSE	REG	1	27/10/2023	28/10/2023	
MBID07	24/10/2023 10:30	Electrical Conductivity (Lab)	3860	µS/cm	FALSE	REG	1	27/10/2023	28/10/2023	
	24/10/2023 10:35	Electrical Conductivity (Lab)	4110	µS/cm	FALSE	REG	1	31/10/2023	1/11/2023	
	24/10/2023 10:40	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1		1/11/2023	
MBID15	24/10/2023 11:50	Electrical Conductivity (Lab)	25000	µS/cm	FALSE	REG	1	27/10/2023	28/10/2023	
MBID04	24/10/2023 13:50	Electrical Conductivity (Lab)	18800	µS/cm	FALSE	REG	1	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	Electrical Conductivity (Lab)	20500	µS/cm	FALSE	REG	1		31/10/2023	
MBID21A	24/10/2023 15:00	Electrical Conductivity (Lab)	5380	µS/cm	FALSE	REG	1	31/10/2023	1/11/2023	
MBID19A	24/10/2023 16:15	Electrical Conductivity (Lab)	5070	µS/cm	FALSE	REG	1	31/10/2023	1/11/2023	
Isaac Plains STP	25/10/2023 3:33	Electrical Conductivity (Lab)	1690	µS/cm	FALSE	REG	1	27/10/2023	30/10/2023	
MBID01	25/10/2023 7:45	Electrical Conductivity (Lab)	7960	µS/cm	FALSE	REG	1	31/10/2023	1/11/2023	
MBID17	25/10/2023 8:45	Electrical Conductivity (Lab)	8230	µS/cm	FALSE	REG	1	31/10/2023	1/11/2023	
CHPP STP	25/10/2023 14:45	Electrical Conductivity (Lab)	1030	µS/cm	FALSE	REG	1	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	Electrical Conductivity (Lab)	1750	µS/cm	FALSE	REG	1	27/10/2023	30/10/2023	
MIA STP	25/10/2023 15:12	Electrical Conductivity (Lab)	1520	µS/cm	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	Electrical Conductivity (Lab)	1720	µS/cm	FALSE	REG	1	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	Electrical Conductivity (Lab)	1780	µS/cm	FALSE	REG	1	30/10/2023	31/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Isaac Plains STP	25/10/2023 16:12	Electrical Conductivity (Lab)	1740	µS/cm	FALSE	REG	1	27/10/2023	30/10/2023	
	27/10/2023 19:18	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	27/10/2023	30/10/2023	
	27/10/2023 19:18	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	27/10/2023	30/10/2023	
	27/10/2023 21:40	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	27/10/2023	28/10/2023	
	27/10/2023 21:46	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	27/10/2023	30/10/2023	
	30/10/2023 19:50	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/10/2023	31/10/2023	
	31/10/2023 15:15	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	31/10/2023	31/10/2023	
	31/10/2023 20:40	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	31/10/2023	1/11/2023	
Rejects Grab Sam	18/11/2023 9:30	Electrical Conductivity (Lab)	117	µS/cm	FALSE	REG	1	30/11/2023	30/11/2023	
Tailings Thickene	18/11/2023 9:30	Electrical Conductivity (Lab)	970	µS/cm	FALSE	REG	1	30/11/2023	30/11/2023	
N1S	21/11/2023 14:30	Electrical Conductivity (Lab)	662	µS/cm	FALSE	REG	1	30/11/2023	30/11/2023	
RWD	21/11/2023 18:07	Electrical Conductivity (Lab)	147	µS/cm	FALSE	REG	1	25/11/2023	27/11/2023	
RWD	21/11/2023 18:09	Electrical Conductivity (Lab)	137	µS/cm	FALSE	REG	1	25/11/2023	27/11/2023	
MIA STP	24/11/2023 15:47	Electrical Conductivity (Lab)	1440	µS/cm	FALSE	REG	1	29/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	Electrical Conductivity (Lab)	1050	µS/cm	FALSE	REG	1	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	Electrical Conductivity (Lab)	1820	µS/cm	FALSE	REG	1	28/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	Electrical Conductivity (Lab)	1840	µS/cm	FALSE	REG	1	28/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:45	Electrical Conductivity (Lab)	1900	µS/cm	FALSE	REG	1	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 17:29	Electrical Conductivity (Lab)	1840	µS/cm	FALSE	REG	1	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 17:41	Electrical Conductivity (Lab)	1820	µS/cm	FALSE	REG	1	28/11/2023	29/11/2023	
	25/11/2023 17:18	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	25/11/2023	27/11/2023	
W2	27/11/2023 15:00	Electrical Conductivity (Lab)	736	µS/cm	FALSE	REG	1	1/12/2023	1/12/2023	
FG1	27/11/2023 15:30	Electrical Conductivity (Lab)	1030	µS/cm	FALSE	REG	1	1/12/2023	1/12/2023	
FG2	28/11/2023 15:45	Electrical Conductivity (Lab)	83	µS/cm	FALSE	REG	1	1/12/2023	1/12/2023	
	28/11/2023 21:51	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	28/11/2023	29/11/2023	
	29/11/2023 10:45	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	29/11/2023	29/11/2023	
	30/11/2023 9:33	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/11/2023	30/11/2023	
	30/11/2023 9:33	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/11/2023	30/11/2023	
	1/12/2023 8:47	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/12/2023	1/12/2023	
	1/12/2023 9:39	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/12/2023	1/12/2023	
W6	4/12/2023 16:50	Electrical Conductivity (Lab)	143	µS/cm	FALSE	REG	1	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Electrical Conductivity (Lab)	142	µS/cm	FALSE	REG	1	8/12/2023	9/12/2023	
W5	4/12/2023 16:56	Electrical Conductivity (Lab)	151	µS/cm	FALSE	REG	1	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	Electrical Conductivity (Lab)	138	µS/cm	FALSE	REG	1	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Electrical Conductivity (Lab)	184	µS/cm	FALSE	REG	1	8/12/2023	9/12/2023	
Isaac Plains STP	7/12/2023 18:04	Electrical Conductivity (Lab)	1430	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	Electrical Conductivity (Lab)	1820	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
CHPP STP	7/12/2023 18:04	Electrical Conductivity (Lab)	1450	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
CHPP STP	7/12/2023 18:04	Electrical Conductivity (Lab)	1030	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
	7/12/2023 18:04	Electrical Conductivity (Lab)	1750	µS/cm	FALSE	REG	1	15/12/2023	16/12/2023	
Isaac Plains STP	7/12/2023 18:04	Electrical Conductivity (Lab)	1680	µS/cm	FALSE	REG	1	15/12/2023	16/12/2023	
MIA STP	7/12/2023 18:04	Electrical Conductivity (Lab)	1270	µS/cm	FALSE	REG	1	15/12/2023	16/12/2023	
	8/12/2023 17:54	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	8/12/2023	9/12/2023	
RWD	11/12/2023 7:55	Electrical Conductivity (Lab)	138	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
CHPPPP	11/12/2023 8:18	Electrical Conductivity (Lab)	4060	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
N1S	11/12/2023 8:34	Electrical Conductivity (Lab)	4670	µS/cm	FALSE	REG	1	14/12/2023	15/12/2023	
S2SED	11/12/2023 8:51	Electrical Conductivity (Lab)	5230	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
	11/12/2023 8:57	Electrical Conductivity (Lab)	5200	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
RD1	11/12/2023 9:08	Electrical Conductivity (Lab)	3060	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
S2	11/12/2023 9:23	Electrical Conductivity (Lab)	5010	µS/cm	FALSE	REG	1	14/12/2023	15/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
S3	11/12/2023 9:57	Electrical Conductivity (Lab)	2620	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
Pit 4	11/12/2023 9:59	Electrical Conductivity (Lab)	5550	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
Farm Dam 2	11/12/2023 10:22	Electrical Conductivity (Lab)	601	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
RD2	11/12/2023 10:39	Electrical Conductivity (Lab)	3360	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
MIA DAM	11/12/2023 11:35	Electrical Conductivity (Lab)	368	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
MWD	11/12/2023 11:40	Electrical Conductivity (Lab)	3670	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
SSD	11/12/2023 12:09	Electrical Conductivity (Lab)	4340	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
FPD	11/12/2023 12:35	Electrical Conductivity (Lab)	7390	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
	11/12/2023 12:49	Electrical Conductivity (Lab)	7280	µS/cm	FALSE	REG	1	14/12/2023	15/12/2023	
	12/12/2023 7:29	Electrical Conductivity (Lab)	456	µS/cm	FALSE	REG	1	15/01/2024	15/01/2024	
	12/12/2023 7:30	Electrical Conductivity (Lab)	533	µS/cm	FALSE	REG	1	15/01/2024	15/01/2024	
	13/12/2023 21:49	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
	13/12/2023 21:49	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
	13/12/2023 21:53	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
	13/12/2023 21:53	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/12/2023	14/12/2023	
	14/12/2023 8:57	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/12/2023	14/12/2023	
	14/12/2023 12:41	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/12/2023	15/12/2023	
	14/12/2023 12:41	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/12/2023	15/12/2023	
	15/12/2023 18:56	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	15/12/2023	16/12/2023	
N1S	18/12/2023 10:30	Electrical Conductivity (Lab)	343	µS/cm	FALSE	REG	1	22/12/2023	22/12/2023	
Rejects Grab San	19/12/2023 10:15	Electrical Conductivity (Lab)	157	µS/cm	FALSE	REG	1	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Electrical Conductivity (Lab)	1040	µS/cm	FALSE	REG	1	5/01/2024	5/01/2024	
	22/12/2023 9:45	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	22/12/2023	22/12/2023	
W4	3/01/2024 11:20	Electrical Conductivity (Lab)	181	µS/cm	FALSE	REG	1	6/01/2024	8/01/2024	
W2	3/01/2024 11:23	Electrical Conductivity (Lab)	94	µS/cm	FALSE	REG	1	6/01/2024	8/01/2024	
W5	3/01/2024 11:32	Electrical Conductivity (Lab)	185	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
W8	3/01/2024 11:36	Electrical Conductivity (Lab)	126	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
W2	3/01/2024 11:39	Electrical Conductivity (Lab)	129	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
W4	3/01/2024 11:41	Electrical Conductivity (Lab)	463	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
W7	3/01/2024 11:44	Electrical Conductivity (Lab)	168	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
	3/01/2024 11:57	Electrical Conductivity (Lab)	139	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Electrical Conductivity (Lab)	161	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
W6	3/01/2024 12:06	Electrical Conductivity (Lab)	121	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
	3/01/2024 12:10	Electrical Conductivity (Lab)	150	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
	3/01/2024 12:15	Electrical Conductivity (Lab)	114	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
IR1	3/01/2024 12:28	Electrical Conductivity (Lab)	92	µS/cm	FALSE	REG	1	6/01/2024	8/01/2024	
FG1	3/01/2024 12:37	Electrical Conductivity (Lab)	527	µS/cm	FALSE	REG	1	6/01/2024	8/01/2024	
	4/01/2024 10:08	Electrical Conductivity (Lab)	352	µS/cm	FALSE	REG	1	15/01/2024	15/01/2024	
IR1A	4/01/2024 16:43	Electrical Conductivity (Lab)	166	µS/cm	FALSE	REG	1	15/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Electrical Conductivity (Lab)	164	µS/cm	FALSE	REG	1	15/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Electrical Conductivity (Lab)	175	µS/cm	FALSE	REG	1	15/01/2024	16/01/2024	
	5/01/2024 7:01	Electrical Conductivity (Lab)	178	µS/cm	FALSE	REG	1	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Electrical Conductivity (Lab)	176	µS/cm	FALSE	REG	1	15/01/2024	16/01/2024	
	5/01/2024 15:17	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	5/01/2024	5/01/2024	
	6/01/2024 9:32	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	6/01/2024	8/01/2024	
	6/01/2024 9:32	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	6/01/2024	8/01/2024	
	8/01/2024 16:35	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	8/01/2024	9/01/2024	
	15/01/2024 9:01	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	15/01/2024	15/01/2024	
	15/01/2024 16:32	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	15/01/2024	16/01/2024	
	16/01/2024 12:13	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	16/01/2024	16/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	18/01/2024 7:34	Electrical Conductivity (Lab)	140	µS/cm	FALSE	REG	1	22/01/2024	23/01/2024	
RWD	18/01/2024 7:49	Electrical Conductivity (Lab)	141	µS/cm	FALSE	REG	1	22/01/2024	23/01/2024	
Rejects Grab Sam	18/01/2024 8:05	Electrical Conductivity (Lab)	352	µS/cm	FALSE	REG	1	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Electrical Conductivity (Lab)	1390	µS/cm	FALSE	REG	1	12/02/2024	12/02/2024	
	22/01/2024 22:19	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	22/01/2024	23/01/2024	
N1S	23/01/2024 13:10	Electrical Conductivity (Lab)	880	µS/cm	FALSE	REG	1	1/02/2024	1/02/2024	
CHPP STP	26/01/2024 11:01	Electrical Conductivity (Lab)	971	µS/cm	FALSE	REG	1	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:12	Electrical Conductivity (Lab)	1710	µS/cm	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:34	Electrical Conductivity (Lab)	1310	µS/cm	FALSE	REG	1	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:52	Electrical Conductivity (Lab)	2200	µS/cm	FALSE	REG	1		2/02/2024	
MIA STP	26/01/2024 12:04	Electrical Conductivity (Lab)	1990	µS/cm	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:09	Electrical Conductivity (Lab)	2010	µS/cm	FALSE	REG	1	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:10	Electrical Conductivity (Lab)	1430	µS/cm	FALSE	REG	1	1/02/2024	2/02/2024	
	1/02/2024 6:37	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/02/2024	1/02/2024	
	1/02/2024 16:34	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/02/2024	2/02/2024	
	1/02/2024 17:18	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/02/2024	2/02/2024	
MBID23	6/02/2024 9:45	Electrical Conductivity (Lab)	4690	µS/cm	FALSE	REG	1	12/02/2024	13/02/2024	
MBID28	6/02/2024 12:50	Electrical Conductivity (Lab)	1620	µS/cm	FALSE	REG	1	10/02/2024	12/02/2024	
593	6/02/2024 13:50	Electrical Conductivity (Lab)	14700	µS/cm	FALSE	REG	1	10/02/2024	12/02/2024	
594	6/02/2024 15:30	Electrical Conductivity (Lab)	23200	µS/cm	FALSE	REG	1	10/02/2024	12/02/2024	
MBID17	6/02/2024 16:50	Electrical Conductivity (Lab)	7920	µS/cm	FALSE	REG	1		14/02/2024	
MBID18	7/02/2024 7:50	Electrical Conductivity (Lab)	24700	µS/cm	FALSE	REG	1	12/02/2024	13/02/2024	
MBID15	7/02/2024 9:45	Electrical Conductivity (Lab)	23200	µS/cm	FALSE	REG	1		14/02/2024	
MBID07	7/02/2024 11:00	Electrical Conductivity (Lab)	4200	µS/cm	FALSE	REG	1	12/02/2024	13/02/2024	
MBID04	7/02/2024 11:50	Electrical Conductivity (Lab)	12200	µS/cm	FALSE	REG	1	12/02/2024	13/02/2024	
MBID10	7/02/2024 12:15	Electrical Conductivity (Lab)	22200	µS/cm	FALSE	REG	1	12/02/2024	13/02/2024	
MBID21A	7/02/2024 12:30	Electrical Conductivity (Lab)	4810	µS/cm	FALSE	REG	1	12/02/2024	13/02/2024	
MBID19A	7/02/2024 13:10	Electrical Conductivity (Lab)	4820	µS/cm	FALSE	REG	1	10/02/2024	12/02/2024	
	7/02/2024 13:15	Electrical Conductivity (Lab)	5130	µS/cm	FALSE	REG	1	10/02/2024	12/02/2024	
MBID01	7/02/2024 13:30	Electrical Conductivity (Lab)	2230	µS/cm	FALSE	REG	1	12/02/2024	13/02/2024	
	10/02/2024 12:31	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	10/02/2024	12/02/2024	
	12/02/2024 9:07	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	12/02/2024	12/02/2024	
	12/02/2024 16:04	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	12/02/2024	13/02/2024	
W4	15/02/2024 8:17	Electrical Conductivity (Lab)	415	µS/cm	FALSE	REG	1	20/02/2024	20/02/2024	
W2	15/02/2024 9:12	Electrical Conductivity (Lab)	153	µS/cm	FALSE	REG	1	20/02/2024	20/02/2024	
IR2	15/02/2024 10:49	Electrical Conductivity (Lab)	330	µS/cm	FALSE	REG	1	20/02/2024	20/02/2024	
IR1A	15/02/2024 12:15	Electrical Conductivity (Lab)	191	µS/cm	FALSE	REG	1	20/02/2024	20/02/2024	
W6	15/02/2024 14:45	Electrical Conductivity (Lab)	123	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
W6	15/02/2024 15:00	Electrical Conductivity (Lab)	119	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
W8	16/02/2024 10:04	Electrical Conductivity (Lab)	251	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
	16/02/2024 10:15	Electrical Conductivity (Lab)	257	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
W5	16/02/2024 10:56	Electrical Conductivity (Lab)	208	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
IR4	16/02/2024 11:41	Electrical Conductivity (Lab)	408	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
IR5	16/02/2024 12:51	Electrical Conductivity (Lab)	413	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
	20/02/2024 7:02	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/02/2024	20/02/2024	
	20/02/2024 7:02	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/02/2024	20/02/2024	
N1S	20/02/2024 13:00	Electrical Conductivity (Lab)	554	µS/cm	FALSE	REG	1	27/02/2024	27/02/2024	
	20/02/2024 21:24	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
	20/02/2024 21:24	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	
	20/02/2024 21:24	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/02/2024	21/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	22/02/2024 8:31	Electrical Conductivity (Lab)	143	µS/cm	FALSE	REG	1	23/02/2024	24/02/2024	
RWD	22/02/2024 8:37	Electrical Conductivity (Lab)	142	µS/cm	FALSE	REG	1	23/02/2024	24/02/2024	
	23/02/2024 21:04	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/02/2024	24/02/2024	
	27/02/2024 7:00	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	27/02/2024	27/02/2024	
FG2	28/02/2024 12:36	Electrical Conductivity (Lab)	6220	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Electrical Conductivity (Lab)	3360	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Electrical Conductivity (Lab)	670	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Electrical Conductivity (Lab)	642	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
	28/02/2024 12:47	Electrical Conductivity (Lab)	6340	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Electrical Conductivity (Lab)	6380	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
	28/02/2024 12:51	Electrical Conductivity (Lab)	6310	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
	28/02/2024 12:54	Electrical Conductivity (Lab)	6290	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
	28/02/2024 12:59	Electrical Conductivity (Lab)	6370	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
Rejects Grab San	29/02/2024 8:45	Electrical Conductivity (Lab)	370	µS/cm	FALSE	REG	1	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	Electrical Conductivity (Lab)	101	µS/cm	FALSE	REG	1	7/03/2024	7/03/2024	
Tailings Thickene	29/02/2024 9:00	Electrical Conductivity (Lab)	2340	µS/cm	FALSE	REG	1	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Electrical Conductivity (Lab)	867	µS/cm	FALSE	REG	1	7/03/2024	7/03/2024	
BC2	29/02/2024 9:41	Electrical Conductivity (Lab)	8100	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Electrical Conductivity (Lab)	7140	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Electrical Conductivity (Lab)	3660	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Electrical Conductivity (Lab)	11600	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Electrical Conductivity (Lab)	9960	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Electrical Conductivity (Lab)	22800	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Electrical Conductivity (Lab)	10800	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
	1/03/2024 14:29	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
	1/03/2024 14:29	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
	1/03/2024 16:43	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/03/2024	4/03/2024	
	5/03/2024 18:48	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
	5/03/2024 18:48	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	5/03/2024	6/03/2024	
	7/03/2024 14:41	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	7/03/2024	7/03/2024	
RWD	12/03/2024 8:04	Electrical Conductivity (Lab)	316	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
CHPPPP	12/03/2024 8:14	Electrical Conductivity (Lab)	4220	µS/cm	FALSE	REG	1	14/03/2024	14/03/2024	
RD1	12/03/2024 8:37	Electrical Conductivity (Lab)	1790	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
S2SED	12/03/2024 8:57	Electrical Conductivity (Lab)	4860	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
S2	12/03/2024 9:14	Electrical Conductivity (Lab)	4630	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
RD2	12/03/2024 9:40	Electrical Conductivity (Lab)	2430	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
	12/03/2024 9:49	Electrical Conductivity (Lab)	2430	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
Farm Dam 2	12/03/2024 10:08	Electrical Conductivity (Lab)	442	µS/cm	FALSE	REG	1	14/03/2024	14/03/2024	
Pit 4	12/03/2024 10:37	Electrical Conductivity (Lab)	5140	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
SSD	13/03/2024 7:28	Electrical Conductivity (Lab)	1240	µS/cm	FALSE	REG	1	14/03/2024	15/03/2024	
ROM DAM	13/03/2024 7:54	Electrical Conductivity (Lab)	1650	µS/cm	FALSE	REG	1	15/03/2024	15/03/2024	
FPD	13/03/2024 8:08	Electrical Conductivity (Lab)	8870	µS/cm	FALSE	REG	1	15/03/2024	15/03/2024	
RWD	13/03/2024 8:27	Electrical Conductivity (Lab)	6210	µS/cm	FALSE	REG	1	14/03/2024	15/03/2024	
MIA DAM	13/03/2024 9:24	Electrical Conductivity (Lab)	371	µS/cm	FALSE	REG	1	14/03/2024	15/03/2024	
	13/03/2024 9:43	Electrical Conductivity (Lab)	372	µS/cm	FALSE	REG	1	14/03/2024	15/03/2024	
MWD	13/03/2024 10:03	Electrical Conductivity (Lab)	6320	µS/cm	FALSE	REG	1	15/03/2024	15/03/2024	
	13/03/2024 21:37	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
	13/03/2024 21:37	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/03/2024	15/03/2024	
	14/03/2024 9:47	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/03/2024	14/03/2024	
	14/03/2024 20:34	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/03/2024	15/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	14/03/2024 20:34	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/03/2024	15/03/2024	
	15/03/2024 6:55	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	15/03/2024	15/03/2024	
CHPP STP	19/03/2024 6:20	Electrical Conductivity (Lab)	1650	µS/cm	FALSE	REG	1	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 6:35	Electrical Conductivity (Lab)	1690	µS/cm	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	Electrical Conductivity (Lab)	1100	µS/cm	FALSE	REG	1	22/03/2024	25/03/2024	
RWD	19/03/2024 7:55	Electrical Conductivity (Lab)	262	µS/cm	FALSE	REG	1	20/03/2024	22/03/2024	
RWD	19/03/2024 8:05	Electrical Conductivity (Lab)	257	µS/cm	FALSE	REG	1	20/03/2024	22/03/2024	
Rejects Grab San	19/03/2024 8:45	Electrical Conductivity (Lab)	110	µS/cm	FALSE	REG	1	5/04/2024	5/04/2024	
Isaac Plains STP	19/03/2024 8:50	Electrical Conductivity (Lab)	1790	µS/cm	FALSE	REG	1	22/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	Electrical Conductivity (Lab)	1820	µS/cm	FALSE	REG	1	22/03/2024	25/03/2024	
Tailings Thickene	19/03/2024 9:00	Electrical Conductivity (Lab)	1570	µS/cm	FALSE	REG	1	5/04/2024	5/04/2024	
	20/03/2024 18:49	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/03/2024	22/03/2024	
	20/03/2024 18:49	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/03/2024	22/03/2024	
	22/03/2024 15:44	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	22/03/2024	25/03/2024	
N1S	27/03/2024 13:00	Electrical Conductivity (Lab)	755	µS/cm	FALSE	REG	1	9/04/2024	9/04/2024	
	5/04/2024 12:47	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	5/04/2024	5/04/2024	
	9/04/2024 8:36	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	9/04/2024	9/04/2024	
BC2	17/04/2024 7:30	Electrical Conductivity (Lab)	2680	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
MB2	17/04/2024 9:10	Electrical Conductivity (Lab)	2060	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
MB12	17/04/2024 9:40	Electrical Conductivity (Lab)	8720	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
MB14	17/04/2024 11:25	Electrical Conductivity (Lab)	3530	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	Electrical Conductivity (Lab)	7470	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Electrical Conductivity (Lab)	410	µS/cm	FALSE	REG	1	23/04/2024	23/04/2024	
MB9A	17/04/2024 14:25	Electrical Conductivity (Lab)	10200	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	Electrical Conductivity (Lab)	10200	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
MB7	17/04/2024 17:00	Electrical Conductivity (Lab)	18300	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
CHPP STP	22/04/2024 12:30	Electrical Conductivity (Lab)	1410	µS/cm	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:20	Electrical Conductivity (Lab)	1610	µS/cm	FALSE	REG	1	30/04/2024	1/05/2024	
	22/04/2024 13:30	Electrical Conductivity (Lab)	1590	µS/cm	FALSE	REG	1	30/04/2024	1/05/2024	
Isaac Plains STP	22/04/2024 13:30	Electrical Conductivity (Lab)	1590	µS/cm	FALSE	REG	1	30/04/2024	1/05/2024	
	23/04/2024 7:39	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/04/2024	23/04/2024	
RWD	23/04/2024 8:41	Electrical Conductivity (Lab)	144	µS/cm	FALSE	REG	1	26/04/2024	27/04/2024	
	23/04/2024 8:51	Electrical Conductivity (Lab)	150	µS/cm	FALSE	REG	1	26/04/2024	27/04/2024	
Rejects - Compos	23/04/2024 9:30	Electrical Conductivity (Lab)	1560	µS/cm	FALSE	REG	1	20/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Electrical Conductivity (Lab)	692	µS/cm	FALSE	REG	1	20/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	Electrical Conductivity (Lab)	521	µS/cm	FALSE	REG	1	20/05/2024	20/05/2024	
	23/04/2024 11:42	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/04/2024	23/04/2024	
	23/04/2024 11:42	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/04/2024	23/04/2024	
	23/04/2024 16:36	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
	23/04/2024 16:36	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
	23/04/2024 16:36	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/04/2024	24/04/2024	
	26/04/2024 7:17	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	26/04/2024	27/04/2024	
	30/04/2024 17:18	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/04/2024	1/05/2024	
	9/05/2024 13:16	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	9/05/2024	9/05/2024	
	20/05/2024 7:47	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	20/05/2024	20/05/2024	
N1S	21/05/2024	Electrical Conductivity (Lab)	424	µS/cm	FALSE	REG	1	28/05/2024	28/05/2024	
CHPP STP	21/05/2024 10:00	Electrical Conductivity (Lab)	1820	µS/cm	FALSE	REG	1	27/05/2024	27/05/2024	
MIA STP	21/05/2024 10:30	Electrical Conductivity (Lab)	749	µS/cm	FALSE	REG	1	27/05/2024	27/05/2024	
	21/05/2024 11:00	Electrical Conductivity (Lab)	1790	µS/cm	FALSE	REG	1	27/05/2024	27/05/2024	
Isaac Plains STP	21/05/2024 11:05	Electrical Conductivity (Lab)	1790	µS/cm	FALSE	REG	1	27/05/2024	27/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	21/05/2024 11:10	Electrical Conductivity (Lab)	1820	µS/cm	FALSE	REG	1	27/05/2024	27/05/2024	
RWD	22/05/2024 7:20	Electrical Conductivity (Lab)	138	µS/cm	FALSE	REG	1	24/05/2024	27/05/2024	
	22/05/2024 7:34	Electrical Conductivity (Lab)	142	µS/cm	FALSE	REG	1	24/05/2024	27/05/2024	
Rejects Grab San	22/05/2024 7:40	Electrical Conductivity (Lab)	141	µS/cm	FALSE	REG	1	29/05/2024	29/05/2024	
Tailings Thickene	22/05/2024 7:40	Electrical Conductivity (Lab)	771	µS/cm	FALSE	REG	1	29/05/2024	29/05/2024	
	24/05/2024 17:20	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	24/05/2024	27/05/2024	
	27/05/2024 9:36	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	27/05/2024	27/05/2024	
	28/05/2024 7:18	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	28/05/2024	28/05/2024	
	29/05/2024 17:15	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	29/05/2024	29/05/2024	
CHPP STP	11/06/2024 7:00	Electrical Conductivity (Lab)	1720	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
RWD	11/06/2024 7:30	Electrical Conductivity (Lab)	142	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
	11/06/2024 7:40	Electrical Conductivity (Lab)	141	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	Electrical Conductivity (Lab)	4330	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	Electrical Conductivity (Lab)	5280	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	Electrical Conductivity (Lab)	3240	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	Electrical Conductivity (Lab)	5320	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	Electrical Conductivity (Lab)	5440	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	Electrical Conductivity (Lab)	5180	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	Electrical Conductivity (Lab)	4910	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
	11/06/2024 12:45	Electrical Conductivity (Lab)	1760	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 12:50	Electrical Conductivity (Lab)	1740	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 13:10	Electrical Conductivity (Lab)	1760	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
SSD	12/06/2024 7:46	Electrical Conductivity (Lab)	1450	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
FPD	12/06/2024 8:20	Electrical Conductivity (Lab)	6400	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
	12/06/2024 8:39	Electrical Conductivity (Lab)	6640	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
MWD	12/06/2024 9:00	Electrical Conductivity (Lab)	9720	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
RWD	12/06/2024 9:33	Electrical Conductivity (Lab)	8550	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
MIA DAM	12/06/2024 9:53	Electrical Conductivity (Lab)	2940	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
N1S	12/06/2024 12:23	Electrical Conductivity (Lab)	482	µS/cm	FALSE	REG	1	24/06/2024	24/06/2024	
	13/06/2024 12:16	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
	13/06/2024 19:25	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	13/06/2024	14/06/2024	
	14/06/2024 10:51	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
	14/06/2024 10:57	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	14/06/2024	14/06/2024	
	24/06/2024 8:28	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	24/06/2024	24/06/2024	
RWD	24/06/2024 9:57	Electrical Conductivity (Lab)	165	µS/cm	FALSE	REG	1	25/06/2024	26/06/2024	
	24/06/2024 9:57	Electrical Conductivity (Lab)	154	µS/cm	FALSE	REG	1	25/06/2024	26/06/2024	
Rejects Grab San	24/06/2024 11:28	Electrical Conductivity (Lab)	398	µS/cm	FALSE	REG	1	1/07/2024	1/07/2024	
Tailings Thickene	24/06/2024 11:28	Electrical Conductivity (Lab)	948	µS/cm	FALSE	REG	1	1/07/2024	1/07/2024	
	25/06/2024 19:39	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	25/06/2024	26/06/2024	
W5	27/06/2024 9:53	Electrical Conductivity (Lab)	412	µS/cm	FALSE	REG	1	28/06/2024	1/07/2024	
	27/06/2024 9:57	Electrical Conductivity (Lab)	414	µS/cm	FALSE	REG	1	28/06/2024	1/07/2024	
W4	27/06/2024 10:10	Electrical Conductivity (Lab)	192	µS/cm	FALSE	REG	1	28/06/2024	1/07/2024	
	28/06/2024 20:14	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	28/06/2024	1/07/2024	
	1/07/2024 8:41	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/07/2024	1/07/2024	
W8	5/07/2024 15:05	Electrical Conductivity (Lab)	129	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Electrical Conductivity (Lab)	200	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Electrical Conductivity (Lab)	140	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
	5/07/2024 16:37	Electrical Conductivity (Lab)	144	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Electrical Conductivity (Lab)	183	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Electrical Conductivity (Lab)	183	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	6/07/2024 7:41	Electrical Conductivity (Lab)	183	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Electrical Conductivity (Lab)	660	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Electrical Conductivity (Lab)	244	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
	8/07/2024 13:45	Electrical Conductivity (Lab)	809	µS/cm	FALSE	REG	1	23/07/2024	23/07/2024	
	8/07/2024 13:45	Electrical Conductivity (Lab)	339	µS/cm	FALSE	REG	1	23/07/2024	23/07/2024	
	8/07/2024 13:45	Electrical Conductivity (Lab)	633	µS/cm	FALSE	REG	1	23/07/2024	23/07/2024	
	9/07/2024 20:17	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
	9/07/2024 20:17	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
	9/07/2024 20:17	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	9/07/2024	10/07/2024	
	17/07/2024 7:30	Electrical Conductivity (Lab)	181	µS/cm	FALSE	REG	1	18/07/2024	19/07/2024	
	18/07/2024 19:18	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	18/07/2024	19/07/2024	
RWD	22/07/2024 9:53	Electrical Conductivity (Lab)	152	µS/cm	FALSE	REG	1	23/07/2024	25/07/2024	
	22/07/2024 10:01	Electrical Conductivity (Lab)	152	µS/cm	FALSE	REG	1	23/07/2024	25/07/2024	
	22/07/2024 10:25	Electrical Conductivity (Lab)	400	µS/cm	FALSE	REG	1	1/08/2024	1/08/2024	
Tailings Thickene	22/07/2024 10:26	Electrical Conductivity (Lab)	847	µS/cm	FALSE	REG	1	7/08/2024	1/08/2024	
593	22/07/2024 12:55	Electrical Conductivity (Lab)	14400	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
594	22/07/2024 14:00	Electrical Conductivity (Lab)	21100	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
MBID28	22/07/2024 15:05	Electrical Conductivity (Lab)	1320	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	22/07/2024 15:10	Electrical Conductivity (Lab)	29400	µS/cm	FALSE	REG	1	30/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Electrical Conductivity (Lab)	4490	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	23/07/2024 9:06	Electrical Conductivity (Lab)	7840	µS/cm	FALSE	REG	1	24/07/2024	25/07/2024	
RWD	23/07/2024 9:32	Electrical Conductivity (Lab)	7800	µS/cm	FALSE	REG	1	24/07/2024	25/07/2024	
MBID21	23/07/2024 13:45	Electrical Conductivity (Lab)	3960	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	23/07/2024 14:25	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/07/2024	23/07/2024	
	23/07/2024 17:48	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	23/07/2024	25/07/2024	
MB8	24/07/2024 7:45	Electrical Conductivity (Lab)	10000	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Electrical Conductivity (Lab)	8740	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Electrical Conductivity (Lab)	6100	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 9:10	Electrical Conductivity (Lab)	6340	µS/cm	FALSE	REG	1	30/07/2024	31/07/2024	
MB12	24/07/2024 10:25	Electrical Conductivity (Lab)	8700	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
MB14	24/07/2024 11:35	Electrical Conductivity (Lab)	3730	µS/cm	FALSE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 13:03	Electrical Conductivity (Lab)	339	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 13:30	Electrical Conductivity (Lab)	8990	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Electrical Conductivity (Lab)	17400	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Electrical Conductivity (Lab)	10700	µS/cm	FALSE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 19:21	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	24/07/2024	25/07/2024	
	25/07/2024 8:45	Electrical Conductivity (Lab)	1780	µS/cm	FALSE	REG	1	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	Electrical Conductivity (Lab)	1750	µS/cm	FALSE	REG	1	31/07/2024	31/07/2024	
	25/07/2024 9:25	Electrical Conductivity (Lab)	918	µS/cm	FALSE	REG	1	31/07/2024	31/07/2024	
	30/07/2024 7:57	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 15:16	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 15:19	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 15:19	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 19:25	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/07/2024	31/07/2024	
	30/07/2024 19:25	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/07/2024	31/07/2024	
	30/07/2024 19:25	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	30/07/2024	31/07/2024	
	31/07/2024 10:17	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	31/07/2024	31/07/2024	
	1/08/2024 13:09	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	1/08/2024	1/08/2024	
	22/08/2024 8:50	Electrical Conductivity (Lab)	154	µS/cm	FALSE	REG	1	24/08/2024	26/08/2024	
	22/08/2024 8:56	Electrical Conductivity (Lab)	153	µS/cm	FALSE	REG	1	24/08/2024	26/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	22/08/2024 10:01	Electrical Conductivity (Lab)	7600	µS/cm	FALSE	REG	1	24/08/2024	26/08/2024	
	22/08/2024 10:24	Electrical Conductivity (Lab)	7530	µS/cm	FALSE	REG	1	24/08/2024	26/08/2024	
	24/08/2024 10:10	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	24/08/2024	26/08/2024	
	24/08/2024 10:10	Electrical Conductivity (Lab)	1	µS/cm	FALSE	REG	1	24/08/2024	26/08/2024	
	6/06/2023 10:03	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	6/06/2023	6/06/2023	
Rejects - Compos	14/06/2023 11:00	Moisture Content	1	%	FALSE	REG	1		21/06/2023	
Rejects - Compos	14/06/2023 11:00	Chromium Reducible Sulfur	0.089	%	FALSE	REG	0.005	26/06/2023	26/06/2023	
Tailings Thickene	14/06/2023 11:00	Moisture Content	1	%	FALSE	REG	1		21/06/2023	
Tailings Thickene	14/06/2023 11:00	Chromium Reducible Sulfur	0.513	%	FALSE	REG	0.005	26/06/2023	26/06/2023	
N1S	20/06/2023 8:00	Moisture Content	42.9	%	FALSE	REG	1		22/06/2023	
N1S	20/06/2023 8:00	Chromium Reducible Sulfur	0.922	%	FALSE	REG	0.005	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	Ionic Balance	1.17	%	FALSE	REG	0.01		28/06/2023	
BC2	20/06/2023 9:54	Ionic Balance	0.78	%	FALSE	REG	0.01		30/06/2023	
MB2	20/06/2023 11:07	Ionic Balance	0.16	%	FALSE	REG	0.01		30/06/2023	
MB14	20/06/2023 12:34	Ionic Balance	1.33	%	FALSE	REG	0.01		30/06/2023	
SB2	20/06/2023 15:01	Ionic Balance	2.62	%	FALSE	REG	0.01		30/06/2023	
MB12	20/06/2023 17:09	Ionic Balance	1.67	%	FALSE	REG	0.01		30/06/2023	
MB7	21/06/2023 7:25	Ionic Balance	0.75	%	FALSE	REG	0.01		30/06/2023	
MB9A	21/06/2023 10:12	Ionic Balance	4.61	%	FALSE	REG	0.01		30/06/2023	
MB1	21/06/2023 13:45	Ionic Balance	0.27	%	FALSE	REG	0.01		30/06/2023	
MB8B	21/06/2023 16:45	Ionic Balance	3.88	%	FALSE	REG	0.01		30/06/2023	
	26/06/2023 9:54	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	26/06/2023	26/06/2023	
	26/06/2023 12:57	Organic Matter	0.5	%	FALSE	REG	0.5	30/06/2023	30/06/2023	
	26/06/2023 12:57	Cobbles (>6cm)	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	Gravel (>2mm)	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+9.5mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+75.0mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+19.0mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+2.36mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+37.5mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+4.75mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+1180µm	2	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+600µm	3	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+425µm	5	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+300µm	8	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+150µm	20	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	Sand (>75 µm)	28	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	+75µm	29	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	Fines (<75 µm)	71	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 12:57	Moisture Content	6.6	%	FALSE	REG	1		29/06/2023	
	26/06/2023 12:57	Exchangeable Sodium Percent	17.6	%	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:04	Cobbles (>6cm)	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+9.5mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+75.0mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+19.0mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+2.36mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+37.5mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+4.75mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	Organic Matter	1.7	%	FALSE	REG	0.5	30/06/2023	30/06/2023	
	26/06/2023 13:04	Gravel (>2mm)	2	%	FALSE	REG	1	6/07/2023	6/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	26/06/2023 13:04	+1180µm	3	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+600µm	5	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+425µm	7	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+300µm	11	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+150µm	25	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	Sand (>75 µm)	33	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	+75µm	35	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	Fines (<75 µm)	65	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:04	Moisture Content	6.6	%	FALSE	REG	1		29/06/2023	
	26/06/2023 13:04	Exchangeable Sodium Percent	11.9	%	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:17	Organic Matter	0.8	%	FALSE	REG	0.5	30/06/2023	30/06/2023	
	26/06/2023 13:17	Cobbles (>6cm)	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	Gravel (>2mm)	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+9.5mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+75.0mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+19.0mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+2.36mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+37.5mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+4.75mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+1180µm	2	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+600µm	5	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+425µm	7	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+300µm	12	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+150µm	27	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	Sand (>75 µm)	36	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	+75µm	37	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	Fines (<75 µm)	63	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:17	Moisture Content	6.2	%	FALSE	REG	1		29/06/2023	
	26/06/2023 13:17	Exchangeable Sodium Percent	15.4	%	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:25	Organic Matter	0.7	%	FALSE	REG	0.5	30/06/2023	30/06/2023	
	26/06/2023 13:25	Cobbles (>6cm)	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+9.5mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+75.0mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+19.0mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+2.36mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+37.5mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+4.75mm	1	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	Gravel (>2mm)	2	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+1180µm	2	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+600µm	5	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+425µm	7	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+300µm	12	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+150µm	24	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	Sand (>75 µm)	32	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	+75µm	34	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	Fines (<75 µm)	66	%	FALSE	REG	1	6/07/2023	6/07/2023	
	26/06/2023 13:25	Moisture Content	4.9	%	FALSE	REG	1		29/06/2023	
	26/06/2023 13:25	Exchangeable Sodium Percent	20.3	%	FALSE	REG	0.2	3/07/2023	4/07/2023	
	27/06/2023 9:28	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	27/06/2023	27/06/2023	
	28/06/2023 11:56	Organic Matter	0.5	%	FALSE	REG	0.5	6/07/2023	6/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/06/2023 11:56	+4.75mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+19.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+2.36mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+37.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+75.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+9.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	Gravel (>2mm)	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	Cobbles (>6cm)	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+1180µm	2	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+600µm	6	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	Fines (<75 µm)	13	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+425µm	14	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+300µm	31	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+150µm	66	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	Sand (>75 µm)	86	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	+75µm	87	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:56	Moisture Content	1	%	FALSE	REG	1		3/07/2023	
	28/06/2023 11:56	Exchangeable Sodium Percent	1.3	%	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 11:58	+4.75mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+19.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+2.36mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+37.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+75.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+9.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	Cobbles (>6cm)	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	Gravel (>2mm)	2	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	Organic Matter	3	%	FALSE	REG	0.5	6/07/2023	6/07/2023	
	28/06/2023 11:58	+1180µm	4	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+600µm	13	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+425µm	20	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+300µm	32	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	Fines (<75 µm)	35	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+150µm	53	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	Sand (>75 µm)	63	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	+75µm	65	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 11:58	Moisture Content	3	%	FALSE	REG	1		3/07/2023	
	28/06/2023 11:58	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:01	Organic Matter	0.5	%	FALSE	REG	0.5	6/07/2023	6/07/2023	
	28/06/2023 12:01	+4.75mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+19.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+37.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+75.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+9.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	Cobbles (>6cm)	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+2.36mm	4	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	Gravel (>2mm)	5	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+1180µm	8	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+600µm	14	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+425µm	20	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+300µm	31	%	FALSE	REG	1	13/07/2023	17/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/06/2023 12:01	Fines (<75 µm)	38	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+150µm	51	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	Sand (>75 µm)	57	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	+75µm	62	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:01	Moisture Content	2.8	%	FALSE	REG	1		3/07/2023	
	28/06/2023 12:01	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:03	Organic Matter	0.9	%	FALSE	REG	0.5	6/07/2023	6/07/2023	
	28/06/2023 12:03	+4.75mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+19.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+37.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+75.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+9.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	Cobbles (>6cm)	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+2.36mm	2	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	Gravel (>2mm)	3	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+1180µm	6	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+600µm	12	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+425µm	19	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	Fines (<75 µm)	30	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+300µm	31	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+150µm	55	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	Sand (>75 µm)	67	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	+75µm	70	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:03	Moisture Content	3	%	FALSE	REG	1		3/07/2023	
	28/06/2023 12:03	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:04	+4.75mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+19.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+2.36mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+37.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+75.0mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+9.5mm	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	Gravel (>2mm)	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	Cobbles (>6cm)	1	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	Organic Matter	1.5	%	FALSE	REG	0.5	6/07/2023	6/07/2023	
	28/06/2023 12:04	+1180µm	2	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+600µm	6	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+425µm	10	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+300µm	18	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+150µm	33	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	Sand (>75 µm)	42	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	+75µm	43	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	Fines (<75 µm)	57	%	FALSE	REG	1	13/07/2023	17/07/2023	
	28/06/2023 12:04	Moisture Content	3.2	%	FALSE	REG	1		3/07/2023	
	28/06/2023 12:04	Exchangeable Sodium Percent	0.5	%	FALSE	REG	0.1	7/07/2023	10/07/2023	
	30/06/2023 8:50	Organic Matter	0.5	%	FALSE	REG	0.5	30/06/2023	30/06/2023	
Rejects - Compos	5/07/2023 12:00	Moisture Content	10.4	%	FALSE	REG	1		10/07/2023	
Rejects - Compos	5/07/2023 12:00	Chromium Reducible Sulfur	0.21	%	FALSE	REG	0.005	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:04	Moisture Content	7.7	%	FALSE	REG	1		10/07/2023	
Rejects - Compos	5/07/2023 12:04	Chromium Reducible Sulfur	0.216	%	FALSE	REG	0.005	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:05	Moisture Content	7.9	%	FALSE	REG	1		10/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	5/07/2023 12:05	Chromium Reducible Sulfur	0.268	%	FALSE	REG	0.005	13/07/2023	13/07/2023	
	6/07/2023 9:50	Organic Matter	0.5	%	FALSE	REG	0.5	6/07/2023	6/07/2023	
	8/07/2023 6:56	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	Organic Matter	2.3	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 6:56	Gravel (>2mm)	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+2.36mm	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+1180µm	5	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+600µm	8	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+425µm	11	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+300µm	18	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+150µm	35	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	Sand (>75 µm)	43	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	+75µm	46	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	Fines (<75 µm)	54	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:56	Moisture Content	11.8	%	FALSE	REG	1		12/07/2023	
	8/07/2023 6:56	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:59	Organic Matter	0.5	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 6:59	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+4.75mm	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	Gravel (>2mm)	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+2.36mm	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+1180µm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+600µm	6	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+425µm	8	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+300µm	13	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+150µm	32	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	Sand (>75 µm)	44	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	+75µm	47	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	Fines (<75 µm)	53	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 6:59	Moisture Content	10.8	%	FALSE	REG	1		12/07/2023	
	8/07/2023 6:59	Exchangeable Sodium Percent	18.3	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:35	Organic Matter	0.8	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 7:35	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+2.36mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	Gravel (>2mm)	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+1180µm	3	%	FALSE	REG	1	17/07/2023	17/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 7:35	+600µm	10	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+425µm	18	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	Fines (<75 µm)	27	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+300µm	32	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+150µm	59	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	Sand (>75 µm)	71	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	+75µm	73	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:35	Moisture Content	7	%	FALSE	REG	1		12/07/2023	
	8/07/2023 7:35	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:53	Organic Matter	0.6	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 7:53	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+2.36mm	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	Gravel (>2mm)	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+1180µm	6	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+600µm	13	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	Fines (<75 µm)	19	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+425µm	21	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+300µm	38	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+150µm	65	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	Sand (>75 µm)	77	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	+75µm	81	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 7:53	Moisture Content	3.4	%	FALSE	REG	1		12/07/2023	
	8/07/2023 7:53	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:07	Organic Matter	0.8	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 8:07	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+2.36mm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+4.75mm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	Gravel (>2mm)	5	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+1180µm	6	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+600µm	10	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+425µm	14	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+300µm	24	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	Fines (<75 µm)	41	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+150µm	45	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	Sand (>75 µm)	54	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	+75µm	59	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:07	Moisture Content	5.9	%	FALSE	REG	1		12/07/2023	
	8/07/2023 8:07	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:15	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 8:15	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	Organic Matter	1.3	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 8:15	Gravel (>2mm)	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+2.36mm	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+1180µm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+600µm	8	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+425µm	12	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+300µm	20	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+150µm	42	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	Fines (<75 µm)	45	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	Sand (>75 µm)	53	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	+75µm	55	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:15	Moisture Content	5.6	%	FALSE	REG	1		12/07/2023	
	8/07/2023 8:15	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:26	Organic Matter	0.6	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 8:26	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+4.75mm	7	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+2.36mm	9	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	Gravel (>2mm)	10	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+1180µm	12	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+600µm	20	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	Fines (<75 µm)	21	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+425µm	28	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+300µm	44	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+150µm	67	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	Sand (>75 µm)	69	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	+75µm	79	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:26	Moisture Content	2.4	%	FALSE	REG	1		12/07/2023	
	8/07/2023 8:26	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:41	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	Organic Matter	1.3	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 8:41	Gravel (>2mm)	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+2.36mm	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+1180µm	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+600µm	6	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+425µm	9	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+300µm	14	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	+150µm	28	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	Sand (>75 µm)	35	%	FALSE	REG	1	17/07/2023	17/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 8:41	+75µm	37	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	Fines (<75 µm)	63	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:41	Moisture Content	12.6	%	FALSE	REG	1		12/07/2023	
	8/07/2023 8:41	Exchangeable Sodium Percent	10.3	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:52	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	Gravel (>2mm)	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+2.36mm	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	Organic Matter	2.2	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 8:52	+1180µm	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+600µm	6	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+425µm	8	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+300µm	12	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+150µm	20	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	Sand (>75 µm)	24	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	+75µm	26	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	Fines (<75 µm)	74	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 8:52	Moisture Content	15	%	FALSE	REG	1		12/07/2023	
	8/07/2023 8:52	Exchangeable Sodium Percent	2.1	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 9:06	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	Organic Matter	1.5	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 9:06	+2.36mm	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	Gravel (>2mm)	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+1180µm	6	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+600µm	12	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+425µm	18	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+300µm	29	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	Fines (<75 µm)	35	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+150µm	52	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	Sand (>75 µm)	61	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	+75µm	65	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:06	Moisture Content	7.2	%	FALSE	REG	1		12/07/2023	
	8/07/2023 9:06	Exchangeable Sodium Percent	3	%	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:09	Organic Matter	0.6	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 9:09	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+4.75mm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+2.36mm	8	%	FALSE	REG	1	17/07/2023	17/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 9:09	Gravel (>2mm)	9	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+1180µm	12	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+600µm	17	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	Fines (<75 µm)	22	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+425µm	23	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+300µm	36	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+150µm	62	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	Sand (>75 µm)	69	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	+75µm	78	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 9:09	Moisture Content	5.9	%	FALSE	REG	1		12/07/2023	
	8/07/2023 9:09	Exchangeable Sodium Percent	0.4	%	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 10:46	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	Organic Matter	1	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 10:46	+2.36mm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	Gravel (>2mm)	5	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+1180µm	7	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+600µm	15	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+425µm	22	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	Fines (<75 µm)	24	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+300µm	36	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+150µm	62	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	Sand (>75 µm)	71	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	+75µm	76	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 10:46	Moisture Content	3	%	FALSE	REG	1		12/07/2023	
	8/07/2023 10:46	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:01	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	Organic Matter	1.8	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 11:01	+2.36mm	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	Gravel (>2mm)	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+1180µm	6	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+600µm	10	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+425µm	13	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+300µm	20	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+150µm	32	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	Sand (>75 µm)	37	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	+75µm	41	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	Fines (<75 µm)	59	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:01	Moisture Content	11.2	%	FALSE	REG	1		12/07/2023	
	8/07/2023 11:01	Exchangeable Sodium Percent	3.7	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:36	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 11:36	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	Organic Matter	2.7	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 11:36	+2.36mm	5	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	Gravel (>2mm)	6	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+1180µm	10	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+600µm	18	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+425µm	21	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+300µm	28	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+150µm	42	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	Sand (>75 µm)	42	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	+75µm	48	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	Fines (<75 µm)	52	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:36	Moisture Content	8.3	%	FALSE	REG	1		12/07/2023	
	8/07/2023 11:36	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:48	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	Organic Matter	1.2	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 11:48	+2.36mm	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	Gravel (>2mm)	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+1180µm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+600µm	11	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+425µm	19	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	Fines (<75 µm)	22	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+300µm	35	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+150µm	62	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	Sand (>75 µm)	75	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	+75µm	78	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 11:48	Moisture Content	4.2	%	FALSE	REG	1		12/07/2023	
	8/07/2023 11:48	Exchangeable Sodium Percent	0.4	%	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:01	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+2.36mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	Organic Matter	1	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 12:01	Gravel (>2mm)	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+1180µm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+600µm	10	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+425µm	17	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	Fines (<75 µm)	24	%	FALSE	REG	1	17/07/2023	17/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 12:01	+300µm	32	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+150µm	61	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	Sand (>75 µm)	74	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	+75µm	76	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:01	Moisture Content	4.6	%	FALSE	REG	1		12/07/2023	
	8/07/2023 12:01	Exchangeable Sodium Percent	7.5	%	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:10	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	Organic Matter	1.4	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 12:10	Gravel (>2mm)	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+2.36mm	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+1180µm	5	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+600µm	11	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+425µm	19	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	Fines (<75 µm)	26	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+300µm	34	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+150µm	60	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	Sand (>75 µm)	72	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	+75µm	74	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:10	Moisture Content	8	%	FALSE	REG	1		12/07/2023	
	8/07/2023 12:10	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:19	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+2.36mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	Organic Matter	1.6	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 12:19	Gravel (>2mm)	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+1180µm	4	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+600µm	10	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+425µm	17	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	Fines (<75 µm)	27	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+300µm	31	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+150µm	58	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	Sand (>75 µm)	71	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	+75µm	73	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:19	Moisture Content	6.4	%	FALSE	REG	1		12/07/2023	
	8/07/2023 12:19	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:20	Cobbles (>6cm)	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+75.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+9.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+19.0mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+37.5mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+4.75mm	1	%	FALSE	REG	1	17/07/2023	17/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 12:20	Organic Matter	1.1	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
	8/07/2023 12:20	+2.36mm	2	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	Gravel (>2mm)	3	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+1180µm	5	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+600µm	11	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+425µm	18	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	Fines (<75 µm)	28	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+300µm	34	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+150µm	58	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	Sand (>75 µm)	69	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	+75µm	72	%	FALSE	REG	1	17/07/2023	17/07/2023	
	8/07/2023 12:20	Moisture Content	6	%	FALSE	REG	1		12/07/2023	
	8/07/2023 12:20	Exchangeable Sodium Percent	0.2	%	FALSE	REG	0.2	18/07/2023	20/07/2023	
	13/07/2023 9:39	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	13/07/2023	13/07/2023	
	14/07/2023 12:57	Organic Matter	0.5	%	FALSE	REG	0.5	14/07/2023	14/07/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	3.7	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	2.4	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.01	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	3.5	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.009	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	2.9	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.015	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	2.6	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.012	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	4.4	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.018	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	2.1	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.009	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	1.8	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.008	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	1.5	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.016	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	1.5	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.013	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	1.4	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.009	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Moisture Content	1.4	%	FALSE	REG	1		27/07/2023	
OH28- RSID0351	17/07/2023 12:06	Chromium Reducible Sulfur	0.033	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
MBID28	17/07/2023 14:40	Ionic Balance	1.36	%	FALSE	REG	0.01		25/07/2023	
MBID23	17/07/2023 15:20	Ionic Balance	3.32	%	FALSE	REG	0.01		26/07/2023	
593	17/07/2023 17:00	Ionic Balance	1.28	%	FALSE	REG	0.01		26/07/2023	
594	17/07/2023 17:40	Ionic Balance	1.03	%	FALSE	REG	0.01		25/07/2023	
MBID18	18/07/2023 8:30	Ionic Balance	2.67	%	FALSE	REG	0.01		27/07/2023	
MBID08	18/07/2023 10:40	Ionic Balance	3.57	%	FALSE	REG	0.01		26/07/2023	
MBID07	18/07/2023 12:00	Ionic Balance	0.23	%	FALSE	REG	0.01		27/07/2023	
MBID05	18/07/2023 12:45	Ionic Balance	0.21	%	FALSE	REG	0.01		26/07/2023	
MBID04	18/07/2023 14:10	Ionic Balance	0.04	%	FALSE	REG	0.01		26/07/2023	
MBID10	18/07/2023 15:10	Ionic Balance	1.38	%	FALSE	REG	0.01		27/07/2023	
MBID21A	18/07/2023 16:00	Ionic Balance	1.89	%	FALSE	REG	0.01		26/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID19A	18/07/2023 17:10	Ionic Balance	2.51	%	FALSE	REG	0.01		26/07/2023	
MBID17	19/07/2023 8:00	Ionic Balance	0.65	%	FALSE	REG	0.01		26/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	8	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.012	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	4.9	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.019	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	3.6	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	5	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.014	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	11.2	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.008	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	7.3	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.014	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	6.2	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.01	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	6.6	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.007	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	3.9	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.02	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	5.6	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.012	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	5.1	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.006	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	4.2	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.013	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	4.1	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.009	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	4.3	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.036	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	7.8	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.023	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	5.1	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.01	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	8.6	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.011	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	8.7	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.023	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	Moisture Content	6.9	%	FALSE	REG	1		27/07/2023	
OH24 - RSID0353	19/07/2023 11:53	Chromium Reducible Sulfur	0.012	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Moisture Content	19.6	%	FALSE	REG	1		27/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Chromium Reducible Sulfur	0.012	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Moisture Content	4	%	FALSE	REG	1		27/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Chromium Reducible Sulfur	0.012	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Moisture Content	4.5	%	FALSE	REG	1		27/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Chromium Reducible Sulfur	0.009	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Moisture Content	17.9	%	FALSE	REG	1		27/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Chromium Reducible Sulfur	0.007	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	Moisture Content	11.4	%	FALSE	REG	1		27/07/2023	
OH18 - RSID0363	22/07/2023 11:45	Chromium Reducible Sulfur	0.013	%	FALSE	REG	0.005	3/08/2023	3/08/2023	



Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH08 - RSID0368	23/07/2023 12:13	Moisture Content	30.6	%	FALSE	REG	1		27/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Chromium Reducible Sulfur	0.008	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Moisture Content	18	%	FALSE	REG	1		27/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Chromium Reducible Sulfur	0.013	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Moisture Content	21.3	%	FALSE	REG	1		27/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Chromium Reducible Sulfur	0.01	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Moisture Content	18.2	%	FALSE	REG	1		27/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Chromium Reducible Sulfur	0.008	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Moisture Content	6.9	%	FALSE	REG	1		27/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Chromium Reducible Sulfur	0.009	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Moisture Content	8.1	%	FALSE	REG	1		27/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Chromium Reducible Sulfur	0.008	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Moisture Content	10.5	%	FALSE	REG	1		27/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Chromium Reducible Sulfur	0.014	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Moisture Content	11.2	%	FALSE	REG	1		27/07/2023	
OH08 - RSID0368	23/07/2023 12:13	Chromium Reducible Sulfur	0.015	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Moisture Content	3.9	%	FALSE	REG	1		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Moisture Content	3.4	%	FALSE	REG	1		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Chromium Reducible Sulfur	0.006	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Moisture Content	5.6	%	FALSE	REG	1		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Chromium Reducible Sulfur	0.009	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Moisture Content	7.5	%	FALSE	REG	1		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Chromium Reducible Sulfur	0.012	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Moisture Content	4.5	%	FALSE	REG	1		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Chromium Reducible Sulfur	0.009	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Moisture Content	6.8	%	FALSE	REG	1		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Chromium Reducible Sulfur	0.014	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Moisture Content	5.3	%	FALSE	REG	1		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Chromium Reducible Sulfur	0.017	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Moisture Content	6.2	%	FALSE	REG	1		25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Chromium Reducible Sulfur	0.018	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
	2/08/2023 10:17	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
	2/08/2023 10:17	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
	2/08/2023 10:17	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	2/08/2023	2/08/2023	
	3/08/2023 11:43	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
	3/08/2023 11:43	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
	3/08/2023 11:43	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	3/08/2023	3/08/2023	
	7/08/2023 10:21	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	7/08/2023	7/08/2023	
N1S	8/08/2023 17:00	Moisture Content	40.2	%	FALSE	REG	1		14/08/2023	
N1S	8/08/2023 17:00	Chromium Reducible Sulfur	0.713	%	FALSE	REG	0.005	21/08/2023	21/08/2023	
N1S	8/08/2023 17:00	Ionic Balance	1.11	%	FALSE	REG	0.01		18/08/2023	
Rejects Grab San	19/08/2023 13:00	Moisture Content	6.6	%	FALSE	REG	1		28/08/2023	
Rejects Grab San	19/08/2023 13:00	Chromium Reducible Sulfur	0.585	%	FALSE	REG	0.005	6/09/2023	6/09/2023	
Tailings Thickene	19/08/2023 13:00	Moisture Content	9.3	%	FALSE	REG	1		25/08/2023	
Tailings Thickene	19/08/2023 13:00	Chromium Reducible Sulfur	0.808	%	FALSE	REG	0.005	6/09/2023	6/09/2023	
	21/08/2023 12:09	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	21/08/2023	21/08/2023	
SB2	27/08/2023 8:00	Ionic Balance	1.37	%	FALSE	REG	0.01		4/09/2023	
BC2	27/08/2023 9:24	Ionic Balance	3.78	%	FALSE	REG	0.01		4/09/2023	
MB2	27/08/2023 10:55	Ionic Balance	3.08	%	FALSE	REG	0.01		4/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB14	27/08/2023 13:00	Ionic Balance	1.39	%	FALSE	REG	0.01		4/09/2023	
MB12	27/08/2023 14:27	Ionic Balance	0.18	%	FALSE	REG	0.01		4/09/2023	
MB7	27/08/2023 18:00	Ionic Balance	0.78	%	FALSE	REG	0.01		4/09/2023	
MB9A	28/08/2023 9:00	Ionic Balance	0.95	%	FALSE	REG	0.01		4/09/2023	
MB8B	28/08/2023 11:48	Ionic Balance	0.07	%	FALSE	REG	0.01		4/09/2023	
	30/08/2023 12:41	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	30/08/2023	30/08/2023	
N1S	3/09/2023 13:15	Ionic Balance	28.2	%	FALSE	REG	0.01		19/09/2023	
N1S	3/09/2023 13:44	Chromium Reducible Sulfur	0.411	%	FALSE	REG	0.005	15/09/2023	18/09/2023	
	6/09/2023 14:44	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	6/09/2023	6/09/2023	
N1S	14/09/2023 12:50	Chromium Reducible Sulfur	0.188	%	FALSE	REG	0.005	3/10/2023	3/10/2023	
N1S	14/09/2023 12:50	Ionic Balance	2.74	%	FALSE	REG	0.01		27/09/2023	
	15/09/2023 17:03	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	15/09/2023	18/09/2023	
	18/09/2023 10:00	Ionic Balance	0.68	%	FALSE	REG	0.01		27/09/2023	
Rejects - Compos	1/10/2023 7:14	Moisture Content	17.1	%	FALSE	REG	1		9/10/2023	
Rejects - Compos	1/10/2023 7:14	Chromium Reducible Sulfur	0.354	%	FALSE	REG	0.005	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Moisture Content	11.3	%	FALSE	REG	1		9/10/2023	
Rejects - Compos	1/10/2023 7:19	Chromium Reducible Sulfur	0.325	%	FALSE	REG	0.005	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Moisture Content	12.8	%	FALSE	REG	1		9/10/2023	
Rejects - Compos	1/10/2023 7:24	Chromium Reducible Sulfur	0.127	%	FALSE	REG	0.005	12/10/2023	12/10/2023	
Rejects Grab San	3/10/2023 6:15	Chromium Reducible Sulfur	0.18	%	FALSE	REG	0.005	10/10/2023	10/10/2023	
	3/10/2023 10:08	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	3/10/2023	3/10/2023	
	10/10/2023 10:16	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	10/10/2023	10/10/2023	
	12/10/2023 10:17	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	12/10/2023	12/10/2023	
N1S	22/10/2023 13:45	Moisture Content	28.6	%	FALSE	REG	1		25/10/2023	
N1S	22/10/2023 13:45	Chromium Reducible Sulfur	1.19	%	FALSE	REG	0.005	1/11/2023	1/11/2023	
N1S	22/10/2023 13:45	Ionic Balance	0.38	%	FALSE	REG	0.01		1/11/2023	
MBID23	23/10/2023 10:25	Ionic Balance	1.61	%	FALSE	REG	0.01		1/11/2023	
MBID28	23/10/2023 11:30	Ionic Balance	0.81	%	FALSE	REG	0.01		1/11/2023	
593	23/10/2023 13:40	Ionic Balance	1.14	%	FALSE	REG	0.01		1/11/2023	
594	23/10/2023 14:35	Ionic Balance	0.06	%	FALSE	REG	0.01		1/11/2023	
MBID18	24/10/2023 7:35	Ionic Balance	6.48	%	FALSE	REG	0.01		6/11/2023	
MBID08	24/10/2023 9:25	Ionic Balance	2.19	%	FALSE	REG	0.01		1/11/2023	
MBID07	24/10/2023 10:30	Ionic Balance	0.68	%	FALSE	REG	0.01		1/11/2023	
	24/10/2023 10:35	Ionic Balance	0.53	%	FALSE	REG	0.01		3/11/2023	
MBID15	24/10/2023 11:50	Ionic Balance	0.04	%	FALSE	REG	0.01		1/11/2023	
MBID04	24/10/2023 13:50	Ionic Balance	3.77	%	FALSE	REG	0.01		3/11/2023	
MBID10	24/10/2023 14:30	Ionic Balance	0.18	%	FALSE	REG	0.01		1/11/2023	
MBID21A	24/10/2023 15:00	Ionic Balance	1.92	%	FALSE	REG	0.01		3/11/2023	
MBID19A	24/10/2023 16:15	Ionic Balance	0.42	%	FALSE	REG	0.01		3/11/2023	
MBID01	25/10/2023 7:45	Ionic Balance	0.42	%	FALSE	REG	0.01		3/11/2023	
MBID17	25/10/2023 8:45	Ionic Balance	1.22	%	FALSE	REG	0.01		3/11/2023	
	1/11/2023 10:01	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	1/11/2023	1/11/2023	
Rejects Grab San	18/11/2023 9:30	Moisture Content	6.1	%	FALSE	REG	1		29/11/2023	
Rejects Grab San	18/11/2023 9:30	Chromium Reducible Sulfur	0.102	%	FALSE	REG	0.005	4/12/2023	4/12/2023	
Tailings Thickene	18/11/2023 9:30	Moisture Content	34.4	%	FALSE	REG	1		29/11/2023	
Tailings Thickene	18/11/2023 9:30	Chromium Reducible Sulfur	0.432	%	FALSE	REG	0.005	4/12/2023	4/12/2023	
N1S	21/11/2023 14:30	Moisture Content	9.9	%	FALSE	REG	1		29/11/2023	
N1S	21/11/2023 14:30	Chromium Reducible Sulfur	0.337	%	FALSE	REG	0.005	4/12/2023	4/12/2023	
N1S	21/11/2023 15:00	Ionic Balance	0.3	%	FALSE	REG	0.01		30/11/2023	
	4/12/2023 10:07	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	4/12/2023	4/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	4/12/2023 10:07	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	4/12/2023	4/12/2023	
	12/12/2023 7:29	Moisture Content	2.3	%	FALSE	REG	1		11/01/2024	
	12/12/2023 7:29	Chromium Reducible Sulfur	0.282	%	FALSE	REG	0.005	15/01/2024	15/01/2024	
	12/12/2023 7:30	Moisture Content	6	%	FALSE	REG	1		11/01/2024	
	12/12/2023 7:30	Chromium Reducible Sulfur	0.199	%	FALSE	REG	0.005	15/01/2024	15/01/2024	
N1S	18/12/2023 10:30	Moisture Content	26.5	%	FALSE	REG	1		21/12/2023	
N1S	18/12/2023 10:30	Chromium Reducible Sulfur	0.792	%	FALSE	REG	0.005	27/12/2023	27/12/2023	
Rejects Grab San	19/12/2023 10:15	Moisture Content	1.4	%	FALSE	REG	1		21/12/2023	
Rejects Grab San	19/12/2023 10:15	Chromium Reducible Sulfur	0.072	%	FALSE	REG	0.005	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Moisture Content	1.3	%	FALSE	REG	1		21/12/2023	
Tailings Thickene	19/12/2023 10:30	Chromium Reducible Sulfur	0.186	%	FALSE	REG	0.005	5/01/2024	5/01/2024	
	27/12/2023 10:01	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	27/12/2023	27/12/2023	
	4/01/2024 10:08	Moisture Content	2.6	%	FALSE	REG	1		11/01/2024	
	4/01/2024 10:08	Chromium Reducible Sulfur	0.306	%	FALSE	REG	0.005	15/01/2024	15/01/2024	
	5/01/2024 8:57	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	5/01/2024	5/01/2024	
	15/01/2024 8:53	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	15/01/2024	15/01/2024	
Rejects Grab San	18/01/2024 8:05	Moisture Content	1.2	%	FALSE	REG	1		2/02/2024	
Rejects Grab San	18/01/2024 8:05	Chromium Reducible Sulfur	0.1	%	FALSE	REG	0.005	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Moisture Content	1	%	FALSE	REG	1		2/02/2024	
N1S	23/01/2024 13:10	Moisture Content	35.9	%	FALSE	REG	1		30/01/2024	
N1S	23/01/2024 13:10	Chromium Reducible Sulfur	0.307	%	FALSE	REG	0.005	2/02/2024	2/02/2024	
	2/02/2024 9:44	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	2/02/2024	2/02/2024	
MBID23	6/02/2024 9:45	Ionic Balance	5.95	%	FALSE	REG	0.01		19/02/2024	
MBID28	6/02/2024 12:50	Ionic Balance	4.65	%	FALSE	REG	0.01		19/02/2024	
593	6/02/2024 13:50	Ionic Balance	7.17	%	FALSE	REG	0.01		19/02/2024	
594	6/02/2024 15:30	Ionic Balance	3.51	%	FALSE	REG	0.01		19/02/2024	
MBID17	6/02/2024 16:50	Ionic Balance	0.65	%	FALSE	REG	0.01		19/02/2024	
MBID18	7/02/2024 7:50	Ionic Balance	3.61	%	FALSE	REG	0.01		19/02/2024	
MBID15	7/02/2024 9:45	Ionic Balance	2.36	%	FALSE	REG	0.01		19/02/2024	
MBID07	7/02/2024 11:00	Ionic Balance	5.37	%	FALSE	REG	0.01		19/02/2024	
MBID04	7/02/2024 11:50	Ionic Balance	5.8	%	FALSE	REG	0.01		19/02/2024	
MBID10	7/02/2024 12:15	Ionic Balance	3.17	%	FALSE	REG	0.01		19/02/2024	
MBID21A	7/02/2024 12:30	Ionic Balance	4.42	%	FALSE	REG	0.01		19/02/2024	
MBID19A	7/02/2024 13:10	Ionic Balance	8.6	%	FALSE	REG	0.01		19/02/2024	
	7/02/2024 13:15	Ionic Balance	8.52	%	FALSE	REG	0.01		19/02/2024	
MBID01	7/02/2024 13:30	Ionic Balance	4.5	%	FALSE	REG	0.01		19/02/2024	
	12/02/2024 9:31	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	12/02/2024	12/02/2024	
N1S	20/02/2024 13:00	Moisture Content	41.2	%	FALSE	REG	1		23/02/2024	
N1S	20/02/2024 13:00	Chromium Reducible Sulfur	0.475	%	FALSE	REG	0.005	27/02/2024	27/02/2024	
	27/02/2024 9:45	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	27/02/2024	27/02/2024	
Rejects Grab San	29/02/2024 8:45	Moisture Content	1	%	FALSE	REG	1		30/04/2024	
Rejects Grab San	29/02/2024 8:45	Chromium Reducible Sulfur	0.1	%	FALSE	REG	0.005	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	Moisture Content	1	%	FALSE	REG	1		5/03/2024	
Rejects Grab San	29/02/2024 8:45	Chromium Reducible Sulfur	0.158	%	FALSE	REG	0.005	11/03/2024	11/03/2024	
Tailings Thickene	29/02/2024 9:00	Moisture Content	1	%	FALSE	REG	1		30/04/2024	
Tailings Thickene	29/02/2024 9:00	Moisture Content	1	%	FALSE	REG	1		5/03/2024	
BC2	29/02/2024 9:41	Ionic Balance	2.98	%	FALSE	REG	0.01		11/03/2024	
MB2	29/02/2024 11:08	Ionic Balance	3.08	%	FALSE	REG	0.01		8/03/2024	
MB14	29/02/2024 13:25	Ionic Balance	1.22	%	FALSE	REG	0.01		8/03/2024	
MB12	29/02/2024 15:13	Ionic Balance	0.76	%	FALSE	REG	0.01		8/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8B	1/03/2024 8:00	Ionic Balance	1.4	%	FALSE	REG	0.01		8/03/2024	
MB7	1/03/2024 8:55	Ionic Balance	0.48	%	FALSE	REG	0.01		8/03/2024	
MB9A	1/03/2024 11:35	Ionic Balance	2.68	%	FALSE	REG	0.01		8/03/2024	
	11/03/2024 9:07	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	11/03/2024	11/03/2024	
Rejects Grab San	19/03/2024 8:45	Moisture Content	1.6	%	FALSE	REG	1		4/04/2024	
Rejects Grab San	19/03/2024 8:45	Chromium Reducible Sulfur	0.045	%	FALSE	REG	0.005	8/04/2024	8/04/2024	
Tailings Thickene	19/03/2024 9:00	Moisture Content	1	%	FALSE	REG	1		4/04/2024	
N1S	27/03/2024 13:00	Moisture Content	35.1	%	FALSE	REG	1		5/04/2024	
N1S	27/03/2024 13:00	Chromium Reducible Sulfur	0.284	%	FALSE	REG	0.005	10/04/2024	10/04/2024	
N1S	27/03/2024 13:00	Ionic Balance	0.79	%	FALSE	REG	0.01		10/04/2024	
	8/04/2024 6:30	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	8/04/2024	8/04/2024	
	10/04/2024 7:02	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	10/04/2024	10/04/2024	
BC2	17/04/2024 7:30	Ionic Balance	3.14	%	FALSE	REG	0.01		29/04/2024	
MB2	17/04/2024 9:10	Ionic Balance	3.74	%	FALSE	REG	0.01		29/04/2024	
MB12	17/04/2024 9:40	Ionic Balance	8.2	%	FALSE	REG	0.01		29/04/2024	
MB14	17/04/2024 11:25	Ionic Balance	0.74	%	FALSE	REG	0.01		29/04/2024	
Swamp Bore 2	17/04/2024 12:30	Ionic Balance	11.3	%	FALSE	REG	0.01		29/04/2024	
N1S	17/04/2024 13:00	Moisture Content	30.7	%	FALSE	REG	1		19/04/2024	
N1S	17/04/2024 13:00	Chromium Reducible Sulfur	2.05	%	FALSE	REG	0.005	24/04/2024	24/04/2024	
N1S	17/04/2024 13:00	Ionic Balance	1.47	%	FALSE	REG	0.01		24/04/2024	
MB9A	17/04/2024 14:25	Ionic Balance	4.83	%	FALSE	REG	0.01		29/04/2024	
MB8B	17/04/2024 16:40	Ionic Balance	1.88	%	FALSE	REG	0.01		26/04/2024	
MB7	17/04/2024 17:00	Ionic Balance	0.39	%	FALSE	REG	0.01		26/04/2024	
Rejects - Compos	23/04/2024 9:30	Moisture Content	3.3	%	FALSE	REG	1		17/05/2024	
Rejects - Compos	23/04/2024 9:30	Chromium Reducible Sulfur	0.65	%	FALSE	REG	0.005	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Moisture Content	4.8	%	FALSE	REG	1		17/05/2024	
Rejects - Compos	23/04/2024 9:30	Chromium Reducible Sulfur	0.326	%	FALSE	REG	0.005	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Moisture Content	5.8	%	FALSE	REG	1		17/05/2024	
Rejects - Compos	23/04/2024 9:30	Chromium Reducible Sulfur	0.511	%	FALSE	REG	0.005	21/05/2024	21/05/2024	
	24/04/2024 10:40	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	24/04/2024	24/04/2024	
	9/05/2024 9:26	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	9/05/2024	9/05/2024	
N1S	21/05/2024	Moisture Content	31	%	FALSE	REG	1		23/05/2024	
N1S	21/05/2024	Chromium Reducible Sulfur	0.933	%	FALSE	REG	0.005	31/05/2024	31/05/2024	
N1S	21/05/2024	Ionic Balance	10.5	%	FALSE	REG	0.01		29/05/2024	
	21/05/2024 9:46	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	21/05/2024	21/05/2024	
Rejects Grab San	22/05/2024 7:40	Moisture Content	1	%	FALSE	REG	1		27/05/2024	
Rejects Grab San	22/05/2024 7:40	Chromium Reducible Sulfur	0.083	%	FALSE	REG	0.005	31/05/2024	31/05/2024	
Tailings Thickene	22/05/2024 7:40	Moisture Content	1.1	%	FALSE	REG	1		27/05/2024	
Tailings Thickene	22/05/2024 7:40	Chromium Reducible Sulfur	0.64	%	FALSE	REG	0.005	31/05/2024	31/05/2024	
	31/05/2024 9:35	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	31/05/2024	31/05/2024	
	31/05/2024 9:35	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	31/05/2024	31/05/2024	
N1S	12/06/2024 12:21	Ionic Balance	44.7	%	FALSE	REG	0.01		26/06/2024	
N1S	12/06/2024 12:23	Moisture Content	39.4	%	FALSE	REG	1		21/06/2024	
N1S	12/06/2024 12:23	Chromium Reducible Sulfur	0.717	%	FALSE	REG	0.005	24/06/2024	24/06/2024	
	24/06/2024 9:51	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	24/06/2024	24/06/2024	
Rejects Grab San	24/06/2024 11:28	Chromium Reducible Sulfur	0.563	%	FALSE	REG	0.005	4/07/2024	4/07/2024	
Tailings Thickene	24/06/2024 11:28	Chromium Reducible Sulfur	0.387	%	FALSE	REG	0.005	4/07/2024	4/07/2024	
	4/07/2024 8:56	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	4/07/2024	4/07/2024	
	8/07/2024 13:45	Moisture Content	16.3	%	FALSE	REG	1		20/07/2024	
	8/07/2024 13:45	Chromium Reducible Sulfur	1.27	%	FALSE	REG	0.005	24/07/2024	24/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2024 13:45	Moisture Content	6.1	%	FALSE	REG	1		20/07/2024	
	8/07/2024 13:45	Chromium Reducible Sulfur	0.381	%	FALSE	REG	0.005	24/07/2024	24/07/2024	
	8/07/2024 13:45	Moisture Content	11.9	%	FALSE	REG	1		20/07/2024	
	8/07/2024 13:45	Chromium Reducible Sulfur	0.775	%	FALSE	REG	0.005	24/07/2024	24/07/2024	
	22/07/2024 10:25	Moisture Content	7	%	FALSE	REG	1		30/07/2024	
	22/07/2024 10:25	Chromium Reducible Sulfur	0.038	%	FALSE	REG	0.005	5/08/2024	5/08/2024	
Tailings Thickene	22/07/2024 10:26	Moisture Content	77.2	%	FALSE	REG	1		30/07/2024	
Tailings Thickene	22/07/2024 10:26	Chromium Reducible Sulfur	0.42	%	FALSE	REG	0.005	5/08/2024	5/08/2024	
593	22/07/2024 12:55	Ionic Balance	6.1	%	FALSE	REG	0.01		1/08/2024	
594	22/07/2024 14:00	Ionic Balance	5.59	%	FALSE	REG	0.01		5/08/2024	
MBID28	22/07/2024 15:05	Ionic Balance	3.81	%	FALSE	REG	0.01		1/08/2024	
	22/07/2024 15:10	Ionic Balance	4.52	%	FALSE	REG	0.01		5/08/2024	
MBID23	22/07/2024 15:55	Ionic Balance	3.77	%	FALSE	REG	0.01		1/08/2024	
MBID21	23/07/2024 13:45	Ionic Balance	2.64	%	FALSE	REG	0.01		1/08/2024	
MB8	24/07/2024 7:45	Ionic Balance	7.72	%	FALSE	REG	0.01		1/08/2024	
BC2	24/07/2024 7:50	Ionic Balance	0.06	%	FALSE	REG	0.01		1/08/2024	
MB2	24/07/2024 9:05	Ionic Balance	2.61	%	FALSE	REG	0.01		1/08/2024	
	24/07/2024 9:10	Ionic Balance	4.71	%	FALSE	REG	0.01		1/08/2024	
	24/07/2024 9:55	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	24/07/2024	24/07/2024	
MB12	24/07/2024 10:25	Ionic Balance	9.09	%	FALSE	REG	0.01		1/08/2024	
MB14	24/07/2024 11:35	Ionic Balance	7.72	%	FALSE	REG	0.01		1/08/2024	
	24/07/2024 13:03	Moisture Content	23.5	%	FALSE	REG	1		26/07/2024	
	24/07/2024 13:03	Chromium Reducible Sulfur	3.13	%	FALSE	REG	0.005	31/07/2024	31/07/2024	
	24/07/2024 13:03	Ionic Balance	4.59	%	FALSE	REG	0.01		1/08/2024	
	24/07/2024 13:30	Ionic Balance	8.27	%	FALSE	REG	0.01		1/08/2024	
MB7	24/07/2024 15:30	Ionic Balance	4.9	%	FALSE	REG	0.01		1/08/2024	
MB9A	24/07/2024 17:15	Ionic Balance	9.98	%	FALSE	REG	0.01		1/08/2024	
	31/07/2024 10:10	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	31/07/2024	31/07/2024	
	5/08/2024 9:34	Chromium Reducible Sulfur	0.005	%	FALSE	REG	0.005	5/08/2024	5/08/2024	
	7/06/2023 6:34	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	7/06/2023	7/06/2023	
Rejects - Compos	14/06/2023 11:00	Sulfur - Total as S (LECO)	0.12	%	FALSE	REG	0.01	26/06/2023	26/06/2023	
Tailings Thickene	14/06/2023 11:00	Sulfur - Total as S (LECO)	0.7	%	FALSE	REG	0.01	26/06/2023	26/06/2023	
N1S	20/06/2023 8:00	Sulfur - Total as S (LECO)	1.14	%	FALSE	REG	0.01	27/06/2023	27/06/2023	
	26/06/2023 5:29	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	26/06/2023	26/06/2023	
	26/06/2023 12:57	Sulfur - Total as S (LECO)	0.02	%	FALSE	REG	0.01	4/07/2023	5/07/2023	
	26/06/2023 13:04	Sulfur - Total as S (LECO)	0.02	%	FALSE	REG	0.01	4/07/2023	5/07/2023	
	26/06/2023 13:17	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	4/07/2023	5/07/2023	
	26/06/2023 13:25	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	4/07/2023	5/07/2023	
	27/06/2023 13:12	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	27/06/2023	27/06/2023	
	28/06/2023 11:56	Sulfur - Total as S (LECO)	0.02	%	FALSE	REG	0.01	17/07/2023	17/07/2023	
	28/06/2023 11:58	Sulfur - Total as S (LECO)	0.03	%	FALSE	REG	0.01	17/07/2023	17/07/2023	
	28/06/2023 12:01	Sulfur - Total as S (LECO)	0.02	%	FALSE	REG	0.01	17/07/2023	17/07/2023	
	28/06/2023 12:03	Sulfur - Total as S (LECO)	0.02	%	FALSE	REG	0.01	17/07/2023	17/07/2023	
	28/06/2023 12:04	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	17/07/2023	17/07/2023	
	4/07/2023 13:14	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	4/07/2023	5/07/2023	
Rejects - Compos	5/07/2023 12:00	Sulfur - Total as S (LECO)	0.25	%	FALSE	REG	0.01		14/07/2023	
Rejects - Compos	5/07/2023 12:04	Sulfur - Total as S (LECO)	0.3	%	FALSE	REG	0.01	12/07/2023	12/07/2023	
Rejects - Compos	5/07/2023 12:05	Sulfur - Total as S (LECO)	0.34	%	FALSE	REG	0.01	12/07/2023	12/07/2023	
	8/07/2023 6:56	Sulfur - Total as S (LECO)	0.02	%	FALSE	REG	0.01	19/07/2023	19/07/2023	
	8/07/2023 6:59	Sulfur - Total as S (LECO)	0.02	%	FALSE	REG	0.01	19/07/2023	19/07/2023	





Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	3/08/2023 11:52	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	3/08/2023	3/08/2023	
	3/08/2023 11:52	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	3/08/2023	3/08/2023	
	3/08/2023 11:52	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	3/08/2023	3/08/2023	
	4/08/2023 6:18	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	4/08/2023	4/08/2023	
N1S	8/08/2023 17:00	Sulfur - Total as S (LECO)	0.9	%	FALSE	REG	0.01	18/08/2023	18/08/2023	
	18/08/2023 7:27	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	18/08/2023	18/08/2023	
Rejects Grab Sam	19/08/2023 13:00	Sulfur - Total as S (LECO)	0.59	%	FALSE	REG	0.01	5/09/2023	5/09/2023	
Tailings Thickene	19/08/2023 13:00	Sulfur - Total as S (LECO)	0.81	%	FALSE	REG	0.01	5/09/2023	5/09/2023	
	29/08/2023 11:43	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	29/08/2023	29/08/2023	
N1S	3/09/2023 13:44	Sulfur - Total as S (LECO)	0.59	%	FALSE	REG	0.01	14/09/2023	14/09/2023	
	5/09/2023 12:35	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	5/09/2023	5/09/2023	
	14/09/2023 5:44	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	14/09/2023	14/09/2023	
N1S	14/09/2023 12:50	Sulfur - Total as S (LECO)	0.31	%	FALSE	REG	0.01	3/10/2023	3/10/2023	
Rejects - Compos	1/10/2023 7:14	Sulfur - Total as S (LECO)	0.49	%	FALSE	REG	0.01	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:19	Sulfur - Total as S (LECO)	0.42	%	FALSE	REG	0.01	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:24	Sulfur - Total as S (LECO)	0.54	%	FALSE	REG	0.01	11/10/2023	11/10/2023	
	3/10/2023 5:50	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	3/10/2023	3/10/2023	
Rejects Grab Sam	3/10/2023 6:15	Sulfur - Total as S (LECO)	0.28	%	FALSE	REG	0.01	10/10/2023	10/10/2023	
	10/10/2023 5:35	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	10/10/2023	10/10/2023	
	11/10/2023 12:13	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	11/10/2023	11/10/2023	
N1S	22/10/2023 13:45	Sulfur - Total as S (LECO)	1.64	%	FALSE	REG	0.01	31/10/2023	31/10/2023	
	31/10/2023 12:03	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	31/10/2023	31/10/2023	
Rejects Grab Sam	18/11/2023 9:30	Sulfur - Total as S (LECO)	0.14	%	FALSE	REG	0.01	29/11/2023	29/11/2023	
Tailings Thickene	18/11/2023 9:30	Sulfur - Total as S (LECO)	0.5	%	FALSE	REG	0.01	29/11/2023	29/11/2023	
N1S	21/11/2023 14:30	Sulfur - Total as S (LECO)	0.52	%	FALSE	REG	0.01	29/11/2023	29/11/2023	
	29/11/2023 12:34	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	29/11/2023	29/11/2023	
	29/11/2023 12:34	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	29/11/2023	29/11/2023	
	12/12/2023 7:29	Sulfur - Total as S (LECO)	0.44	%	FALSE	REG	0.01	17/01/2024	17/01/2024	
	12/12/2023 7:30	Sulfur - Total as S (LECO)	0.28	%	FALSE	REG	0.01	17/01/2024	17/01/2024	
N1S	18/12/2023 10:30	Sulfur - Total as S (LECO)	1.02	%	FALSE	REG	0.01	22/12/2023	22/12/2023	
Rejects Grab Sam	19/12/2023 10:15	Sulfur - Total as S (LECO)	0.18	%	FALSE	REG	0.01	4/01/2024	4/01/2024	
Tailings Thickene	19/12/2023 10:30	Sulfur - Total as S (LECO)	0.45	%	FALSE	REG	0.01	4/01/2024	4/01/2024	
	22/12/2023 12:41	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	22/12/2023	22/12/2023	
	4/01/2024 9:10	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	4/01/2024	4/01/2024	
	4/01/2024 10:08	Sulfur - Total as S (LECO)	0.43	%	FALSE	REG	0.01	17/01/2024	17/01/2024	
	17/01/2024 10:07	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	17/01/2024	17/01/2024	
Rejects Grab Sam	18/01/2024 8:05	Sulfur - Total as S (LECO)	0.14	%	FALSE	REG	0.01	12/02/2024	12/02/2024	
N1S	23/01/2024 13:10	Sulfur - Total as S (LECO)	0.53	%	FALSE	REG	0.01	1/02/2024	1/02/2024	
	1/02/2024 6:16	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	1/02/2024	1/02/2024	
	12/02/2024 5:51	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	12/02/2024	12/02/2024	
N1S	20/02/2024 13:00	Sulfur - Total as S (LECO)	0.66	%	FALSE	REG	0.01	27/02/2024	27/02/2024	
	27/02/2024 5:35	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	27/02/2024	27/02/2024	
Rejects Grab Sam	29/02/2024 8:45	Sulfur - Total as S (LECO)	0.14	%	FALSE	REG	0.01	9/05/2024	9/05/2024	
Rejects Grab Sam	29/02/2024 8:45	Sulfur - Total as S (LECO)	0.18	%	FALSE	REG	0.01	13/03/2024	14/03/2024	
	13/03/2024 13:21	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	13/03/2024	14/03/2024	
Rejects Grab Sam	19/03/2024 8:45	Sulfur - Total as S (LECO)	0.09	%	FALSE	REG	0.01	8/04/2024	8/04/2024	
N1S	27/03/2024 13:00	Sulfur - Total as S (LECO)	0.44	%	FALSE	REG	0.01	9/04/2024	9/04/2024	
	8/04/2024 11:46	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	8/04/2024	8/04/2024	
	9/04/2024 15:37	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	9/04/2024	9/04/2024	
N1S	17/04/2024 13:00	Sulfur - Total as S (LECO)	2.44	%	FALSE	REG	0.01	24/04/2024	26/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	23/04/2024 9:30	Sulfur - Total as S (LECO)	0.66	%	FALSE	REG	0.01	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Sulfur - Total as S (LECO)	0.49	%	FALSE	REG	0.01	20/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Sulfur - Total as S (LECO)	0.63	%	FALSE	REG	0.01	20/05/2024	21/05/2024	
	24/04/2024 13:16	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	24/04/2024	26/04/2024	
	9/05/2024 12:07	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	9/05/2024	9/05/2024	
	20/05/2024 13:19	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	20/05/2024	21/05/2024	
N1S	21/05/2024	Sulfur - Total as S (LECO)	1.13	%	FALSE	REG	0.01	30/05/2024	30/05/2024	
Rejects Grab San	22/05/2024 7:40	Sulfur - Total as S (LECO)	0.14	%	FALSE	REG	0.01	3/06/2024	3/06/2024	
Tailings Thickene	22/05/2024 7:40	Sulfur - Total as S (LECO)	0.85	%	FALSE	REG	0.01	3/06/2024	3/06/2024	
	30/05/2024 10:53	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	30/05/2024	30/05/2024	
	3/06/2024 6:33	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	3/06/2024	3/06/2024	
N1S	12/06/2024 12:23	Sulfur - Total as S (LECO)	0.75	%	FALSE	REG	0.01	24/06/2024	24/06/2024	
	24/06/2024 6:24	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	24/06/2024	24/06/2024	
Rejects Grab San	24/06/2024 11:28	Sulfur - Total as S (LECO)	0.69	%	FALSE	REG	0.01	2/07/2024	2/07/2024	
Tailings Thickene	24/06/2024 11:28	Sulfur - Total as S (LECO)	0.52	%	FALSE	REG	0.01	2/07/2024	2/07/2024	
	2/07/2024 6:04	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	2/07/2024	2/07/2024	
	8/07/2024 13:45	Sulfur - Total as S (LECO)	1.36	%	FALSE	REG	0.01	23/07/2024	23/07/2024	
	8/07/2024 13:45	Sulfur - Total as S (LECO)	0.48	%	FALSE	REG	0.01	23/07/2024	23/07/2024	
	8/07/2024 13:45	Sulfur - Total as S (LECO)	0.95	%	FALSE	REG	0.01	23/07/2024	23/07/2024	
	22/07/2024 10:25	Sulfur - Total as S (LECO)	0.1	%	FALSE	REG	0.01	5/08/2024	5/08/2024	
Tailings Thickene	22/07/2024 10:26	Sulfur - Total as S (LECO)	0.51	%	FALSE	REG	0.01	5/08/2024	5/08/2024	
	23/07/2024 13:09	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	23/07/2024	23/07/2024	
	24/07/2024 13:03	Sulfur - Total as S (LECO)	3.16	%	FALSE	REG	0.01	30/07/2024	30/07/2024	
	30/07/2024 13:08	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	30/07/2024	30/07/2024	
	5/08/2024 9:04	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	5/08/2024	5/08/2024	
	5/08/2024 9:04	Sulfur - Total as S (LECO)	0.01	%	FALSE	REG	0.01	5/08/2024	5/08/2024	
	7/06/2023 9:31	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	7/06/2023	7/06/2023	
	7/06/2023 9:31	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	7/06/2023	7/06/2023	
	30/06/2023 6:31	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	30/06/2023	30/06/2023	
	30/06/2023 6:31	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	30/06/2023	30/06/2023	
	30/06/2023 6:31	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	30/06/2023	30/06/2023	
	28/07/2023 6:15	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	28/07/2023	28/07/2023	
	28/07/2023 6:15	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	28/07/2023	28/07/2023	
	31/08/2023 6:11	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	31/08/2023	31/08/2023	
	31/08/2023 6:11	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	31/08/2023	31/08/2023	
	26/09/2023 8:06	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	26/09/2023	26/09/2023	
	23/10/2023 14:18	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	23/10/2023	23/10/2023	
	23/10/2023 14:18	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	23/10/2023	23/10/2023	
	29/11/2023 7:00	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	29/11/2023	29/11/2023	
	29/11/2023 7:00	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	29/11/2023	29/11/2023	
	10/01/2024 11:13	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	10/01/2024	10/01/2024	
	10/01/2024 11:13	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	10/01/2024	10/01/2024	
	14/01/2024 6:20	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	14/01/2024	14/01/2024	
	14/01/2024 6:20	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	14/01/2024	14/01/2024	
	2/02/2024 12:57	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Soluble Matter	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	2/02/2024	2/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	2/02/2024 12:57	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	2/02/2024	2/02/2024	
DD27	22/02/2024 9:24	Ash Content	2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	Total Insoluble Matter	2.5	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	Total Soluble Matter	5.5	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Ash Content	2.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Total Insoluble Matter	4.2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Total Soluble Matter	5.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Ash Content	4.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Total Insoluble Matter	5.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Total Soluble Matter	6.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Ash Content	1.8	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Total Insoluble Matter	2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Total Soluble Matter	2.4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD24	20/03/2024 7:45	Total Soluble Matter	0.8	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	Ash Content	2.3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	Total Insoluble Matter	3.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Total Soluble Matter	1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Ash Content	2.3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Total Insoluble Matter	2.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Total Soluble Matter	2.4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Ash Content	6.2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Total Insoluble Matter	7.3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Total Soluble Matter	1.4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Ash Content	3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Total Insoluble Matter	3.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD24	18/04/2024 11:32	Total Soluble Matter	1.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	Ash Content	3.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	Total Insoluble Matter	3.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Ash Content	2.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Total Soluble Matter	2.8	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Total Insoluble Matter	3.6	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Total Soluble Matter	1.8	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Ash Content	2.4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Total Insoluble Matter	3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD24	21/05/2024 13:40	Ash Content	1.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD24	21/05/2024 13:40	Total Insoluble Matter	2.2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD24	21/05/2024 13:40	Total Soluble Matter	4.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Ash Content	2.5	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD25	21/05/2024 13:52	Total Insoluble Matter	4.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Total Soluble Matter	5.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Total Soluble Matter	1.5	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Ash Content	7.8	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Total Insoluble Matter	9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Total Soluble Matter	1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Ash Content	3.2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Total Insoluble Matter	3.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD24	19/06/2024 8:15	Total Soluble Matter	1.4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD24	19/06/2024 8:15	Ash Content	3.3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD24	19/06/2024 8:15	Total Insoluble Matter	4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Total Soluble Matter	0.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Ash Content	2.4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Total Insoluble Matter	2.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Total Soluble Matter	1.3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Ash Content	5.8	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Total Insoluble Matter	6.8	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Total Soluble Matter	1.3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Ash Content	4.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Total Insoluble Matter	5.4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD24	18/07/2024 12:55	Ash Content	1.2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	Total Insoluble Matter	1.4	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	Total Soluble Matter	2.2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Ash Content	2.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Total Insoluble Matter	2.6	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Total Soluble Matter	2.9	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Total Soluble Matter	3.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Ash Content	7.3	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Total Insoluble Matter	8.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Ash Content	1.8	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Total Insoluble Matter	2.2	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Total Soluble Matter	2.7	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Soluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Insoluble Matter	0.1	g/m <sup>2</sup> .mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
	7/06/2023 9:31	Total Solids (mg)	2	mg	FALSE	REG	2	7/06/2023	7/06/2023	
	7/06/2023 9:31	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	7/06/2023	7/06/2023	
	7/06/2023 9:31	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	7/06/2023	7/06/2023	
DD4	19/06/2023 7:30	Combustible Matter (mg)	7	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD4	19/06/2023 7:30	Ash Content (mg)	23	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD4	19/06/2023 7:30	Total Soluble Matter (mg)	25	mg	FALSE	REG	2	30/06/2023	30/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD4	19/06/2023 7:30	Total Insoluble Matter (mg)	30	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD4	19/06/2023 7:30	Total Solids (mg)	55	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Combustible Matter (mg)	8	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Ash Content (mg)	29	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Total Soluble Matter (mg)	36	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Total Insoluble Matter (mg)	37	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Total Solids (mg)	73	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Combustible Matter (mg)	17	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Ash Content (mg)	56	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Total Soluble Matter (mg)	63	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Total Insoluble Matter (mg)	73	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Total Solids (mg)	136	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Combustible Matter (mg)	17	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Ash Content (mg)	84	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Total Insoluble Matter (mg)	101	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Total Soluble Matter (mg)	213	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Total Solids (mg)	314	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Combustible Matter (mg)	10	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Ash Content (mg)	29	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Total Insoluble Matter (mg)	39	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Total Soluble Matter (mg)	52	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Total Solids (mg)	91	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Combustible Matter (mg)	14	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Total Soluble Matter (mg)	32	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Ash Content (mg)	42	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Total Insoluble Matter (mg)	56	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Total Solids (mg)	88	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Combustible Matter (mg)	7	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Ash Content (mg)	25	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Total Soluble Matter (mg)	30	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Total Insoluble Matter (mg)	32	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Total Solids (mg)	62	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Combustible Matter (mg)	32	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Ash Content (mg)	56	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Total Soluble Matter (mg)	76	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Total Insoluble Matter (mg)	89	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Total Solids (mg)	165	mg	FALSE	REG	2	30/06/2023	30/06/2023	
	30/06/2023 6:31	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	30/06/2023	30/06/2023	
	30/06/2023 6:31	Total Solids (mg)	2	mg	FALSE	REG	2	30/06/2023	30/06/2023	
	30/06/2023 6:31	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	30/06/2023	30/06/2023	
	30/06/2023 6:31	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	30/06/2023	30/06/2023	
DD7	20/07/2023 7:28	Combustible Matter (mg)	10	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD7	20/07/2023 7:28	Total Soluble Matter (mg)	20	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD7	20/07/2023 7:28	Ash Content (mg)	25	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD7	20/07/2023 7:28	Total Insoluble Matter (mg)	35	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD7	20/07/2023 7:28	Total Solids (mg)	55	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Combustible Matter (mg)	16	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Ash Content (mg)	26	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Total Insoluble Matter (mg)	42	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Total Soluble Matter (mg)	54	mg	FALSE	REG	2	28/07/2023	28/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD6	20/07/2023 7:50	Total Solids (mg)	96	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Combustible Matter (mg)	6	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Ash Content (mg)	14	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Total Insoluble Matter (mg)	20	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Total Soluble Matter (mg)	28	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Total Solids (mg)	48	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Ash Content (mg)	33	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Combustible Matter (mg)	50	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Total Insoluble Matter (mg)	83	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Total Soluble Matter (mg)	169	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Total Solids (mg)	252	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Combustible Matter (mg)	67	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Total Soluble Matter (mg)	144	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Ash Content (mg)	261	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Total Insoluble Matter (mg)	328	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Total Solids (mg)	472	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Ash Content (mg)	60	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Combustible Matter (mg)	98	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Total Insoluble Matter (mg)	158	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Total Soluble Matter (mg)	204	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Total Solids (mg)	362	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Combustible Matter (mg)	7	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Total Soluble Matter (mg)	22	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Ash Content (mg)	32	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Total Insoluble Matter (mg)	39	mg	FALSE	REG	2	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Total Solids (mg)	61	mg	FALSE	REG	2	28/07/2023	28/07/2023	
	28/07/2023 6:15	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	28/07/2023	28/07/2023	
	28/07/2023 6:15	Total Solids (mg)	2	mg	FALSE	REG	2	28/07/2023	28/07/2023	
	28/07/2023 6:15	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	28/07/2023	28/07/2023	
	19/08/2023 7:54	Combustible Matter (mg)	13	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 7:54	Ash Content (mg)	29	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 7:54	Total Insoluble Matter (mg)	42	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 7:54	Total Soluble Matter (mg)	51	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 7:54	Total Solids (mg)	93	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 8:36	Combustible Matter (mg)	30	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 8:36	Total Soluble Matter (mg)	86	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 8:36	Ash Content (mg)	92	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 8:36	Total Insoluble Matter (mg)	122	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 8:36	Total Solids (mg)	208	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:03	Combustible Matter (mg)	6	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:03	Ash Content (mg)	15	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:03	Total Insoluble Matter (mg)	21	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:03	Total Soluble Matter (mg)	39	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:03	Total Solids (mg)	60	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:25	Combustible Matter (mg)	31	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:25	Ash Content (mg)	58	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:25	Total Soluble Matter (mg)	77	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:25	Total Insoluble Matter (mg)	89	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:25	Total Solids (mg)	166	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:30	Ash Content (mg)	20	mg	FALSE	REG	2	31/08/2023	31/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	19/08/2023 9:30	Combustible Matter (mg)	116	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:30	Total Insoluble Matter (mg)	136	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:30	Total Soluble Matter (mg)	204	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:30	Total Solids (mg)	340	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:31	Combustible Matter (mg)	23	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:31	Ash Content (mg)	34	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:31	Total Insoluble Matter (mg)	57	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:31	Total Soluble Matter (mg)	89	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:31	Total Solids (mg)	146	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:43	Combustible Matter (mg)	10	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:43	Ash Content (mg)	26	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:43	Total Insoluble Matter (mg)	36	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:43	Total Soluble Matter (mg)	55	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 9:43	Total Solids (mg)	91	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 10:30	Combustible Matter (mg)	9	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 10:30	Ash Content (mg)	30	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 10:30	Total Insoluble Matter (mg)	39	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 10:30	Total Soluble Matter (mg)	50	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	19/08/2023 10:30	Total Solids (mg)	89	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	31/08/2023 6:11	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	31/08/2023 6:11	Total Solids (mg)	2	mg	FALSE	REG	2	31/08/2023	31/08/2023	
	31/08/2023 6:11	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	31/08/2023	31/08/2023	
DD7	19/09/2023 13:56	Ash Content (mg)	57	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD7	19/09/2023 13:56	Combustible Matter (mg)	155	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD7	19/09/2023 13:56	Total Insoluble Matter (mg)	212	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD7	19/09/2023 13:56	Total Soluble Matter (mg)	560	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD7	19/09/2023 13:56	Total Solids (mg)	772	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Ash Content (mg)	23	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Combustible Matter (mg)	56	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Total Insoluble Matter (mg)	79	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Total Soluble Matter (mg)	82	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Total Solids (mg)	161	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Combustible Matter (mg)	21	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Ash Content (mg)	24	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Total Insoluble Matter (mg)	45	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Total Soluble Matter (mg)	60	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Total Solids (mg)	105	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Combustible Matter (mg)	5	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Ash Content (mg)	8	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Total Insoluble Matter (mg)	13	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Total Soluble Matter (mg)	41	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Total Solids (mg)	54	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Combustible Matter (mg)	2	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Ash Content (mg)	11	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Total Insoluble Matter (mg)	13	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Total Soluble Matter (mg)	19	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Total Solids (mg)	32	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Combustible Matter (mg)	6	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Ash Content (mg)	8	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Total Insoluble Matter (mg)	14	mg	FALSE	REG	2	26/09/2023	26/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD9	19/09/2023 15:35	Total Soluble Matter (mg)	17	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Total Solids (mg)	31	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Combustible Matter (mg)	2	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Total Soluble Matter (mg)	11	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Total Insoluble Matter (mg)	12	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Ash Content (mg)	12	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Total Solids (mg)	23	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Combustible Matter (mg)	3	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Ash Content (mg)	11	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Total Insoluble Matter (mg)	14	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Total Soluble Matter (mg)	15	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Total Solids (mg)	29	mg	FALSE	REG	2	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Solids (mg)	2	mg	FALSE	REG	2	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Solids (mg)	2	mg	FALSE	REG	2	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	26/09/2023	26/09/2023	
DD7	18/10/2023 6:06	Combustible Matter (mg)	6	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD7	18/10/2023 6:06	Total Soluble Matter (mg)	20	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD7	18/10/2023 6:06	Ash Content (mg)	32	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD7	18/10/2023 6:06	Total Insoluble Matter (mg)	38	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD7	18/10/2023 6:06	Total Solids (mg)	58	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Ash Content (mg)	32	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Combustible Matter (mg)	40	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Total Soluble Matter (mg)	45	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Total Insoluble Matter (mg)	72	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Total Solids (mg)	117	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Combustible Matter (mg)	8	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Ash Content (mg)	11	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Total Soluble Matter (mg)	18	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Total Insoluble Matter (mg)	19	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Total Solids (mg)	37	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Combustible Matter (mg)	2	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Ash Content (mg)	8	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Total Insoluble Matter (mg)	10	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Total Soluble Matter (mg)	18	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Total Solids (mg)	28	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Combustible Matter (mg)	8	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Ash Content (mg)	12	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Total Insoluble Matter (mg)	20	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Total Soluble Matter (mg)	21	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Total Solids (mg)	41	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Combustible Matter (mg)	9	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Ash Content (mg)	24	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Total Insoluble Matter (mg)	33	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Total Soluble Matter (mg)	54	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Total Solids (mg)	87	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Combustible Matter (mg)	8	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Ash Content (mg)	23	mg	FALSE	REG	2	23/10/2023	23/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD10	18/10/2023 8:14	Total Soluble Matter (mg)	25	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Total Insoluble Matter (mg)	31	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Total Solids (mg)	56	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Combustible Matter (mg)	2	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Total Soluble Matter (mg)	12	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Ash Content (mg)	14	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Total Insoluble Matter (mg)	16	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Total Solids (mg)	28	mg	FALSE	REG	2	23/10/2023	23/10/2023	
	23/10/2023 14:18	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	23/10/2023	23/10/2023	
	23/10/2023 14:18	Total Solids (mg)	2	mg	FALSE	REG	2	23/10/2023	23/10/2023	
	23/10/2023 14:18	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	23/10/2023	23/10/2023	
DD7	20/11/2023 13:56	Combustible Matter (mg)	12	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD7	20/11/2023 13:56	Total Soluble Matter (mg)	42	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD7	20/11/2023 13:56	Ash Content (mg)	57	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD7	20/11/2023 13:56	Total Insoluble Matter (mg)	69	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD7	20/11/2023 13:56	Total Solids (mg)	111	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Combustible Matter (mg)	8	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Ash Content (mg)	12	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Total Soluble Matter (mg)	17	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Total Insoluble Matter (mg)	20	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Total Solids (mg)	37	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Combustible Matter (mg)	5	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Ash Content (mg)	7	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Total Soluble Matter (mg)	11	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Total Insoluble Matter (mg)	12	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Total Solids (mg)	23	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Combustible Matter (mg)	5	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Ash Content (mg)	8	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Total Insoluble Matter (mg)	13	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Total Soluble Matter (mg)	16	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Total Solids (mg)	29	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Ash Content (mg)	30	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Total Soluble Matter (mg)	70	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Combustible Matter (mg)	73	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Total Insoluble Matter (mg)	103	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Total Solids (mg)	173	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Combustible Matter (mg)	6	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Ash Content (mg)	11	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Total Soluble Matter (mg)	15	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Total Insoluble Matter (mg)	17	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Total Solids (mg)	32	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Combustible Matter (mg)	9	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Ash Content (mg)	14	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Total Insoluble Matter (mg)	23	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Total Soluble Matter (mg)	34	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Total Solids (mg)	57	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Combustible Matter (mg)	8	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Ash Content (mg)	12	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Total Insoluble Matter (mg)	20	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Total Soluble Matter (mg)	23	mg	FALSE	REG	2	29/11/2023	29/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD4	20/11/2023 16:05	Total Solids (mg)	43	mg	FALSE	REG	2	29/11/2023	29/11/2023	
	29/11/2023 7:00	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	29/11/2023	29/11/2023	
	29/11/2023 7:00	Total Solids (mg)	2	mg	FALSE	REG	2	29/11/2023	29/11/2023	
	29/11/2023 7:00	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	29/11/2023	29/11/2023	
DD4	20/12/2023 14:50	Combustible Matter (mg)	10	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD4	20/12/2023 14:50	Ash Content (mg)	19	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD4	20/12/2023 14:50	Total Insoluble Matter (mg)	29	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD4	20/12/2023 14:50	Total Soluble Matter (mg)	85	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD4	20/12/2023 14:50	Total Solids (mg)	114	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Combustible Matter (mg)	7	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Ash Content (mg)	19	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Total Insoluble Matter (mg)	26	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Total Soluble Matter (mg)	91	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Total Solids (mg)	117	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Combustible Matter (mg)	13	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Ash Content (mg)	27	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Total Insoluble Matter (mg)	40	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Total Soluble Matter (mg)	77	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Total Solids (mg)	117	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Combustible Matter (mg)	19	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Ash Content (mg)	29	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Total Insoluble Matter (mg)	48	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Total Soluble Matter (mg)	115	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Total Solids (mg)	163	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Combustible Matter (mg)	19	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Ash Content (mg)	22	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Total Insoluble Matter (mg)	41	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Total Soluble Matter (mg)	84	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Total Solids (mg)	125	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Combustible Matter (mg)	8	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Ash Content (mg)	16	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Total Insoluble Matter (mg)	24	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Total Soluble Matter (mg)	110	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Total Solids (mg)	134	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Combustible Matter (mg)	27	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Total Soluble Matter (mg)	103	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Ash Content (mg)	109	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Total Insoluble Matter (mg)	136	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Total Solids (mg)	239	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Combustible Matter (mg)	21	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Ash Content (mg)	56	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Total Insoluble Matter (mg)	77	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Total Soluble Matter (mg)	139	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Total Solids (mg)	216	mg	FALSE	REG	2	10/01/2024	10/01/2024	
DD25	31/12/2023 9:00	Total Soluble Matter (mg)	7	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD25	31/12/2023 9:00	Combustible Matter (mg)	17	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD25	31/12/2023 9:00	Ash Content (mg)	51	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD25	31/12/2023 9:00	Total Insoluble Matter (mg)	68	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD25	31/12/2023 9:00	Total Solids (mg)	75	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Total Soluble Matter (mg)	5	mg	FALSE	REG	2	14/01/2024	14/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD24	31/12/2023 9:20	Combustible Matter (mg)	9	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Ash Content (mg)	34	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Total Insoluble Matter (mg)	43	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Total Solids (mg)	48	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Combustible Matter (mg)	16	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Total Soluble Matter (mg)	46	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Ash Content (mg)	57	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Total Insoluble Matter (mg)	73	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Total Solids (mg)	119	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Combustible Matter (mg)	17	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Total Soluble Matter (mg)	40	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Ash Content (mg)	51	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Total Insoluble Matter (mg)	68	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Total Solids (mg)	108	mg	FALSE	REG	2	14/01/2024	14/01/2024	
	10/01/2024 11:13	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	10/01/2024	10/01/2024	
	10/01/2024 11:13	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	10/01/2024	10/01/2024	
	10/01/2024 11:13	Total Solids (mg)	2	mg	FALSE	REG	2	10/01/2024	10/01/2024	
	14/01/2024 6:20	Total Solids (mg)	2	mg	FALSE	REG	2	14/01/2024	14/01/2024	
	14/01/2024 6:20	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	14/01/2024	14/01/2024	
	14/01/2024 6:20	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	14/01/2024	14/01/2024	
DD7	18/01/2024 13:25	Ash Content (mg)	20	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD7	18/01/2024 13:25	Combustible Matter (mg)	26	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD7	18/01/2024 13:25	Total Insoluble Matter (mg)	46	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD7	18/01/2024 13:25	Total Soluble Matter (mg)	115	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD7	18/01/2024 13:25	Total Solids (mg)	161	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Combustible Matter (mg)	39	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Ash Content (mg)	39	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Total Insoluble Matter (mg)	78	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Total Soluble Matter (mg)	129	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Total Solids (mg)	207	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Ash Content (mg)	20	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Combustible Matter (mg)	34	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Total Insoluble Matter (mg)	54	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Total Soluble Matter (mg)	195	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Total Solids (mg)	249	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Combustible Matter (mg)	9	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Ash Content (mg)	11	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Total Insoluble Matter (mg)	20	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Total Soluble Matter (mg)	141	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Total Solids (mg)	161	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Combustible Matter (mg)	10	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Ash Content (mg)	22	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Total Insoluble Matter (mg)	32	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Total Soluble Matter (mg)	116	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Total Solids (mg)	148	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Combustible Matter (mg)	26	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Ash Content (mg)	38	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Total Insoluble Matter (mg)	64	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Total Soluble Matter (mg)	83	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Total Solids (mg)	147	mg	FALSE	REG	2	2/02/2024	2/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD10	18/01/2024 15:50	Combustible Matter (mg)	5	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Ash Content (mg)	13	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Total Insoluble Matter (mg)	18	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Total Soluble Matter (mg)	60	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Total Solids (mg)	78	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Combustible Matter (mg)	5	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Ash Content (mg)	15	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Total Insoluble Matter (mg)	20	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Total Soluble Matter (mg)	74	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Total Solids (mg)	94	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Combustible Matter (mg)	5	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Ash Content (mg)	22	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Total Insoluble Matter (mg)	27	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Total Soluble Matter (mg)	68	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Total Solids (mg)	95	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Combustible Matter (mg)	6	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Ash Content (mg)	8	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Total Insoluble Matter (mg)	14	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Total Soluble Matter (mg)	55	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Total Solids (mg)	69	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Combustible Matter (mg)	8	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Ash Content (mg)	24	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Total Insoluble Matter (mg)	33	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Total Soluble Matter (mg)	60	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Total Solids (mg)	93	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Combustible Matter (mg)	13	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Ash Content (mg)	55	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Total Insoluble Matter (mg)	68	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Total Soluble Matter (mg)	98	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Total Solids (mg)	166	mg	FALSE	REG	2	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Solids (mg)	2	mg	FALSE	REG	2	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Solids (mg)	2	mg	FALSE	REG	2	2/02/2024	2/02/2024	
DD21	20/02/2024 10:38	Combustible Matter (mg)	4	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD21	20/02/2024 10:38	Ash Content (mg)	10	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD21	20/02/2024 10:38	Total Insoluble Matter (mg)	14	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD21	20/02/2024 10:38	Total Soluble Matter (mg)	52	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD21	20/02/2024 10:38	Total Solids (mg)	66	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Combustible Matter (mg)	6	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Ash Content (mg)	15	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Total Insoluble Matter (mg)	21	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Total Soluble Matter (mg)	57	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Total Solids (mg)	78	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Combustible Matter (mg)	6	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Ash Content (mg)	17	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Total Insoluble Matter (mg)	23	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Total Soluble Matter (mg)	51	mg	FALSE	REG	2	12/03/2024	12/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD10	20/02/2024 13:40	Total Solids (mg)	74	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Combustible Matter (mg)	6	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Ash Content (mg)	12	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Total Insoluble Matter (mg)	18	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Total Soluble Matter (mg)	43	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Total Solids (mg)	61	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Combustible Matter (mg)	17	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Ash Content (mg)	58	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Total Insoluble Matter (mg)	75	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Total Soluble Matter (mg)	89	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Total Solids (mg)	164	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Ash Content (mg)	10	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Combustible Matter (mg)	12	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Total Insoluble Matter (mg)	22	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Total Soluble Matter (mg)	86	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Total Solids (mg)	108	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Combustible Matter (mg)	17	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Ash Content (mg)	42	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Total Insoluble Matter (mg)	59	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Total Soluble Matter (mg)	85	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Total Solids (mg)	144	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Combustible Matter (mg)	14	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Ash Content (mg)	45	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Total Insoluble Matter (mg)	59	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Total Soluble Matter (mg)	77	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Total Solids (mg)	136	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	Combustible Matter (mg)	10	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	Ash Content (mg)	41	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	Total Insoluble Matter (mg)	51	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	Total Soluble Matter (mg)	112	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	Total Solids (mg)	163	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Combustible Matter (mg)	27	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Ash Content (mg)	59	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Total Insoluble Matter (mg)	86	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Total Soluble Matter (mg)	104	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Total Solids (mg)	190	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Combustible Matter (mg)	16	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Ash Content (mg)	101	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Total Insoluble Matter (mg)	117	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Total Soluble Matter (mg)	126	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Total Solids (mg)	243	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Combustible Matter (mg)	6	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Ash Content (mg)	36	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Total Insoluble Matter (mg)	42	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Total Soluble Matter (mg)	50	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Total Solids (mg)	92	mg	FALSE	REG	2	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Solids (mg)	2	mg	FALSE	REG	2	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	12/03/2024	12/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	12/03/2024 6:27	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Solids (mg)	2	mg	FALSE	REG	2	12/03/2024	12/03/2024	
DD4	19/03/2024 12:01	Ash Content (mg)	34	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD4	19/03/2024 12:01	Combustible Matter (mg)	61	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD4	19/03/2024 12:01	Total Insoluble Matter (mg)	95	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD4	19/03/2024 12:01	Total Soluble Matter (mg)	199	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD4	19/03/2024 12:01	Total Solids (mg)	294	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Combustible Matter (mg)	28	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Ash Content (mg)	28	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Total Soluble Matter (mg)	53	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Total Insoluble Matter (mg)	56	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Total Solids (mg)	109	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Combustible Matter (mg)	3	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Ash Content (mg)	12	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Total Insoluble Matter (mg)	16	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Total Soluble Matter (mg)	25	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Total Solids (mg)	41	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Combustible Matter (mg)	7	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Ash Content (mg)	10	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Total Insoluble Matter (mg)	17	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Ash Content (mg)	19	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Combustible Matter (mg)	34	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Total Soluble Matter (mg)	39	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Total Insoluble Matter (mg)	53	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Total Solids (mg)	56	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Total Soluble Matter (mg)	94	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Total Solids (mg)	147	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Combustible Matter (mg)	28	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Ash Content (mg)	31	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Total Insoluble Matter (mg)	59	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Total Soluble Matter (mg)	59	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Total Solids (mg)	118	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Combustible Matter (mg)	7	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Ash Content (mg)	10	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Total Insoluble Matter (mg)	17	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Total Soluble Matter (mg)	25	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Total Solids (mg)	42	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Combustible Matter (mg)	7	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Ash Content (mg)	9	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Total Insoluble Matter (mg)	16	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Total Soluble Matter (mg)	18	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Total Solids (mg)	34	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	Combustible Matter (mg)	12	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	Total Soluble Matter (mg)	13	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	Ash Content (mg)	37	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	Total Insoluble Matter (mg)	49	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	Total Solids (mg)	62	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Combustible Matter (mg)	10	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Total Soluble Matter (mg)	15	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Ash Content (mg)	36	mg	FALSE	REG	2	4/04/2024	4/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD27	20/03/2024 9:17	Total Insoluble Matter (mg)	46	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Total Solids (mg)	61	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Combustible Matter (mg)	17	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Total Soluble Matter (mg)	38	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Ash Content (mg)	99	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Total Insoluble Matter (mg)	116	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Total Solids (mg)	154	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Combustible Matter (mg)	15	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Total Soluble Matter (mg)	23	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Ash Content (mg)	49	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Total Insoluble Matter (mg)	64	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Total Solids (mg)	87	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Combustible Matter (mg)	9	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Total Soluble Matter (mg)	23	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Ash Content (mg)	36	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Total Insoluble Matter (mg)	45	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Total Solids (mg)	68	mg	FALSE	REG	2	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Solids (mg)	2	mg	FALSE	REG	2	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Solids (mg)	2	mg	FALSE	REG	2	4/04/2024	4/04/2024	
DD4	18/04/2024 8:15	Combustible Matter (mg)	2	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD4	18/04/2024 8:15	Total Soluble Matter (mg)	16	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD4	18/04/2024 8:15	Ash Content (mg)	17	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD4	18/04/2024 8:15	Total Insoluble Matter (mg)	19	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD4	18/04/2024 8:15	Total Solids (mg)	35	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Combustible Matter (mg)	3	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Ash Content (mg)	10	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Total Insoluble Matter (mg)	13	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Total Soluble Matter (mg)	33	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Total Solids (mg)	46	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Ash Content (mg)	20	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Combustible Matter (mg)	40	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Total Insoluble Matter (mg)	60	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Total Soluble Matter (mg)	83	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Total Solids (mg)	143	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Ash Content (mg)	26	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Combustible Matter (mg)	57	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Total Insoluble Matter (mg)	83	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Total Soluble Matter (mg)	196	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Total Solids (mg)	279	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Combustible Matter (mg)	8	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Ash Content (mg)	16	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Total Insoluble Matter (mg)	24	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Total Soluble Matter (mg)	66	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Total Solids (mg)	90	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Ash Content (mg)	53	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Combustible Matter (mg)	65	mg	FALSE	REG	2	21/05/2024	21/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD8	18/04/2024 10:15	Total Soluble Matter (mg)	68	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Total Insoluble Matter (mg)	118	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Total Solids (mg)	186	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	Combustible Matter (mg)	15	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	Total Soluble Matter (mg)	29	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	Ash Content (mg)	52	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	Total Insoluble Matter (mg)	67	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	Total Solids (mg)	96	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Combustible Matter (mg)	15	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Ash Content (mg)	47	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Total Soluble Matter (mg)	48	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Total Insoluble Matter (mg)	62	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Total Solids (mg)	110	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Combustible Matter (mg)	10	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Total Soluble Matter (mg)	31	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Ash Content (mg)	42	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Total Insoluble Matter (mg)	52	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Total Solids (mg)	83	mg	FALSE	REG	2	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Solids (mg)	2	mg	FALSE	REG	2	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Solids (mg)	2	mg	FALSE	REG	2	21/05/2024	21/05/2024	
DD24	21/05/2024 13:40	Combustible Matter (mg)	10	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD24	21/05/2024 13:40	Ash Content (mg)	33	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD24	21/05/2024 13:40	Total Insoluble Matter (mg)	43	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD24	21/05/2024 13:40	Total Soluble Matter (mg)	91	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD24	21/05/2024 13:40	Total Solids (mg)	134	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Combustible Matter (mg)	47	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Ash Content (mg)	48	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Total Insoluble Matter (mg)	95	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Total Soluble Matter (mg)	116	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Total Solids (mg)	211	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Combustible Matter (mg)	24	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Total Soluble Matter (mg)	29	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Ash Content (mg)	151	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Total Insoluble Matter (mg)	175	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Total Solids (mg)	204	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Combustible Matter (mg)	9	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Total Soluble Matter (mg)	19	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Ash Content (mg)	63	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Total Insoluble Matter (mg)	72	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Total Solids (mg)	91	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	Combustible Matter (mg)	7	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	Total Soluble Matter (mg)	18	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	Ash Content (mg)	28	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	Total Insoluble Matter (mg)	35	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	Total Solids (mg)	53	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Combustible Matter (mg)	10	mg	FALSE	REG	2	13/06/2024	13/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD6	22/05/2024 9:58	Total Soluble Matter (mg)	16	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Ash Content (mg)	21	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Total Insoluble Matter (mg)	31	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Total Solids (mg)	47	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Combustible Matter (mg)	36	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Ash Content (mg)	76	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Total Soluble Matter (mg)	100	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Total Insoluble Matter (mg)	112	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Total Solids (mg)	212	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Combustible Matter (mg)	7	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Ash Content (mg)	21	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Total Insoluble Matter (mg)	28	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Total Soluble Matter (mg)	33	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Total Solids (mg)	61	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Combustible Matter (mg)	7	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Ash Content (mg)	12	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Total Insoluble Matter (mg)	19	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Total Soluble Matter (mg)	44	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Total Solids (mg)	63	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Combustible Matter (mg)	7	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Total Soluble Matter (mg)	17	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Ash Content (mg)	26	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Total Insoluble Matter (mg)	33	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Total Solids (mg)	50	mg	FALSE	REG	2	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Solids (mg)	2	mg	FALSE	REG	2	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Solids (mg)	2	mg	FALSE	REG	2	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	13/06/2024	13/06/2024	
DD24	19/06/2024 8:15	Combustible Matter (mg)	12	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD24	19/06/2024 8:15	Total Soluble Matter (mg)	23	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD24	19/06/2024 8:15	Ash Content (mg)	57	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD24	19/06/2024 8:15	Total Insoluble Matter (mg)	69	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD24	19/06/2024 8:15	Total Solids (mg)	92	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Combustible Matter (mg)	7	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Total Soluble Matter (mg)	16	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Ash Content (mg)	42	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Total Insoluble Matter (mg)	49	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Total Solids (mg)	65	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Combustible Matter (mg)	17	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Total Soluble Matter (mg)	22	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Ash Content (mg)	99	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Total Insoluble Matter (mg)	116	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Total Solids (mg)	138	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Combustible Matter (mg)	12	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Total Soluble Matter (mg)	22	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Ash Content (mg)	80	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Total Insoluble Matter (mg)	92	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Total Solids (mg)	114	mg	FALSE	REG	2	3/07/2024	3/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD4	19/06/2024 13:30	Combustible Matter (mg)	3	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD4	19/06/2024 13:30	Total Soluble Matter (mg)	17	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD4	19/06/2024 13:30	Ash Content (mg)	28	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD4	19/06/2024 13:30	Total Insoluble Matter (mg)	31	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD4	19/06/2024 13:30	Total Solids (mg)	48	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Combustible Matter (mg)	2	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Total Soluble Matter (mg)	13	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Ash Content (mg)	13	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Total Insoluble Matter (mg)	14	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Total Solids (mg)	27	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Combustible Matter (mg)	5	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Ash Content (mg)	14	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Total Insoluble Matter (mg)	19	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Total Soluble Matter (mg)	22	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Total Solids (mg)	41	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Combustible Matter (mg)	6	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Ash Content (mg)	11	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Total Insoluble Matter (mg)	17	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Total Soluble Matter (mg)	20	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Total Solids (mg)	37	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Combustible Matter (mg)	17	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Ash Content (mg)	29	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Total Soluble Matter (mg)	45	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Total Insoluble Matter (mg)	46	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Total Solids (mg)	91	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Combustible Matter (mg)	6	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Total Soluble Matter (mg)	16	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Ash Content (mg)	18	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Total Insoluble Matter (mg)	24	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Total Solids (mg)	40	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Total Soluble Matter (mg)	136	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Ash Content (mg)	172	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Combustible Matter (mg)	198	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Total Insoluble Matter (mg)	370	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Total Solids (mg)	506	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Combustible Matter (mg)	14	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Total Soluble Matter (mg)	21	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Ash Content (mg)	68	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Total Insoluble Matter (mg)	82	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Total Solids (mg)	103	mg	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Solids (mg)	2	mg	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Solids (mg)	2	mg	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	3/07/2024	3/07/2024	
DD4	18/07/2024 9:07	Combustible Matter (mg)	4	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD4	18/07/2024 9:07	Ash Content (mg)	21	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD4	18/07/2024 9:07	Total Insoluble Matter (mg)	25	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD4	18/07/2024 9:07	Total Soluble Matter (mg)	40	mg	FALSE	REG	2	5/08/2024	5/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD4	18/07/2024 9:07	Total Solids (mg)	65	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Combustible Matter (mg)	10	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Total Soluble Matter (mg)	176	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Ash Content (mg)	1210	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Total Insoluble Matter (mg)	1220	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Total Solids (mg)	1400	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Combustible Matter (mg)	3	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Ash Content (mg)	13	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Total Insoluble Matter (mg)	16	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Total Soluble Matter (mg)	37	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Total Solids (mg)	53	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Combustible Matter (mg)	8	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Ash Content (mg)	12	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Total Insoluble Matter (mg)	20	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Total Soluble Matter (mg)	37	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Total Solids (mg)	57	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Combustible Matter (mg)	4	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Ash Content (mg)	12	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Total Insoluble Matter (mg)	16	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Total Soluble Matter (mg)	41	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Total Solids (mg)	57	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Combustible Matter (mg)	4	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Ash Content (mg)	21	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Total Insoluble Matter (mg)	25	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Total Soluble Matter (mg)	35	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Total Solids (mg)	60	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Combustible Matter (mg)	49	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Total Soluble Matter (mg)	69	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Ash Content (mg)	103	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Total Insoluble Matter (mg)	152	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Total Solids (mg)	221	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Combustible Matter (mg)	15	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Total Soluble Matter (mg)	50	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Ash Content (mg)	96	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Total Insoluble Matter (mg)	111	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Total Solids (mg)	161	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	Combustible Matter (mg)	4	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	Ash Content (mg)	20	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	Total Insoluble Matter (mg)	24	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	Total Soluble Matter (mg)	37	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	Total Solids (mg)	61	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Combustible Matter (mg)	9	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Ash Content (mg)	36	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Total Insoluble Matter (mg)	45	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Total Soluble Matter (mg)	50	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Total Solids (mg)	95	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Combustible Matter (mg)	23	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Total Soluble Matter (mg)	53	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Ash Content (mg)	125	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Total Insoluble Matter (mg)	148	mg	FALSE	REG	2	5/08/2024	5/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD26	18/07/2024 13:13	Total Solids (mg)	201	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Combustible Matter (mg)	8	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Ash Content (mg)	30	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Total Insoluble Matter (mg)	38	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Total Soluble Matter (mg)	45	mg	FALSE	REG	2	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Total Solids (mg)	83	mg	FALSE	REG	2	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Solids (mg)	2	mg	FALSE	REG	2	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Insoluble Matter (mg)	2	mg	FALSE	REG	2	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Soluble Matter (mg)	2	mg	FALSE	REG	2	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Solids (mg)	2	mg	FALSE	REG	2	5/08/2024	5/08/2024	
	7/06/2023 9:31	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	7/06/2023	7/06/2023	
	30/06/2023 6:31	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	30/06/2023	30/06/2023	
	28/07/2023 6:15	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	28/07/2023	28/07/2023	
	31/08/2023 6:11	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	31/08/2023	31/08/2023	
	26/09/2023 8:06	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	26/09/2023	26/09/2023	
	26/09/2023 8:06	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	26/09/2023	26/09/2023	
	23/10/2023 14:18	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	23/10/2023	23/10/2023	
	29/11/2023 7:00	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	29/11/2023	29/11/2023	
	10/01/2024 11:13	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	10/01/2024	10/01/2024	
	14/01/2024 6:20	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	14/01/2024	14/01/2024	
	2/02/2024 12:57	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	2/02/2024	2/02/2024	
	2/02/2024 12:57	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	2/02/2024	2/02/2024	
DD27	22/02/2024 9:24	Total Solids	8	g/m <sup>2</sup> .mont	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Total Solids	9.3	g/m <sup>2</sup> .mont	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Total Solids	11.8	g/m <sup>2</sup> .mont	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Total Solids	4.4	g/m <sup>2</sup> .mont	FALSE	REG	0.1	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	12/03/2024	12/03/2024	
	12/03/2024 6:27	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD24	20/03/2024 7:45	Total Solids	3.9	g/m <sup>2</sup> .mont	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Total Solids	3.9	g/m <sup>2</sup> .mont	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Total Solids	9.7	g/m <sup>2</sup> .mont	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Total Solids	5.3	g/m <sup>2</sup> .mont	FALSE	REG	0.1	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	4/04/2024	4/04/2024	
	4/04/2024 13:29	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD24	18/04/2024 11:32	Total Solids	5.6	g/m <sup>2</sup> .mont	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Total Solids	6.4	g/m <sup>2</sup> .mont	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Total Solids	4.8	g/m <sup>2</sup> .mont	FALSE	REG	0.1	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	21/05/2024	21/05/2024	
	21/05/2024 7:02	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD24	21/05/2024 13:40	Total Solids	6.9	g/m <sup>2</sup> .mont	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Total Solids	10.8	g/m <sup>2</sup> .mont	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Total Solids	10.5	g/m <sup>2</sup> .mont	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Total Solids	4.7	g/m <sup>2</sup> .mont	FALSE	REG	0.1	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	13/06/2024	13/06/2024	
	13/06/2024 6:14	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD24	19/06/2024 8:15	Total Solids	5.4	g/m <sup>2</sup> .mont	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Total Solids	3.8	g/m <sup>2</sup> .mont	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Total Solids	8.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	3/07/2024	3/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD27	19/06/2024 9:03	Total Solids	6.7	g/m <sup>2</sup> .mont	FALSE	REG	0.1	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	3/07/2024	3/07/2024	
	3/07/2024 8:29	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD24	18/07/2024 12:55	Total Solids	3.6	g/m <sup>2</sup> .mont	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Total Solids	5.5	g/m <sup>2</sup> .mont	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Total Solids	11.8	g/m <sup>2</sup> .mont	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Total Solids	4.9	g/m <sup>2</sup> .mont	FALSE	REG	0.1	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	5/08/2024	5/08/2024	
	5/08/2024 6:25	Total Solids	0.1	g/m <sup>2</sup> .mont	FALSE	REG	0.1	5/08/2024	5/08/2024	
RWD	11/06/2023 12:51	pH (Lab)	7.87	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
S2	11/06/2023 12:52	pH (Lab)	8.66	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
CHPPPP	11/06/2023 12:57	pH (Lab)	8.66	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
	11/06/2023 13:18	pH (Lab)	8.83	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
RD1	11/06/2023 13:20	pH (Lab)	8.85	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
S2SED	11/06/2023 13:34	pH (Lab)	8.82	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
Farm Dam 2	11/06/2023 14:14	pH (Lab)	9.01	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
RD2	11/06/2023 14:31	pH (Lab)	9.79	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
MIA DAM	11/06/2023 15:11	pH (Lab)	8.76	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
HD2	11/06/2023 15:17	pH (Lab)	8.38	-	FALSE	REG	0.01	13/06/2023	13/06/2023	
FPD	11/06/2023 15:35	pH (Lab)	8.6	-	FALSE	REG	0.01	13/06/2023	13/06/2023	
SSD	11/06/2023 15:52	pH (Lab)	9.18	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
SSD	11/06/2023 16:07	pH (Lab)	9.23	-	FALSE	REG	0.01	14/06/2023	14/06/2023	
ROM DAM	11/06/2023 16:30	pH (Lab)	8.47	-	FALSE	REG	0.01	13/06/2023	14/06/2023	
Rejects - Compos	14/06/2023 11:00	pH (Lab)	8.9	-	FALSE	REG	0.1	21/06/2023	21/06/2023	
Rejects - Compos	14/06/2023 11:00	pH (Ox)	8.4	-	FALSE	REG	0.1	26/06/2023	26/06/2023	
Tailings Thicken	14/06/2023 11:00	pH (Lab)	8.5	-	FALSE	REG	0.1	21/06/2023	21/06/2023	
Tailings Thicken	14/06/2023 11:00	pH (Ox)	8.5	-	FALSE	REG	0.1	26/06/2023	26/06/2023	
CHPP STP	15/06/2023 15:00	pH (Lab)	7.98	-	FALSE	REG	0.01	23/06/2023	23/06/2023	
CHPP STP	15/06/2023 15:00	pH (Lab)	7.94	-	FALSE	REG	0.01	23/06/2023	23/06/2023	
Isaac Plains STP	15/06/2023 15:00	pH (Lab)	7.92	-	FALSE	REG	0.01	23/06/2023	23/06/2023	
N1S	20/06/2023 8:00	pH (Lab)	8.9	-	FALSE	REG	0.1	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	pH (Ox)	9.1	-	FALSE	REG	0.1	27/06/2023	27/06/2023	
N1S	20/06/2023 8:00	pH (Lab)	8.25	-	FALSE	REG	0.01	21/06/2023	22/06/2023	
BC2	20/06/2023 9:54	pH (Lab)	7.18	-	FALSE	REG	0.01	27/06/2023	28/06/2023	
MB2	20/06/2023 11:07	pH (Lab)	7.31	-	FALSE	REG	0.01	27/06/2023	28/06/2023	
MB14	20/06/2023 12:34	pH (Lab)	7.76	-	FALSE	REG	0.01	27/06/2023	28/06/2023	
SB2	20/06/2023 15:01	pH (Lab)	7.37	-	FALSE	REG	0.01	27/06/2023	28/06/2023	
MB12	20/06/2023 17:09	pH (Lab)	7.2	-	FALSE	REG	0.01		28/06/2023	
MB7	21/06/2023 7:25	pH (Lab)	7.12	-	FALSE	REG	0.01	27/06/2023	28/06/2023	
MB9A	21/06/2023 10:12	pH (Lab)	7.47	-	FALSE	REG	0.01	27/06/2023	28/06/2023	
MB1	21/06/2023 13:45	pH (Lab)	7.33	-	FALSE	REG	0.01	27/06/2023	28/06/2023	
MB8B	21/06/2023 16:45	pH (Lab)	7.38	-	FALSE	REG	0.01	27/06/2023	28/06/2023	
	26/06/2023 12:57	pH (Lab)	8.8	-	FALSE	REG	0.1	30/06/2023	30/06/2023	
	26/06/2023 13:04	pH (Lab)	8.6	-	FALSE	REG	0.1	30/06/2023	30/06/2023	
	26/06/2023 13:17	pH (Lab)	8.9	-	FALSE	REG	0.1	30/06/2023	30/06/2023	
	26/06/2023 13:25	pH (Lab)	9.2	-	FALSE	REG	0.1	30/06/2023	30/06/2023	
	28/06/2023 11:56	pH (Lab)	7.2	-	FALSE	REG	0.1	4/07/2023	4/07/2023	
	28/06/2023 11:58	pH (Lab)	8	-	FALSE	REG	0.1	4/07/2023	4/07/2023	
	28/06/2023 12:01	pH (Lab)	8.1	-	FALSE	REG	0.1	4/07/2023	4/07/2023	
	28/06/2023 12:03	pH (Lab)	8.6	-	FALSE	REG	0.1	4/07/2023	4/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/06/2023 12:04	pH (Lab)	6.9	-	FALSE	REG	0.1	4/07/2023	4/07/2023	
Rejects - Compos	5/07/2023 12:00	pH (Lab)	9.5	-	FALSE	REG	0.1	11/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:00	pH (KCl)	9	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:00	pH (Ox)	9.1	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:04	pH (Lab)	9.3	-	FALSE	REG	0.1	11/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:04	pH (KCl)	8.9	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:04	pH (Ox)	8.2	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:05	pH (Lab)	9.6	-	FALSE	REG	0.1	11/07/2023	11/07/2023	
Rejects - Compos	5/07/2023 12:05	pH (KCl)	9.1	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:05	pH (Ox)	10	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
RWD	6/07/2023 5:52	pH (Lab)	7.64	-	FALSE	REG	0.01	8/07/2023	10/07/2023	
	6/07/2023 6:04	pH (Lab)	7.61	-	FALSE	REG	0.01	8/07/2023	10/07/2023	
	8/07/2023 6:56	pH (Lab)	7.7	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 6:59	pH (Lab)	9.6	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 7:35	pH (Lab)	8.7	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 7:53	pH (Lab)	8.4	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:07	pH (Lab)	7.4	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:15	pH (Lab)	7.8	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:26	pH (Lab)	7.8	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:41	pH (Lab)	9.2	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 8:52	pH (Lab)	8.7	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 9:06	pH (Lab)	7.3	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 9:09	pH (Lab)	7	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 10:46	pH (Lab)	7.7	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:01	pH (Lab)	8.8	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:36	pH (Lab)	8.4	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 11:48	pH (Lab)	6.9	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:01	pH (Lab)	6.8	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:10	pH (Lab)	7.7	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:19	pH (Lab)	7.7	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	8/07/2023 12:20	pH (Lab)	7.5	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
	13/07/2023 9:39	pH (KCl)	0.1	-	FALSE	REG	0.1	13/07/2023	13/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.7	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	11	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.9	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	10.6	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.6	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	9.7	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.9	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	9.3	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.9	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	10.6	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.9	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	7.7	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	10	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	10.9	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	10	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	11	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.8	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	11.1	-	FALSE	REG	0.1	2/08/2023	2/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.8	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	10.2	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.9	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	11.2	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Lab)	9.8	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH28- RSID0351	17/07/2023 12:06	pH (Ox)	10	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
MBID28	17/07/2023 14:40	pH (Lab)	7.65	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
MBID23	17/07/2023 15:20	pH (Lab)	7.69	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
593	17/07/2023 17:00	pH (Lab)	7.97	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
594	17/07/2023 17:40	pH (Lab)	7.76	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
MBID18	18/07/2023 8:30	pH (Lab)	7.73	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
MBID08	18/07/2023 10:40	pH (Lab)	7.92	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
MBID07	18/07/2023 12:00	pH (Lab)	7.8	-	FALSE	REG	0.01	25/07/2023	25/07/2023	
MBID05	18/07/2023 12:45	pH (Lab)	8.38	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
MBID04	18/07/2023 14:10	pH (Lab)	7.79	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
MBID10	18/07/2023 15:10	pH (Lab)	7.85	-	FALSE	REG	0.01	25/07/2023	25/07/2023	
MBID21A	18/07/2023 16:00	pH (Lab)	8.06	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
MBID19A	18/07/2023 17:10	pH (Lab)	7.62	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
MBID17	19/07/2023 8:00	pH (Lab)	8.12	-	FALSE	REG	0.01	21/07/2023	21/07/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	8.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	8.4	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	10	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	10.3	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	8.8	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	10	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	9.7	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.8	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	8.6	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	10	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	9	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.8	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	10.1	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	9.8	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	9.1	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	10	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	10	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	10	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	10	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	9.2	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	10.6	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	9.8	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Ox)	10.7	-	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	pH (Lab)	10	-	FALSE	REG	0.1	1/08/2023	1/08/2023	



Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH12 - RSID0366	22/07/2023 11:59	pH (Ox)	8.6	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	pH (Lab)	9.6	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH12 - RSID0366	22/07/2023 11:59	pH (Ox)	9.8	-	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.8	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10.1	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.9	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	9.9	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.8	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10.3	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.7	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	9.2	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.8	-	FALSE	REG	0.1	29/07/2023	29/07/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10.5	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10.5	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.4	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	8.8	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.5	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.9	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	9.5	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.7	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	9.4	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.7	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	8	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.7	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10.2	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.6	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10.3	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.6	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10.6	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Lab)	9.5	-	FALSE	REG	0.1	1/08/2023	1/08/2023	
OH08 - RSID0368	23/07/2023 12:13	pH (Ox)	10.3	-	FALSE	REG	0.1	3/08/2023	3/08/2023	
W5	25/07/2023 13:05	pH (Lab)	7.77	-	FALSE	REG	0.01	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	pH (Lab)	7.72	-	FALSE	REG	0.01	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	pH (Lab)	8.27	-	FALSE	REG	0.01	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	pH (Lab)	7.13	-	FALSE	REG	0.01	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	pH (Lab)	7.19	-	FALSE	REG	0.01	29/07/2023	31/07/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Lab)	7.5	-	FALSE	REG	0.1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Ox)	7.5	-	FALSE	REG	0.1	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Lab)	9.1	-	FALSE	REG	0.1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Ox)	10.3	-	FALSE	REG	0.1	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Lab)	9.7	-	FALSE	REG	0.1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Ox)	5.6	-	FALSE	REG	0.1	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Lab)	9.9	-	FALSE	REG	0.1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Ox)	9.8	-	FALSE	REG	0.1	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Lab)	9.9	-	FALSE	REG	0.1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Ox)	11	-	FALSE	REG	0.1	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Lab)	9.9	-	FALSE	REG	0.1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Ox)	11	-	FALSE	REG	0.1	30/08/2023	30/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH01 - RSID0379	31/07/2023 12:20	pH (Lab)	9.9	-	FALSE	REG	0.1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Ox)	11.2	-	FALSE	REG	0.1	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Lab)	9.7	-	FALSE	REG	0.1	25/08/2023	25/08/2023	
OH01 - RSID0379	31/07/2023 12:20	pH (Ox)	9.8	-	FALSE	REG	0.1	30/08/2023	30/08/2023	
N1S	8/08/2023 17:00	pH (Lab)	8.9	-	FALSE	REG	0.1	14/08/2023	14/08/2023	
N1S	8/08/2023 17:00	pH (Ox)	8.8	-	FALSE	REG	0.1	21/08/2023	21/08/2023	
N1S	8/08/2023 17:00	pH (Lab)	8.36	-	FALSE	REG	0.01	11/08/2023	11/08/2023	
RWD	19/08/2023 12:39	pH (Lab)	7.78	-	FALSE	REG	0.01	23/08/2023	23/08/2023	
	19/08/2023 12:47	pH (Lab)	7.7	-	FALSE	REG	0.01	23/08/2023	23/08/2023	
Rejects Grab San	19/08/2023 13:00	pH (Lab)	9.7	-	FALSE	REG	0.1	5/09/2023	5/09/2023	
Rejects Grab San	19/08/2023 13:00	pH (Ox)	9.4	-	FALSE	REG	0.1	6/09/2023	6/09/2023	
Tailings Thickene	19/08/2023 13:00	pH (Lab)	9.2	-	FALSE	REG	0.1	28/08/2023	28/08/2023	
Tailings Thickene	19/08/2023 13:00	pH (Ox)	9.3	-	FALSE	REG	0.1	6/09/2023	6/09/2023	
SB2	27/08/2023 8:00	pH (Lab)	7.52	-	FALSE	REG	0.01	30/08/2023	1/09/2023	
BC2	27/08/2023 9:24	pH (Lab)	8.03	-	FALSE	REG	0.01	30/08/2023	1/09/2023	
MB2	27/08/2023 10:55	pH (Lab)	7.47	-	FALSE	REG	0.01	30/08/2023	31/08/2023	
MB14	27/08/2023 13:00	pH (Lab)	7.87	-	FALSE	REG	0.01	30/08/2023	31/08/2023	
MB12	27/08/2023 14:27	pH (Lab)	7.46	-	FALSE	REG	0.01	30/08/2023	31/08/2023	
MB7	27/08/2023 18:00	pH (Lab)	7.34	-	FALSE	REG	0.01	30/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	pH (Lab)	7.46	-	FALSE	REG	0.01	30/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	pH (Lab)	7.52	-	FALSE	REG	0.01	30/08/2023	31/08/2023	
N1S	3/09/2023 13:15	pH (Lab)	7.79	-	FALSE	REG	0.01	8/09/2023	12/09/2023	
N1S	3/09/2023 13:44	pH (Lab)	8.8	-	FALSE	REG	0.1	13/09/2023	13/09/2023	
N1S	3/09/2023 13:44	pH (Ox)	8.6	-	FALSE	REG	0.1	15/09/2023	15/09/2023	
RWD	12/09/2023 6:40	pH (Lab)	7.73	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
CHPPPP	12/09/2023 7:05	pH (Lab)	8.64	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
S2SED	12/09/2023 7:20	pH (Lab)	8.76	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
RD1	12/09/2023 7:30	pH (Lab)	8.46	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
S2	12/09/2023 8:00	pH (Lab)	8.63	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
RD2	12/09/2023 8:15	pH (Lab)	8.62	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	pH (Lab)	8.29	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
Farm Dam 2	12/09/2023 10:30	pH (Lab)	8.28	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
FPD	12/09/2023 11:00	pH (Lab)	8.69	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
SSD	12/09/2023 11:45	pH (Lab)	9.28	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	pH (Lab)	8.23	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
MIA DAM	12/09/2023 12:45	pH (Lab)	8.37	-	FALSE	REG	0.01	15/09/2023	18/09/2023	
ROM DAM	12/09/2023 13:15	pH (Lab)	8.17	-	FALSE	REG	0.01		20/09/2023	
N1S	14/09/2023 12:50	pH (Lab)	8.3	-	FALSE	REG	0.1	26/09/2023	26/09/2023	
N1S	14/09/2023 12:50	pH (Ox)	6.7	-	FALSE	REG	0.1	3/10/2023	3/10/2023	
N1S	14/09/2023 12:50	pH (Lab)	8.04	-	FALSE	REG	0.01	21/09/2023	25/09/2023	
	18/09/2023 10:00	pH (Lab)	6.21	-	FALSE	REG	0.01		26/09/2023	
	18/09/2023 10:00	pH (Lab)	6.7	-	FALSE	REG	0.01		27/09/2023	
RWD	23/09/2023 8:45	pH (Lab)	6.64	-	FALSE	REG	0.01	30/09/2023	4/10/2023	
RWD	23/09/2023 8:45	pH (Lab)	6.98	-	FALSE	REG	0.01	30/09/2023	4/10/2023	
Rejects - Compos	1/10/2023 7:14	pH (Lab)	9	-	FALSE	REG	0.1	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:14	pH (KCl)	8.5	-	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	pH (Ox)	9.5	-	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	pH (Lab)	8.6	-	FALSE	REG	0.1	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:19	pH (KCl)	8.7	-	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	pH (Ox)	8.9	-	FALSE	REG	0.1	12/10/2023	12/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	1/10/2023 7:24	pH (Lab)	8.8	-	FALSE	REG	0.1	11/10/2023	11/10/2023	
Rejects - Compos	1/10/2023 7:24	pH (KCl)	8.7	-	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	pH (Ox)	9.4	-	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects Grab San	3/10/2023 6:15	pH (Lab)	9.6	-	FALSE	REG	0.1	17/10/2023	17/10/2023	
Rejects Grab San	3/10/2023 6:15	pH (Ox)	9.8	-	FALSE	REG	0.1	10/10/2023	10/10/2023	
Tailings Thickene	3/10/2023 6:15	pH (Lab)	8.9	-	FALSE	REG	0.1	17/10/2023	17/10/2023	
Tailings Thickene	3/10/2023 6:15	pH (Ox)	9.2	-	FALSE	REG	0.1	10/10/2023	10/10/2023	
	12/10/2023 10:17	pH (KCl)	0.1	-	FALSE	REG	0.1	12/10/2023	12/10/2023	
N1S	22/10/2023 13:45	pH (Lab)	9.1	-	FALSE	REG	0.1	31/10/2023	31/10/2023	
N1S	22/10/2023 13:45	pH (Ox)	9.2	-	FALSE	REG	0.1	1/11/2023	1/11/2023	
N1S	22/10/2023 13:45	pH (Lab)	7.99	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
MBID23	23/10/2023 10:25	pH (Lab)	7.18	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
MBID28	23/10/2023 11:30	pH (Lab)	7.06	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
593	23/10/2023 13:40	pH (Lab)	7.5	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
594	23/10/2023 14:35	pH (Lab)	7.43	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
MBID18	24/10/2023 7:35	pH (Lab)	7.32	-	FALSE	REG	0.01	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	pH (Lab)	7.47	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
MBID07	24/10/2023 10:30	pH (Lab)	7.79	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
	24/10/2023 10:35	pH (Lab)	7.72	-	FALSE	REG	0.01	31/10/2023	1/11/2023	
	24/10/2023 10:40	pH (Lab)	5.96	-	FALSE	REG	0.01	31/10/2023	1/11/2023	
MBID15	24/10/2023 11:50	pH (Lab)	7.25	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
MBID04	24/10/2023 13:50	pH (Lab)	7.28	-	FALSE	REG	0.01	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	pH (Lab)	7.36	-	FALSE	REG	0.01	27/10/2023	28/10/2023	
MBID21A	24/10/2023 15:00	pH (Lab)	7.69	-	FALSE	REG	0.01	31/10/2023	1/11/2023	
MBID19A	24/10/2023 16:15	pH (Lab)	7.18	-	FALSE	REG	0.01	31/10/2023	1/11/2023	
MBID01	25/10/2023 7:45	pH (Lab)	6.95	-	FALSE	REG	0.01	31/10/2023	1/11/2023	
MBID17	25/10/2023 8:45	pH (Lab)	7.79	-	FALSE	REG	0.01	31/10/2023	1/11/2023	
Rejects Grab San	18/11/2023 9:30	pH (Lab)	9.7	-	FALSE	REG	0.1	30/11/2023	30/11/2023	
Rejects Grab San	18/11/2023 9:30	pH (Ox)	8.8	-	FALSE	REG	0.1	4/12/2023	4/12/2023	
Tailings Thickene	18/11/2023 9:30	pH (Lab)	9	-	FALSE	REG	0.1	30/11/2023	30/11/2023	
Tailings Thickene	18/11/2023 9:30	pH (Ox)	10	-	FALSE	REG	0.1	4/12/2023	4/12/2023	
N1S	21/11/2023 14:30	pH (Lab)	9	-	FALSE	REG	0.1	30/11/2023	30/11/2023	
N1S	21/11/2023 14:30	pH (Ox)	9.7	-	FALSE	REG	0.1	4/12/2023	4/12/2023	
N1S	21/11/2023 15:00	pH (Lab)	8.09	-	FALSE	REG	0.01	28/11/2023	28/11/2023	
RWD	21/11/2023 18:07	pH (Lab)	7.7	-	FALSE	REG	0.01	25/11/2023	27/11/2023	
RWD	21/11/2023 18:09	pH (Lab)	7.81	-	FALSE	REG	0.01	25/11/2023	27/11/2023	
MIA STP	24/11/2023 15:47	pH (Lab)	8.17	-	FALSE	REG	0.01	29/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:03	pH (Lab)	8.25	-	FALSE	REG	0.01	28/11/2023	29/11/2023	
CHPP STP	24/11/2023 16:15	pH (Lab)	7.91	-	FALSE	REG	0.01	28/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:31	pH (Lab)	7.9	-	FALSE	REG	0.01	28/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 16:45	pH (Lab)	7.86	-	FALSE	REG	0.01	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 17:29	pH (Lab)	7.94	-	FALSE	REG	0.01	29/11/2023	29/11/2023	
Isaac Plains STP	24/11/2023 17:41	pH (Lab)	7.94	-	FALSE	REG	0.01	28/11/2023	29/11/2023	
W2	27/11/2023 15:00	pH (Lab)	8.04	-	FALSE	REG	0.01	1/12/2023	1/12/2023	
FG1	27/11/2023 15:30	pH (Lab)	7.57	-	FALSE	REG	0.01	1/12/2023	1/12/2023	
FG2	28/11/2023 15:45	pH (Lab)	7.15	-	FALSE	REG	0.01		4/12/2023	
W6	4/12/2023 16:50	pH (Lab)	7.58	-	FALSE	REG	0.01	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	pH (Lab)	6.06	-	FALSE	REG	0.01	8/12/2023	9/12/2023	
W5	4/12/2023 16:56	pH (Lab)	7.43	-	FALSE	REG	0.01	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	pH (Lab)	7.49	-	FALSE	REG	0.01	8/12/2023	9/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	4/12/2023 17:03	pH (Lab)	7.45	-	FALSE	REG	0.01	8/12/2023	9/12/2023	
Isaac Plains STP	7/12/2023 18:04	pH (Lab)	7.92	-	FALSE	REG	0.01	13/12/2023	14/12/2023	
Isaac Plains STP	7/12/2023 18:04	pH (Lab)	8.08	-	FALSE	REG	0.01	13/12/2023	14/12/2023	
CHPP STP	7/12/2023 18:04	pH (Lab)	8	-	FALSE	REG	0.01	13/12/2023	14/12/2023	
CHPP STP	7/12/2023 18:04	pH (Lab)	7.64	-	FALSE	REG	0.01	13/12/2023	14/12/2023	
	7/12/2023 18:04	pH (Lab)	8.01	-	FALSE	REG	0.01	15/12/2023	16/12/2023	
Isaac Plains STP	7/12/2023 18:04	pH (Lab)	8.04	-	FALSE	REG	0.01	15/12/2023	16/12/2023	
MIA STP	7/12/2023 18:04	pH (Lab)	7.75	-	FALSE	REG	0.01	15/12/2023	16/12/2023	
RWD	11/12/2023 7:55	pH (Lab)	7.84	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
CHPPPP	11/12/2023 8:18	pH (Lab)	8.88	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
N1S	11/12/2023 8:34	pH (Lab)	8.1	-	FALSE	REG	0.01	14/12/2023	15/12/2023	
S2SED	11/12/2023 8:51	pH (Lab)	8.99	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
	11/12/2023 8:57	pH (Lab)	8.99	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
RD1	11/12/2023 9:08	pH (Lab)	8.73	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
S2	11/12/2023 9:23	pH (Lab)	8.57	-	FALSE	REG	0.01	14/12/2023	15/12/2023	
S3	11/12/2023 9:57	pH (Lab)	8.28	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
Pit 4	11/12/2023 9:59	pH (Lab)	8.36	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
Farm Dam 2	11/12/2023 10:22	pH (Lab)	8.82	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
RD2	11/12/2023 10:39	pH (Lab)	9.2	-	FALSE	REG	0.01	14/12/2023	14/12/2023	
MIA DAM	11/12/2023 11:35	pH (Lab)	8.26	-	FALSE	REG	0.01	13/12/2023	14/12/2023	
MWD	11/12/2023 11:40	pH (Lab)	7.35	-	FALSE	REG	0.01	13/12/2023	14/12/2023	
SSD	11/12/2023 12:09	pH (Lab)	9.5	-	FALSE	REG	0.01	13/12/2023	14/12/2023	
FPD	11/12/2023 12:35	pH (Lab)	8.42	-	FALSE	REG	0.01	13/12/2023	14/12/2023	
	11/12/2023 12:49	pH (Lab)	8.55	-	FALSE	REG	0.01	14/12/2023	15/12/2023	
	12/12/2023 7:29	pH (Lab)	9.1	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:29	pH (KCl)	9.1	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:29	pH (Ox)	8.9	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:30	pH (Lab)	9.1	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:30	pH (KCl)	9.1	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:30	pH (Ox)	9	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
N1S	18/12/2023 10:30	pH (Lab)	8.2	-	FALSE	REG	0.1	22/12/2023	22/12/2023	
N1S	18/12/2023 10:30	pH (Ox)	2.9	-	FALSE	REG	0.1	27/12/2023	27/12/2023	
N1S	18/12/2023 10:30	pH (Lab)	6.7	-	FALSE	REG	0.01		28/12/2023	
Rejects Grab San	19/12/2023 10:15	pH (Lab)	7	-	FALSE	REG	0.1	5/01/2024	5/01/2024	
Rejects Grab San	19/12/2023 10:15	pH (Ox)	4.6	-	FALSE	REG	0.1	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	pH (Lab)	7	-	FALSE	REG	0.1	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	pH (Ox)	3.5	-	FALSE	REG	0.1	5/01/2024	5/01/2024	
W4	3/01/2024 11:20	pH (Lab)	7.43	-	FALSE	REG	0.01	6/01/2024	8/01/2024	
W2	3/01/2024 11:23	pH (Lab)	7.37	-	FALSE	REG	0.01	6/01/2024	8/01/2024	
W5	3/01/2024 11:32	pH (Lab)	7.6	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
W8	3/01/2024 11:36	pH (Lab)	7.19	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
W2	3/01/2024 11:39	pH (Lab)	7.32	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
W4	3/01/2024 11:41	pH (Lab)	7.68	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
W7	3/01/2024 11:44	pH (Lab)	7.77	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
	3/01/2024 11:57	pH (Lab)	7.38	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
CC1	3/01/2024 12:02	pH (Lab)	7.46	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
W6	3/01/2024 12:06	pH (Lab)	7.13	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
	3/01/2024 12:10	pH (Lab)	6.79	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
	3/01/2024 12:15	pH (Lab)	6.75	-	FALSE	REG	0.01	8/01/2024	9/01/2024	
IR1	3/01/2024 12:28	pH (Lab)	7.16	-	FALSE	REG	0.01	6/01/2024	8/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FG1	3/01/2024 12:37	pH (Lab)	7.15	-	FALSE	REG	0.01	6/01/2024	8/01/2024	
	4/01/2024 10:08	pH (Lab)	9	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
	4/01/2024 10:08	pH (KCl)	9.2	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
	4/01/2024 10:08	pH (Ox)	8.9	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
IR1A	4/01/2024 16:43	pH (Lab)	7.43	-	FALSE	REG	0.01	15/01/2024	16/01/2024	
IR2	4/01/2024 17:15	pH (Lab)	7.42	-	FALSE	REG	0.01	15/01/2024	16/01/2024	
IR5	5/01/2024 6:56	pH (Lab)	7.57	-	FALSE	REG	0.01	15/01/2024	16/01/2024	
	5/01/2024 7:01	pH (Lab)	7.56	-	FALSE	REG	0.01	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	pH (Lab)	7.54	-	FALSE	REG	0.01	15/01/2024	16/01/2024	
	15/01/2024 8:53	pH (KCl)	0.1	-	FALSE	REG	0.1	15/01/2024	15/01/2024	
RWD	18/01/2024 7:34	pH (Lab)	7.68	-	FALSE	REG	0.01	22/01/2024	23/01/2024	
RWD	18/01/2024 7:49	pH (Lab)	7.68	-	FALSE	REG	0.01	22/01/2024	23/01/2024	
Rejects Grab San	18/01/2024 8:05	pH (Lab)	9.4	-	FALSE	REG	0.1	12/02/2024	12/02/2024	
Rejects Grab San	18/01/2024 8:05	pH (Ox)	8.1	-	FALSE	REG	0.1	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	pH (Lab)	8.8	-	FALSE	REG	0.1	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	pH (Ox)	8.6	-	FALSE	REG	0.1	12/02/2024	12/02/2024	
N1S	23/01/2024 12:30	pH (Lab)	8.29	-	FALSE	REG	0.01	29/01/2024	31/01/2024	
N1S	23/01/2024 13:10	pH (Lab)	7.9	-	FALSE	REG	0.1	1/02/2024	1/02/2024	
N1S	23/01/2024 13:10	pH (Ox)	7.3	-	FALSE	REG	0.1	2/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:01	pH (Lab)	7.82	-	FALSE	REG	0.01	1/02/2024	2/02/2024	
CHPP STP	26/01/2024 11:12	pH (Lab)	7.97	-	FALSE	REG	0.01	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:34	pH (Lab)	7.82	-	FALSE	REG	0.01	1/02/2024	2/02/2024	
MIA STP	26/01/2024 11:52	pH (Lab)	7.96	-	FALSE	REG	0.01		2/02/2024	
MIA STP	26/01/2024 12:04	pH (Lab)	8.08	-	FALSE	REG	0.01	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:09	pH (Lab)	8.01	-	FALSE	REG	0.01	1/02/2024	2/02/2024	
Isaac Plains STP	26/01/2024 12:10	pH (Lab)	7.92	-	FALSE	REG	0.01	1/02/2024	2/02/2024	
MBID23	6/02/2024 9:45	pH (Lab)	7.48	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
MBID28	6/02/2024 12:50	pH (Lab)	7.18	-	FALSE	REG	0.01	10/02/2024	12/02/2024	
593	6/02/2024 13:50	pH (Lab)	7.73	-	FALSE	REG	0.01	10/02/2024	12/02/2024	
594	6/02/2024 15:30	pH (Lab)	7.62	-	FALSE	REG	0.01	10/02/2024	12/02/2024	
MBID17	6/02/2024 16:50	pH (Lab)	8.23	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
MBID18	7/02/2024 7:50	pH (Lab)	7.96	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
MBID15	7/02/2024 9:45	pH (Lab)	7.68	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
MBID07	7/02/2024 11:00	pH (Lab)	8.2	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
MBID04	7/02/2024 11:50	pH (Lab)	7.99	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
MBID10	7/02/2024 12:15	pH (Lab)	7.74	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
MBID21A	7/02/2024 12:30	pH (Lab)	8.07	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
MBID19A	7/02/2024 13:10	pH (Lab)	7.33	-	FALSE	REG	0.01	10/02/2024	12/02/2024	
	7/02/2024 13:15	pH (Lab)	7.37	-	FALSE	REG	0.01	10/02/2024	12/02/2024	
MBID01	7/02/2024 13:30	pH (Lab)	7.9	-	FALSE	REG	0.01	12/02/2024	13/02/2024	
W4	15/02/2024 8:17	pH (Lab)	7.49	-	FALSE	REG	0.01	20/02/2024	20/02/2024	
W2	15/02/2024 9:12	pH (Lab)	7.64	-	FALSE	REG	0.01	20/02/2024	20/02/2024	
IR2	15/02/2024 10:49	pH (Lab)	7.8	-	FALSE	REG	0.01	20/02/2024	20/02/2024	
IR1A	15/02/2024 12:15	pH (Lab)	7.65	-	FALSE	REG	0.01	20/02/2024	20/02/2024	
W6	15/02/2024 14:45	pH (Lab)	7.62	-	FALSE	REG	0.01	20/02/2024	21/02/2024	
W6	15/02/2024 15:00	pH (Lab)	7.54	-	FALSE	REG	0.01	20/02/2024	21/02/2024	
W8	16/02/2024 10:04	pH (Lab)	7.65	-	FALSE	REG	0.01	20/02/2024	21/02/2024	
	16/02/2024 10:15	pH (Lab)	7.65	-	FALSE	REG	0.01	20/02/2024	21/02/2024	
W5	16/02/2024 10:56	pH (Lab)	7.63	-	FALSE	REG	0.01	20/02/2024	21/02/2024	
IR4	16/02/2024 11:41	pH (Lab)	7.82	-	FALSE	REG	0.01	20/02/2024	21/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR5	16/02/2024 12:51	pH (Lab)	7.27	-	FALSE	REG	0.01	20/02/2024	21/02/2024	
N1S	20/02/2024 13:00	pH (Lab)	8.8	-	FALSE	REG	0.1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	pH (Ox)	8.7	-	FALSE	REG	0.1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	pH (Lab)	7.69	-	FALSE	REG	0.01	27/02/2024	27/02/2024	
RWD	22/02/2024 8:31	pH (Lab)	6.83	-	FALSE	REG	0.01	23/02/2024	24/02/2024	
RWD	22/02/2024 8:37	pH (Lab)	7.1	-	FALSE	REG	0.01	23/02/2024	24/02/2024	
FG2	28/02/2024 12:36	pH (Lab)	8.37	-	FALSE	REG	0.01		5/03/2024	
IR2	28/02/2024 12:40	pH (Lab)	7.93	-	FALSE	REG	0.01		5/03/2024	
IR4	28/02/2024 12:42	pH (Lab)	8.02	-	FALSE	REG	0.01	1/03/2024	4/03/2024	
IR5	28/02/2024 12:45	pH (Lab)	7.99	-	FALSE	REG	0.01	1/03/2024	4/03/2024	
	28/02/2024 12:47	pH (Lab)	8.31	-	FALSE	REG	0.01	1/03/2024	4/03/2024	
MWD	28/02/2024 12:49	pH (Lab)	8.23	-	FALSE	REG	0.01	1/03/2024	4/03/2024	
	28/02/2024 12:51	pH (Lab)	7.91	-	FALSE	REG	0.01	1/03/2024	4/03/2024	
	28/02/2024 12:54	pH (Lab)	8.62	-	FALSE	REG	0.01	1/03/2024	4/03/2024	
	28/02/2024 12:59	pH (Lab)	8.58	-	FALSE	REG	0.01	1/03/2024	4/03/2024	
Rejects Grab San	29/02/2024 8:45	pH (Lab)	9.6	-	FALSE	REG	0.1	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	pH (Ox)	8.2	-	FALSE	REG	0.1	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	pH (Lab)	8.8	-	FALSE	REG	0.1	7/03/2024	7/03/2024	
Rejects Grab San	29/02/2024 8:45	pH (Ox)	3.7	-	FALSE	REG	0.1	11/03/2024	11/03/2024	
Tailings Thickene	29/02/2024 9:00	pH (Lab)	8.9	-	FALSE	REG	0.1	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	pH (Ox)	8.2	-	FALSE	REG	0.1	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	pH (Lab)	8.8	-	FALSE	REG	0.1	7/03/2024	7/03/2024	
Tailings Thickene	29/02/2024 9:00	pH (Ox)	5.8	-	FALSE	REG	0.1	11/03/2024	11/03/2024	
BC2	29/02/2024 9:41	pH (Lab)	7.15	-	FALSE	REG	0.01	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	pH (Lab)	7.27	-	FALSE	REG	0.01	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	pH (Lab)	7.79	-	FALSE	REG	0.01	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	pH (Lab)	7.37	-	FALSE	REG	0.01	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	pH (Lab)	7.37	-	FALSE	REG	0.01	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	pH (Lab)	7.21	-	FALSE	REG	0.01	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	pH (Lab)	7.47	-	FALSE	REG	0.01	5/03/2024	6/03/2024	
RWD	12/03/2024 8:04	pH (Lab)	8.09	-	FALSE	REG	0.01	13/03/2024	15/03/2024	
CHPPPP	12/03/2024 8:14	pH (Lab)	8.79	-	FALSE	REG	0.01	14/03/2024	14/03/2024	
RD1	12/03/2024 8:37	pH (Lab)	8.84	-	FALSE	REG	0.01	13/03/2024	15/03/2024	
S2SED	12/03/2024 8:57	pH (Lab)	8.96	-	FALSE	REG	0.01	13/03/2024	15/03/2024	
S2	12/03/2024 9:14	pH (Lab)	8.59	-	FALSE	REG	0.01	13/03/2024	15/03/2024	
RD2	12/03/2024 9:40	pH (Lab)	9.77	-	FALSE	REG	0.01	13/03/2024	15/03/2024	
	12/03/2024 9:49	pH (Lab)	9.84	-	FALSE	REG	0.01	13/03/2024	15/03/2024	
Farm Dam 2	12/03/2024 10:08	pH (Lab)	8.47	-	FALSE	REG	0.01	14/03/2024	14/03/2024	
Pit 4	12/03/2024 10:37	pH (Lab)	8.47	-	FALSE	REG	0.01	13/03/2024	15/03/2024	
SSD	13/03/2024 7:28	pH (Lab)	8.52	-	FALSE	REG	0.01	14/03/2024	15/03/2024	
ROM DAM	13/03/2024 7:54	pH (Lab)	8.01	-	FALSE	REG	0.01	15/03/2024	15/03/2024	
FPD	13/03/2024 8:08	pH (Lab)	8.16	-	FALSE	REG	0.01	15/03/2024	15/03/2024	
RWD	13/03/2024 8:27	pH (Lab)	8.32	-	FALSE	REG	0.01	14/03/2024	15/03/2024	
MIA DAM	13/03/2024 9:24	pH (Lab)	8.31	-	FALSE	REG	0.01		19/03/2024	
	13/03/2024 9:43	pH (Lab)	8.54	-	FALSE	REG	0.01	14/03/2024	15/03/2024	
MWD	13/03/2024 10:03	pH (Lab)	8.37	-	FALSE	REG	0.01	15/03/2024	15/03/2024	
CHPP STP	19/03/2024 6:20	pH (Lab)	7.99	-	FALSE	REG	0.01	22/03/2024	25/03/2024	
Isaac Plains STP	19/03/2024 6:35	pH (Lab)	8.02	-	FALSE	REG	0.01	22/03/2024	25/03/2024	
MIA STP	19/03/2024 7:30	pH (Lab)	7.7	-	FALSE	REG	0.01	22/03/2024	25/03/2024	
RWD	19/03/2024 7:55	pH (Lab)	7.42	-	FALSE	REG	0.01	20/03/2024	22/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	19/03/2024 8:05	pH (Lab)	7.79	-	FALSE	REG	0.01		22/03/2024	
Rejects Grab San	19/03/2024 8:45	pH (Lab)	9.5	-	FALSE	REG	0.1	5/04/2024	5/04/2024	
Rejects Grab San	19/03/2024 8:45	pH (Ox)	8.4	-	FALSE	REG	0.1	8/04/2024	8/04/2024	
Isaac Plains STP	19/03/2024 8:50	pH (Lab)	8.03	-	FALSE	REG	0.01	22/03/2024	25/03/2024	
MIA STP	19/03/2024 9:00	pH (Lab)	8.06	-	FALSE	REG	0.01	22/03/2024	25/03/2024	
Tailings Thickene	19/03/2024 9:00	pH (Lab)	8.9	-	FALSE	REG	0.1	5/04/2024	5/04/2024	
Tailings Thickene	19/03/2024 9:00	pH (Ox)	9	-	FALSE	REG	0.1	8/04/2024	8/04/2024	
N1S	27/03/2024 13:00	pH (Lab)	8.8	-	FALSE	REG	0.1	9/04/2024	9/04/2024	
N1S	27/03/2024 13:00	pH (Ox)	9.2	-	FALSE	REG	0.1	10/04/2024	10/04/2024	
N1S	27/03/2024 13:00	pH (Lab)	8.14	-	FALSE	REG	0.01	9/04/2024	10/04/2024	
BC2	17/04/2024 7:30	pH (Lab)	8.26	-	FALSE	REG	0.01	23/04/2024	24/04/2024	
MB2	17/04/2024 9:10	pH (Lab)	8.15	-	FALSE	REG	0.01	23/04/2024	24/04/2024	
MB12	17/04/2024 9:40	pH (Lab)	8.1	-	FALSE	REG	0.01	23/04/2024	24/04/2024	
MB14	17/04/2024 11:25	pH (Lab)	8.03	-	FALSE	REG	0.01	23/04/2024	24/04/2024	
Swamp Bore 2	17/04/2024 12:30	pH (Lab)	7.83	-	FALSE	REG	0.01	23/04/2024	24/04/2024	
N1S	17/04/2024 13:00	pH (Lab)	9	-	FALSE	REG	0.1	23/04/2024	23/04/2024	
N1S	17/04/2024 13:00	pH (Ox)	9.2	-	FALSE	REG	0.1	24/04/2024	24/04/2024	
N1S	17/04/2024 13:00	pH (Lab)	8.29	-	FALSE	REG	0.01	19/04/2024	22/04/2024	
MB9A	17/04/2024 14:25	pH (Lab)	7.83	-	FALSE	REG	0.01	23/04/2024	24/04/2024	
MB8B	17/04/2024 16:40	pH (Lab)	7.64	-	FALSE	REG	0.01	23/04/2024	24/04/2024	
MB7	17/04/2024 17:00	pH (Lab)	7.73	-	FALSE	REG	0.01	23/04/2024	24/04/2024	
CHPP STP	22/04/2024 12:30	pH (Lab)	7.7	-	FALSE	REG	0.01		1/05/2024	
	22/04/2024 13:20	pH (Lab)	7.73	-	FALSE	REG	0.01		1/05/2024	
	22/04/2024 13:30	pH (Lab)	7.63	-	FALSE	REG	0.01	30/04/2024	1/05/2024	
Isaac Plains STP	22/04/2024 13:30	pH (Lab)	7.61	-	FALSE	REG	0.01	30/04/2024	1/05/2024	
RWD	23/04/2024 8:41	pH (Lab)	7.8	-	FALSE	REG	0.01		29/04/2024	
	23/04/2024 8:51	pH (Lab)	7.59	-	FALSE	REG	0.01	26/04/2024	27/04/2024	
Rejects - Compos	23/04/2024 9:30	pH (Lab)	6.6	-	FALSE	REG	0.1	20/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	pH (KCl)	8.5	-	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	pH (Ox)	8.6	-	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	pH (Lab)	8.5	-	FALSE	REG	0.1	20/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	pH (KCl)	8.9	-	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	pH (Ox)	8.9	-	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	pH (Lab)	8.6	-	FALSE	REG	0.1	20/05/2024	20/05/2024	
Rejects - Compos	23/04/2024 9:30	pH (KCl)	8.7	-	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	pH (Ox)	9.1	-	FALSE	REG	0.1	21/05/2024	21/05/2024	
N1S	21/05/2024	pH (Lab)	8.7	-	FALSE	REG	0.1	28/05/2024	28/05/2024	
N1S	21/05/2024	pH (Ox)	8.1	-	FALSE	REG	0.1	31/05/2024	31/05/2024	
N1S	21/05/2024	pH (Lab)	7.84	-	FALSE	REG	0.01	28/05/2024	29/05/2024	
	21/05/2024 9:46	pH (KCl)	0.1	-	FALSE	REG	0.1	21/05/2024	21/05/2024	
CHPP STP	21/05/2024 10:00	pH (Lab)	7.41	-	FALSE	REG	0.01	27/05/2024	27/05/2024	
MIA STP	21/05/2024 10:30	pH (Lab)	7.41	-	FALSE	REG	0.01	27/05/2024	27/05/2024	
	21/05/2024 11:00	pH (Lab)	7.79	-	FALSE	REG	0.01	27/05/2024	27/05/2024	
Isaac Plains STP	21/05/2024 11:05	pH (Lab)	7.79	-	FALSE	REG	0.01	27/05/2024	27/05/2024	
	21/05/2024 11:10	pH (Lab)	7.87	-	FALSE	REG	0.01	27/05/2024	27/05/2024	
RWD	22/05/2024 7:20	pH (Lab)	7.29	-	FALSE	REG	0.01	24/05/2024	27/05/2024	
	22/05/2024 7:34	pH (Lab)	7.15	-	FALSE	REG	0.01	24/05/2024	27/05/2024	
Rejects Grab San	22/05/2024 7:40	pH (Lab)	9.6	-	FALSE	REG	0.1	29/05/2024	29/05/2024	
Rejects Grab San	22/05/2024 7:40	pH (Ox)	8.6	-	FALSE	REG	0.1	31/05/2024	31/05/2024	
Tailings Thickene	22/05/2024 7:40	pH (Lab)	8.9	-	FALSE	REG	0.1	29/05/2024	29/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	22/05/2024 7:40	pH (Ox)	7.6	-	FALSE	REG	0.1	31/05/2024	31/05/2024	
CHPP STP	11/06/2024 7:00	pH (Lab)	7.37	-	FALSE	REG	0.01	14/06/2024	14/06/2024	
RWD	11/06/2024 7:30	pH (Lab)	7.85	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
	11/06/2024 7:40	pH (Lab)	7.85	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
CHPPPP	11/06/2024 7:55	pH (Lab)	8.74	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
N1	11/06/2024 8:21	pH (Lab)	8.56	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
RD1	11/06/2024 8:50	pH (Lab)	8.74	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
S2SED	11/06/2024 9:15	pH (Lab)	8.92	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
Pit 4	11/06/2024 9:44	pH (Lab)	8.57	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
S3	11/06/2024 10:41	pH (Lab)	8.41	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
S2	11/06/2024 11:08	pH (Lab)	8.62	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
	11/06/2024 12:45	pH (Lab)	7.6	-	FALSE	REG	0.01	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 12:50	pH (Lab)	7.6	-	FALSE	REG	0.01	14/06/2024	14/06/2024	
Isaac Plains STP	11/06/2024 13:10	pH (Lab)	7.56	-	FALSE	REG	0.01	14/06/2024	14/06/2024	
SSD	12/06/2024 7:46	pH (Lab)	8.36	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
FPD	12/06/2024 8:20	pH (Lab)	8.72	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
	12/06/2024 8:39	pH (Lab)	8.58	-	FALSE	REG	0.01	14/06/2024	14/06/2024	
MWD	12/06/2024 9:00	pH (Lab)	8.1	-	FALSE	REG	0.01	13/06/2024	14/06/2024	
RWD	12/06/2024 9:33	pH (Lab)	8.51	-	FALSE	REG	0.01	14/06/2024	14/06/2024	
MIA DAM	12/06/2024 9:53	pH (Lab)	8.89	-	FALSE	REG	0.01	14/06/2024	14/06/2024	
N1S	12/06/2024 12:21	pH (Lab)	7.91	-	FALSE	REG	0.01		26/06/2024	
N1S	12/06/2024 12:23	pH (Lab)	8.8	-	FALSE	REG	0.1	24/06/2024	24/06/2024	
N1S	12/06/2024 12:23	pH (Ox)	7.8	-	FALSE	REG	0.1	24/06/2024	24/06/2024	
RWD	24/06/2024 9:57	pH (Lab)	7.71	-	FALSE	REG	0.01	25/06/2024	26/06/2024	
	24/06/2024 9:57	pH (Lab)	7.56	-	FALSE	REG	0.01	25/06/2024	26/06/2024	
Rejects Grab San	24/06/2024 11:28	pH (Lab)	8.8	-	FALSE	REG	0.1	1/07/2024	1/07/2024	
Rejects Grab San	24/06/2024 11:28	pH (KCl)	9	-	FALSE	REG	0.1	4/07/2024	4/07/2024	
Rejects Grab San	24/06/2024 11:28	pH (Ox)	8.2	-	FALSE	REG	0.1	4/07/2024	4/07/2024	
Tailings Thickene	24/06/2024 11:28	pH (Lab)	8.8	-	FALSE	REG	0.1	1/07/2024	1/07/2024	
Tailings Thickene	24/06/2024 11:28	pH (Ox)	8.8	-	FALSE	REG	0.1	4/07/2024	4/07/2024	
W5	27/06/2024 9:53	pH (Lab)	7.95	-	FALSE	REG	0.01	28/06/2024	1/07/2024	
	27/06/2024 9:57	pH (Lab)	7.64	-	FALSE	REG	0.01	28/06/2024	1/07/2024	
W4	27/06/2024 10:10	pH (Lab)	7.39	-	FALSE	REG	0.01	28/06/2024	1/07/2024	
	4/07/2024 8:56	pH (KCl)	0.1	-	FALSE	REG	0.1	4/07/2024	4/07/2024	
W8	5/07/2024 15:05	pH (Lab)	7.55	-	FALSE	REG	0.01	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	pH (Lab)	6.98	-	FALSE	REG	0.01	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	pH (Lab)	7.47	-	FALSE	REG	0.01	9/07/2024	10/07/2024	
	5/07/2024 16:37	pH (Lab)	7.44	-	FALSE	REG	0.01	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	pH (Lab)	7.48	-	FALSE	REG	0.01	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	pH (Lab)	7.48	-	FALSE	REG	0.01	9/07/2024	10/07/2024	
	6/07/2024 7:41	pH (Lab)	7.51	-	FALSE	REG	0.01	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	pH (Lab)	7.52	-	FALSE	REG	0.01		11/07/2024	
IR5	6/07/2024 9:39	pH (Lab)	7.65	-	FALSE	REG	0.01	9/07/2024	10/07/2024	
	8/07/2024 13:45	pH (Lab)	8.2	-	FALSE	REG	0.1	23/07/2024	23/07/2024	
	8/07/2024 13:45	pH (KCl)	8.7	-	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	pH (Ox)	9.7	-	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	pH (Lab)	9.3	-	FALSE	REG	0.1	23/07/2024	23/07/2024	
	8/07/2024 13:45	pH (KCl)	9.2	-	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	pH (Ox)	8.9	-	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	pH (Lab)	8.6	-	FALSE	REG	0.1	23/07/2024	23/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2024 13:45	pH (KCl)	9	-	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	pH (Ox)	9.2	-	FALSE	REG	0.1	24/07/2024	24/07/2024	
	17/07/2024 7:30	pH (Lab)	8.38	-	FALSE	REG	0.01	18/07/2024	19/07/2024	
RWD	22/07/2024 9:53	pH (Lab)	7.79	-	FALSE	REG	0.01	23/07/2024	25/07/2024	
	22/07/2024 10:01	pH (Lab)	7.83	-	FALSE	REG	0.01	23/07/2024	25/07/2024	
	22/07/2024 10:25	pH (Lab)	8.7	-	FALSE	REG	0.1	1/08/2024	1/08/2024	
	22/07/2024 10:25	pH (KCl)	8.9	-	FALSE	REG	0.1	5/08/2024	5/08/2024	
	22/07/2024 10:25	pH (Ox)	9	-	FALSE	REG	0.1	5/08/2024	5/08/2024	
Tailings Thickene	22/07/2024 10:26	pH (Lab)	8.8	-	FALSE	REG	0.1	7/08/2024	1/08/2024	
Tailings Thickene	22/07/2024 10:26	pH (Ox)	7.7	-	FALSE	REG	0.1	5/08/2024	5/08/2024	
593	22/07/2024 12:55	pH (Lab)	7.49	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
594	22/07/2024 14:00	pH (Lab)	7.45	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
MBID28	22/07/2024 15:05	pH (Lab)	6.97	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
	22/07/2024 15:10	pH (Lab)	7.32	-	FALSE	REG	0.01	30/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	pH (Lab)	7.02	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
	23/07/2024 9:06	pH (Lab)	8.52	-	FALSE	REG	0.01		25/07/2024	
RWD	23/07/2024 9:32	pH (Lab)	8.33	-	FALSE	REG	0.01		25/07/2024	
MBID21	23/07/2024 13:45	pH (Lab)	7.67	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	pH (Lab)	7.32	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	pH (Lab)	7.12	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	pH (Lab)	7.34	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
	24/07/2024 9:10	pH (Lab)	7.42	-	FALSE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 9:55	pH (KCl)	0.1	-	FALSE	REG	0.1	24/07/2024	24/07/2024	
MB12	24/07/2024 10:25	pH (Lab)	7.42	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
MB14	24/07/2024 11:35	pH (Lab)	7.81	-	FALSE	REG	0.01	30/07/2024	31/07/2024	
	24/07/2024 13:03	pH (Lab)	9.4	-	FALSE	REG	0.1	30/07/2024	30/07/2024	
	24/07/2024 13:03	pH (Ox)	3.1	-	FALSE	REG	0.1	31/07/2024	31/07/2024	
	24/07/2024 13:03	pH (Lab)	8.24	-	FALSE	REG	0.01	29/07/2024	29/07/2024	
	24/07/2024 13:30	pH (Lab)	7.4	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	pH (Lab)	7.29	-	FALSE	REG	0.01	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	pH (Lab)	7.34	-	FALSE	REG	0.01	30/07/2024	31/07/2024	
	25/07/2024 8:45	pH (Lab)	7.97	-	FALSE	REG	0.01	31/07/2024	31/07/2024	
Isaac Plains STP	25/07/2024 9:00	pH (Lab)	7.9	-	FALSE	REG	0.01	31/07/2024	31/07/2024	
	25/07/2024 9:25	pH (Lab)	7.39	-	FALSE	REG	0.01	31/07/2024	31/07/2024	
	5/08/2024 9:34	pH (KCl)	0.1	-	FALSE	REG	0.1	5/08/2024	5/08/2024	
	22/08/2024 8:50	pH (Lab)	7.98	-	FALSE	REG	0.01	24/08/2024	26/08/2024	
	22/08/2024 8:56	pH (Lab)	8.03	-	FALSE	REG	0.01	24/08/2024	26/08/2024	
RWD	22/08/2024 10:01	pH (Lab)	8.33	-	FALSE	REG	0.01	24/08/2024	26/08/2024	
	22/08/2024 10:24	pH (Lab)	8.43	-	FALSE	REG	0.01	24/08/2024	26/08/2024	
RWD	11/06/2023 12:51	Turbidity	11.7	NTU	FALSE	REG	0.1		13/06/2023	
S2	11/06/2023 12:52	Turbidity	2.4	NTU	FALSE	REG	0.1		13/06/2023	
CHPPPP	11/06/2023 12:57	Turbidity	8.7	NTU	FALSE	REG	0.1		13/06/2023	
	11/06/2023 13:18	Turbidity	8	NTU	FALSE	REG	0.1		13/06/2023	
RD1	11/06/2023 13:20	Turbidity	7.7	NTU	FALSE	REG	0.1		13/06/2023	
S2SED	11/06/2023 13:34	Turbidity	5.6	NTU	FALSE	REG	0.1		13/06/2023	
Farm Dam 2	11/06/2023 14:14	Turbidity	29.3	NTU	FALSE	REG	0.1		13/06/2023	
RD2	11/06/2023 14:31	Turbidity	5.4	NTU	FALSE	REG	0.1		13/06/2023	
MIA DAM	11/06/2023 15:11	Turbidity	25.7	NTU	FALSE	REG	0.1		13/06/2023	
HD2	11/06/2023 15:17	Turbidity	31.2	NTU	FALSE	REG	0.1		13/06/2023	
FPD	11/06/2023 15:35	Turbidity	6.1	NTU	FALSE	REG	0.1		13/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SSD	11/06/2023 15:52	Turbidity	11.8	NTU	FALSE	REG	0.1		13/06/2023	
SSD	11/06/2023 16:07	Turbidity	12.3	NTU	FALSE	REG	0.1		13/06/2023	
ROM DAM	11/06/2023 16:30	Turbidity	21.2	NTU	FALSE	REG	0.1		13/06/2023	
	13/06/2023 17:18	Turbidity	0.1	NTU	FALSE	REG	0.1		13/06/2023	
	13/06/2023 17:18	Turbidity	0.1	NTU	FALSE	REG	0.1		13/06/2023	
RWD	6/07/2023 5:52	Turbidity	16.1	NTU	FALSE	REG	0.1		10/07/2023	
	6/07/2023 6:04	Turbidity	14.9	NTU	FALSE	REG	0.1		10/07/2023	
	10/07/2023 14:30	Turbidity	0.1	NTU	FALSE	REG	0.1		10/07/2023	
W5	25/07/2023 13:05	Turbidity	529	NTU	FALSE	REG	0.1		28/07/2023	
W4	25/07/2023 13:33	Turbidity	40	NTU	FALSE	REG	0.1		28/07/2023	
W7	25/07/2023 15:00	Turbidity	123	NTU	FALSE	REG	0.1		28/07/2023	
W6	25/07/2023 15:35	Turbidity	37	NTU	FALSE	REG	0.1		28/07/2023	
W6	25/07/2023 15:42	Turbidity	39	NTU	FALSE	REG	0.1		28/07/2023	
	28/07/2023 20:47	Turbidity	0.1	NTU	FALSE	REG	0.1		28/07/2023	
RWD	19/08/2023 12:39	Turbidity	17.3	NTU	FALSE	REG	0.1		23/08/2023	
	19/08/2023 12:47	Turbidity	17.2	NTU	FALSE	REG	0.1		23/08/2023	
	23/08/2023 6:21	Turbidity	0.1	NTU	FALSE	REG	0.1		23/08/2023	
RWD	12/09/2023 6:40	Turbidity	22.3	NTU	FALSE	REG	0.1		15/09/2023	
CHPPPP	12/09/2023 7:05	Turbidity	3.2	NTU	FALSE	REG	0.1		15/09/2023	
S2SED	12/09/2023 7:20	Turbidity	2.8	NTU	FALSE	REG	0.1		15/09/2023	
RD1	12/09/2023 7:30	Turbidity	9.3	NTU	FALSE	REG	0.1		15/09/2023	
S2	12/09/2023 8:00	Turbidity	5.2	NTU	FALSE	REG	0.1		15/09/2023	
RD2	12/09/2023 8:15	Turbidity	135	NTU	FALSE	REG	0.1		15/09/2023	
Farm Dam 2	12/09/2023 10:30	Turbidity	16	NTU	FALSE	REG	0.1		15/09/2023	
Farm Dam 2	12/09/2023 10:30	Turbidity	15.3	NTU	FALSE	REG	0.1		15/09/2023	
FPD	12/09/2023 11:00	Turbidity	2.8	NTU	FALSE	REG	0.1		15/09/2023	
SSD	12/09/2023 11:45	Turbidity	21.9	NTU	FALSE	REG	0.1		15/09/2023	
MIA DAM	12/09/2023 12:45	Turbidity	153	NTU	FALSE	REG	0.1		15/09/2023	
MIA DAM	12/09/2023 12:45	Turbidity	119	NTU	FALSE	REG	0.1		15/09/2023	
ROM DAM	12/09/2023 13:15	Turbidity	128	NTU	FALSE	REG	0.1		15/09/2023	
	15/09/2023 11:21	Turbidity	0.1	NTU	FALSE	REG	0.1		15/09/2023	
	15/09/2023 13:54	Turbidity	0.1	NTU	FALSE	REG	0.1		15/09/2023	
RWD	23/09/2023 8:45	Turbidity	13.7	NTU	FALSE	REG	0.1		29/09/2023	
RWD	23/09/2023 8:45	Turbidity	13.1	NTU	FALSE	REG	0.1		29/09/2023	
	29/09/2023 17:51	Turbidity	0.1	NTU	FALSE	REG	0.1		29/09/2023	
RWD	21/11/2023 18:07	Turbidity	21.4	NTU	FALSE	REG	0.1		27/11/2023	
RWD	21/11/2023 18:09	Turbidity	19.9	NTU	FALSE	REG	0.1		27/11/2023	
	27/11/2023 6:14	Turbidity	0.1	NTU	FALSE	REG	0.1		27/11/2023	
W2	27/11/2023 15:00	Turbidity	110	NTU	FALSE	REG	0.1		1/12/2023	
FG1	27/11/2023 15:30	Turbidity	5060	NTU	FALSE	REG	0.1		1/12/2023	
FG2	28/11/2023 15:45	Turbidity	3290	NTU	FALSE	REG	0.1		1/12/2023	
	1/12/2023 6:08	Turbidity	0.1	NTU	FALSE	REG	0.1		1/12/2023	
	1/12/2023 6:08	Turbidity	0.1	NTU	FALSE	REG	0.1		1/12/2023	
W6	4/12/2023 16:50	Turbidity	808	NTU	FALSE	REG	0.1		6/12/2023	
W7	4/12/2023 16:53	Turbidity	14600	NTU	FALSE	REG	0.1		6/12/2023	
W5	4/12/2023 16:56	Turbidity	4280	NTU	FALSE	REG	0.1		6/12/2023	
W1	4/12/2023 17:01	Turbidity	5090	NTU	FALSE	REG	0.1		6/12/2023	
W4	4/12/2023 17:03	Turbidity	2110	NTU	FALSE	REG	0.1		6/12/2023	
	6/12/2023 17:08	Turbidity	0.1	NTU	FALSE	REG	0.1		6/12/2023	
RWD	11/12/2023 7:55	Turbidity	18.7	NTU	FALSE	REG	0.1		14/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPPPP	11/12/2023 8:18	Turbidity	18.1	NTU	FALSE	REG	0.1		14/12/2023	
N1S	11/12/2023 8:34	Turbidity	1.2	NTU	FALSE	REG	0.1		14/12/2023	
S2SED	11/12/2023 8:51	Turbidity	5.2	NTU	FALSE	REG	0.1		14/12/2023	
	11/12/2023 8:57	Turbidity	4.8	NTU	FALSE	REG	0.1		14/12/2023	
RD1	11/12/2023 9:08	Turbidity	27.4	NTU	FALSE	REG	0.1		14/12/2023	
S2	11/12/2023 9:23	Turbidity	3.7	NTU	FALSE	REG	0.1		14/12/2023	
S3	11/12/2023 9:57	Turbidity	14	NTU	FALSE	REG	0.1		14/12/2023	
Pit 4	11/12/2023 9:59	Turbidity	1	NTU	FALSE	REG	0.1		14/12/2023	
Farm Dam 2	11/12/2023 10:22	Turbidity	21.9	NTU	FALSE	REG	0.1		14/12/2023	
RD2	11/12/2023 10:39	Turbidity	69.7	NTU	FALSE	REG	0.1		14/12/2023	
MIA DAM	11/12/2023 11:35	Turbidity	206	NTU	FALSE	REG	0.1		13/12/2023	
MWD	11/12/2023 11:40	Turbidity	9.3	NTU	FALSE	REG	0.1		13/12/2023	
SSD	11/12/2023 12:09	Turbidity	81.1	NTU	FALSE	REG	0.1		13/12/2023	
FPD	11/12/2023 12:35	Turbidity	16.4	NTU	FALSE	REG	0.1		13/12/2023	
	11/12/2023 12:49	Turbidity	15	NTU	FALSE	REG	0.1		13/12/2023	
	13/12/2023 21:10	Turbidity	0.1	NTU	FALSE	REG	0.1		13/12/2023	
	14/12/2023 11:10	Turbidity	0.1	NTU	FALSE	REG	0.1		14/12/2023	
W4	3/01/2024 11:20	Turbidity	6250	NTU	FALSE	REG	0.1		5/01/2024	
W2	3/01/2024 11:23	Turbidity	4890	NTU	FALSE	REG	0.1		5/01/2024	
W5	3/01/2024 11:32	Turbidity	1200	NTU	FALSE	REG	0.1		9/01/2024	
W8	3/01/2024 11:36	Turbidity	2440	NTU	FALSE	REG	0.1		9/01/2024	
W2	3/01/2024 11:39	Turbidity	2830	NTU	FALSE	REG	0.1		9/01/2024	
W4	3/01/2024 11:41	Turbidity	884	NTU	FALSE	REG	0.1		9/01/2024	
W7	3/01/2024 11:44	Turbidity	86.6	NTU	FALSE	REG	0.1		9/01/2024	
	3/01/2024 11:57	Turbidity	950	NTU	FALSE	REG	0.1		9/01/2024	
CC1	3/01/2024 12:02	Turbidity	1040	NTU	FALSE	REG	0.1		9/01/2024	
W6	3/01/2024 12:06	Turbidity	911	NTU	FALSE	REG	0.1		9/01/2024	
	3/01/2024 12:10	Turbidity	795	NTU	FALSE	REG	0.1		9/01/2024	
	3/01/2024 12:15	Turbidity	1960	NTU	FALSE	REG	0.1		9/01/2024	
IR1	3/01/2024 12:28	Turbidity	4450	NTU	FALSE	REG	0.1		5/01/2024	
FG1	3/01/2024 12:37	Turbidity	1010	NTU	FALSE	REG	0.1		5/01/2024	
IR1A	4/01/2024 16:43	Turbidity	355	NTU	FALSE	REG	0.1		15/01/2024	
IR2	4/01/2024 17:15	Turbidity	313	NTU	FALSE	REG	0.1		15/01/2024	
IR5	5/01/2024 6:56	Turbidity	257	NTU	FALSE	REG	0.1		15/01/2024	
	5/01/2024 7:01	Turbidity	261	NTU	FALSE	REG	0.1		15/01/2024	
IR4	5/01/2024 7:36	Turbidity	248	NTU	FALSE	REG	0.1		15/01/2024	
	5/01/2024 18:55	Turbidity	0.1	NTU	FALSE	REG	0.1		5/01/2024	
	5/01/2024 18:55	Turbidity	0.1	NTU	FALSE	REG	0.1		5/01/2024	
	9/01/2024 14:25	Turbidity	0.1	NTU	FALSE	REG	0.1		9/01/2024	
	15/01/2024 17:03	Turbidity	0.1	NTU	FALSE	REG	0.1		15/01/2024	
RWD	18/01/2024 7:34	Turbidity	4.1	NTU	FALSE	REG	0.1		23/01/2024	
RWD	18/01/2024 7:49	Turbidity	3.9	NTU	FALSE	REG	0.1		23/01/2024	
	23/01/2024 6:07	Turbidity	0.1	NTU	FALSE	REG	0.1		23/01/2024	
W4	15/02/2024 8:17	Turbidity	579	NTU	FALSE	REG	0.1		16/02/2024	
W2	15/02/2024 9:12	Turbidity	4380	NTU	FALSE	REG	0.1		16/02/2024	
IR2	15/02/2024 10:49	Turbidity	7310	NTU	FALSE	REG	0.1		16/02/2024	
IR1A	15/02/2024 12:15	Turbidity	6080	NTU	FALSE	REG	0.1		16/02/2024	
W6	15/02/2024 14:45	Turbidity	776	NTU	FALSE	REG	0.1		21/02/2024	
W6	15/02/2024 15:00	Turbidity	774	NTU	FALSE	REG	0.1		21/02/2024	
W8	16/02/2024 10:04	Turbidity	1270	NTU	FALSE	REG	0.1		21/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	16/02/2024 10:15	Turbidity	1250	NTU	FALSE	REG	0.1		21/02/2024	
W5	16/02/2024 10:56	Turbidity	2980	NTU	FALSE	REG	0.1		21/02/2024	
IR4	16/02/2024 11:41	Turbidity	1030	NTU	FALSE	REG	0.1		21/02/2024	
IR5	16/02/2024 12:51	Turbidity	1010	NTU	FALSE	REG	0.1		21/02/2024	
	16/02/2024 18:42	Turbidity	0.1	NTU	FALSE	REG	0.1		16/02/2024	
	16/02/2024 18:42	Turbidity	0.1	NTU	FALSE	REG	0.1		16/02/2024	
	21/02/2024 6:10	Turbidity	0.1	NTU	FALSE	REG	0.1		21/02/2024	
	21/02/2024 6:10	Turbidity	0.1	NTU	FALSE	REG	0.1		21/02/2024	
	21/02/2024 6:10	Turbidity	0.1	NTU	FALSE	REG	0.1		21/02/2024	
RWD	22/02/2024 8:31	Turbidity	2.4	NTU	FALSE	REG	0.1		23/02/2024	
RWD	22/02/2024 8:37	Turbidity	2.2	NTU	FALSE	REG	0.1		23/02/2024	
	23/02/2024 18:52	Turbidity	0.1	NTU	FALSE	REG	0.1		23/02/2024	
FG2	28/02/2024 12:36	Turbidity	5.8	NTU	FALSE	REG	0.1		29/02/2024	
IR2	28/02/2024 12:40	Turbidity	2	NTU	FALSE	REG	0.1		29/02/2024	
IR4	28/02/2024 12:42	Turbidity	37.8	NTU	FALSE	REG	0.1		29/02/2024	
IR5	28/02/2024 12:45	Turbidity	152	NTU	FALSE	REG	0.1		29/02/2024	
	28/02/2024 12:47	Turbidity	1	NTU	FALSE	REG	0.1		29/02/2024	
MWD	28/02/2024 12:49	Turbidity	0.9	NTU	FALSE	REG	0.1		29/02/2024	
	28/02/2024 12:51	Turbidity	13.6	NTU	FALSE	REG	0.1		29/02/2024	
	28/02/2024 12:54	Turbidity	8.2	NTU	FALSE	REG	0.1		29/02/2024	
	28/02/2024 12:59	Turbidity	9.1	NTU	FALSE	REG	0.1		29/02/2024	
	29/02/2024 19:51	Turbidity	0.1	NTU	FALSE	REG	0.1		29/02/2024	
RWD	12/03/2024 8:04	Turbidity	21.7	NTU	FALSE	REG	0.1		13/03/2024	
CHPPPP	12/03/2024 8:14	Turbidity	17.8	NTU	FALSE	REG	0.1		13/03/2024	
RD1	12/03/2024 8:37	Turbidity	29.5	NTU	FALSE	REG	0.1		13/03/2024	
S2SED	12/03/2024 8:57	Turbidity	4.3	NTU	FALSE	REG	0.1		13/03/2024	
S2	12/03/2024 9:14	Turbidity	2.4	NTU	FALSE	REG	0.1		13/03/2024	
RD2	12/03/2024 9:40	Turbidity	19.6	NTU	FALSE	REG	0.1		13/03/2024	
	12/03/2024 9:49	Turbidity	19.9	NTU	FALSE	REG	0.1		13/03/2024	
Farm Dam 2	12/03/2024 10:08	Turbidity	18.4	NTU	FALSE	REG	0.1		13/03/2024	
Pit 4	12/03/2024 10:37	Turbidity	2.1	NTU	FALSE	REG	0.1		13/03/2024	
SSD	13/03/2024 7:28	Turbidity	15.5	NTU	FALSE	REG	0.1		15/03/2024	
ROM DAM	13/03/2024 7:54	Turbidity	23	NTU	FALSE	REG	0.1		15/03/2024	
FPD	13/03/2024 8:08	Turbidity	3.9	NTU	FALSE	REG	0.1		15/03/2024	
RWD	13/03/2024 8:27	Turbidity	2.7	NTU	FALSE	REG	0.1		15/03/2024	
MIA DAM	13/03/2024 9:24	Turbidity	110	NTU	FALSE	REG	0.1		15/03/2024	
	13/03/2024 9:43	Turbidity	109	NTU	FALSE	REG	0.1		15/03/2024	
MWD	13/03/2024 10:03	Turbidity	5	NTU	FALSE	REG	0.1		15/03/2024	
	13/03/2024 21:01	Turbidity	0.1	NTU	FALSE	REG	0.1		13/03/2024	
	15/03/2024 6:12	Turbidity	0.1	NTU	FALSE	REG	0.1		15/03/2024	
RWD	19/03/2024 7:55	Turbidity	8.9	NTU	FALSE	REG	0.1		20/03/2024	
RWD	19/03/2024 8:05	Turbidity	9.3	NTU	FALSE	REG	0.1		20/03/2024	
	20/03/2024 18:05	Turbidity	0.1	NTU	FALSE	REG	0.1		20/03/2024	
RWD	23/04/2024 8:41	Turbidity	21.9	NTU	FALSE	REG	0.1		24/04/2024	
	23/04/2024 8:51	Turbidity	23.2	NTU	FALSE	REG	0.1		24/04/2024	
	24/04/2024 17:28	Turbidity	0.1	NTU	FALSE	REG	0.1		24/04/2024	
RWD	22/05/2024 7:20	Turbidity	17.4	NTU	FALSE	REG	0.1		24/05/2024	
	22/05/2024 7:34	Turbidity	16.6	NTU	FALSE	REG	0.1		24/05/2024	
	24/05/2024 16:56	Turbidity	0.1	NTU	FALSE	REG	0.1		24/05/2024	
RWD	11/06/2024 7:30	Turbidity	32.5	NTU	FALSE	REG	0.1		13/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	11/06/2024 7:40	Turbidity	32.6	NTU	FALSE	REG	0.1		13/06/2024	
CHPPPP	11/06/2024 7:55	Turbidity	10.2	NTU	FALSE	REG	0.1		13/06/2024	
N1	11/06/2024 8:21	Turbidity	2.6	NTU	FALSE	REG	0.1		13/06/2024	
RD1	11/06/2024 8:50	Turbidity	13.6	NTU	FALSE	REG	0.1		13/06/2024	
S2SED	11/06/2024 9:15	Turbidity	3.7	NTU	FALSE	REG	0.1		13/06/2024	
Pit 4	11/06/2024 9:44	Turbidity	1.3	NTU	FALSE	REG	0.1		13/06/2024	
S3	11/06/2024 10:41	Turbidity	1.8	NTU	FALSE	REG	0.1		13/06/2024	
S2	11/06/2024 11:08	Turbidity	2.3	NTU	FALSE	REG	0.1		13/06/2024	
SSD	12/06/2024 7:46	Turbidity	59.6	NTU	FALSE	REG	0.1		13/06/2024	
FPD	12/06/2024 8:20	Turbidity	4.9	NTU	FALSE	REG	0.1		13/06/2024	
	12/06/2024 8:39	Turbidity	4.1	NTU	FALSE	REG	0.1		13/06/2024	
MWD	12/06/2024 9:00	Turbidity	3.5	NTU	FALSE	REG	0.1		13/06/2024	
RWD	12/06/2024 9:33	Turbidity	0.8	NTU	FALSE	REG	0.1		13/06/2024	
MIA DAM	12/06/2024 9:53	Turbidity	32.3	NTU	FALSE	REG	0.1		13/06/2024	
	13/06/2024 6:05	Turbidity	0.1	NTU	FALSE	REG	0.1		13/06/2024	
	13/06/2024 19:33	Turbidity	0.1	NTU	FALSE	REG	0.1		13/06/2024	
RWD	24/06/2024 9:57	Turbidity	36.3	NTU	FALSE	REG	0.1		25/06/2024	
	24/06/2024 9:57	Turbidity	37.8	NTU	FALSE	REG	0.1		25/06/2024	
	25/06/2024 15:20	Turbidity	0.1	NTU	FALSE	REG	0.1		25/06/2024	
W5	27/06/2024 9:53	Turbidity	4800	NTU	FALSE	REG	0.1		28/06/2024	
	27/06/2024 9:57	Turbidity	5220	NTU	FALSE	REG	0.1		28/06/2024	
W4	27/06/2024 10:10	Turbidity	734	NTU	FALSE	REG	0.1		28/06/2024	
	28/06/2024 18:14	Turbidity	0.1	NTU	FALSE	REG	0.1		28/06/2024	
W8	5/07/2024 15:05	Turbidity	754	NTU	FALSE	REG	0.1		9/07/2024	
W8	5/07/2024 15:30	Turbidity	1360	NTU	FALSE	REG	0.1		9/07/2024	
W6	5/07/2024 16:25	Turbidity	349	NTU	FALSE	REG	0.1		9/07/2024	
	5/07/2024 16:37	Turbidity	351	NTU	FALSE	REG	0.1		9/07/2024	
W2	6/07/2024 7:02	Turbidity	285	NTU	FALSE	REG	0.1		9/07/2024	
IR1	6/07/2024 7:05	Turbidity	286	NTU	FALSE	REG	0.1		9/07/2024	
	6/07/2024 7:41	Turbidity	284	NTU	FALSE	REG	0.1		9/07/2024	
IR1A	6/07/2024 8:34	Turbidity	78.8	NTU	FALSE	REG	0.1		9/07/2024	
IR5	6/07/2024 9:39	Turbidity	177	NTU	FALSE	REG	0.1		9/07/2024	
	9/07/2024 17:00	Turbidity	0.1	NTU	FALSE	REG	0.1		9/07/2024	
	9/07/2024 17:00	Turbidity	0.1	NTU	FALSE	REG	0.1		9/07/2024	
RWD	22/07/2024 9:53	Turbidity	28.8	NTU	FALSE	REG	0.1		23/07/2024	
	22/07/2024 10:01	Turbidity	29.4	NTU	FALSE	REG	0.1		23/07/2024	
	23/07/2024 9:06	Turbidity	1.4	NTU	FALSE	REG	0.1		24/07/2024	
RWD	23/07/2024 9:32	Turbidity	1.3	NTU	FALSE	REG	0.1		24/07/2024	
	23/07/2024 17:55	Turbidity	0.1	NTU	FALSE	REG	0.1		23/07/2024	
	24/07/2024 17:33	Turbidity	0.1	NTU	FALSE	REG	0.1		24/07/2024	
	22/08/2024 8:50	Turbidity	13.7	NTU	FALSE	REG	0.1		23/08/2024	
	22/08/2024 8:56	Turbidity	13.1	NTU	FALSE	REG	0.1		23/08/2024	
RWD	22/08/2024 10:01	Turbidity	1.2	NTU	FALSE	REG	0.1		23/08/2024	
	22/08/2024 10:24	Turbidity	1.4	NTU	FALSE	REG	0.1		23/08/2024	
	23/08/2024 16:11	Turbidity	0.1	NTU	FALSE	REG	0.1		23/08/2024	
	23/08/2024 16:11	Turbidity	0.1	NTU	FALSE	REG	0.1		23/08/2024	
Rejects - Compos	14/06/2023 11:00	Net Acid Production Potential	-39.5	kg H2SO4/	FALSE	REG	0.5		26/06/2023	
Rejects - Compos	14/06/2023 11:00	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	26/06/2023	26/06/2023	
Rejects - Compos	14/06/2023 11:00	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	26/06/2023	26/06/2023	
Tailings Thickene	14/06/2023 11:00	Net Acid Production Potential	-60.4	kg H2SO4/	FALSE	REG	0.5		26/06/2023	











Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects Grab San	19/08/2023 13:00	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	6/09/2023	6/09/2023	
Tailings Thickene	19/08/2023 13:00	Net Acid Production Potential	-70.5	kg H2SO4/	FALSE	REG	0.5		6/09/2023	
Tailings Thickene	19/08/2023 13:00	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	6/09/2023	6/09/2023	
Tailings Thickene	19/08/2023 13:00	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	6/09/2023	6/09/2023	
N1S	3/09/2023 13:44	Net Acid Production Potential	-32.8	kg H2SO4/	FALSE	REG	0.5		18/09/2023	
N1S	3/09/2023 13:44	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	15/09/2023	15/09/2023	
N1S	3/09/2023 13:44	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	15/09/2023	15/09/2023	
N1S	14/09/2023 12:50	Net Acid Production Potential	-16.7	kg H2SO4/	FALSE	REG	0.5		4/10/2023	
N1S	14/09/2023 12:50	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	3/10/2023	3/10/2023	
N1S	14/09/2023 12:50	NAG (pH 7.0)	0.6	kg H2SO4/	FALSE	REG	0.1	3/10/2023	3/10/2023	
Rejects - Compos	1/10/2023 7:14	Net Acid Production Potential	-81.1	kg H2SO4/	FALSE	REG	0.5		12/10/2023	
Rejects - Compos	1/10/2023 7:14	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:14	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Net Acid Production Potential	-46.8	kg H2SO4/	FALSE	REG	0.5		12/10/2023	
Rejects - Compos	1/10/2023 7:19	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Net Acid Production Potential	-49.3	kg H2SO4/	FALSE	REG	0.5		12/10/2023	
Rejects - Compos	1/10/2023 7:24	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects Grab San	3/10/2023 6:15	Net Acid Production Potential	-141	kg H2SO4/	FALSE	REG	0.5		11/10/2023	
Rejects Grab San	3/10/2023 6:15	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	10/10/2023	10/10/2023	
Rejects Grab San	3/10/2023 6:15	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	10/10/2023	10/10/2023	
Tailings Thickene	3/10/2023 6:15	Net Acid Production Potential	-46.5	kg H2SO4/	FALSE	REG	0.5		11/10/2023	
Tailings Thickene	3/10/2023 6:15	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	10/10/2023	10/10/2023	
Tailings Thickene	3/10/2023 6:15	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	10/10/2023	10/10/2023	
N1S	22/10/2023 13:45	Net Acid Production Potential	-72.8	kg H2SO4/	FALSE	REG	0.5		2/11/2023	
N1S	22/10/2023 13:45	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	1/11/2023	1/11/2023	
N1S	22/10/2023 13:45	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	1/11/2023	1/11/2023	
Rejects Grab San	18/11/2023 9:30	Net Acid Production Potential	-44.8	kg H2SO4/	FALSE	REG	0.5		4/12/2023	
Rejects Grab San	18/11/2023 9:30	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	4/12/2023	4/12/2023	
Rejects Grab San	18/11/2023 9:30	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	4/12/2023	4/12/2023	
Tailings Thickene	18/11/2023 9:30	Net Acid Production Potential	-68.9	kg H2SO4/	FALSE	REG	0.5		4/12/2023	
Tailings Thickene	18/11/2023 9:30	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	4/12/2023	4/12/2023	
Tailings Thickene	18/11/2023 9:30	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	4/12/2023	4/12/2023	
N1S	21/11/2023 14:30	Net Acid Production Potential	-42.7	kg H2SO4/	FALSE	REG	0.5		4/12/2023	
N1S	21/11/2023 14:30	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	4/12/2023	4/12/2023	
N1S	21/11/2023 14:30	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	4/12/2023	4/12/2023	
	12/12/2023 7:29	Net Acid Production Potential	-39.4	kg H2SO4/	FALSE	REG	0.5		17/01/2024	
	12/12/2023 7:29	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:29	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:30	Net Acid Production Potential	-52.4	kg H2SO4/	FALSE	REG	0.5		17/01/2024	
	12/12/2023 7:30	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:30	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	15/01/2024	15/01/2024	
N1S	18/12/2023 10:30	NAG (pH 4.5)	14.5	kg H2SO4/	FALSE	REG	0.1	27/12/2023	27/12/2023	
N1S	18/12/2023 10:30	NAG (pH 7.0)	25	kg H2SO4/	FALSE	REG	0.1	27/12/2023	27/12/2023	
N1S	18/12/2023 10:30	Net Acid Production Potential	26.3	kg H2SO4/	FALSE	REG	0.5		27/12/2023	
Rejects Grab San	19/12/2023 10:15	Net Acid Production Potential	-8	kg H2SO4/	FALSE	REG	0.5		11/01/2024	
Rejects Grab San	19/12/2023 10:15	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	5/01/2024	5/01/2024	
Rejects Grab San	19/12/2023 10:15	NAG (pH 7.0)	8.9	kg H2SO4/	FALSE	REG	0.1	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Net Acid Production Potential	-0.8	kg H2SO4/	FALSE	REG	0.5		11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	19/12/2023 10:30	NAG (pH 4.5)	4.3	kg H2SO4/	FALSE	REG	0.1	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	NAG (pH 7.0)	18.1	kg H2SO4/	FALSE	REG	0.1	5/01/2024	5/01/2024	
	4/01/2024 10:08	Net Acid Production Potential	-28.4	kg H2SO4/	FALSE	REG	0.5		17/01/2024	
	4/01/2024 10:08	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	15/01/2024	15/01/2024	
	4/01/2024 10:08	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	15/01/2024	15/01/2024	
Rejects Grab Sam	18/01/2024 8:05	Net Acid Production Potential	-21.1	kg H2SO4/	FALSE	REG	0.5		14/02/2024	
Rejects Grab Sam	18/01/2024 8:05	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	12/02/2024	12/02/2024	
Rejects Grab Sam	18/01/2024 8:05	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Net Acid Production Potential	-32.8	kg H2SO4/	FALSE	REG	0.5		14/02/2024	
Tailings Thickene	18/01/2024 8:10	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	12/02/2024	12/02/2024	
N1S	23/01/2024 13:10	Net Acid Production Potential	-8.4	kg H2SO4/	FALSE	REG	0.5		2/02/2024	
N1S	23/01/2024 13:10	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	2/02/2024	2/02/2024	
N1S	23/01/2024 13:10	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	2/02/2024	2/02/2024	
N1S	20/02/2024 13:00	Net Acid Production Potential	-42.1	kg H2SO4/	FALSE	REG	0.5		28/02/2024	
N1S	20/02/2024 13:00	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	27/02/2024	27/02/2024	
N1S	20/02/2024 13:00	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	27/02/2024	27/02/2024	
Rejects Grab Sam	29/02/2024 8:45	Net Acid Production Potential	-22.6	kg H2SO4/	FALSE	REG	0.5		10/05/2024	
Rejects Grab Sam	29/02/2024 8:45	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	9/05/2024	9/05/2024	
Rejects Grab Sam	29/02/2024 8:45	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	9/05/2024	9/05/2024	
Rejects Grab Sam	29/02/2024 8:45	Net Acid Production Potential	-0.5	kg H2SO4/	FALSE	REG	0.5		15/03/2024	
Rejects Grab Sam	29/02/2024 8:45	NAG (pH 4.5)	3.5	kg H2SO4/	FALSE	REG	0.1	11/03/2024	11/03/2024	
Rejects Grab Sam	29/02/2024 8:45	NAG (pH 7.0)	14.9	kg H2SO4/	FALSE	REG	0.1	11/03/2024	11/03/2024	
Tailings Thickene	29/02/2024 9:00	Net Acid Production Potential	-10.1	kg H2SO4/	FALSE	REG	0.5		10/05/2024	
Tailings Thickene	29/02/2024 9:00	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Net Acid Production Potential	-11.6	kg H2SO4/	FALSE	REG	0.5		15/03/2024	
Tailings Thickene	29/02/2024 9:00	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	11/03/2024	11/03/2024	
Tailings Thickene	29/02/2024 9:00	NAG (pH 7.0)	2.7	kg H2SO4/	FALSE	REG	0.1	11/03/2024	11/03/2024	
Rejects Grab Sam	19/03/2024 8:45	Net Acid Production Potential	-18.3	kg H2SO4/	FALSE	REG	0.5		9/04/2024	
Rejects Grab Sam	19/03/2024 8:45	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	8/04/2024	8/04/2024	
Rejects Grab Sam	19/03/2024 8:45	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	8/04/2024	8/04/2024	
Tailings Thickene	19/03/2024 9:00	Net Acid Production Potential	-25.4	kg H2SO4/	FALSE	REG	0.5		9/04/2024	
Tailings Thickene	19/03/2024 9:00	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	8/04/2024	8/04/2024	
Tailings Thickene	19/03/2024 9:00	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	8/04/2024	8/04/2024	
N1S	27/03/2024 13:00	Net Acid Production Potential	-33.6	kg H2SO4/	FALSE	REG	0.5		11/04/2024	
N1S	27/03/2024 13:00	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	10/04/2024	10/04/2024	
N1S	27/03/2024 13:00	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	10/04/2024	10/04/2024	
N1S	17/04/2024 13:00	Net Acid Production Potential	-75.3	kg H2SO4/	FALSE	REG	0.5		29/04/2024	
N1S	17/04/2024 13:00	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	24/04/2024	24/04/2024	
N1S	17/04/2024 13:00	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	24/04/2024	24/04/2024	
Rejects - Compos	23/04/2024 9:30	Net Acid Production Potential	-59.4	kg H2SO4/	FALSE	REG	0.5		21/05/2024	
Rejects - Compos	23/04/2024 9:30	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Net Acid Production Potential	-45.1	kg H2SO4/	FALSE	REG	0.5		21/05/2024	
Rejects - Compos	23/04/2024 9:30	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Net Acid Production Potential	-57.8	kg H2SO4/	FALSE	REG	0.5		21/05/2024	
Rejects - Compos	23/04/2024 9:30	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	21/05/2024	21/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	21/05/2024	Net Acid Production Potential	-24.3	kg H2SO4/	FALSE	REG	0.5		31/05/2024	
N1S	21/05/2024	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	31/05/2024	31/05/2024	
N1S	21/05/2024	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	31/05/2024	31/05/2024	
Rejects Grab San	22/05/2024 7:40	Net Acid Production Potential	-26.1	kg H2SO4/	FALSE	REG	0.5		3/06/2024	
Rejects Grab San	22/05/2024 7:40	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	31/05/2024	31/05/2024	
Rejects Grab San	22/05/2024 7:40	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	31/05/2024	31/05/2024	
Tailings Thickene	22/05/2024 7:40	Net Acid Production Potential	-13.6	kg H2SO4/	FALSE	REG	0.5		3/06/2024	
Tailings Thickene	22/05/2024 7:40	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	31/05/2024	31/05/2024	
Tailings Thickene	22/05/2024 7:40	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	31/05/2024	31/05/2024	
N1S	12/06/2024 12:23	Net Acid Production Potential	-22.8	kg H2SO4/	FALSE	REG	0.5		25/06/2024	
N1S	12/06/2024 12:23	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	24/06/2024	24/06/2024	
N1S	12/06/2024 12:23	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	24/06/2024	24/06/2024	
Rejects Grab San	24/06/2024 11:28	Net Acid Production Potential	-40.3	kg H2SO4/	FALSE	REG	0.5		4/07/2024	
Rejects Grab San	24/06/2024 11:28	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	4/07/2024	4/07/2024	
Rejects Grab San	24/06/2024 11:28	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	4/07/2024	4/07/2024	
Tailings Thickene	24/06/2024 11:28	Net Acid Production Potential	-44	kg H2SO4/	FALSE	REG	0.5		4/07/2024	
Tailings Thickene	24/06/2024 11:28	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	4/07/2024	4/07/2024	
Tailings Thickene	24/06/2024 11:28	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	4/07/2024	4/07/2024	
	8/07/2024 13:45	Net Acid Production Potential	-62.4	kg H2SO4/	FALSE	REG	0.5		26/07/2024	
	8/07/2024 13:45	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	Net Acid Production Potential	-92.3	kg H2SO4/	FALSE	REG	0.5		26/07/2024	
	8/07/2024 13:45	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	Net Acid Production Potential	-50.2	kg H2SO4/	FALSE	REG	0.5		26/07/2024	
	8/07/2024 13:45	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	24/07/2024	24/07/2024	
	22/07/2024 10:25	Net Acid Production Potential	-139	kg H2SO4/	FALSE	REG	0.5		6/08/2024	
	22/07/2024 10:25	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	5/08/2024	5/08/2024	
	22/07/2024 10:25	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	5/08/2024	5/08/2024	
Tailings Thickene	22/07/2024 10:26	Net Acid Production Potential	-17.3	kg H2SO4/	FALSE	REG	0.5		6/08/2024	
Tailings Thickene	22/07/2024 10:26	NAG (pH 7.0)	0.1	kg H2SO4/	FALSE	REG	0.1	5/08/2024	5/08/2024	
Tailings Thickene	22/07/2024 10:26	NAG (pH 4.5)	0.1	kg H2SO4/	FALSE	REG	0.1	5/08/2024	5/08/2024	
	24/07/2024 13:03	Net Acid Production Potential	10.8	kg H2SO4/	FALSE	REG	0.5		1/08/2024	
	24/07/2024 13:03	NAG (pH 4.5)	16.3	kg H2SO4/	FALSE	REG	0.1	31/07/2024	31/07/2024	
	24/07/2024 13:03	NAG (pH 7.0)	28.6	kg H2SO4/	FALSE	REG	0.1	31/07/2024	31/07/2024	
Rejects - Compos	14/06/2023 11:00	Fizz Rating	2	Fizz Unit	FALSE	REG	0	26/06/2023	26/06/2023	
Tailings Thickene	14/06/2023 11:00	Fizz Rating	2	Fizz Unit	FALSE	REG	0	26/06/2023	26/06/2023	
N1S	20/06/2023 8:00	Fizz Rating	2	Fizz Unit	FALSE	REG	0	27/06/2023	27/06/2023	
Rejects - Compos	5/07/2023 12:00	Fizz Rating	2	Fizz Unit	FALSE	REG	0	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:04	Fizz Rating	2	Fizz Unit	FALSE	REG	0	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:05	Fizz Rating	2	Fizz Unit	FALSE	REG	0	13/07/2023	13/07/2023	
OH28- RSID0351	17/07/2023 12:06	Fizz Rating	2	Fizz Unit	FALSE	REG	0	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Fizz Rating	2	Fizz Unit	FALSE	REG	0	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Fizz Rating	2	Fizz Unit	FALSE	REG	0	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Fizz Rating	2	Fizz Unit	FALSE	REG	0	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Fizz Rating	2	Fizz Unit	FALSE	REG	0	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Fizz Rating	1	Fizz Unit	FALSE	REG	0	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Fizz Rating	2	Fizz Unit	FALSE	REG	0	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	Fizz Rating	2	Fizz Unit	FALSE	REG	0	2/08/2023	2/08/2023	



Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		2 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		2 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		0 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		1 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		1 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		1 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		1 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		2 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		2 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		2 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		2 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	Fizz Rating		2 Fizz Unit	FALSE	REG	0	3/08/2023	3/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		0 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		2 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		0 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		1 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		2 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		2 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		2 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		2 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	Fizz Rating		1 Fizz Unit	FALSE	REG	0	30/08/2023	30/08/2023	
N1S	8/08/2023 17:00	Fizz Rating		2 Fizz Unit	FALSE	REG	0	21/08/2023	21/08/2023	
Rejects Grab San	19/08/2023 13:00	Fizz Rating		2 Fizz Unit	FALSE	REG	0	6/09/2023	6/09/2023	
Tailings Thickene	19/08/2023 13:00	Fizz Rating		2 Fizz Unit	FALSE	REG	0	6/09/2023	6/09/2023	
N1S	3/09/2023 13:44	Fizz Rating		2 Fizz Unit	FALSE	REG	0	15/09/2023	15/09/2023	
N1S	14/09/2023 12:50	Fizz Rating		1 Fizz Unit	FALSE	REG	0	3/10/2023	3/10/2023	
Rejects - Compos	1/10/2023 7:14	Fizz Rating		2 Fizz Unit	FALSE	REG	0	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Fizz Rating		2 Fizz Unit	FALSE	REG	0	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Fizz Rating		2 Fizz Unit	FALSE	REG	0	12/10/2023	12/10/2023	
Rejects Grab San	3/10/2023 6:15	Fizz Rating		3 Fizz Unit	FALSE	REG	0	10/10/2023	10/10/2023	
Tailings Thickene	3/10/2023 6:15	Fizz Rating		2 Fizz Unit	FALSE	REG	0	10/10/2023	10/10/2023	
N1S	22/10/2023 13:45	Fizz Rating		3 Fizz Unit	FALSE	REG	0	1/11/2023	1/11/2023	
Rejects Grab San	18/11/2023 9:30	Fizz Rating		2 Fizz Unit	FALSE	REG	0	4/12/2023	4/12/2023	
Tailings Thickene	18/11/2023 9:30	Fizz Rating		2 Fizz Unit	FALSE	REG	0	4/12/2023	4/12/2023	
N1S	21/11/2023 14:30	Fizz Rating		2 Fizz Unit	FALSE	REG	0	4/12/2023	4/12/2023	
	12/12/2023 7:29	Fizz Rating		2 Fizz Unit	FALSE	REG	0	15/01/2024	15/01/2024	
	12/12/2023 7:30	Fizz Rating		2 Fizz Unit	FALSE	REG	0	15/01/2024	15/01/2024	
N1S	18/12/2023 10:30	Fizz Rating		0 Fizz Unit	FALSE	REG	0	27/12/2023	27/12/2023	
Rejects Grab San	19/12/2023 10:15	Fizz Rating		1 Fizz Unit	FALSE	REG	0	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	Fizz Rating		1 Fizz Unit	FALSE	REG	0	5/01/2024	5/01/2024	
	4/01/2024 10:08	Fizz Rating		2 Fizz Unit	FALSE	REG	0	15/01/2024	15/01/2024	
Rejects Grab San	18/01/2024 8:05	Fizz Rating		1 Fizz Unit	FALSE	REG	0	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Fizz Rating		2 Fizz Unit	FALSE	REG	0	12/02/2024	12/02/2024	
N1S	23/01/2024 13:10	Fizz Rating		1 Fizz Unit	FALSE	REG	0	2/02/2024	2/02/2024	
N1S	20/02/2024 13:00	Fizz Rating		2 Fizz Unit	FALSE	REG	0	27/02/2024	27/02/2024	
Rejects Grab San	29/02/2024 8:45	Fizz Rating		1 Fizz Unit	FALSE	REG	0	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	Fizz Rating		0 Fizz Unit	FALSE	REG	0	11/03/2024	11/03/2024	
Tailings Thickene	29/02/2024 9:00	Fizz Rating		2 Fizz Unit	FALSE	REG	0	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Fizz Rating		1 Fizz Unit	FALSE	REG	0	11/03/2024	11/03/2024	
Rejects Grab San	19/03/2024 8:45	Fizz Rating		1 Fizz Unit	FALSE	REG	0	8/04/2024	8/04/2024	
Tailings Thickene	19/03/2024 9:00	Fizz Rating		2 Fizz Unit	FALSE	REG	0	8/04/2024	8/04/2024	
N1S	27/03/2024 13:00	Fizz Rating		2 Fizz Unit	FALSE	REG	0	10/04/2024	10/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
N1S	17/04/2024 13:00	Fizz Rating	3	Fizz Unit	FALSE	REG	0	24/04/2024	24/04/2024	
Rejects - Compos	23/04/2024 9:30	Fizz Rating	2	Fizz Unit	FALSE	REG	0	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Fizz Rating	2	Fizz Unit	FALSE	REG	0	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Fizz Rating	2	Fizz Unit	FALSE	REG	0	21/05/2024	21/05/2024	
N1S	21/05/2024	Fizz Rating	2	Fizz Unit	FALSE	REG	0	31/05/2024	31/05/2024	
Rejects Grab Sam	22/05/2024 7:40	Fizz Rating	2	Fizz Unit	FALSE	REG	0	31/05/2024	31/05/2024	
Tailings Thicken	22/05/2024 7:40	Fizz Rating	1	Fizz Unit	FALSE	REG	0	31/05/2024	31/05/2024	
N1S	12/06/2024 12:23	Fizz Rating	2	Fizz Unit	FALSE	REG	0	24/06/2024	24/06/2024	
Rejects Grab Sam	24/06/2024 11:28	Fizz Rating	2	Fizz Unit	FALSE	REG	0	4/07/2024	4/07/2024	
Tailings Thicken	24/06/2024 11:28	Fizz Rating	2	Fizz Unit	FALSE	REG	0	4/07/2024	4/07/2024	
	8/07/2024 13:45	Fizz Rating	2	Fizz Unit	FALSE	REG	0	24/07/2024	24/07/2024	
	8/07/2024 13:45	Fizz Rating	2	Fizz Unit	FALSE	REG	0	24/07/2024	24/07/2024	
	8/07/2024 13:45	Fizz Rating	2	Fizz Unit	FALSE	REG	0	24/07/2024	24/07/2024	
	22/07/2024 10:25	Fizz Rating	2	Fizz Unit	FALSE	REG	0	5/08/2024	5/08/2024	
Tailings Thicken	22/07/2024 10:26	Fizz Rating	1	Fizz Unit	FALSE	REG	0	5/08/2024	5/08/2024	
	24/07/2024 13:03	Fizz Rating	2	Fizz Unit	FALSE	REG	0	31/07/2024	31/07/2024	
Rejects - Compos	14/06/2023 11:00	ANC as CaCO3	4.4	% CaCO3	FALSE	REG	0.1	26/06/2023	26/06/2023	
Tailings Thicken	14/06/2023 11:00	ANC as CaCO3	8.3	% CaCO3	FALSE	REG	0.1	26/06/2023	26/06/2023	
N1S	20/06/2023 8:00	ANC as CaCO3	8.2	% CaCO3	FALSE	REG	0.1	27/06/2023	27/06/2023	
Rejects - Compos	5/07/2023 12:00	ANC as CaCO3	8	% CaCO3	FALSE	REG	0.1	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:04	ANC as CaCO3	3.8	% CaCO3	FALSE	REG	0.1	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:05	ANC as CaCO3	11	% CaCO3	FALSE	REG	0.1	13/07/2023	13/07/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	8	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	6.1	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	4.4	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	3.5	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	10	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	2.2	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	8.2	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	8.2	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	13.6	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	10.4	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	13.8	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as CaCO3	6	% CaCO3	FALSE	REG	0.1	2/08/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	2.3	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	7.5	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	9.6	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	5.8	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	1.9	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	9.3	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	12.7	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	3.9	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	9.2	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	2.2	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	3.6	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	8	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	5	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	9.5	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	5.7	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as CaCO3	10.1	% CaCO3	FALSE	REG	0.1	7/08/2023	7/08/2023	



Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects Grab San	19/08/2023 13:00	ANC as CaCO3	12	% CaCO3	FALSE	REG	0.1	6/09/2023	6/09/2023	
Tailings Thickene	19/08/2023 13:00	ANC as CaCO3	9.7	% CaCO3	FALSE	REG	0.1	6/09/2023	6/09/2023	
N1S	3/09/2023 13:44	ANC as CaCO3	5.2	% CaCO3	FALSE	REG	0.1	15/09/2023	15/09/2023	
N1S	14/09/2023 12:50	ANC as CaCO3	2.7	% CaCO3	FALSE	REG	0.1	3/10/2023	3/10/2023	
Rejects - Compos	1/10/2023 7:14	ANC as CaCO3	9.8	% CaCO3	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	ANC as CaCO3	6.1	% CaCO3	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	ANC as CaCO3	6.7	% CaCO3	FALSE	REG	0.1	12/10/2023	12/10/2023	
Rejects Grab San	3/10/2023 6:15	ANC as CaCO3	15.3	% CaCO3	FALSE	REG	0.1	10/10/2023	10/10/2023	
Tailings Thickene	3/10/2023 6:15	ANC as CaCO3	8.5	% CaCO3	FALSE	REG	0.1	10/10/2023	10/10/2023	
N1S	22/10/2023 13:45	ANC as CaCO3	12.5	% CaCO3	FALSE	REG	0.1	1/11/2023	1/11/2023	
Rejects Grab San	18/11/2023 9:30	ANC as CaCO3	5	% CaCO3	FALSE	REG	0.1	4/12/2023	4/12/2023	
Tailings Thickene	18/11/2023 9:30	ANC as CaCO3	8.6	% CaCO3	FALSE	REG	0.1	4/12/2023	4/12/2023	
N1S	21/11/2023 14:30	ANC as CaCO3	6	% CaCO3	FALSE	REG	0.1	4/12/2023	4/12/2023	
	12/12/2023 7:29	ANC as CaCO3	5.4	% CaCO3	FALSE	REG	0.1	15/01/2024	15/01/2024	
	12/12/2023 7:30	ANC as CaCO3	6.2	% CaCO3	FALSE	REG	0.1	15/01/2024	15/01/2024	
N1S	18/12/2023 10:30	ANC as CaCO3	0.5	% CaCO3	FALSE	REG	0.1	27/12/2023	27/12/2023	
Rejects Grab San	19/12/2023 10:15	ANC as CaCO3	1.4	% CaCO3	FALSE	REG	0.1	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	ANC as CaCO3	1.5	% CaCO3	FALSE	REG	0.1	5/01/2024	5/01/2024	
	4/01/2024 10:08	ANC as CaCO3	4.2	% CaCO3	FALSE	REG	0.1	15/01/2024	15/01/2024	
Rejects Grab San	18/01/2024 8:05	ANC as CaCO3	2.6	% CaCO3	FALSE	REG	0.1	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	ANC as CaCO3	4.7	% CaCO3	FALSE	REG	0.1	12/02/2024	12/02/2024	
N1S	23/01/2024 13:10	ANC as CaCO3	2.5	% CaCO3	FALSE	REG	0.1	2/02/2024	2/02/2024	
N1S	20/02/2024 13:00	ANC as CaCO3	6.4	% CaCO3	FALSE	REG	0.1	27/02/2024	27/02/2024	
Rejects Grab San	29/02/2024 8:45	ANC as CaCO3	2.7	% CaCO3	FALSE	REG	0.1	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	ANC as CaCO3	0.6	% CaCO3	FALSE	REG	0.1	11/03/2024	11/03/2024	
Tailings Thickene	29/02/2024 9:00	ANC as CaCO3	4.1	% CaCO3	FALSE	REG	0.1	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	ANC as CaCO3	2.6	% CaCO3	FALSE	REG	0.1	11/03/2024	11/03/2024	
Rejects Grab San	19/03/2024 8:45	ANC as CaCO3	2.2	% CaCO3	FALSE	REG	0.1	8/04/2024	8/04/2024	
Tailings Thickene	19/03/2024 9:00	ANC as CaCO3	4.2	% CaCO3	FALSE	REG	0.1	8/04/2024	8/04/2024	
N1S	27/03/2024 13:00	ANC as CaCO3	4.8	% CaCO3	FALSE	REG	0.1	10/04/2024	10/04/2024	
N1S	17/04/2024 13:00	ANC as CaCO3	15.3	% CaCO3	FALSE	REG	0.1	24/04/2024	24/04/2024	
Rejects - Compos	23/04/2024 9:30	ANC as CaCO3	8.1	% CaCO3	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	ANC as CaCO3	6.1	% CaCO3	FALSE	REG	0.1	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	ANC as CaCO3	7.9	% CaCO3	FALSE	REG	0.1	21/05/2024	21/05/2024	
N1S	21/05/2024	ANC as CaCO3	6	% CaCO3	FALSE	REG	0.1	31/05/2024	31/05/2024	
Rejects Grab San	22/05/2024 7:40	ANC as CaCO3	3.1	% CaCO3	FALSE	REG	0.1	31/05/2024	31/05/2024	
Tailings Thickene	22/05/2024 7:40	ANC as CaCO3	4	% CaCO3	FALSE	REG	0.1	31/05/2024	31/05/2024	
N1S	12/06/2024 12:23	ANC as CaCO3	4.7	% CaCO3	FALSE	REG	0.1	24/06/2024	24/06/2024	
Rejects Grab San	24/06/2024 11:28	ANC as CaCO3	6.3	% CaCO3	FALSE	REG	0.1	4/07/2024	4/07/2024	
Tailings Thickene	24/06/2024 11:28	ANC as CaCO3	6.1	% CaCO3	FALSE	REG	0.1	4/07/2024	4/07/2024	
	8/07/2024 13:45	ANC as CaCO3	10.6	% CaCO3	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	ANC as CaCO3	10.9	% CaCO3	FALSE	REG	0.1	24/07/2024	24/07/2024	
	8/07/2024 13:45	ANC as CaCO3	8.1	% CaCO3	FALSE	REG	0.1	24/07/2024	24/07/2024	
	22/07/2024 10:25	ANC as CaCO3	14.5	% CaCO3	FALSE	REG	0.1	5/08/2024	5/08/2024	
Tailings Thickene	22/07/2024 10:26	ANC as CaCO3	3.4	% CaCO3	FALSE	REG	0.1	5/08/2024	5/08/2024	
	24/07/2024 13:03	ANC as CaCO3	8.8	% CaCO3	FALSE	REG	0.1	31/07/2024	31/07/2024	
Rejects - Compos	14/06/2023 11:00	ANC as H2SO4	43.2	kg H2SO4	FALSE	REG	0.5	26/06/2023	26/06/2023	
Tailings Thickene	14/06/2023 11:00	ANC as H2SO4	81.8	kg H2SO4	FALSE	REG	0.5	26/06/2023	26/06/2023	
N1S	20/06/2023 8:00	ANC as H2SO4	79.9	kg H2SO4	FALSE	REG	0.5	27/06/2023	27/06/2023	
Rejects - Compos	5/07/2023 12:00	ANC as H2SO4	78.5	kg H2SO4	FALSE	REG	0.5	13/07/2023	13/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Rejects - Compos	5/07/2023 12:04	ANC as H2SO4	37.3	kg H2SO4	FALSE	REG	0.5	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:05	ANC as H2SO4	108	kg H2SO4	FALSE	REG	0.5	13/07/2023	13/07/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	78.9	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	59.5	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	43.7	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	34.6	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	98.6	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	21.5	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	80.5	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	80.3	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	134	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	102	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	135	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH28- RSID0351	17/07/2023 12:06	ANC as H2SO4	58.9	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	23	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	73.6	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	94	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	56.7	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	19.1	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	90.9	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	124	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	38.6	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	90.7	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	21.4	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	35.6	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	78	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	49	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	92.8	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	56	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	99.2	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	20.7	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	9.4	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH24 - RSID0353	19/07/2023 11:53	ANC as H2SO4	125	kg H2SO4	FALSE	REG	0.5	7/08/2023	7/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	23.9	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	19.3	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	20.5	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	69	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	53.4	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	86.9	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	23.3	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	16.3	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	17.8	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	6.6	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	49.3	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	65.5	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH18 - RSID0363	22/07/2023 11:45	ANC as H2SO4	53.9	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	92.9	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	81.7	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	45.1	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	50.2	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	47.6	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	99	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	19.5	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	17.9	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	12.2	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH12 - RSID0366	22/07/2023 11:59	ANC as H2SO4	21	kg H2SO4	FALSE	REG	0.5	2/08/2023	2/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	41.2	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	21	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	55.7	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	18.4	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	57.8	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	53.9	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	7.7	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	20.5	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	25.3	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	21	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	9.7	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	64.5	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	52.7	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	67.9	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH08 - RSID0368	23/07/2023 12:13	ANC as H2SO4	38.2	kg H2SO4	FALSE	REG	0.5	3/08/2023	3/08/2023	
OH01 - RSID0379	31/07/2023 12:20	ANC as H2SO4	0.6	kg H2SO4	FALSE	REG	0.5	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	ANC as H2SO4	45.6	kg H2SO4	FALSE	REG	0.5	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	ANC as H2SO4	0.5	kg H2SO4	FALSE	REG	0.5	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	ANC as H2SO4	20.9	kg H2SO4	FALSE	REG	0.5	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	ANC as H2SO4	93.3	kg H2SO4	FALSE	REG	0.5	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	ANC as H2SO4	61.1	kg H2SO4	FALSE	REG	0.5	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	ANC as H2SO4	78.7	kg H2SO4	FALSE	REG	0.5	30/08/2023	30/08/2023	
OH01 - RSID0379	31/07/2023 12:20	ANC as H2SO4	24.4	kg H2SO4	FALSE	REG	0.5	30/08/2023	30/08/2023	
N1S	8/08/2023 17:00	ANC as H2SO4	51.8	kg H2SO4	FALSE	REG	0.5	21/08/2023	21/08/2023	
Rejects Grab San	19/08/2023 13:00	ANC as H2SO4	117	kg H2SO4	FALSE	REG	0.5	6/09/2023	6/09/2023	
Tailings Thickene	19/08/2023 13:00	ANC as H2SO4	95.3	kg H2SO4	FALSE	REG	0.5	6/09/2023	6/09/2023	
N1S	3/09/2023 13:44	ANC as H2SO4	50.9	kg H2SO4	FALSE	REG	0.5	15/09/2023	15/09/2023	
N1S	14/09/2023 12:50	ANC as H2SO4	26.2	kg H2SO4	FALSE	REG	0.5	3/10/2023	3/10/2023	
Rejects - Compos	1/10/2023 7:14	ANC as H2SO4	96.1	kg H2SO4	FALSE	REG	0.5	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	ANC as H2SO4	59.7	kg H2SO4	FALSE	REG	0.5	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	ANC as H2SO4	65.8	kg H2SO4	FALSE	REG	0.5	12/10/2023	12/10/2023	
Rejects Grab San	3/10/2023 6:15	ANC as H2SO4	150	kg H2SO4	FALSE	REG	0.5	10/10/2023	10/10/2023	
Tailings Thickene	3/10/2023 6:15	ANC as H2SO4	83.5	kg H2SO4	FALSE	REG	0.5	10/10/2023	10/10/2023	
N1S	22/10/2023 13:45	ANC as H2SO4	123	kg H2SO4	FALSE	REG	0.5	1/11/2023	1/11/2023	
Rejects Grab San	18/11/2023 9:30	ANC as H2SO4	49.1	kg H2SO4	FALSE	REG	0.5	4/12/2023	4/12/2023	
Tailings Thickene	18/11/2023 9:30	ANC as H2SO4	84.2	kg H2SO4	FALSE	REG	0.5	4/12/2023	4/12/2023	
N1S	21/11/2023 14:30	ANC as H2SO4	58.6	kg H2SO4	FALSE	REG	0.5	4/12/2023	4/12/2023	
	12/12/2023 7:29	ANC as H2SO4	52.9	kg H2SO4	FALSE	REG	0.5	15/01/2024	15/01/2024	
	12/12/2023 7:30	ANC as H2SO4	61	kg H2SO4	FALSE	REG	0.5	15/01/2024	15/01/2024	
N1S	18/12/2023 10:30	ANC as H2SO4	4.9	kg H2SO4	FALSE	REG	0.5	27/12/2023	27/12/2023	
Rejects Grab San	19/12/2023 10:15	ANC as H2SO4	13.5	kg H2SO4	FALSE	REG	0.5	5/01/2024	5/01/2024	
Tailings Thickene	19/12/2023 10:30	ANC as H2SO4	14.6	kg H2SO4	FALSE	REG	0.5	5/01/2024	5/01/2024	
	4/01/2024 10:08	ANC as H2SO4	41.6	kg H2SO4	FALSE	REG	0.5	15/01/2024	15/01/2024	
Rejects Grab San	18/01/2024 8:05	ANC as H2SO4	25.4	kg H2SO4	FALSE	REG	0.5	12/02/2024	12/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	18/01/2024 8:10	ANC as H2SO4	46	kg H2SO4	FALSE	REG	0.5	12/02/2024	12/02/2024	
N1S	23/01/2024 13:10	ANC as H2SO4	24.6	kg H2SO4	FALSE	REG	0.5	2/02/2024	2/02/2024	
N1S	20/02/2024 13:00	ANC as H2SO4	62.3	kg H2SO4	FALSE	REG	0.5	27/02/2024	27/02/2024	
Rejects Grab San	29/02/2024 8:45	ANC as H2SO4	26.9	kg H2SO4	FALSE	REG	0.5	9/05/2024	9/05/2024	
Rejects Grab San	29/02/2024 8:45	ANC as H2SO4	6	kg H2SO4	FALSE	REG	0.5	11/03/2024	11/03/2024	
Tailings Thickene	29/02/2024 9:00	ANC as H2SO4	39.8	kg H2SO4	FALSE	REG	0.5	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	ANC as H2SO4	25.7	kg H2SO4	FALSE	REG	0.5	11/03/2024	11/03/2024	
Rejects Grab San	19/03/2024 8:45	ANC as H2SO4	21.1	kg H2SO4	FALSE	REG	0.5	8/04/2024	8/04/2024	
Tailings Thickene	19/03/2024 9:00	ANC as H2SO4	41	kg H2SO4	FALSE	REG	0.5	8/04/2024	8/04/2024	
N1S	27/03/2024 13:00	ANC as H2SO4	47.1	kg H2SO4	FALSE	REG	0.5	10/04/2024	10/04/2024	
N1S	17/04/2024 13:00	ANC as H2SO4	150	kg H2SO4	FALSE	REG	0.5	24/04/2024	24/04/2024	
Rejects - Compos	23/04/2024 9:30	ANC as H2SO4	79.6	kg H2SO4	FALSE	REG	0.5	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	ANC as H2SO4	60.1	kg H2SO4	FALSE	REG	0.5	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	ANC as H2SO4	77.1	kg H2SO4	FALSE	REG	0.5	21/05/2024	21/05/2024	
N1S	21/05/2024	ANC as H2SO4	58.9	kg H2SO4	FALSE	REG	0.5	31/05/2024	31/05/2024	
Rejects Grab San	22/05/2024 7:40	ANC as H2SO4	30.4	kg H2SO4	FALSE	REG	0.5	31/05/2024	31/05/2024	
Tailings Thickene	22/05/2024 7:40	ANC as H2SO4	39.6	kg H2SO4	FALSE	REG	0.5	31/05/2024	31/05/2024	
N1S	12/06/2024 12:23	ANC as H2SO4	45.7	kg H2SO4	FALSE	REG	0.5	24/06/2024	24/06/2024	
Rejects Grab San	24/06/2024 11:28	ANC as H2SO4	61.4	kg H2SO4	FALSE	REG	0.5	4/07/2024	4/07/2024	
Tailings Thickene	24/06/2024 11:28	ANC as H2SO4	59.9	kg H2SO4	FALSE	REG	0.5	4/07/2024	4/07/2024	
	8/07/2024 13:45	ANC as H2SO4	104	kg H2SO4	FALSE	REG	0.5	24/07/2024	24/07/2024	
	8/07/2024 13:45	ANC as H2SO4	107	kg H2SO4	FALSE	REG	0.5	24/07/2024	24/07/2024	
	8/07/2024 13:45	ANC as H2SO4	79.3	kg H2SO4	FALSE	REG	0.5	24/07/2024	24/07/2024	
	22/07/2024 10:25	ANC as H2SO4	142	kg H2SO4	FALSE	REG	0.5	5/08/2024	5/08/2024	
Tailings Thickene	22/07/2024 10:26	ANC as H2SO4	32.9	kg H2SO4	FALSE	REG	0.5	5/08/2024	5/08/2024	
	24/07/2024 13:03	ANC as H2SO4	85.9	kg H2SO4	FALSE	REG	0.5	31/07/2024	31/07/2024	
CHPP STP	15/06/2023 15:00	Faecal Coliforms	20	CFU/100m	FALSE	REG	1		21/06/2023	
CHPP STP	15/06/2023 15:00	Faecal Coliforms	110000	CFU/100m	FALSE	REG	1		21/06/2023	Result value is an approximate.
Isaac Plains STP	15/06/2023 15:00	Faecal Coliforms	150000	CFU/100m	FALSE	REG	1		21/06/2023	
CHPP STP	18/07/2023 10:03	Faecal Coliforms	400	CFU/100m	FALSE	REG	1		20/07/2023	
CHPP STP	18/07/2023 10:03	E. Coli	10	CFU/100m	FALSE	REG	1		20/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
MIA STP	18/07/2023 10:44	Faecal Coliforms	21000	CFU/100m	FALSE	REG	1		20/07/2023	
MIA STP	18/07/2023 10:44	E. Coli	12000	CFU/100m	FALSE	REG	1		20/07/2023	
CHPP STP	18/07/2023 11:19	Faecal Coliforms	24000	CFU/100m	FALSE	REG	1		20/07/2023	
CHPP STP	18/07/2023 11:19	E. Coli	4000	CFU/100m	FALSE	REG	1		20/07/2023	
Isaac Plains STP	18/07/2023 17:40	Faecal Coliforms	2200000	CFU/100m	FALSE	REG	1		20/07/2023	
Isaac Plains STP	18/07/2023 17:40	E. Coli	1200000	CFU/100m	FALSE	REG	1		20/07/2023	
Isaac Plains STP	19/07/2023 8:00	Faecal Coliforms	820000	CFU/100m	FALSE	REG	1		20/07/2023	
Isaac Plains STP	19/07/2023 8:00	E. Coli	350000	CFU/100m	FALSE	REG	1		20/07/2023	
Isaac Plains STP	19/07/2023 8:00	Faecal Coliforms	720000	CFU/100m	FALSE	REG	1		20/07/2023	
Isaac Plains STP	19/07/2023 8:00	E. Coli	380000	CFU/100m	FALSE	REG	1		20/07/2023	
Isaac Plains STP	19/07/2023 8:15	Faecal Coliforms	1600000	CFU/100m	FALSE	REG	1		20/07/2023	
Isaac Plains STP	19/07/2023 8:15	E. Coli	100000	CFU/100m	FALSE	REG	1		20/07/2023	Reported Analyte LOR is higher than Requested Analyte LOR
CHPP STP	28/08/2023 15:40	Faecal Coliforms	390000	CFU/100m	FALSE	REG	1		30/08/2023	
CHPP STP	28/08/2023 15:40	E. Coli	60000	CFU/100m	FALSE	REG	1		30/08/2023	
CHPP STP	28/08/2023 15:40	Faecal Coliforms	370000	CFU/100m	FALSE	REG	1		30/08/2023	
CHPP STP	28/08/2023 15:40	E. Coli	80000	CFU/100m	FALSE	REG	1		30/08/2023	
CHPP STP	28/08/2023 16:00	Faecal Coliforms	4500	CFU/100m	FALSE	REG	1		30/08/2023	Result value is an approximate.
CHPP STP	28/08/2023 16:00	E. Coli	4100	CFU/100m	FALSE	REG	1		30/08/2023	Result value is an approximate.
MIA STP	28/08/2023 16:30	Faecal Coliforms	27000	CFU/100m	FALSE	REG	1		30/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA STP	28/08/2023 16:30	E. Coli	27000	CFU/100m	FALSE	REG	1		30/08/2023	
Isaac Plains STP	28/08/2023 16:45	Faecal Coliforms	87000	CFU/100m	FALSE	REG	1		30/08/2023	
Isaac Plains STP	28/08/2023 16:45	E. Coli	24000	CFU/100m	FALSE	REG	1		30/08/2023	
Isaac Plains STP	28/08/2023 16:55	Faecal Coliforms	150000	CFU/100m	FALSE	REG	1		30/08/2023	
Isaac Plains STP	28/08/2023 16:55	E. Coli	40000	CFU/100m	FALSE	REG	1		30/08/2023	
Isaac Plains STP	28/08/2023 17:00	Faecal Coliforms	300000	CFU/100m	FALSE	REG	1		30/08/2023	
Isaac Plains STP	28/08/2023 17:00	E. Coli	140000	CFU/100m	FALSE	REG	1		30/08/2023	
	18/09/2023 10:00	Faecal Coliforms	1	CFU/100m	FALSE	REG	1		21/09/2023	
	18/09/2023 10:00	Faecal Coliforms	1	CFU/100m	FALSE	REG	1		21/09/2023	
Isaac Plains STP	25/10/2023 3:33	Faecal Coliforms	3900000	CFU/100m	FALSE	REG	1		27/10/2023	
Isaac Plains STP	25/10/2023 3:33	E. Coli	1100000	CFU/100m	FALSE	REG	1		27/10/2023	
CHPP STP	25/10/2023 14:45	Faecal Coliforms	330000	CFU/100m	FALSE	REG	1		27/10/2023	
CHPP STP	25/10/2023 14:45	E. Coli	10000	CFU/100m	FALSE	REG	1		27/10/2023	
CHPP STP	25/10/2023 15:03	Faecal Coliforms	940000	CFU/100m	FALSE	REG	1		27/10/2023	
CHPP STP	25/10/2023 15:03	E. Coli	80000	CFU/100m	FALSE	REG	1		27/10/2023	
MIA STP	25/10/2023 15:12	Faecal Coliforms	1	CFU/100m	FALSE	REG	1		27/10/2023	~<1000
MIA STP	25/10/2023 15:12	E. Coli	1	CFU/100m	FALSE	REG	1		27/10/2023	~<1000
Isaac Plains STP	25/10/2023 16:04	Faecal Coliforms	1800000	CFU/100m	FALSE	REG	1		27/10/2023	Result value is an approximate.
Isaac Plains STP	25/10/2023 16:04	E. Coli	720000	CFU/100m	FALSE	REG	1		27/10/2023	Result value is an approximate.
Isaac Plains STP	25/10/2023 16:05	Faecal Coliforms	2200000	CFU/100m	FALSE	REG	1		27/10/2023	
Isaac Plains STP	25/10/2023 16:05	E. Coli	800000	CFU/100m	FALSE	REG	1		27/10/2023	
Isaac Plains STP	25/10/2023 16:12	Faecal Coliforms	1000000	CFU/100m	FALSE	REG	1		27/10/2023	
Isaac Plains STP	25/10/2023 16:12	E. Coli	800000	CFU/100m	FALSE	REG	1		27/10/2023	
	26/10/2023 10:30	Faecal Coliforms	1	CFU/100m	FALSE	REG	1		27/10/2023	
	26/10/2023 10:30	Faecal Coliforms	1	CFU/100m	FALSE	REG	1		27/10/2023	
MIA STP	24/11/2023 15:47	Faecal Coliforms	320	CFU/100m	FALSE	REG	1		28/11/2023	Result value is an approximate.
CHPP STP	24/11/2023 16:03	Faecal Coliforms	44000	CFU/100m	FALSE	REG	1		28/11/2023	
CHPP STP	24/11/2023 16:15	Faecal Coliforms	86000	CFU/100m	FALSE	REG	1		28/11/2023	
Isaac Plains STP	24/11/2023 16:31	Faecal Coliforms	980000	CFU/100m	FALSE	REG	1		28/11/2023	
Isaac Plains STP	24/11/2023 16:45	Faecal Coliforms	1400000	CFU/100m	FALSE	REG	1		28/11/2023	Result value is an approximate.
Isaac Plains STP	24/11/2023 17:29	Faecal Coliforms	410000	CFU/100m	FALSE	REG	1		28/11/2023	
Isaac Plains STP	24/11/2023 17:41	Faecal Coliforms	1300000	CFU/100m	FALSE	REG	1		28/11/2023	
Isaac Plains STP	7/12/2023 18:04	Faecal Coliforms	1300000	CFU/100m	FALSE	REG	1		13/12/2023	
Isaac Plains STP	7/12/2023 18:04	Faecal Coliforms	1400000	CFU/100m	FALSE	REG	1		13/12/2023	
CHPP STP	7/12/2023 18:04	Faecal Coliforms	270000	CFU/100m	FALSE	REG	1		13/12/2023	
CHPP STP	7/12/2023 18:04	Faecal Coliforms	920000	CFU/100m	FALSE	REG	1		13/12/2023	
	7/12/2023 18:04	Faecal Coliforms	1600000	CFU/100m	FALSE	REG	1		13/12/2023	
Isaac Plains STP	7/12/2023 18:04	Faecal Coliforms	1700000	CFU/100m	FALSE	REG	1		13/12/2023	Result value is an approximate.
MIA STP	7/12/2023 18:04	Faecal Coliforms	61000	CFU/100m	FALSE	REG	1		13/12/2023	Result value is an approximate.
CHPP STP	26/01/2024 11:01	Faecal Coliforms	380000	CFU/100m	FALSE	REG	1		1/02/2024	
CHPP STP	26/01/2024 11:12	Faecal Coliforms	120000	CFU/100m	FALSE	REG	1		1/02/2024	
MIA STP	26/01/2024 11:34	Faecal Coliforms	33000	CFU/100m	FALSE	REG	1		1/02/2024	
MIA STP	26/01/2024 11:52	Faecal Coliforms	70000	CFU/100m	FALSE	REG	1		1/02/2024	
MIA STP	26/01/2024 12:04	Faecal Coliforms	2100000	CFU/100m	FALSE	REG	1		1/02/2024	
Isaac Plains STP	26/01/2024 12:09	Faecal Coliforms	1600000	CFU/100m	FALSE	REG	1		1/02/2024	Result value is an approximate.
Isaac Plains STP	26/01/2024 12:10	Faecal Coliforms	430000	CFU/100m	FALSE	REG	1		1/02/2024	
CHPP STP	19/03/2024 6:20	Faecal Coliforms	54000	CFU/100m	FALSE	REG	1		20/03/2024	
Isaac Plains STP	19/03/2024 6:35	Faecal Coliforms	46000	CFU/100m	FALSE	REG	1		20/03/2024	
MIA STP	19/03/2024 7:30	Faecal Coliforms	100000	CFU/100m	FALSE	REG	1		20/03/2024	
Isaac Plains STP	19/03/2024 8:50	Faecal Coliforms	420000	CFU/100m	FALSE	REG	1		20/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA STP	19/03/2024 9:00	Faecal Coliforms	1100000	CFU/100m	FALSE	REG	1		20/03/2024	
CHPP STP	15/06/2023 15:00	E. Coli	1	cfu/100 m	FALSE	REG	1		21/06/2023	
CHPP STP	15/06/2023 15:00	E. Coli	59000	cfu/100 m	FALSE	REG	1		21/06/2023	Result value is an approximate.
Isaac Plains STP	15/06/2023 15:00	E. Coli	100000	cfu/100 m	FALSE	REG	1		21/06/2023	
	18/09/2023 10:00	Coliform	1	cfu/100 m	FALSE	REG	1		21/09/2023	
	18/09/2023 10:00	E. Coli	1	cfu/100 m	FALSE	REG	1		21/09/2023	
	18/09/2023 10:00	Coliform	1	cfu/100 m	FALSE	REG	1		21/09/2023	
	18/09/2023 10:00	E. Coli	1	cfu/100 m	FALSE	REG	1		21/09/2023	
	26/10/2023 10:30	Coliform	1	cfu/100 m	FALSE	REG	1		27/10/2023	
	26/10/2023 10:30	E. Coli	1	cfu/100 m	FALSE	REG	1		27/10/2023	
	26/10/2023 10:30	Coliform	1	cfu/100 m	FALSE	REG	1		27/10/2023	
	26/10/2023 10:30	E. Coli	1	cfu/100 m	FALSE	REG	1		27/10/2023	
MIA STP	24/11/2023 15:47	E. Coli	320	cfu/100 m	FALSE	REG	1		28/11/2023	Result value is an approximate.
CHPP STP	24/11/2023 16:03	E. Coli	32000	cfu/100 m	FALSE	REG	1		28/11/2023	
CHPP STP	24/11/2023 16:15	E. Coli	66000	cfu/100 m	FALSE	REG	1		28/11/2023	
Isaac Plains STP	24/11/2023 16:31	E. Coli	660000	cfu/100 m	FALSE	REG	1		28/11/2023	
Isaac Plains STP	24/11/2023 16:45	E. Coli	540000	cfu/100 m	FALSE	REG	1		28/11/2023	Result value is an approximate.
Isaac Plains STP	24/11/2023 17:29	E. Coli	320000	cfu/100 m	FALSE	REG	1		28/11/2023	
Isaac Plains STP	24/11/2023 17:41	E. Coli	1000000	cfu/100 m	FALSE	REG	1		28/11/2023	
Isaac Plains STP	7/12/2023 18:04	E. Coli	1200000	cfu/100 m	FALSE	REG	1		13/12/2023	
Isaac Plains STP	7/12/2023 18:04	E. Coli	300000	cfu/100 m	FALSE	REG	1		13/12/2023	
CHPP STP	7/12/2023 18:04	E. Coli	50000	cfu/100 m	FALSE	REG	1		13/12/2023	
CHPP STP	7/12/2023 18:04	E. Coli	70000	cfu/100 m	FALSE	REG	1		13/12/2023	
	7/12/2023 18:04	E. Coli	600000	cfu/100 m	FALSE	REG	1		13/12/2023	
Isaac Plains STP	7/12/2023 18:04	E. Coli	630000	cfu/100 m	FALSE	REG	1		13/12/2023	Result value is an approximate.
MIA STP	7/12/2023 18:04	E. Coli	30000	cfu/100 m	FALSE	REG	1		13/12/2023	Result value is an approximate.
CHPP STP	26/01/2024 11:01	E. Coli	220000	cfu/100 m	FALSE	REG	1		1/02/2024	
CHPP STP	26/01/2024 11:12	E. Coli	100000	cfu/100 m	FALSE	REG	1		1/02/2024	
MIA STP	26/01/2024 11:34	E. Coli	16000	cfu/100 m	FALSE	REG	1		1/02/2024	
MIA STP	26/01/2024 11:52	E. Coli	28000	cfu/100 m	FALSE	REG	1		1/02/2024	
MIA STP	26/01/2024 12:04	E. Coli	500000	cfu/100 m	FALSE	REG	1		1/02/2024	
Isaac Plains STP	26/01/2024 12:09	E. Coli	720000	cfu/100 m	FALSE	REG	1		1/02/2024	Result value is an approximate.
Isaac Plains STP	26/01/2024 12:10	E. Coli	250000	cfu/100 m	FALSE	REG	1		1/02/2024	
CHPP STP	19/03/2024 6:20	E. Coli	41000	cfu/100 m	FALSE	REG	1		20/03/2024	
Isaac Plains STP	19/03/2024 6:35	E. Coli	31000	cfu/100 m	FALSE	REG	1		20/03/2024	
MIA STP	19/03/2024 7:30	E. Coli	60000	cfu/100 m	FALSE	REG	1		20/03/2024	
Isaac Plains STP	19/03/2024 8:50	E. Coli	290000	cfu/100 m	FALSE	REG	1		20/03/2024	
MIA STP	19/03/2024 9:00	E. Coli	900000	cfu/100 m	FALSE	REG	1		20/03/2024	
CHPP STP	22/04/2024 12:30	E. Coli	1	cfu/100 m	FALSE	REG	1		24/04/2024	~<10000
	22/04/2024 13:20	E. Coli	900000	cfu/100 m	FALSE	REG	1		24/04/2024	
	22/04/2024 13:30	E. Coli	500000	cfu/100 m	FALSE	REG	1		24/04/2024	
Isaac Plains STP	22/04/2024 13:30	E. Coli	400000	cfu/100 m	FALSE	REG	1		24/04/2024	
CHPP STP	21/05/2024 10:00	E. Coli	500000	cfu/100 m	FALSE	REG	1		23/05/2024	Result value is an approximate.
MIA STP	21/05/2024 10:30	E. Coli	1400000	cfu/100 m	FALSE	REG	1		23/05/2024	
	21/05/2024 11:00	E. Coli	800000	cfu/100 m	FALSE	REG	1		23/05/2024	Result value is an approximate.
Isaac Plains STP	21/05/2024 11:05	E. Coli	800000	cfu/100 m	FALSE	REG	1		23/05/2024	Result value is an approximate.
	21/05/2024 11:10	E. Coli	800000	cfu/100 m	FALSE	REG	1		23/05/2024	Result value is an approximate.
CHPP STP	11/06/2024 7:00	E. Coli	77000	cfu/100 m	FALSE	REG	1		13/06/2024	
	11/06/2024 12:45	E. Coli	170000	cfu/100 m	FALSE	REG	1		13/06/2024	
Isaac Plains STP	11/06/2024 12:50	E. Coli	200000	cfu/100 m	FALSE	REG	1		13/06/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Isaac Plains STP	11/06/2024 13:10	E. Coli	140000	cfu/100 m	FALSE	REG	1		13/06/2024	
	25/07/2024 8:45	E. Coli	800000	cfu/100 m	FALSE	REG	1		30/07/2024	
Isaac Plains STP	25/07/2024 9:00	E. Coli	400000	cfu/100 m	FALSE	REG	1		30/07/2024	
	25/07/2024 9:25	E. Coli	2000	cfu/100 m	FALSE	REG	1		30/07/2024	
CHPP STP	15/06/2023 15:00	Nitrogen (Total)	43600	µg/L	FALSE	REG	100		28/06/2023	
CHPP STP	15/06/2023 15:00	Nitrogen (Total)	75900	µg/L	FALSE	REG	100		28/06/2023	
Isaac Plains STP	15/06/2023 15:00	Nitrogen (Total)	76900	µg/L	FALSE	REG	100		28/06/2023	
W5	25/07/2023 13:05	Uranium	1	µg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	Uranium	1	µg/L	TRUE	REG	1	1/08/2023	1/08/2023	
W5	25/07/2023 13:05	Nitrogen (Total)	1100	µg/L	FALSE	REG	100		2/08/2023	
W4	25/07/2023 13:33	Uranium	1	µg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Uranium	1	µg/L	TRUE	REG	1	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	Nitrogen (Total)	1500	µg/L	FALSE	REG	100		3/08/2023	
W7	25/07/2023 15:00	Uranium	1	µg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Uranium	1	µg/L	TRUE	REG	1	1/08/2023	1/08/2023	
W7	25/07/2023 15:00	Nitrogen (Total)	3300	µg/L	FALSE	REG	100		2/08/2023	
W6	25/07/2023 15:35	Uranium	1	µg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	Uranium	1	µg/L	TRUE	REG	1	1/08/2023	1/08/2023	
W6	25/07/2023 15:35	Nitrogen (Total)	600	µg/L	FALSE	REG	100		3/08/2023	
W6	25/07/2023 15:42	Uranium	1	µg/L	FALSE	REG	1	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	Uranium	1	µg/L	TRUE	REG	1	1/08/2023	1/08/2023	
W6	25/07/2023 15:42	Nitrogen (Total)	500	µg/L	FALSE	REG	100		3/08/2023	
	29/07/2023 15:59	Uranium	1	µg/L	TRUE	REG	1	29/07/2023	31/07/2023	
	29/07/2023 16:00	Uranium	1	µg/L	FALSE	REG	1	29/07/2023	31/07/2023	
	1/08/2023 13:49	Uranium	1	µg/L	TRUE	REG	1	1/08/2023	1/08/2023	
MIA STP	24/11/2023 15:47	Nitrogen (Total)	107000	µg/L	FALSE	REG	100		5/12/2023	
CHPP STP	24/11/2023 16:03	Nitrogen (Total)	52600	µg/L	FALSE	REG	100		5/12/2023	
CHPP STP	24/11/2023 16:15	Nitrogen (Total)	152000	µg/L	FALSE	REG	100		5/12/2023	
Isaac Plains STP	24/11/2023 16:31	Nitrogen (Total)	157000	µg/L	FALSE	REG	100		5/12/2023	
Isaac Plains STP	24/11/2023 16:45	Nitrogen (Total)	154000	µg/L	FALSE	REG	100		5/12/2023	
Isaac Plains STP	24/11/2023 17:29	Nitrogen (Total)	157000	µg/L	FALSE	REG	100		2/12/2023	
Isaac Plains STP	24/11/2023 17:41	Nitrogen (Total)	149000	µg/L	FALSE	REG	100		2/12/2023	
W2	27/11/2023 15:00	Uranium	1	µg/L	FALSE	REG	1	2/12/2023	2/12/2023	
W2	27/11/2023 15:00	Uranium	1	µg/L	TRUE	REG	1	2/12/2023	7/12/2023	
W2	27/11/2023 15:00	Nitrogen (Total)	3800	µg/L	FALSE	REG	100		7/12/2023	
FG1	27/11/2023 15:30	Uranium	1	µg/L	FALSE	REG	1	1/12/2023	2/12/2023	
FG1	27/11/2023 15:30	Uranium	1	µg/L	TRUE	REG	1	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	Uranium	1	µg/L	FALSE	REG	1	1/12/2023	2/12/2023	
FG2	28/11/2023 15:45	Uranium	1	µg/L	TRUE	REG	1	4/12/2023	6/12/2023	
	1/12/2023 18:21	Uranium	1	µg/L	FALSE	REG	1	1/12/2023	2/12/2023	
	2/12/2023 11:33	Uranium	1	µg/L	FALSE	REG	1	2/12/2023	2/12/2023	
	2/12/2023 11:42	Uranium	1	µg/L	TRUE	REG	1	2/12/2023	7/12/2023	
W6	4/12/2023 16:50	Uranium	1	µg/L	FALSE	REG	1		13/12/2023	
W6	4/12/2023 16:50	Uranium	1	µg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W6	4/12/2023 16:50	Nitrogen (Total)	1200	µg/L	FALSE	REG	100		13/12/2023	
W7	4/12/2023 16:53	Uranium	4	µg/L	FALSE	REG	1		13/12/2023	
W7	4/12/2023 16:53	Uranium	1	µg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W7	4/12/2023 16:53	Nitrogen (Total)	3900	µg/L	FALSE	REG	100		13/12/2023	
W5	4/12/2023 16:56	Uranium	1	µg/L	FALSE	REG	1		13/12/2023	
W5	4/12/2023 16:56	Uranium	1	µg/L	TRUE	REG	1	8/12/2023	11/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	4/12/2023 16:56	Nitrogen (Total)	3600	µg/L	FALSE	REG	100		13/12/2023	
W1	4/12/2023 17:01	Uranium	2	µg/L	FALSE	REG	1		13/12/2023	
W1	4/12/2023 17:01	Uranium	1	µg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W1	4/12/2023 17:01	Nitrogen (Total)	3500	µg/L	FALSE	REG	100		13/12/2023	
W4	4/12/2023 17:03	Uranium	1	µg/L	FALSE	REG	1		13/12/2023	
W4	4/12/2023 17:03	Uranium	1	µg/L	TRUE	REG	1	8/12/2023	11/12/2023	
W4	4/12/2023 17:03	Nitrogen (Total)	3600	µg/L	FALSE	REG	100		13/12/2023	
	4/12/2023 20:04	Uranium	1	µg/L	TRUE	REG	1	4/12/2023	6/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrogen (Total)	132000	µg/L	FALSE	REG	100		20/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrogen (Total)	150000	µg/L	FALSE	REG	100		20/12/2023	
CHPP STP	7/12/2023 18:04	Nitrogen (Total)	132000	µg/L	FALSE	REG	100		20/12/2023	
CHPP STP	7/12/2023 18:04	Nitrogen (Total)	71400	µg/L	FALSE	REG	100		20/12/2023	
	7/12/2023 18:04	Nitrogen (Total)	146000	µg/L	FALSE	REG	100		20/12/2023	
Isaac Plains STP	7/12/2023 18:04	Nitrogen (Total)	145000	µg/L	FALSE	REG	100		20/12/2023	
MIA STP	7/12/2023 18:04	Nitrogen (Total)	94300	µg/L	FALSE	REG	100		20/12/2023	
	8/12/2023 21:12	Uranium	1	µg/L	TRUE	REG	1	8/12/2023	11/12/2023	
	11/12/2023 17:57	Uranium	1	µg/L	FALSE	REG	1	11/12/2023	13/12/2023	
W4	3/01/2024 11:20	Uranium	2	µg/L	FALSE	REG	1	8/01/2024	11/01/2024	
W4	3/01/2024 11:20	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	11/01/2024	
W4	3/01/2024 11:20	Nitrogen (Total)	2300	µg/L	FALSE	REG	100		11/01/2024	
W2	3/01/2024 11:23	Uranium	1	µg/L	FALSE	REG	1	8/01/2024	11/01/2024	
W2	3/01/2024 11:23	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	11/01/2024	
W2	3/01/2024 11:23	Nitrogen (Total)	2700	µg/L	FALSE	REG	100		11/01/2024	
W5	3/01/2024 11:32	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W5	3/01/2024 11:32	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W5	3/01/2024 11:32	Nitrogen (Total)	2300	µg/L	FALSE	REG	100		11/01/2024	
W8	3/01/2024 11:36	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W8	3/01/2024 11:36	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W8	3/01/2024 11:36	Nitrogen (Total)	2400	µg/L	FALSE	REG	100		11/01/2024	
W2	3/01/2024 11:39	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W2	3/01/2024 11:39	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W2	3/01/2024 11:39	Nitrogen (Total)	2500	µg/L	FALSE	REG	100		11/01/2024	
W4	3/01/2024 11:41	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W4	3/01/2024 11:41	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W4	3/01/2024 11:41	Nitrogen (Total)	1400	µg/L	FALSE	REG	100		11/01/2024	
W7	3/01/2024 11:44	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W7	3/01/2024 11:44	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W7	3/01/2024 11:44	Nitrogen (Total)	400	µg/L	FALSE	REG	100		11/01/2024	
	3/01/2024 11:57	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 11:57	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 11:57	Nitrogen (Total)	2000	µg/L	FALSE	REG	100		11/01/2024	
CC1	3/01/2024 12:02	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
CC1	3/01/2024 12:02	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Nitrogen (Total)	2200	µg/L	FALSE	REG	100		11/01/2024	
W6	3/01/2024 12:06	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
W6	3/01/2024 12:06	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
W6	3/01/2024 12:06	Nitrogen (Total)	9000	µg/L	FALSE	REG	100		11/01/2024	
	3/01/2024 12:10	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 12:10	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 12:10	Nitrogen (Total)	2100	µg/L	FALSE	REG	100		11/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	3/01/2024 12:15	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
	3/01/2024 12:15	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
	3/01/2024 12:15	Nitrogen (Total)	3200	µg/L	FALSE	REG	100		11/01/2024	
IR1	3/01/2024 12:28	Uranium	2	µg/L	FALSE	REG	1	8/01/2024	11/01/2024	
IR1	3/01/2024 12:28	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Uranium	1	µg/L	FALSE	REG	1	8/01/2024	11/01/2024	
FG1	3/01/2024 12:37	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	11/01/2024	
IR1A	4/01/2024 16:43	Uranium	1	µg/L	FALSE	REG	1		22/01/2024	
IR1A	4/01/2024 16:43	Uranium	1	µg/L	TRUE	REG	1	18/01/2024	20/01/2024	
IR2	4/01/2024 17:15	Uranium	1	µg/L	FALSE	REG	1		22/01/2024	
IR2	4/01/2024 17:15	Uranium	1	µg/L	TRUE	REG	1	18/01/2024	18/01/2024	
IR5	5/01/2024 6:56	Uranium	1	µg/L	FALSE	REG	1		22/01/2024	
IR5	5/01/2024 6:56	Uranium	1	µg/L	TRUE	REG	1	18/01/2024	20/01/2024	
	5/01/2024 7:01	Uranium	1	µg/L	FALSE	REG	1		22/01/2024	
	5/01/2024 7:01	Uranium	1	µg/L	TRUE	REG	1	17/01/2024	18/01/2024	
IR4	5/01/2024 7:36	Uranium	1	µg/L	FALSE	REG	1		22/01/2024	
IR4	5/01/2024 7:36	Uranium	1	µg/L	TRUE	REG	1	18/01/2024	18/01/2024	
	8/01/2024 17:22	Uranium	1	µg/L	FALSE	REG	1	8/01/2024	11/01/2024	
	8/01/2024 17:22	Uranium	1	µg/L	FALSE	REG	1	8/01/2024	11/01/2024	
	11/01/2024 9:16	Uranium	1	µg/L	FALSE	REG	1	11/01/2024	11/01/2024	
	11/01/2024 9:52	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	12/01/2024	
	11/01/2024 11:34	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	11/01/2024	
	11/01/2024 11:34	Uranium	1	µg/L	TRUE	REG	1	11/01/2024	11/01/2024	
	17/01/2024 12:15	Uranium	1	µg/L	FALSE	REG	1	17/01/2024	20/01/2024	
	17/01/2024 12:26	Uranium	1	µg/L	TRUE	REG	1	17/01/2024	18/01/2024	
	18/01/2024 8:06	Uranium	1	µg/L	TRUE	REG	1	18/01/2024	20/01/2024	
	18/01/2024 11:52	Uranium	1	µg/L	TRUE	REG	1	18/01/2024	18/01/2024	
CHPP STP	26/01/2024 11:01	Nitrogen (Total)	63800	µg/L	FALSE	REG	100		6/02/2024	
CHPP STP	26/01/2024 11:12	Nitrogen (Total)	149000	µg/L	FALSE	REG	100		8/02/2024	
MIA STP	26/01/2024 11:34	Nitrogen (Total)	104000	µg/L	FALSE	REG	100		8/02/2024	
MIA STP	26/01/2024 11:52	Nitrogen (Total)	196000	µg/L	FALSE	REG	100		8/02/2024	
MIA STP	26/01/2024 12:04	Nitrogen (Total)	193000	µg/L	FALSE	REG	100		8/02/2024	
Isaac Plains STP	26/01/2024 12:09	Nitrogen (Total)	137000	µg/L	FALSE	REG	100		8/02/2024	
Isaac Plains STP	26/01/2024 12:10	Nitrogen (Total)	108000	µg/L	FALSE	REG	100		8/02/2024	
W4	15/02/2024 8:17	Uranium	1	µg/L	FALSE	REG	1	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	Uranium	1	µg/L	TRUE	REG	1	23/02/2024	23/02/2024	
W4	15/02/2024 8:17	Nitrogen (Total)	1500	µg/L	FALSE	REG	100		22/02/2024	
W2	15/02/2024 9:12	Uranium	2	µg/L	FALSE	REG	1	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Uranium	1	µg/L	TRUE	REG	1	23/02/2024	23/02/2024	
W2	15/02/2024 9:12	Nitrogen (Total)	2300	µg/L	FALSE	REG	100		22/02/2024	
IR2	15/02/2024 10:49	Uranium	4	µg/L	FALSE	REG	1	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Uranium	1	µg/L	TRUE	REG	1	23/02/2024	23/02/2024	
IR1A	15/02/2024 12:15	Uranium	3	µg/L	FALSE	REG	1	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Uranium	1	µg/L	TRUE	REG	1	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	Uranium	1	µg/L	FALSE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 14:45	Nitrogen (Total)	800	µg/L	FALSE	REG	100		27/02/2024	
W6	15/02/2024 15:00	Uranium	1	µg/L	FALSE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
W6	15/02/2024 15:00	Nitrogen (Total)	1500	µg/L	FALSE	REG	100		27/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W8	16/02/2024 10:04	Uranium	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
W8	16/02/2024 10:04	Nitrogen (Total)	600	µg/L	FALSE	REG	100		27/02/2024	
	16/02/2024 10:15	Uranium	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	16/02/2024 10:15	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
	16/02/2024 10:15	Nitrogen (Total)	1100	µg/L	FALSE	REG	100		27/02/2024	
W5	16/02/2024 10:56	Uranium	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
W5	16/02/2024 10:56	Nitrogen (Total)	2000	µg/L	FALSE	REG	100		27/02/2024	
IR4	16/02/2024 11:41	Uranium	1	µg/L	FALSE	REG	1	25/02/2024	26/02/2024	
IR4	16/02/2024 11:41	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Uranium	1	µg/L	FALSE	REG	1	25/02/2024	26/02/2024	
IR5	16/02/2024 12:51	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
	21/02/2024 16:44	Uranium	1	µg/L	FALSE	REG	1	21/02/2024	22/02/2024	
	21/02/2024 16:44	Uranium	1	µg/L	FALSE	REG	1	21/02/2024	22/02/2024	
	23/02/2024 10:58	Uranium	1	µg/L	TRUE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 10:58	Uranium	1	µg/L	TRUE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 11:36	Uranium	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	25/02/2024 10:38	Uranium	1	µg/L	FALSE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 10:38	Uranium	1	µg/L	FALSE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
	25/02/2024 14:19	Uranium	1	µg/L	TRUE	REG	1	25/02/2024	26/02/2024	
FG2	28/02/2024 12:36	Uranium	3	µg/L	FALSE	REG	1	4/03/2024	5/03/2024	
FG2	28/02/2024 12:36	Uranium	2	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
IR2	28/02/2024 12:40	Uranium	1	µg/L	FALSE	REG	1	4/03/2024	5/03/2024	
IR2	28/02/2024 12:40	Uranium	1	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Uranium	1	µg/L	FALSE	REG	1	4/03/2024	4/03/2024	
IR4	28/02/2024 12:42	Uranium	1	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Uranium	1	µg/L	FALSE	REG	1	4/03/2024	4/03/2024	
IR5	28/02/2024 12:45	Uranium	1	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:47	Uranium	3	µg/L	FALSE	REG	1	4/03/2024	5/03/2024	
	28/02/2024 12:47	Uranium	3	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Uranium	4	µg/L	FALSE	REG	1	4/03/2024	4/03/2024	
MWD	28/02/2024 12:49	Uranium	3	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:51	Uranium	3	µg/L	FALSE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:51	Uranium	2	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:54	Uranium	3	µg/L	FALSE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:54	Uranium	3	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	28/02/2024 12:59	Uranium	3	µg/L	FALSE	REG	1	4/03/2024	5/03/2024	
	28/02/2024 12:59	Uranium	3	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
	4/03/2024 8:40	Uranium	1	µg/L	FALSE	REG	1	4/03/2024	4/03/2024	
	4/03/2024 8:40	Uranium	1	µg/L	FALSE	REG	1	4/03/2024	4/03/2024	
	4/03/2024 10:01	Uranium	1	µg/L	TRUE	REG	1	4/03/2024	4/03/2024	
SSD	13/03/2024 7:28	Uranium	1	µg/L	FALSE	REG	1	15/03/2024	16/03/2024	
SSD	13/03/2024 7:28	Uranium	1	µg/L	TRUE	REG	1	18/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Uranium	1	µg/L	FALSE	REG	1	15/03/2024	16/03/2024	
ROM DAM	13/03/2024 7:54	Uranium	1	µg/L	TRUE	REG	1	18/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Uranium	5	µg/L	FALSE	REG	1	18/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Uranium	4	µg/L	TRUE	REG	1	16/03/2024	19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
RWD	13/03/2024 8:27	Uranium	3	µg/L	FALSE	REG	1	18/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Uranium	3	µg/L	TRUE	REG	1	16/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Uranium	1	µg/L	FALSE	REG	1	15/03/2024	16/03/2024	
MIA DAM	13/03/2024 9:24	Uranium	1	µg/L	TRUE	REG	1	18/03/2024	19/03/2024	
	13/03/2024 9:43	Uranium	1	µg/L	FALSE	REG	1	15/03/2024	16/03/2024	
	13/03/2024 9:43	Uranium	1	µg/L	TRUE	REG	1	18/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Uranium	4	µg/L	FALSE	REG	1	15/03/2024	16/03/2024	
MWD	13/03/2024 10:03	Uranium	3	µg/L	TRUE	REG	1	18/03/2024	19/03/2024	
	15/03/2024 14:57	Uranium	1	µg/L	FALSE	REG	1	15/03/2024	16/03/2024	
	16/03/2024 11:07	Uranium	1	µg/L	TRUE	REG	1	16/03/2024	19/03/2024	
	18/03/2024 7:53	Uranium	1	µg/L	FALSE	REG	1	18/03/2024	19/03/2024	
	18/03/2024 10:31	Uranium	1	µg/L	TRUE	REG	1	18/03/2024	19/03/2024	
CHPP STP	19/03/2024 6:20	Nitrogen (Total)	156000	µg/L	FALSE	REG	100		26/03/2024	
Isaac Plains STP	19/03/2024 6:35	Nitrogen (Total)	147000	µg/L	FALSE	REG	100		26/03/2024	
MIA STP	19/03/2024 7:30	Nitrogen (Total)	71700	µg/L	FALSE	REG	100		26/03/2024	
Isaac Plains STP	19/03/2024 8:50	Nitrogen (Total)	135000	µg/L	FALSE	REG	100		26/03/2024	
MIA STP	19/03/2024 9:00	Nitrogen (Total)	135000	µg/L	FALSE	REG	100		26/03/2024	
CHPP STP	22/04/2024 12:30	Nitrogen (Total)	136000	µg/L	FALSE	REG	100		30/04/2024	
	22/04/2024 13:20	Nitrogen (Total)	134000	µg/L	FALSE	REG	100		30/04/2024	
	22/04/2024 13:30	Nitrogen (Total)	132000	µg/L	FALSE	REG	100		30/04/2024	
Isaac Plains STP	22/04/2024 13:30	Nitrogen (Total)	133000	µg/L	FALSE	REG	100		30/04/2024	
CHPP STP	21/05/2024 10:00	Nitrogen (Total)	175000	µg/L	FALSE	REG	100		30/05/2024	
MIA STP	21/05/2024 10:30	Nitrogen (Total)	55300	µg/L	FALSE	REG	100		30/05/2024	
	21/05/2024 11:00	Nitrogen (Total)	158000	µg/L	FALSE	REG	100		30/05/2024	
Isaac Plains STP	21/05/2024 11:05	Nitrogen (Total)	155000	µg/L	FALSE	REG	100		30/05/2024	
	21/05/2024 11:10	Nitrogen (Total)	156000	µg/L	FALSE	REG	100		30/05/2024	
CHPP STP	11/06/2024 7:00	Nitrogen (Total)	167000	µg/L	FALSE	REG	100		18/06/2024	
	11/06/2024 12:45	Nitrogen (Total)	146000	µg/L	FALSE	REG	100		18/06/2024	
Isaac Plains STP	11/06/2024 12:50	Nitrogen (Total)	145000	µg/L	FALSE	REG	100		18/06/2024	
Isaac Plains STP	11/06/2024 13:10	Nitrogen (Total)	143000	µg/L	FALSE	REG	100		18/06/2024	
W5	27/06/2024 9:53	Uranium	2	µg/L	FALSE	REG	1	4/07/2024	2/07/2024	
W5	27/06/2024 9:53	Uranium	1	µg/L	TRUE	REG	1	1/07/2024	2/07/2024	
W5	27/06/2024 9:53	Nitrogen (Total)	200	µg/L	FALSE	REG	100		3/07/2024	Reported Analyte LOR is higher than Requested Analyte LOR
	27/06/2024 9:57	Uranium	2	µg/L	FALSE	REG	1	4/07/2024	2/07/2024	
	27/06/2024 9:57	Uranium	1	µg/L	TRUE	REG	1	29/06/2024	2/07/2024	
	27/06/2024 9:57	Nitrogen (Total)	1100	µg/L	FALSE	REG	100		3/07/2024	
W4	27/06/2024 10:10	Uranium	1	µg/L	FALSE	REG	1	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Uranium	1	µg/L	TRUE	REG	1	1/07/2024	2/07/2024	
W4	27/06/2024 10:10	Nitrogen (Total)	2400	µg/L	FALSE	REG	100		3/07/2024	
	29/06/2024 11:42	Uranium	1	µg/L	FALSE	REG	1	29/06/2024	2/07/2024	
	29/06/2024 11:48	Uranium	1	µg/L	TRUE	REG	1	29/06/2024	2/07/2024	
	1/07/2024 15:46	Uranium	1	µg/L	FALSE	REG	1	1/07/2024	2/07/2024	
	1/07/2024 16:17	Uranium	1	µg/L	TRUE	REG	1	1/07/2024	2/07/2024	
W8	5/07/2024 15:05	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
W8	5/07/2024 15:05	Uranium	1	µg/L	TRUE	REG	1	11/07/2024	11/07/2024	
W8	5/07/2024 15:05	Nitrogen (Total)	900	µg/L	FALSE	REG	100		12/07/2024	
W8	5/07/2024 15:30	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
W8	5/07/2024 15:30	Uranium	1	µg/L	TRUE	REG	1	11/07/2024	11/07/2024	
W8	5/07/2024 15:30	Nitrogen (Total)	2400	µg/L	FALSE	REG	100		12/07/2024	
W6	5/07/2024 16:25	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	5/07/2024 16:25	Uranium	1	µg/L	TRUE	REG	1	11/07/2024	11/07/2024	
W6	5/07/2024 16:25	Nitrogen (Total)	1600	µg/L	FALSE	REG	100		12/07/2024	
	5/07/2024 16:37	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	5/07/2024 16:37	Uranium	1	µg/L	TRUE	REG	1	11/07/2024	11/07/2024	
	5/07/2024 16:37	Nitrogen (Total)	1700	µg/L	FALSE	REG	100		12/07/2024	
W2	6/07/2024 7:02	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
W2	6/07/2024 7:02	Uranium	1	µg/L	TRUE	REG	1	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	Nitrogen (Total)	1000	µg/L	FALSE	REG	100		12/07/2024	
IR1	6/07/2024 7:05	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Uranium	1	µg/L	TRUE	REG	1	10/07/2024	12/07/2024	
	6/07/2024 7:41	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	6/07/2024 7:41	Uranium	1	µg/L	TRUE	REG	1	10/07/2024	12/07/2024	
IR1A	6/07/2024 8:34	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Uranium	1	µg/L	TRUE	REG	1	10/07/2024	12/07/2024	
IR5	6/07/2024 9:39	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Uranium	1	µg/L	TRUE	REG	1	10/07/2024	12/07/2024	
	10/07/2024 20:03	Uranium	1	µg/L	TRUE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:32	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:32	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	10/07/2024 21:32	Uranium	1	µg/L	FALSE	REG	1	10/07/2024	11/07/2024	
	11/07/2024 11:02	Uranium	1	µg/L	TRUE	REG	1	11/07/2024	11/07/2024	
	25/07/2024 8:45	Nitrogen (Total)	148000	µg/L	FALSE	REG	100		5/08/2024	
Isaac Plains STP	25/07/2024 9:00	Nitrogen (Total)	147000	µg/L	FALSE	REG	100		5/08/2024	
	25/07/2024 9:25	Nitrogen (Total)	53200	µg/L	FALSE	REG	100		5/08/2024	
DD4	19/06/2023 7:30	Calculated Rainfall	5	mm	FALSE	REG	1	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Calculated Rainfall	16	mm	FALSE	REG	1	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Calculated Rainfall	11	mm	FALSE	REG	1	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Calculated Rainfall	20	mm	FALSE	REG	1	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Calculated Rainfall	14	mm	FALSE	REG	1	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Calculated Rainfall	9	mm	FALSE	REG	1	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Calculated Rainfall	10	mm	FALSE	REG	1	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Calculated Rainfall	10	mm	FALSE	REG	1	30/06/2023	30/06/2023	
DD7	20/07/2023 7:28	Calculated Rainfall	22	mm	FALSE	REG	1	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Calculated Rainfall	26	mm	FALSE	REG	1	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Calculated Rainfall	25	mm	FALSE	REG	1	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Calculated Rainfall	22	mm	FALSE	REG	1	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Calculated Rainfall	21	mm	FALSE	REG	1	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Calculated Rainfall	16	mm	FALSE	REG	1	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Calculated Rainfall	21	mm	FALSE	REG	1	28/07/2023	28/07/2023	
	19/08/2023 7:54	Calculated Rainfall	37	mm	FALSE	REG	1	31/08/2023	31/08/2023	
	19/08/2023 8:36	Calculated Rainfall	21	mm	FALSE	REG	1	31/08/2023	31/08/2023	
	19/08/2023 9:03	Calculated Rainfall	26	mm	FALSE	REG	1	31/08/2023	31/08/2023	
	19/08/2023 9:25	Calculated Rainfall	31	mm	FALSE	REG	1	31/08/2023	31/08/2023	
	19/08/2023 9:30	Calculated Rainfall	50	mm	FALSE	REG	1	31/08/2023	31/08/2023	
	19/08/2023 9:31	Calculated Rainfall	37	mm	FALSE	REG	1	31/08/2023	31/08/2023	
	19/08/2023 9:43	Calculated Rainfall	38	mm	FALSE	REG	1	31/08/2023	31/08/2023	
	19/08/2023 10:30	Calculated Rainfall	40	mm	FALSE	REG	1	31/08/2023	31/08/2023	
DD7	19/09/2023 13:56	Calculated Rainfall	2	mm	FALSE	REG	1	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Calculated Rainfall	2	mm	FALSE	REG	1	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Calculated Rainfall	4	mm	FALSE	REG	1	26/09/2023	26/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD21	19/09/2023 14:57	Calculated Rainfall	3	mm	FALSE	REG	1	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Calculated Rainfall	3	mm	FALSE	REG	1	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Calculated Rainfall	3	mm	FALSE	REG	1	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Calculated Rainfall	2	mm	FALSE	REG	1	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Calculated Rainfall	1	mm	FALSE	REG	1	26/09/2023	26/09/2023	
DD7	18/10/2023 6:06	Calculated Rainfall	2	mm	FALSE	REG	1	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Calculated Rainfall	3	mm	FALSE	REG	1	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Calculated Rainfall	4	mm	FALSE	REG	1	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Calculated Rainfall	2	mm	FALSE	REG	1	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Calculated Rainfall	2	mm	FALSE	REG	1	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Calculated Rainfall	2	mm	FALSE	REG	1	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Calculated Rainfall	3	mm	FALSE	REG	1	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Calculated Rainfall	2	mm	FALSE	REG	1	23/10/2023	23/10/2023	
DD7	20/11/2023 13:56	Calculated Rainfall	18	mm	FALSE	REG	1	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Calculated Rainfall	12	mm	FALSE	REG	1	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Calculated Rainfall	11	mm	FALSE	REG	1	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Calculated Rainfall	14	mm	FALSE	REG	1	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Calculated Rainfall	15	mm	FALSE	REG	1	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Calculated Rainfall	10	mm	FALSE	REG	1	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Calculated Rainfall	13	mm	FALSE	REG	1	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Calculated Rainfall	15	mm	FALSE	REG	1	29/11/2023	29/11/2023	
DD4	20/12/2023 14:50	Calculated Rainfall	83	mm	FALSE	REG	1	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Calculated Rainfall	107	mm	FALSE	REG	1	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Calculated Rainfall	100	mm	FALSE	REG	1	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Calculated Rainfall	136	mm	FALSE	REG	1	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Calculated Rainfall	109	mm	FALSE	REG	1	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Calculated Rainfall	128	mm	FALSE	REG	1	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Calculated Rainfall	134	mm	FALSE	REG	1	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Calculated Rainfall	135	mm	FALSE	REG	1	10/01/2024	10/01/2024	
DD25	31/12/2023 9:00	Calculated Rainfall	140	mm	FALSE	REG	1	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Calculated Rainfall	140	mm	FALSE	REG	1	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Calculated Rainfall	121	mm	FALSE	REG	1	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Calculated Rainfall	110	mm	FALSE	REG	1	14/01/2024	14/01/2024	
DD7	18/01/2024 13:25	Calculated Rainfall	147	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Calculated Rainfall	146	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Calculated Rainfall	147	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Calculated Rainfall	147	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Calculated Rainfall	147	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Calculated Rainfall	134	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Calculated Rainfall	108	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Calculated Rainfall	131	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Calculated Rainfall	84	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Calculated Rainfall	89	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Calculated Rainfall	89	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Calculated Rainfall	99	mm	FALSE	REG	1	2/02/2024	2/02/2024	
DD21	20/02/2024 10:38	Calculated Rainfall	106	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Calculated Rainfall	93	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Calculated Rainfall	99	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Calculated Rainfall	100	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Calculated Rainfall	118	mm	FALSE	REG	1	12/03/2024	12/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD22	20/02/2024 14:43	Calculated Rainfall	103	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Calculated Rainfall	125	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Calculated Rainfall	117	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	Calculated Rainfall	146	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Calculated Rainfall	133	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Calculated Rainfall	147	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Calculated Rainfall	112	mm	FALSE	REG	1	12/03/2024	12/03/2024	
DD4	19/03/2024 12:01	Calculated Rainfall	16	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Calculated Rainfall	14	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Calculated Rainfall	21	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Calculated Rainfall	22	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Calculated Rainfall	23	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Calculated Rainfall	33	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Calculated Rainfall	28	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Calculated Rainfall	20	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	Calculated Rainfall	7	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Calculated Rainfall	25	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Calculated Rainfall	17	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Calculated Rainfall	14	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Calculated Rainfall	27	mm	FALSE	REG	1	4/04/2024	4/04/2024	
DD4	18/04/2024 8:15	Calculated Rainfall	25	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Calculated Rainfall	21	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Calculated Rainfall	30	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Calculated Rainfall	26	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Calculated Rainfall	21	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Calculated Rainfall	23	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	Calculated Rainfall	22	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Calculated Rainfall	20	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Calculated Rainfall	24	mm	FALSE	REG	1	21/05/2024	21/05/2024	
DD24	21/05/2024 13:40	Calculated Rainfall	19	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Calculated Rainfall	12	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Calculated Rainfall	12	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Calculated Rainfall	16	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	Calculated Rainfall	11	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Calculated Rainfall	7	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Calculated Rainfall	13	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Calculated Rainfall	16	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Calculated Rainfall	7	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Calculated Rainfall	7	mm	FALSE	REG	1	13/06/2024	13/06/2024	
DD24	19/06/2024 8:15	Calculated Rainfall	3	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Calculated Rainfall	2	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Calculated Rainfall	2	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Calculated Rainfall	3	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD4	19/06/2024 13:30	Calculated Rainfall	2	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Calculated Rainfall	3	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Calculated Rainfall	4	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Calculated Rainfall	4	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Calculated Rainfall	3	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Calculated Rainfall	4	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Calculated Rainfall	4	mm	FALSE	REG	1	3/07/2024	3/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD23	19/06/2024 15:20	Calculated Rainfall	3	mm	FALSE	REG	1	3/07/2024	3/07/2024	
DD4	18/07/2024 9:07	Calculated Rainfall	93	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Calculated Rainfall	93	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Calculated Rainfall	95	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Calculated Rainfall	86	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Calculated Rainfall	76	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Calculated Rainfall	92	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Calculated Rainfall	86	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Calculated Rainfall	87	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	Calculated Rainfall	94	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Calculated Rainfall	98	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Calculated Rainfall	103	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Calculated Rainfall	95	mm	FALSE	REG	1	5/08/2024	5/08/2024	
DD4	19/06/2023 7:30	Combustible Matter	13	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Combustible Matter	13	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Combustible Matter	33	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Combustible Matter	33	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Combustible Matter	23	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Combustible Matter	30	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Combustible Matter	13	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Combustible Matter	67	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD7	20/07/2023 7:28	Combustible Matter	17	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Combustible Matter	27	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Combustible Matter	10	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Combustible Matter	90	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Combustible Matter	123	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Combustible Matter	180	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Combustible Matter	10	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
	19/08/2023 7:54	Combustible Matter	27	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 8:36	Combustible Matter	57	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:03	Combustible Matter	10	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:25	Combustible Matter	57	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:30	Combustible Matter	216	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:31	Combustible Matter	43	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:43	Combustible Matter	17	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 10:30	Combustible Matter	17	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
DD7	19/09/2023 13:56	Combustible Matter	283	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Combustible Matter	100	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Combustible Matter	40	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Combustible Matter	10	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Combustible Matter	3	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Combustible Matter	10	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Combustible Matter	3	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Combustible Matter	7	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD7	18/10/2023 6:06	Combustible Matter	10	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Combustible Matter	76	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Combustible Matter	13	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Combustible Matter	3	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Combustible Matter	17	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Combustible Matter	17	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD10	18/10/2023 8:14	Combustible Matter	17	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Combustible Matter	3	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD7	20/11/2023 13:56	Combustible Matter	17	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Combustible Matter	13	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Combustible Matter	7	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Combustible Matter	10	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Combustible Matter	123	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Combustible Matter	10	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Combustible Matter	17	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Combustible Matter	13	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD4	20/12/2023 14:50	Combustible Matter	17	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Combustible Matter	13	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Combustible Matter	23	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Combustible Matter	37	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Combustible Matter	37	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Combustible Matter	17	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Combustible Matter	50	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Combustible Matter	40	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD25	31/12/2023 9:00	Combustible Matter	23	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Combustible Matter	13	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Combustible Matter	20	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Combustible Matter	23	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD7	18/01/2024 13:25	Combustible Matter	50	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Combustible Matter	76	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Combustible Matter	67	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Combustible Matter	17	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Combustible Matter	20	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Combustible Matter	47	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Combustible Matter	10	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Combustible Matter	10	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Combustible Matter	13	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Combustible Matter	17	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Combustible Matter	27	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Combustible Matter	40	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD21	20/02/2024 10:38	Combustible Matter	7	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Combustible Matter	10	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Combustible Matter	10	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Combustible Matter	10	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Combustible Matter	30	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Combustible Matter	20	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Combustible Matter	27	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Combustible Matter	23	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD4	19/03/2024 12:01	Combustible Matter	123	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Combustible Matter	57	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Combustible Matter	7	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Combustible Matter	13	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Combustible Matter	70	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Combustible Matter	57	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Combustible Matter	13	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Combustible Matter	13	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD8	21/03/2024 15:06	Combustible Matter	17	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD4	18/04/2024 8:15	Combustible Matter	3	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Combustible Matter	3	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Combustible Matter	76	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Combustible Matter	106	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Combustible Matter	17	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Combustible Matter	123	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD4	22/05/2024 9:38	Combustible Matter	10	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Combustible Matter	13	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Combustible Matter	60	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Combustible Matter	13	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Combustible Matter	10	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Combustible Matter	10	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD4	19/06/2024 13:30	Combustible Matter	7	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Combustible Matter	3	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Combustible Matter	10	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Combustible Matter	10	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Combustible Matter	33	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Combustible Matter	13	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Combustible Matter	400	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Combustible Matter	30	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD4	18/07/2024 9:07	Combustible Matter	10	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Combustible Matter	20	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Combustible Matter	3	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Combustible Matter	17	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Combustible Matter	7	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Combustible Matter	10	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Combustible Matter	96	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Combustible Matter	30	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD4	19/06/2023 7:30	Ash Content	47	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD4	19/06/2023 7:30	Total Soluble Matter	50	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD4	19/06/2023 7:30	Total Insoluble Matter	60	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Ash Content	60	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Total Insoluble Matter	73	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Ash Content	113	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Total Soluble Matter	126	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Total Insoluble Matter	146	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Ash Content	170	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Total Insoluble Matter	203	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Total Soluble Matter	430	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Ash Content	57	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Total Insoluble Matter	80	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Total Soluble Matter	103	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Total Soluble Matter	63	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Ash Content	83	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Total Insoluble Matter	113	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Ash Content	50	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Total Soluble Matter	60	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Total Insoluble Matter	63	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD22	19/06/2023 15:00	Ash Content	113	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Total Soluble Matter	153	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Total Insoluble Matter	180	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD7	20/07/2023 7:28	Total Soluble Matter	37	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD7	20/07/2023 7:28	Ash Content	47	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD7	20/07/2023 7:28	Total Insoluble Matter	63	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Ash Content	47	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Total Insoluble Matter	76	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Total Soluble Matter	96	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Ash Content	27	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Total Insoluble Matter	37	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Total Soluble Matter	53	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Ash Content	60	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Total Insoluble Matter	150	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Total Soluble Matter	310	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Total Soluble Matter	263	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Ash Content	476	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Total Insoluble Matter	599	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Ash Content	110	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Total Insoluble Matter	290	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Total Soluble Matter	373	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Total Soluble Matter	40	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Ash Content	60	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Total Insoluble Matter	70	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
	19/08/2023 7:54	Ash Content	53	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 7:54	Total Insoluble Matter	80	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 7:54	Total Soluble Matter	96	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 8:36	Total Soluble Matter	163	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 8:36	Ash Content	173	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 8:36	Total Insoluble Matter	230	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:03	Ash Content	30	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:03	Total Insoluble Matter	40	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:03	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:25	Ash Content	110	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:25	Total Soluble Matter	143	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:25	Total Insoluble Matter	166	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:30	Ash Content	40	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:30	Total Insoluble Matter	256	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:30	Total Soluble Matter	386	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:31	Ash Content	63	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:31	Total Insoluble Matter	106	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:31	Total Soluble Matter	170	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:43	Ash Content	50	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:43	Total Insoluble Matter	67	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:43	Total Soluble Matter	103	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 10:30	Ash Content	57	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 10:30	Total Insoluble Matter	73	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 10:30	Total Soluble Matter	96	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
DD7	19/09/2023 13:56	Ash Content	103	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD7	19/09/2023 13:56	Total Insoluble Matter	386	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD7	19/09/2023 13:56	Total Soluble Matter	1020	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Ash Content	40	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Total Insoluble Matter	143	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Total Soluble Matter	150	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Ash Content	43	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Total Insoluble Matter	83	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Total Soluble Matter	110	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Ash Content	13	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Total Insoluble Matter	23	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Ash Content	20	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Total Insoluble Matter	23	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Total Soluble Matter	37	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Ash Content	13	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Total Insoluble Matter	27	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Total Soluble Matter	30	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Total Soluble Matter	20	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Ash Content	20	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Total Insoluble Matter	23	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Ash Content	20	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Total Insoluble Matter	27	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Total Soluble Matter	27	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD7	18/10/2023 6:06	Total Soluble Matter	40	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD7	18/10/2023 6:06	Ash Content	60	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD7	18/10/2023 6:06	Total Insoluble Matter	73	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Ash Content	63	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Total Soluble Matter	86	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Total Insoluble Matter	140	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Ash Content	23	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Total Insoluble Matter	37	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Total Soluble Matter	37	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Ash Content	17	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Total Insoluble Matter	20	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	Total Soluble Matter	33	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Ash Content	23	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Total Insoluble Matter	40	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Total Soluble Matter	40	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Ash Content	47	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Total Insoluble Matter	63	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Total Soluble Matter	106	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Ash Content	43	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Total Soluble Matter	50	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Total Insoluble Matter	60	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Total Soluble Matter	23	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Ash Content	27	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Total Insoluble Matter	30	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD7	20/11/2023 13:56	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD7	20/11/2023 13:56	Ash Content	100	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD7	20/11/2023 13:56	Total Insoluble Matter	116	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Ash Content	20	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD8	20/11/2023 14:42	Total Soluble Matter	30	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Total Insoluble Matter	33	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Ash Content	13	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Total Insoluble Matter	20	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Total Soluble Matter	20	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Ash Content	13	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Total Insoluble Matter	23	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Total Soluble Matter	27	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Ash Content	53	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Total Soluble Matter	120	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Total Insoluble Matter	176	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Ash Content	20	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Total Soluble Matter	27	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	Total Insoluble Matter	30	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Ash Content	23	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Total Insoluble Matter	40	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Total Soluble Matter	60	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Ash Content	20	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Total Insoluble Matter	33	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Total Soluble Matter	40	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD4	20/12/2023 14:50	Ash Content	37	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD4	20/12/2023 14:50	Total Insoluble Matter	53	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD4	20/12/2023 14:50	Total Soluble Matter	160	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Ash Content	37	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Total Insoluble Matter	50	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Total Soluble Matter	173	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Ash Content	53	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Total Insoluble Matter	76	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Total Soluble Matter	146	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Ash Content	53	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Total Insoluble Matter	90	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Total Soluble Matter	216	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Ash Content	40	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Total Insoluble Matter	76	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Total Soluble Matter	156	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Ash Content	30	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Total Insoluble Matter	47	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Total Soluble Matter	206	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Total Soluble Matter	193	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Ash Content	206	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Total Insoluble Matter	256	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Ash Content	106	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Total Insoluble Matter	146	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Total Soluble Matter	263	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD25	31/12/2023 9:00	Total Soluble Matter	10	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD25	31/12/2023 9:00	Ash Content	70	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD25	31/12/2023 9:00	Total Insoluble Matter	93	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Total Soluble Matter	7	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Ash Content	47	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Total Insoluble Matter	60	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD26	31/12/2023 9:50	Total Soluble Matter	63	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Ash Content	80	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Total Insoluble Matter	100	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Total Soluble Matter	57	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Ash Content	70	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Total Insoluble Matter	93	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD7	18/01/2024 13:25	Ash Content	40	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD7	18/01/2024 13:25	Total Insoluble Matter	90	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD7	18/01/2024 13:25	Total Soluble Matter	223	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Ash Content	76	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Total Insoluble Matter	153	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Total Soluble Matter	250	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Ash Content	40	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Total Insoluble Matter	106	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Total Soluble Matter	380	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Ash Content	23	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Total Insoluble Matter	40	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Total Soluble Matter	273	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Ash Content	43	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Total Insoluble Matter	63	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Total Soluble Matter	226	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Ash Content	73	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Total Insoluble Matter	123	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Total Soluble Matter	163	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Ash Content	27	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Total Insoluble Matter	37	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Total Soluble Matter	116	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Ash Content	30	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Total Insoluble Matter	40	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Total Soluble Matter	143	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Ash Content	70	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Total Insoluble Matter	83	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Total Soluble Matter	213	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Ash Content	27	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Total Insoluble Matter	43	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Total Soluble Matter	173	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Ash Content	76	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Total Insoluble Matter	103	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Total Soluble Matter	186	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Ash Content	173	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Total Insoluble Matter	213	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Total Soluble Matter	306	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD21	20/02/2024 10:38	Ash Content	17	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD21	20/02/2024 10:38	Total Insoluble Matter	23	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD21	20/02/2024 10:38	Total Soluble Matter	90	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Ash Content	27	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Total Insoluble Matter	37	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Total Soluble Matter	96	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Ash Content	30	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Total Insoluble Matter	40	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD10	20/02/2024 13:40	Total Soluble Matter	86	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Ash Content	20	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Total Insoluble Matter	30	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Ash Content	100	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Total Insoluble Matter	130	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Total Soluble Matter	153	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Ash Content	17	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Total Insoluble Matter	37	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Total Soluble Matter	146	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Ash Content	73	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Total Insoluble Matter	100	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Total Soluble Matter	146	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Ash Content	76	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Total Insoluble Matter	100	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Total Soluble Matter	133	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD4	19/03/2024 12:01	Ash Content	70	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD4	19/03/2024 12:01	Total Insoluble Matter	193	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD4	19/03/2024 12:01	Total Soluble Matter	403	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Ash Content	57	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Total Soluble Matter	106	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Total Insoluble Matter	113	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Ash Content	27	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Total Insoluble Matter	33	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Total Soluble Matter	50	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Ash Content	20	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Total Insoluble Matter	33	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Ash Content	37	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Total Insoluble Matter	106	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Total Soluble Matter	190	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Ash Content	63	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Total Soluble Matter	120	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Total Insoluble Matter	120	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Ash Content	20	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Total Insoluble Matter	33	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Total Soluble Matter	50	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Ash Content	20	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Total Insoluble Matter	33	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Total Soluble Matter	37	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Total Soluble Matter	43	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Ash Content	67	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Total Insoluble Matter	83	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD4	18/04/2024 8:15	Total Soluble Matter	30	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD4	18/04/2024 8:15	Ash Content	33	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD4	18/04/2024 8:15	Total Insoluble Matter	37	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Ash Content	20	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Total Insoluble Matter	23	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Total Soluble Matter	63	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Ash Content	37	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD9	18/04/2024 9:00	Total Insoluble Matter	113	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Total Soluble Matter	156	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Ash Content	50	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Total Insoluble Matter	156	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Total Soluble Matter	370	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Ash Content	30	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Total Insoluble Matter	47	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Total Soluble Matter	123	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Ash Content	100	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Total Soluble Matter	126	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Total Insoluble Matter	223	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD4	22/05/2024 9:38	Total Soluble Matter	30	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	Ash Content	47	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	Total Insoluble Matter	57	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Total Soluble Matter	27	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Ash Content	37	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Total Insoluble Matter	50	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Ash Content	126	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Total Soluble Matter	166	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Total Insoluble Matter	186	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Ash Content	33	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Total Insoluble Matter	47	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Total Soluble Matter	53	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Ash Content	20	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Total Insoluble Matter	30	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Total Soluble Matter	27	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Ash Content	43	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Total Insoluble Matter	53	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD4	19/06/2024 13:30	Total Soluble Matter	33	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD4	19/06/2024 13:30	Ash Content	57	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD4	19/06/2024 13:30	Total Insoluble Matter	63	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Total Insoluble Matter	27	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Total Soluble Matter	27	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Ash Content	27	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Ash Content	30	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Total Insoluble Matter	40	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Total Soluble Matter	43	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Ash Content	23	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Total Insoluble Matter	33	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Total Soluble Matter	40	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Ash Content	60	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Total Soluble Matter	90	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Total Insoluble Matter	93	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Total Soluble Matter	33	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Ash Content	37	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Total Insoluble Matter	50	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Total Soluble Matter	276	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Ash Content	346	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Total Insoluble Matter	746	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD23	19/06/2024 15:20	Total Soluble Matter	40	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Ash Content	136	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Total Insoluble Matter	166	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD4	18/07/2024 9:07	Ash Content	40	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD4	18/07/2024 9:07	Total Insoluble Matter	50	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD4	18/07/2024 9:07	Total Soluble Matter	76	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Total Soluble Matter	343	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Ash Content	2360	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Total Insoluble Matter	2380	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Ash Content	27	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Total Insoluble Matter	30	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Ash Content	23	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Total Insoluble Matter	40	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Total Soluble Matter	73	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Ash Content	23	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Total Insoluble Matter	30	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Total Soluble Matter	80	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Ash Content	40	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Total Insoluble Matter	50	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Total Soluble Matter	67	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Total Soluble Matter	136	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Ash Content	200	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Total Insoluble Matter	296	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Total Soluble Matter	96	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Ash Content	186	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Total Insoluble Matter	216	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD4	19/06/2023 7:30	VOLUME	0.083	L	FALSE	REG	0.001	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	VOLUME	0.286	L	FALSE	REG	0.001	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	VOLUME	0.201	L	FALSE	REG	0.001	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	VOLUME	0.351	L	FALSE	REG	0.001	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	VOLUME	0.251	L	FALSE	REG	0.001	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	VOLUME	0.164	L	FALSE	REG	0.001	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	VOLUME	0.187	L	FALSE	REG	0.001	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	VOLUME	0.174	L	FALSE	REG	0.001	30/06/2023	30/06/2023	
DD7	20/07/2023 7:28	VOLUME	0.393	L	FALSE	REG	0.001	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	VOLUME	0.46	L	FALSE	REG	0.001	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	VOLUME	0.437	L	FALSE	REG	0.001	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	VOLUME	0.399	L	FALSE	REG	0.001	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	VOLUME	0.379	L	FALSE	REG	0.001	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	VOLUME	0.293	L	FALSE	REG	0.001	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	VOLUME	0.366	L	FALSE	REG	0.001	28/07/2023	28/07/2023	
	19/08/2023 7:54	VOLUME	0.652	L	FALSE	REG	0.001	31/08/2023	31/08/2023	
	19/08/2023 8:36	VOLUME	0.376	L	FALSE	REG	0.001	31/08/2023	31/08/2023	
	19/08/2023 9:03	VOLUME	0.455	L	FALSE	REG	0.001	31/08/2023	31/08/2023	
	19/08/2023 9:25	VOLUME	0.555	L	FALSE	REG	0.001	31/08/2023	31/08/2023	
	19/08/2023 9:30	VOLUME	0.877	L	FALSE	REG	0.001	31/08/2023	31/08/2023	
	19/08/2023 9:31	VOLUME	0.647	L	FALSE	REG	0.001	31/08/2023	31/08/2023	
	19/08/2023 9:43	VOLUME	0.663	L	FALSE	REG	0.001	31/08/2023	31/08/2023	
	19/08/2023 10:30	VOLUME	0.707	L	FALSE	REG	0.001	31/08/2023	31/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD7	19/09/2023 13:56	VOLUME	0.041	L	FALSE	REG	0.001	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	VOLUME	0.043	L	FALSE	REG	0.001	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	VOLUME	0.07	L	FALSE	REG	0.001	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	VOLUME	0.048	L	FALSE	REG	0.001	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	VOLUME	0.046	L	FALSE	REG	0.001	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	VOLUME	0.048	L	FALSE	REG	0.001	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	VOLUME	0.033	L	FALSE	REG	0.001	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	VOLUME	0.023	L	FALSE	REG	0.001	26/09/2023	26/09/2023	
DD7	18/10/2023 6:06	VOLUME	0.04	L	FALSE	REG	0.001	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	VOLUME	0.055	L	FALSE	REG	0.001	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	VOLUME	0.065	L	FALSE	REG	0.001	23/10/2023	23/10/2023	
DD21	18/10/2023 6:56	VOLUME	0.035	L	FALSE	REG	0.001	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	VOLUME	0.038	L	FALSE	REG	0.001	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	VOLUME	0.033	L	FALSE	REG	0.001	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	VOLUME	0.054	L	FALSE	REG	0.001	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	VOLUME	0.034	L	FALSE	REG	0.001	23/10/2023	23/10/2023	
DD7	20/11/2023 13:56	VOLUME	0.312	L	FALSE	REG	0.001	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	VOLUME	0.208	L	FALSE	REG	0.001	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	VOLUME	0.2	L	FALSE	REG	0.001	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	VOLUME	0.243	L	FALSE	REG	0.001	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	VOLUME	0.259	L	FALSE	REG	0.001	29/11/2023	29/11/2023	
DD9	20/11/2023 15:35	VOLUME	0.176	L	FALSE	REG	0.001	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	VOLUME	0.229	L	FALSE	REG	0.001	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	VOLUME	0.267	L	FALSE	REG	0.001	29/11/2023	29/11/2023	
DD4	20/12/2023 14:50	VOLUME	1.46	L	FALSE	REG	0.001	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	VOLUME	1.89	L	FALSE	REG	0.001	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	VOLUME	1.76	L	FALSE	REG	0.001	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	VOLUME	2.4	L	FALSE	REG	0.001	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	VOLUME	1.93	L	FALSE	REG	0.001	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	VOLUME	2.27	L	FALSE	REG	0.001	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	VOLUME	2.37	L	FALSE	REG	0.001	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	VOLUME	2.38	L	FALSE	REG	0.001	10/01/2024	10/01/2024	
DD25	31/12/2023 9:00	VOLUME	2.48	L	FALSE	REG	0.001	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	VOLUME	2.47	L	FALSE	REG	0.001	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	VOLUME	2.14	L	FALSE	REG	0.001	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	VOLUME	1.94	L	FALSE	REG	0.001	14/01/2024	14/01/2024	
DD7	18/01/2024 13:25	VOLUME	2.6	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	VOLUME	2.58	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	VOLUME	2.59	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	VOLUME	2.6	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	VOLUME	2.59	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	VOLUME	2.37	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	VOLUME	1.92	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	VOLUME	2.32	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	VOLUME	1.49	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	VOLUME	1.58	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	VOLUME	1.58	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	VOLUME	1.76	L	FALSE	REG	0.001	2/02/2024	2/02/2024	
DD21	20/02/2024 10:38	VOLUME	1.88	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	VOLUME	1.64	L	FALSE	REG	0.001	12/03/2024	12/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD10	20/02/2024 13:40	VOLUME	1.75	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	VOLUME	1.77	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	VOLUME	2.09	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	VOLUME	1.82	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	VOLUME	2.21	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	VOLUME	2.07	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD27	22/02/2024 9:24	VOLUME	2.58	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	VOLUME	2.36	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	VOLUME	2.6	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	VOLUME	1.98	L	FALSE	REG	0.001	12/03/2024	12/03/2024	
DD4	19/03/2024 12:01	VOLUME	0.281	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	VOLUME	0.243	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	VOLUME	0.374	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	VOLUME	0.389	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	VOLUME	0.405	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	VOLUME	0.58	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	VOLUME	0.493	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	VOLUME	0.36	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD24	20/03/2024 7:45	VOLUME	0.117	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	VOLUME	0.437	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	VOLUME	0.305	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	VOLUME	0.246	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	VOLUME	0.481	L	FALSE	REG	0.001	4/04/2024	4/04/2024	
DD4	18/04/2024 8:15	VOLUME	0.441	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	VOLUME	0.371	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	VOLUME	0.539	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	VOLUME	0.458	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	VOLUME	0.378	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	VOLUME	0.405	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD24	18/04/2024 11:32	VOLUME	0.396	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	VOLUME	0.362	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	VOLUME	0.421	L	FALSE	REG	0.001	21/05/2024	21/05/2024	
DD24	21/05/2024 13:40	VOLUME	0.339	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	VOLUME	0.205	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	VOLUME	0.217	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	VOLUME	0.278	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD4	22/05/2024 9:38	VOLUME	0.2	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	VOLUME	0.132	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	VOLUME	0.225	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	VOLUME	0.286	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	VOLUME	0.132	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	VOLUME	0.121	L	FALSE	REG	0.001	13/06/2024	13/06/2024	
DD24	19/06/2024 8:15	VOLUME	0.059	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	VOLUME	0.045	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	VOLUME	0.037	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	VOLUME	0.048	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD4	19/06/2024 13:30	VOLUME	0.04	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	VOLUME	0.058	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	VOLUME	0.078	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	VOLUME	0.067	L	FALSE	REG	0.001	3/07/2024	3/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD21	19/06/2024 14:23	VOLUME	0.059	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	VOLUME	0.068	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	VOLUME	0.065	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	VOLUME	0.046	L	FALSE	REG	0.001	3/07/2024	3/07/2024	
DD4	18/07/2024 9:07	VOLUME	1.65	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	VOLUME	1.65	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	VOLUME	1.69	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	VOLUME	1.52	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	VOLUME	1.35	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	VOLUME	1.64	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	VOLUME	1.51	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	VOLUME	1.54	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD24	18/07/2024 12:55	VOLUME	1.66	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	VOLUME	1.74	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	VOLUME	1.83	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	VOLUME	1.68	L	FALSE	REG	0.001	5/08/2024	5/08/2024	
DD4	19/06/2023 7:30	Total Solids	110	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD6	19/06/2023 8:00	Total Solids	146	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD7	19/06/2023 9:00	Total Solids	273	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD8	19/06/2023 9:20	Total Solids	633	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD9	19/06/2023 13:15	Total Solids	183	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD10	19/06/2023 14:15	Total Solids	176	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD21	19/06/2023 14:30	Total Solids	123	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD22	19/06/2023 15:00	Total Solids	333	mg/m2/da	FALSE	REG	3	30/06/2023	30/06/2023	
DD7	20/07/2023 7:28	Total Solids	100	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD6	20/07/2023 7:50	Total Solids	173	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD21	20/07/2023 8:05	Total Solids	90	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD22	20/07/2023 8:11	Total Solids	460	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD8	20/07/2023 8:35	Total Solids	862	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD10	20/07/2023 9:00	Total Solids	663	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
DD4	20/07/2023 9:20	Total Solids	110	mg/m2/da	FALSE	REG	3	28/07/2023	28/07/2023	
	19/08/2023 7:54	Total Solids	176	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 8:36	Total Solids	393	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:03	Total Solids	113	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:25	Total Solids	310	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:30	Total Solids	643	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:31	Total Solids	276	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 9:43	Total Solids	170	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
	19/08/2023 10:30	Total Solids	170	mg/m2/da	FALSE	REG	3	31/08/2023	31/08/2023	
DD7	19/09/2023 13:56	Total Solids	1410	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD8	19/09/2023 14:42	Total Solids	293	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD22	19/09/2023 14:51	Total Solids	193	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD21	19/09/2023 14:57	Total Solids	96	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD6	19/09/2023 15:27	Total Solids	60	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD9	19/09/2023 15:35	Total Solids	57	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD10	19/09/2023 15:50	Total Solids	43	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD4	19/09/2023 16:05	Total Solids	53	mg/m2/da	FALSE	REG	3	26/09/2023	26/09/2023	
DD7	18/10/2023 6:06	Total Solids	113	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD8	18/10/2023 6:49	Total Solids	226	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD22	18/10/2023 6:49	Total Solids	73	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD21	18/10/2023 6:56	Total Solids	53	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD6	18/10/2023 7:05	Total Solids	80	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD9	18/10/2023 8:02	Total Solids	170	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD10	18/10/2023 8:14	Total Solids	110	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
DD4	18/10/2023 8:35	Total Solids	53	mg/m2/da	FALSE	REG	3	23/10/2023	23/10/2023	
N1S	20/06/2023 8:00	Anions Total	43	meq/L	FALSE	REG	0.01		28/06/2023	
N1S	20/06/2023 8:00	Cations Total	42	meq/L	FALSE	REG	0.01		28/06/2023	
BC2	20/06/2023 9:54	Anions Total	68.4	meq/L	FALSE	REG	0.01		30/06/2023	
BC2	20/06/2023 9:54	Cations Total	69.5	meq/L	FALSE	REG	0.01		30/06/2023	
MB2	20/06/2023 11:07	Anions Total	68.7	meq/L	FALSE	REG	0.01		30/06/2023	
MB2	20/06/2023 11:07	Cations Total	68.9	meq/L	FALSE	REG	0.01		30/06/2023	
MB14	20/06/2023 12:34	Anions Total	40.9	meq/L	FALSE	REG	0.01		30/06/2023	
MB14	20/06/2023 12:34	Cations Total	39.8	meq/L	FALSE	REG	0.01		30/06/2023	
SB2	20/06/2023 15:01	Anions Total	90.6	meq/L	FALSE	REG	0.01		30/06/2023	
SB2	20/06/2023 15:01	Cations Total	85.9	meq/L	FALSE	REG	0.01		30/06/2023	
MB12	20/06/2023 17:09	Anions Total	136	meq/L	FALSE	REG	0.01		30/06/2023	
MB12	20/06/2023 17:09	Cations Total	131	meq/L	FALSE	REG	0.01		30/06/2023	
MB7	21/06/2023 7:25	Anions Total	242	meq/L	FALSE	REG	0.01		30/06/2023	
MB7	21/06/2023 7:25	Cations Total	238	meq/L	FALSE	REG	0.01		30/06/2023	
MB9A	21/06/2023 10:12	Anions Total	114	meq/L	FALSE	REG	0.01		30/06/2023	
MB9A	21/06/2023 10:12	Cations Total	104	meq/L	FALSE	REG	0.01		30/06/2023	
MB1	21/06/2023 13:45	Anions Total	44.8	meq/L	FALSE	REG	0.01		30/06/2023	
MB1	21/06/2023 13:45	Cations Total	44.6	meq/L	FALSE	REG	0.01		30/06/2023	
MB8B	21/06/2023 16:45	Anions Total	102	meq/L	FALSE	REG	0.01		30/06/2023	
MB8B	21/06/2023 16:45	Cations Total	94.1	meq/L	FALSE	REG	0.01		30/06/2023	
MBID28	17/07/2023 14:40	Anions Total	16.9	meq/L	FALSE	REG	0.01		25/07/2023	
MBID28	17/07/2023 14:40	Cations Total	16.5	meq/L	FALSE	REG	0.01		25/07/2023	
MBID23	17/07/2023 15:20	Anions Total	51.5	meq/L	FALSE	REG	0.01		26/07/2023	
MBID23	17/07/2023 15:20	Cations Total	55	meq/L	FALSE	REG	0.01		26/07/2023	
593	17/07/2023 17:00	Anions Total	149	meq/L	FALSE	REG	0.01		26/07/2023	
593	17/07/2023 17:00	Cations Total	145	meq/L	FALSE	REG	0.01		26/07/2023	
594	17/07/2023 17:40	Anions Total	231	meq/L	FALSE	REG	0.01		25/07/2023	
594	17/07/2023 17:40	Cations Total	226	meq/L	FALSE	REG	0.01		25/07/2023	
MBID18	18/07/2023 8:30	Anions Total	308	meq/L	FALSE	REG	0.01		27/07/2023	
MBID18	18/07/2023 8:30	Cations Total	325	meq/L	FALSE	REG	0.01		27/07/2023	
MBID08	18/07/2023 10:40	Anions Total	68.3	meq/L	FALSE	REG	0.01		26/07/2023	
MBID08	18/07/2023 10:40	Cations Total	73.4	meq/L	FALSE	REG	0.01		26/07/2023	
MBID07	18/07/2023 12:00	Anions Total	48.9	meq/L	FALSE	REG	0.01		27/07/2023	
MBID07	18/07/2023 12:00	Cations Total	49.2	meq/L	FALSE	REG	0.01		27/07/2023	
MBID05	18/07/2023 12:45	Anions Total	36	meq/L	FALSE	REG	0.01		26/07/2023	
MBID05	18/07/2023 12:45	Cations Total	35.8	meq/L	FALSE	REG	0.01		26/07/2023	
MBID04	18/07/2023 14:10	Anions Total	210	meq/L	FALSE	REG	0.01		26/07/2023	
MBID04	18/07/2023 14:10	Cations Total	210	meq/L	FALSE	REG	0.01		26/07/2023	
MBID10	18/07/2023 15:10	Anions Total	154	meq/L	FALSE	REG	0.01		27/07/2023	
MBID10	18/07/2023 15:10	Cations Total	158	meq/L	FALSE	REG	0.01		27/07/2023	
MBID21A	18/07/2023 16:00	Anions Total	57.7	meq/L	FALSE	REG	0.01		26/07/2023	
MBID21A	18/07/2023 16:00	Cations Total	59.9	meq/L	FALSE	REG	0.01		26/07/2023	
MBID19A	18/07/2023 17:10	Anions Total	40	meq/L	FALSE	REG	0.01		26/07/2023	
MBID19A	18/07/2023 17:10	Cations Total	42	meq/L	FALSE	REG	0.01		26/07/2023	
MBID17	19/07/2023 8:00	Anions Total	63.7	meq/L	FALSE	REG	0.01		26/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID17	19/07/2023 8:00	Cations Total	64.5	meq/L	FALSE	REG	0.01		26/07/2023	
N1S	8/08/2023 17:00	Anions Total	46.4	meq/L	FALSE	REG	0.01		18/08/2023	
N1S	8/08/2023 17:00	Cations Total	47.4	meq/L	FALSE	REG	0.01		18/08/2023	
SB2	27/08/2023 8:00	Anions Total	91.1	meq/L	FALSE	REG	0.01		4/09/2023	
SB2	27/08/2023 8:00	Cations Total	88.6	meq/L	FALSE	REG	0.01		4/09/2023	
BC2	27/08/2023 9:24	Anions Total	81.7	meq/L	FALSE	REG	0.01		4/09/2023	
BC2	27/08/2023 9:24	Cations Total	75.7	meq/L	FALSE	REG	0.01		4/09/2023	
MB2	27/08/2023 10:55	Anions Total	68.6	meq/L	FALSE	REG	0.01		4/09/2023	
MB2	27/08/2023 10:55	Cations Total	73	meq/L	FALSE	REG	0.01		4/09/2023	
MB14	27/08/2023 13:00	Anions Total	39.6	meq/L	FALSE	REG	0.01		4/09/2023	
MB14	27/08/2023 13:00	Cations Total	40.7	meq/L	FALSE	REG	0.01		4/09/2023	
MB12	27/08/2023 14:27	Anions Total	135	meq/L	FALSE	REG	0.01		4/09/2023	
MB12	27/08/2023 14:27	Cations Total	136	meq/L	FALSE	REG	0.01		4/09/2023	
MB7	27/08/2023 18:00	Anions Total	240	meq/L	FALSE	REG	0.01		4/09/2023	
MB7	27/08/2023 18:00	Cations Total	244	meq/L	FALSE	REG	0.01		4/09/2023	
MB9A	28/08/2023 9:00	Anions Total	112	meq/L	FALSE	REG	0.01		4/09/2023	
MB9A	28/08/2023 9:00	Cations Total	110	meq/L	FALSE	REG	0.01		4/09/2023	
MB8B	28/08/2023 11:48	Anions Total	100	meq/L	FALSE	REG	0.01		4/09/2023	
MB8B	28/08/2023 11:48	Cations Total	100	meq/L	FALSE	REG	0.01		4/09/2023	
N1S	3/09/2023 13:15	Anions Total	59.6	meq/L	FALSE	REG	0.01		19/09/2023	
N1S	3/09/2023 13:15	Cations Total	33.4	meq/L	FALSE	REG	0.01		19/09/2023	
N1S	14/09/2023 12:50	Anions Total	36.6	meq/L	FALSE	REG	0.01		27/09/2023	
N1S	14/09/2023 12:50	Cations Total	34.6	meq/L	FALSE	REG	0.01		27/09/2023	
	18/09/2023 10:00	Anions Total	2.07	meq/L	FALSE	REG	0.01		27/09/2023	
	18/09/2023 10:00	Cations Total	2.27	meq/L	FALSE	REG	0.01		27/09/2023	
	18/09/2023 10:00	Anions Total	3.01	meq/L	FALSE	REG	0.01		27/09/2023	
	18/09/2023 10:00	Cations Total	3.05	meq/L	FALSE	REG	0.01		27/09/2023	
N1S	22/10/2023 13:45	Anions Total	48.7	meq/L	FALSE	REG	0.01		1/11/2023	
N1S	22/10/2023 13:45	Cations Total	48.4	meq/L	FALSE	REG	0.01		1/11/2023	
MBID23	23/10/2023 10:25	Anions Total	47.3	meq/L	FALSE	REG	0.01		1/11/2023	
MBID23	23/10/2023 10:25	Cations Total	48.9	meq/L	FALSE	REG	0.01		1/11/2023	
MBID28	23/10/2023 11:30	Anions Total	17.8	meq/L	FALSE	REG	0.01		1/11/2023	
MBID28	23/10/2023 11:30	Cations Total	17.5	meq/L	FALSE	REG	0.01		1/11/2023	
593	23/10/2023 13:40	Anions Total	146	meq/L	FALSE	REG	0.01		1/11/2023	
593	23/10/2023 13:40	Cations Total	143	meq/L	FALSE	REG	0.01		1/11/2023	
594	23/10/2023 14:35	Anions Total	237	meq/L	FALSE	REG	0.01		1/11/2023	
594	23/10/2023 14:35	Cations Total	236	meq/L	FALSE	REG	0.01		1/11/2023	
MBID18	24/10/2023 7:35	Anions Total	330	meq/L	FALSE	REG	0.01		6/11/2023	
MBID18	24/10/2023 7:35	Cations Total	376	meq/L	FALSE	REG	0.01		6/11/2023	
MBID08	24/10/2023 9:25	Anions Total	71.7	meq/L	FALSE	REG	0.01		1/11/2023	
MBID08	24/10/2023 9:25	Cations Total	75	meq/L	FALSE	REG	0.01		1/11/2023	
MBID07	24/10/2023 10:30	Anions Total	41.6	meq/L	FALSE	REG	0.01		1/11/2023	
MBID07	24/10/2023 10:30	Cations Total	42.2	meq/L	FALSE	REG	0.01		1/11/2023	
	24/10/2023 10:35	Anions Total	42.9	meq/L	FALSE	REG	0.01		3/11/2023	
	24/10/2023 10:35	Cations Total	43.4	meq/L	FALSE	REG	0.01		3/11/2023	
	24/10/2023 10:40	Anions Total	0.04	meq/L	FALSE	REG	0.01		6/11/2023	
	24/10/2023 10:40	Cations Total	0.01	meq/L	FALSE	REG	0.01		6/11/2023	
MBID15	24/10/2023 11:50	Anions Total	271	meq/L	FALSE	REG	0.01		1/11/2023	
MBID15	24/10/2023 11:50	Cations Total	271	meq/L	FALSE	REG	0.01		1/11/2023	
MBID04	24/10/2023 13:50	Anions Total	213	meq/L	FALSE	REG	0.01		3/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID04	24/10/2023 13:50	Cations Total	197	meq/L	FALSE	REG	0.01		3/11/2023	
MBID10	24/10/2023 14:30	Anions Total	226	meq/L	FALSE	REG	0.01		1/11/2023	
MBID10	24/10/2023 14:30	Cations Total	227	meq/L	FALSE	REG	0.01		1/11/2023	
MBID21A	24/10/2023 15:00	Anions Total	55.2	meq/L	FALSE	REG	0.01		3/11/2023	
MBID21A	24/10/2023 15:00	Cations Total	57.4	meq/L	FALSE	REG	0.01		3/11/2023	
MBID19A	24/10/2023 16:15	Anions Total	51.1	meq/L	FALSE	REG	0.01		3/11/2023	
MBID19A	24/10/2023 16:15	Cations Total	51.5	meq/L	FALSE	REG	0.01		3/11/2023	
MBID01	25/10/2023 7:45	Anions Total	81.8	meq/L	FALSE	REG	0.01		3/11/2023	
MBID01	25/10/2023 7:45	Cations Total	81.1	meq/L	FALSE	REG	0.01		3/11/2023	
MBID17	25/10/2023 8:45	Anions Total	84.8	meq/L	FALSE	REG	0.01		3/11/2023	
MBID17	25/10/2023 8:45	Cations Total	82.7	meq/L	FALSE	REG	0.01		3/11/2023	
N1S	21/11/2023 15:00	Anions Total	44.1	meq/L	FALSE	REG	0.01		30/11/2023	
N1S	21/11/2023 15:00	Cations Total	44.4	meq/L	FALSE	REG	0.01		30/11/2023	
MBID23	6/02/2024 9:45	Anions Total	47.8	meq/L	FALSE	REG	0.01		19/02/2024	
MBID23	6/02/2024 9:45	Cations Total	42.5	meq/L	FALSE	REG	0.01		19/02/2024	
MBID28	6/02/2024 12:50	Anions Total	16.7	meq/L	FALSE	REG	0.01		19/02/2024	
MBID28	6/02/2024 12:50	Cations Total	15.2	meq/L	FALSE	REG	0.01		19/02/2024	
593	6/02/2024 13:50	Anions Total	147	meq/L	FALSE	REG	0.01		19/02/2024	
593	6/02/2024 13:50	Cations Total	127	meq/L	FALSE	REG	0.01		19/02/2024	
594	6/02/2024 15:30	Anions Total	233	meq/L	FALSE	REG	0.01		19/02/2024	
594	6/02/2024 15:30	Cations Total	217	meq/L	FALSE	REG	0.01		19/02/2024	
MBID17	6/02/2024 16:50	Anions Total	86.8	meq/L	FALSE	REG	0.01		19/02/2024	
MBID17	6/02/2024 16:50	Cations Total	85.7	meq/L	FALSE	REG	0.01		19/02/2024	
MBID18	7/02/2024 7:50	Anions Total	238	meq/L	FALSE	REG	0.01		19/02/2024	
MBID18	7/02/2024 7:50	Cations Total	222	meq/L	FALSE	REG	0.01		19/02/2024	
MBID15	7/02/2024 9:45	Anions Total	261	meq/L	FALSE	REG	0.01		19/02/2024	
MBID15	7/02/2024 9:45	Cations Total	249	meq/L	FALSE	REG	0.01		19/02/2024	
MBID07	7/02/2024 11:00	Anions Total	44.6	meq/L	FALSE	REG	0.01		19/02/2024	
MBID07	7/02/2024 11:00	Cations Total	40.1	meq/L	FALSE	REG	0.01		19/02/2024	
MBID04	7/02/2024 11:50	Anions Total	122	meq/L	FALSE	REG	0.01		19/02/2024	
MBID04	7/02/2024 11:50	Cations Total	109	meq/L	FALSE	REG	0.01		19/02/2024	
MBID10	7/02/2024 12:15	Anions Total	216	meq/L	FALSE	REG	0.01		19/02/2024	
MBID10	7/02/2024 12:15	Cations Total	203	meq/L	FALSE	REG	0.01		19/02/2024	
MBID21A	7/02/2024 12:30	Anions Total	47.6	meq/L	FALSE	REG	0.01		19/02/2024	
MBID21A	7/02/2024 12:30	Cations Total	43.6	meq/L	FALSE	REG	0.01		19/02/2024	
MBID19A	7/02/2024 13:10	Anions Total	52.8	meq/L	FALSE	REG	0.01		19/02/2024	
MBID19A	7/02/2024 13:10	Cations Total	44.5	meq/L	FALSE	REG	0.01		19/02/2024	
	7/02/2024 13:15	Anions Total	55.7	meq/L	FALSE	REG	0.01		19/02/2024	
	7/02/2024 13:15	Cations Total	47	meq/L	FALSE	REG	0.01		19/02/2024	
MBID01	7/02/2024 13:30	Anions Total	22.9	meq/L	FALSE	REG	0.01		19/02/2024	
MBID01	7/02/2024 13:30	Cations Total	20.9	meq/L	FALSE	REG	0.01		19/02/2024	
BC2	29/02/2024 9:41	Anions Total	90.4	meq/L	FALSE	REG	0.01		11/03/2024	
BC2	29/02/2024 9:41	Cations Total	85.1	meq/L	FALSE	REG	0.01		11/03/2024	
MB2	29/02/2024 11:08	Anions Total	72.2	meq/L	FALSE	REG	0.01		8/03/2024	
MB2	29/02/2024 11:08	Cations Total	76.8	meq/L	FALSE	REG	0.01		8/03/2024	
MB14	29/02/2024 13:25	Anions Total	40	meq/L	FALSE	REG	0.01		8/03/2024	
MB14	29/02/2024 13:25	Cations Total	41	meq/L	FALSE	REG	0.01		8/03/2024	
MB12	29/02/2024 15:13	Anions Total	123	meq/L	FALSE	REG	0.01		8/03/2024	
MB12	29/02/2024 15:13	Cations Total	125	meq/L	FALSE	REG	0.01		8/03/2024	
MB8B	1/03/2024 8:00	Anions Total	100	meq/L	FALSE	REG	0.01		8/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8B	1/03/2024 8:00	Cations Total	97.6	meq/L	FALSE	REG	0.01		8/03/2024	
MB7	1/03/2024 8:55	Anions Total	247	meq/L	FALSE	REG	0.01		8/03/2024	
MB7	1/03/2024 8:55	Cations Total	250	meq/L	FALSE	REG	0.01		8/03/2024	
MB9A	1/03/2024 11:35	Anions Total	113	meq/L	FALSE	REG	0.01		8/03/2024	
MB9A	1/03/2024 11:35	Cations Total	107	meq/L	FALSE	REG	0.01		8/03/2024	
N1S	27/03/2024 13:00	Anions Total	45.6	meq/L	FALSE	REG	0.01		10/04/2024	
N1S	27/03/2024 13:00	Cations Total	44.8	meq/L	FALSE	REG	0.01		10/04/2024	
BC2	17/04/2024 7:30	Anions Total	27.8	meq/L	FALSE	REG	0.01		29/04/2024	
BC2	17/04/2024 7:30	Cations Total	26.1	meq/L	FALSE	REG	0.01		29/04/2024	
MB2	17/04/2024 9:10	Anions Total	19.7	meq/L	FALSE	REG	0.01		29/04/2024	
MB2	17/04/2024 9:10	Cations Total	18.2	meq/L	FALSE	REG	0.01		29/04/2024	
MB12	17/04/2024 9:40	Anions Total	94.7	meq/L	FALSE	REG	0.01		29/04/2024	
MB12	17/04/2024 9:40	Cations Total	80.4	meq/L	FALSE	REG	0.01		29/04/2024	
MB14	17/04/2024 11:25	Anions Total	39.5	meq/L	FALSE	REG	0.01		29/04/2024	
MB14	17/04/2024 11:25	Cations Total	40.1	meq/L	FALSE	REG	0.01		29/04/2024	
Swamp Bore 2	17/04/2024 12:30	Anions Total	73.6	meq/L	FALSE	REG	0.01		29/04/2024	
Swamp Bore 2	17/04/2024 12:30	Cations Total	58.7	meq/L	FALSE	REG	0.01		29/04/2024	
N1S	17/04/2024 13:00	Anions Total	41.8	meq/L	FALSE	REG	0.01		24/04/2024	
N1S	17/04/2024 13:00	Cations Total	40.5	meq/L	FALSE	REG	0.01		24/04/2024	
MB9A	17/04/2024 14:25	Anions Total	104	meq/L	FALSE	REG	0.01		29/04/2024	
MB9A	17/04/2024 14:25	Cations Total	94	meq/L	FALSE	REG	0.01		29/04/2024	
MB8B	17/04/2024 16:40	Anions Total	103	meq/L	FALSE	REG	0.01		26/04/2024	
MB8B	17/04/2024 16:40	Cations Total	99.5	meq/L	FALSE	REG	0.01		26/04/2024	
MB7	17/04/2024 17:00	Anions Total	187	meq/L	FALSE	REG	0.01		26/04/2024	
MB7	17/04/2024 17:00	Cations Total	185	meq/L	FALSE	REG	0.01		26/04/2024	
N1S	21/05/2024	Anions Total	29.8	meq/L	FALSE	REG	0.01		29/05/2024	
N1S	21/05/2024	Cations Total	36.8	meq/L	FALSE	REG	0.01		29/05/2024	
N1S	12/06/2024 12:21	Anions Total	134	meq/L	FALSE	REG	0.01		26/06/2024	
N1S	12/06/2024 12:21	Cations Total	51.2	meq/L	FALSE	REG	0.01		26/06/2024	
	17/07/2024 7:30	Anions Total	1.76	meq/L	FALSE	REG	0.01		22/07/2024	
	17/07/2024 7:30	Cations Total	1.68	meq/L	FALSE	REG	0.01		22/07/2024	
593	22/07/2024 12:55	Anions Total	159	meq/L	FALSE	REG	0.01		1/08/2024	
593	22/07/2024 12:55	Cations Total	141	meq/L	FALSE	REG	0.01		1/08/2024	
594	22/07/2024 14:00	Anions Total	242	meq/L	FALSE	REG	0.01		5/08/2024	
594	22/07/2024 14:00	Cations Total	217	meq/L	FALSE	REG	0.01		5/08/2024	
MBID28	22/07/2024 15:05	Anions Total	14.8	meq/L	FALSE	REG	0.01		1/08/2024	
MBID28	22/07/2024 15:05	Cations Total	13.7	meq/L	FALSE	REG	0.01		1/08/2024	
	22/07/2024 15:10	Anions Total	318	meq/L	FALSE	REG	0.01		5/08/2024	
	22/07/2024 15:10	Cations Total	291	meq/L	FALSE	REG	0.01		5/08/2024	
MBID23	22/07/2024 15:55	Anions Total	47.2	meq/L	FALSE	REG	0.01		1/08/2024	
MBID23	22/07/2024 15:55	Cations Total	43.7	meq/L	FALSE	REG	0.01		1/08/2024	
MBID21	23/07/2024 13:45	Anions Total	40	meq/L	FALSE	REG	0.01		1/08/2024	
MBID21	23/07/2024 13:45	Cations Total	37.9	meq/L	FALSE	REG	0.01		1/08/2024	
MB8	24/07/2024 7:45	Anions Total	108	meq/L	FALSE	REG	0.01		1/08/2024	
MB8	24/07/2024 7:45	Cations Total	92.3	meq/L	FALSE	REG	0.01		1/08/2024	
BC2	24/07/2024 7:50	Anions Total	89.7	meq/L	FALSE	REG	0.01		1/08/2024	
BC2	24/07/2024 7:50	Cations Total	89.8	meq/L	FALSE	REG	0.01		1/08/2024	
MB2	24/07/2024 9:05	Anions Total	62.9	meq/L	FALSE	REG	0.01		1/08/2024	
MB2	24/07/2024 9:05	Cations Total	59.7	meq/L	FALSE	REG	0.01		1/08/2024	
	24/07/2024 9:10	Anions Total	66	meq/L	FALSE	REG	0.01		1/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/07/2024 9:10	Cations Total	60	meq/L	FALSE	REG	0.01		1/08/2024	
MB12	24/07/2024 10:25	Anions Total	100	meq/L	FALSE	REG	0.01		1/08/2024	
MB12	24/07/2024 10:25	Cations Total	83.4	meq/L	FALSE	REG	0.01		1/08/2024	
MB14	24/07/2024 11:35	Anions Total	41.9	meq/L	FALSE	REG	0.01		1/08/2024	
MB14	24/07/2024 11:35	Cations Total	35.9	meq/L	FALSE	REG	0.01		1/08/2024	
	24/07/2024 13:03	Anions Total	39.3	meq/L	FALSE	REG	0.01		1/08/2024	
	24/07/2024 13:03	Cations Total	35.9	meq/L	FALSE	REG	0.01		1/08/2024	
	24/07/2024 13:30	Anions Total	98.1	meq/L	FALSE	REG	0.01		1/08/2024	
	24/07/2024 13:30	Cations Total	83.1	meq/L	FALSE	REG	0.01		1/08/2024	
MB7	24/07/2024 15:30	Anions Total	195	meq/L	FALSE	REG	0.01		1/08/2024	
MB7	24/07/2024 15:30	Cations Total	176	meq/L	FALSE	REG	0.01		1/08/2024	
MB9A	24/07/2024 17:15	Anions Total	120	meq/L	FALSE	REG	0.01		1/08/2024	
MB9A	24/07/2024 17:15	Cations Total	97.8	meq/L	FALSE	REG	0.01		1/08/2024	
BC2	20/06/2023 9:54	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	29/06/2023	
	28/06/2023 14:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	28/06/2023	30/06/2023	
MBID28	17/07/2023 14:40	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
593	17/07/2023 17:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	24/07/2023	24/07/2023	
593	17/07/2023 17:00	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
593	17/07/2023 17:00	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
593	17/07/2023 17:00	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
593	17/07/2023 17:00	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
593	17/07/2023 17:00	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
593	17/07/2023 17:00	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
593	17/07/2023 17:00	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
594	17/07/2023 17:40	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	24/07/2023	24/07/2023	
594	17/07/2023 17:40	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
594	17/07/2023 17:40	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	



Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID10	18/07/2023 15:10	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	TRH >C16-C34 (after silica gel clean)	0.32	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	TRH >C34-C40 (after silica gel clean)	0.11	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	TPH C29-C36 Fraction after Silica Gel Clean	0.08	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	TPH C10-C36 (Total) (after silica gel clean)	0.08	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
	21/07/2023 21:18	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
	21/07/2023 21:18	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
	21/07/2023 21:18	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	21/07/2023	24/07/2023	
	21/07/2023 21:18	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
	21/07/2023 21:18	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
	21/07/2023 21:18	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	21/07/2023	24/07/2023	
	24/07/2023 13:53	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	24/07/2023	24/07/2023	
W5	25/07/2023 13:05	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2023	31/07/2023	
	31/07/2023 12:48	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2023	31/07/2023	
SB2	27/08/2023 8:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/08/2023	31/08/2023	
BC2	27/08/2023 9:24	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005		1/09/2023	
MB2	27/08/2023 10:55	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/08/2023	31/08/2023	
	31/08/2023 13:46	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/08/2023	31/08/2023	
	18/09/2023 10:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	22/09/2023	23/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	18/09/2023 10:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	22/09/2023	23/09/2023	
	22/09/2023 14:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	22/09/2023	23/09/2023	
MBID23	23/10/2023 10:25	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID23	23/10/2023 10:25	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID23	23/10/2023 10:25	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID23	23/10/2023 10:25	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID23	23/10/2023 10:25	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID23	23/10/2023 10:25	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID23	23/10/2023 10:25	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
593	23/10/2023 13:40	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
593	23/10/2023 13:40	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
593	23/10/2023 13:40	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
593	23/10/2023 13:40	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
593	23/10/2023 13:40	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
593	23/10/2023 13:40	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
593	23/10/2023 13:40	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
593	23/10/2023 13:40	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
594	23/10/2023 14:35	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
594	23/10/2023 14:35	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
594	23/10/2023 14:35	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
594	23/10/2023 14:35	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
594	23/10/2023 14:35	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
594	23/10/2023 14:35	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
594	23/10/2023 14:35	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
594	23/10/2023 14:35	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID08	24/10/2023 9:25	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID07	24/10/2023 10:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID07	24/10/2023 10:30	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID07	24/10/2023 10:30	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID07	24/10/2023 10:30	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID07	24/10/2023 10:30	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID07	24/10/2023 10:30	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID07	24/10/2023 10:30	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
	24/10/2023 10:35	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
	24/10/2023 10:35	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
	24/10/2023 10:35	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
	24/10/2023 10:35	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
	24/10/2023 10:35	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
	24/10/2023 10:35	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
	24/10/2023 10:35	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
	24/10/2023 10:35	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
	24/10/2023 10:40	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
	24/10/2023 10:40	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
	24/10/2023 10:40	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
	24/10/2023 10:40	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
	24/10/2023 10:40	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
	24/10/2023 10:40	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
	24/10/2023 10:40	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
	24/10/2023 10:40	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID04	24/10/2023 13:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005		3/11/2023	
MBID04	24/10/2023 13:50	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
MBID21A	24/10/2023 15:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID21A	24/10/2023 15:00	TPH C15-C28 Fraction after Silica	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID21A	24/10/2023 15:00	TPH C29-C36 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID21A	24/10/2023 15:00	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID21A	24/10/2023 15:00	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID21A	24/10/2023 15:00	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID21A	24/10/2023 15:00	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	TPH C10-C14 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	TPH C15-C28 Fraction after Silica	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	TPH C29-C36 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	2/11/2023	
MBID01	25/10/2023 7:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	TPH C10-C14 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	1/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	TPH C15-C28 Fraction after Silica	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	TPH C29-C36 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	1/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	1/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	TPH C10-C14 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	TPH C15-C28 Fraction after Silica	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	TPH C29-C36 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
	31/10/2023 13:35	TPH C10-C14 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
	31/10/2023 13:35	TPH C15-C28 Fraction after Silica	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
	31/10/2023 13:35	TPH C29-C36 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	31/10/2023	1/11/2023	
	31/10/2023 13:35	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
	31/10/2023 13:35	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
	31/10/2023 13:35	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	31/10/2023	1/11/2023	
	1/11/2023 16:09	TPH C10-C14 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	1/11/2023	2/11/2023	
	1/11/2023 16:09	TPH C15-C28 Fraction after Silica	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
	1/11/2023 16:09	TPH C29-C36 Fraction after Silica	0.05	mg/L	FALSE	REG	0.05	1/11/2023	2/11/2023	
	1/11/2023 16:09	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
	1/11/2023 16:09	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
	1/11/2023 16:09	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	1/11/2023	2/11/2023	
	2/11/2023 9:57	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/11/2023	2/11/2023	
W2	27/11/2023 15:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005		6/12/2023	
FG1	27/11/2023 15:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005		6/12/2023	
FG2	28/11/2023 15:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005		6/12/2023	
	4/12/2023 10:51	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	4/12/2023	4/12/2023	
	4/12/2023 10:51	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	4/12/2023	4/12/2023	
W6	4/12/2023 16:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	8/12/2023	9/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	4/12/2023 16:56	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005		11/12/2023	
W1	4/12/2023 17:01	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	8/12/2023	9/12/2023	
	8/12/2023 21:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	8/12/2023	9/12/2023	
W5	3/01/2024 11:32	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
	3/01/2024 11:57	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
	3/01/2024 12:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
	3/01/2024 12:15	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
IR1A	4/01/2024 16:43	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	16/01/2024	16/01/2024	
	5/01/2024 7:01	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	16/01/2024	16/01/2024	
	9/01/2024 10:04	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/01/2024	9/01/2024	
	16/01/2024 13:44	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	16/01/2024	16/01/2024	
MBID23	6/02/2024 9:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	TPH C10-C14 Fraction after Silica Gel	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID23	6/02/2024 9:45	TPH C15-C28 Fraction after Silica Gel	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID23	6/02/2024 9:45	TPH C29-C36 Fraction after Silica Gel	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID23	6/02/2024 9:45	TPH C10-C36 (Total) (after silica gel cleanup)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID23	6/02/2024 9:45	TRH >C10-C16 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID23	6/02/2024 9:45	TRH >C16-C34 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID23	6/02/2024 9:45	TRH >C34-C40 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	TPH C10-C14 Fraction after Silica Gel	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	TPH C15-C28 Fraction after Silica Gel	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	TPH C29-C36 Fraction after Silica Gel	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	TPH C10-C36 (Total) (after silica gel cleanup)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	TRH >C10-C16 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	TRH >C16-C34 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	TRH >C34-C40 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
593	6/02/2024 13:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
593	6/02/2024 13:50	TPH C10-C14 Fraction after Silica Gel	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
593	6/02/2024 13:50	TPH C15-C28 Fraction after Silica Gel	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
593	6/02/2024 13:50	TPH C29-C36 Fraction after Silica Gel	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
593	6/02/2024 13:50	TPH C10-C36 (Total) (after silica gel cleanup)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
593	6/02/2024 13:50	TRH >C10-C16 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
593	6/02/2024 13:50	TRH >C16-C34 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
593	6/02/2024 13:50	TRH >C34-C40 (after silica gel cleanup)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
594	6/02/2024 15:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
594	6/02/2024 15:30	TPH C10-C14 Fraction after Silica Gel	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
594	6/02/2024 15:30	TPH C15-C28 Fraction after Silica Gel	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
594	6/02/2024 15:30	TPH C29-C36 Fraction after Silica Gel	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
594	6/02/2024 15:30	TPH C10-C36 (Total) (after silica gel cleanup)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
594	6/02/2024 15:30	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
594	6/02/2024 15:30	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
594	6/02/2024 15:30	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID10	7/02/2024 12:15	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID10	7/02/2024 12:15	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID10	7/02/2024 12:15	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID10	7/02/2024 12:15	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID10	7/02/2024 12:15	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID10	7/02/2024 12:15	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID10	7/02/2024 12:15	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	7/02/2024 13:15	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	16/02/2024	
	7/02/2024 13:15	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
	7/02/2024 13:15	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	7/02/2024 13:15	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
	7/02/2024 13:15	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
	7/02/2024 13:15	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	7/02/2024 13:15	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	7/02/2024 13:15	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	13/02/2024 12:28	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
	13/02/2024 12:28	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	13/02/2024 12:28	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	13/02/2024	14/02/2024	
	13/02/2024 12:28	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	13/02/2024 12:28	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	13/02/2024 12:28	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	13/02/2024	14/02/2024	
	14/02/2024 15:20	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	14/02/2024	15/02/2024	
W4	15/02/2024 8:17	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	20/02/2024	21/02/2024	
W6	15/02/2024 14:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
	16/02/2024 10:15	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR5	16/02/2024 12:51	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
	20/02/2024 17:35	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	20/02/2024	21/02/2024	
	20/02/2024 17:35	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	20/02/2024	21/02/2024	
	23/02/2024 12:14	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
	23/02/2024 12:14	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
	23/02/2024 12:14	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	23/02/2024	23/02/2024	
FG2	28/02/2024 12:36	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
IR2	28/02/2024 12:40	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005		5/03/2024	
IR4	28/02/2024 12:42	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
	28/02/2024 12:47	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
	28/02/2024 12:51	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
	28/02/2024 12:54	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
	28/02/2024 12:59	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
BC2	29/02/2024 9:41	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	5/03/2024	6/03/2024	
	2/03/2024 14:42	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	2/03/2024	3/03/2024	
	5/03/2024 18:43	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	5/03/2024	5/03/2024	
SSD	13/03/2024 7:28	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	19/03/2024	19/03/2024	
	13/03/2024 9:43	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	19/03/2024	19/03/2024	
	19/03/2024 15:06	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	19/03/2024	19/03/2024	
BC2	17/04/2024 7:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
	23/04/2024 17:41	TPH C10-C14 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	23/04/2024	30/04/2024	
	23/04/2024 17:41	TPH C15-C28 Fraction after Silica C	0.1	mg/L	FALSE	REG	0.1	23/04/2024	30/04/2024	
	23/04/2024 17:41	TPH C29-C36 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	23/04/2024	30/04/2024	
	23/04/2024 17:41	TRH >C10-C16 (after silica gel clean	0.1	mg/L	FALSE	REG	0.1	23/04/2024	30/04/2024	
	23/04/2024 17:41	TRH >C16-C34 (after silica gel clean	0.1	mg/L	FALSE	REG	0.1	23/04/2024	30/04/2024	
	23/04/2024 17:41	TRH >C34-C40 (after silica gel clean	0.1	mg/L	FALSE	REG	0.1	23/04/2024	30/04/2024	
	26/04/2024 10:52	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	26/04/2024	
	26/04/2024 16:20	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	26/04/2024	27/04/2024	
W5	27/06/2024 9:53	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	3/07/2024	4/07/2024	
	27/06/2024 9:57	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	3/07/2024	4/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	27/06/2024 10:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	3/07/2024	4/07/2024	
	3/07/2024 13:58	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	3/07/2024	3/07/2024	
W8	5/07/2024 15:05	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
	5/07/2024 16:37	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
	6/07/2024 7:41	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
	9/07/2024 18:49	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
	9/07/2024 18:49	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	9/07/2024	10/07/2024	
593	22/07/2024 12:55	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2024	31/07/2024	
593	22/07/2024 12:55	TPH C10-C14 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
593	22/07/2024 12:55	TPH C15-C28 Fraction after Silica C	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
593	22/07/2024 12:55	TPH C29-C36 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
593	22/07/2024 12:55	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
593	22/07/2024 12:55	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
593	22/07/2024 12:55	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
593	22/07/2024 12:55	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
594	22/07/2024 14:00	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2024	31/07/2024	
594	22/07/2024 14:00	TPH C10-C14 Fraction after Silica C	0.06	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
594	22/07/2024 14:00	TPH C15-C28 Fraction after Silica C	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
594	22/07/2024 14:00	TPH C29-C36 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
594	22/07/2024 14:00	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
594	22/07/2024 14:00	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
594	22/07/2024 14:00	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
594	22/07/2024 14:00	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	TPH C10-C14 Fraction after Silica C	0.06	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MBID28	22/07/2024 15:05	TPH C15-C28 Fraction after Silica C	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	TPH C29-C36 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
	22/07/2024 15:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005		1/08/2024	
	22/07/2024 15:10	TPH C10-C14 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
	22/07/2024 15:10	TPH C15-C28 Fraction after Silica C	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
	22/07/2024 15:10	TPH C29-C36 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
	22/07/2024 15:10	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
	22/07/2024 15:10	TRH >C10-C16 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
	22/07/2024 15:10	TRH >C16-C34 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
	22/07/2024 15:10	TRH >C34-C40 (after silica gel clea	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID23	22/07/2024 15:55	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	TPH C10-C14 Fraction after Silica C	0.06	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MBID23	22/07/2024 15:55	TPH C15-C28 Fraction after Silica C	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID23	22/07/2024 15:55	TPH C29-C36 Fraction after Silica C	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
MBID23	22/07/2024 15:55	TPH C10-C36 (Total) (after silica ge	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID23	22/07/2024 15:55	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID23	22/07/2024 15:55	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID23	22/07/2024 15:55	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID21	23/07/2024 13:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	TPH C10-C14 Fraction after Silica Gel Clean	0.06	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	Reported Analyte LOR is higher than Requested Analyte LOR
MBID21	23/07/2024 13:45	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID21	23/07/2024 13:45	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
MBID21	23/07/2024 13:45	TPH C10-C36 (Total) (after silica gel clean)	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
MBID21	23/07/2024 13:45	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID21	23/07/2024 13:45	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MBID21	23/07/2024 13:45	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	30/07/2024	
	24/07/2024 9:10	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	31/07/2024	
MB12	24/07/2024 10:25	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	30/07/2024	
MB14	24/07/2024 11:35	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	31/07/2024	
	24/07/2024 13:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	30/07/2024	
	30/07/2024 15:53	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	30/07/2024	30/07/2024	
	30/07/2024 19:38	TPH C10-C14 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
	30/07/2024 19:38	TPH C15-C28 Fraction after Silica Gel Clean	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
	30/07/2024 19:38	TPH C29-C36 Fraction after Silica Gel Clean	0.05	mg/L	FALSE	REG	0.05	30/07/2024	2/08/2024	
	30/07/2024 19:38	TRH >C10-C16 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
	30/07/2024 19:38	TRH >C16-C34 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
	30/07/2024 19:38	TRH >C34-C40 (after silica gel clean)	0.1	mg/L	FALSE	REG	0.1	30/07/2024	2/08/2024	
	31/07/2024 8:54	Naphthalene (BTEX)	0.005	mg/L	FALSE	REG	0.005	31/07/2024	31/07/2024	
BC2	20/06/2023 9:54	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
BC2	20/06/2023 9:54	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
BC2	20/06/2023 9:54	C16-C34	100	µg/L	FALSE	REG	100		30/06/2023	
BC2	20/06/2023 9:54	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
BC2	20/06/2023 9:54	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		30/06/2023	
BC2	20/06/2023 9:54	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
BC2	20/06/2023 9:54	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
BC2	20/06/2023 9:54	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
BC2	20/06/2023 9:54	C29-C36	50	µg/L	FALSE	REG	50		30/06/2023	
BC2	20/06/2023 9:54	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		30/06/2023	
MB2	20/06/2023 11:07	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB2	20/06/2023 11:07	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
MB2	20/06/2023 11:07	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
MB2	20/06/2023 11:07	C16-C34	100	µg/L	FALSE	REG	100		30/06/2023	
MB2	20/06/2023 11:07	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
MB2	20/06/2023 11:07	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		30/06/2023	
MB2	20/06/2023 11:07	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB2	20/06/2023 11:07	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
MB2	20/06/2023 11:07	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
MB2	20/06/2023 11:07	C29-C36	50	µg/L	FALSE	REG	50		30/06/2023	
MB2	20/06/2023 11:07	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		30/06/2023	
MB14	20/06/2023 12:34	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
MB14	20/06/2023 12:34	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
MB14	20/06/2023 12:34	C16-C34	110	µg/L	FALSE	REG	100		30/06/2023	
MB14	20/06/2023 12:34	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
MB14	20/06/2023 12:34	C10-C40 (Sum of total)	110	µg/L	FALSE	REG	100		30/06/2023	
MB14	20/06/2023 12:34	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB14	20/06/2023 12:34	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
MB14	20/06/2023 12:34	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
MB14	20/06/2023 12:34	C29-C36	60	µg/L	FALSE	REG	50		30/06/2023	
MB14	20/06/2023 12:34	C10-C36 (Sum of total)	60	µg/L	FALSE	REG	50		30/06/2023	
SB2	20/06/2023 15:01	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
SB2	20/06/2023 15:01	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
SB2	20/06/2023 15:01	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
SB2	20/06/2023 15:01	C16-C34	100	µg/L	FALSE	REG	100		30/06/2023	
SB2	20/06/2023 15:01	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
SB2	20/06/2023 15:01	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		30/06/2023	
SB2	20/06/2023 15:01	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SB2	20/06/2023 15:01	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
SB2	20/06/2023 15:01	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
SB2	20/06/2023 15:01	C29-C36	50	µg/L	FALSE	REG	50		30/06/2023	
SB2	20/06/2023 15:01	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		30/06/2023	
MB12	20/06/2023 17:09	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
MB12	20/06/2023 17:09	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
MB12	20/06/2023 17:09	C16-C34	100	µg/L	FALSE	REG	100		30/06/2023	
MB12	20/06/2023 17:09	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
MB12	20/06/2023 17:09	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		30/06/2023	
MB12	20/06/2023 17:09	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB12	20/06/2023 17:09	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
MB12	20/06/2023 17:09	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
MB12	20/06/2023 17:09	C29-C36	50	µg/L	FALSE	REG	50		30/06/2023	
MB12	20/06/2023 17:09	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		30/06/2023	
MB7	21/06/2023 7:25	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
MB7	21/06/2023 7:25	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
MB7	21/06/2023 7:25	C16-C34	100	µg/L	FALSE	REG	100		30/06/2023	
MB7	21/06/2023 7:25	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
MB7	21/06/2023 7:25	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		30/06/2023	
MB7	21/06/2023 7:25	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB7	21/06/2023 7:25	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
MB7	21/06/2023 7:25	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
MB7	21/06/2023 7:25	C29-C36	50	µg/L	FALSE	REG	50		30/06/2023	
MB7	21/06/2023 7:25	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		30/06/2023	
MB9A	21/06/2023 10:12	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	21/06/2023 10:12	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
MB9A	21/06/2023 10:12	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
MB9A	21/06/2023 10:12	C16-C34	100	µg/L	FALSE	REG	100		30/06/2023	
MB9A	21/06/2023 10:12	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
MB9A	21/06/2023 10:12	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		30/06/2023	
MB9A	21/06/2023 10:12	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB9A	21/06/2023 10:12	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
MB9A	21/06/2023 10:12	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
MB9A	21/06/2023 10:12	C29-C36	50	µg/L	FALSE	REG	50		30/06/2023	
MB9A	21/06/2023 10:12	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		30/06/2023	
MB1	21/06/2023 13:45	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
MB1	21/06/2023 13:45	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
MB1	21/06/2023 13:45	C16-C34	100	µg/L	FALSE	REG	100		30/06/2023	
MB1	21/06/2023 13:45	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
MB1	21/06/2023 13:45	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		30/06/2023	
MB1	21/06/2023 13:45	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB1	21/06/2023 13:45	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
MB1	21/06/2023 13:45	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
MB1	21/06/2023 13:45	C29-C36	50	µg/L	FALSE	REG	50		30/06/2023	
MB1	21/06/2023 13:45	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		30/06/2023	
MB8B	21/06/2023 16:45	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	C10-C16	100	µg/L	FALSE	REG	100		30/06/2023	
MB8B	21/06/2023 16:45	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		30/06/2023	
MB8B	21/06/2023 16:45	C16-C34	100	µg/L	FALSE	REG	100		30/06/2023	
MB8B	21/06/2023 16:45	C34-C40	100	µg/L	FALSE	REG	100		30/06/2023	
MB8B	21/06/2023 16:45	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		30/06/2023	
MB8B	21/06/2023 16:45	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	29/06/2023	
MB8B	21/06/2023 16:45	C10-C14	50	µg/L	FALSE	REG	50		30/06/2023	
MB8B	21/06/2023 16:45	C15-C28	100	µg/L	FALSE	REG	100		30/06/2023	
MB8B	21/06/2023 16:45	C29-C36	50	µg/L	FALSE	REG	50		30/06/2023	
MB8B	21/06/2023 16:45	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		30/06/2023	
	28/06/2023 14:10	Benzene	1	µg/L	FALSE	REG	1	28/06/2023	30/06/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/06/2023 14:10	Toluene	2	µg/L	FALSE	REG	2	28/06/2023	30/06/2023	
	28/06/2023 14:10	Ethylbenzene	2	µg/L	FALSE	REG	2	28/06/2023	30/06/2023	
	28/06/2023 14:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	28/06/2023	30/06/2023	
	28/06/2023 14:10	Xylene (o)	2	µg/L	FALSE	REG	2	28/06/2023	30/06/2023	
	28/06/2023 14:10	Xylene Total	2	µg/L	FALSE	REG	2	28/06/2023	30/06/2023	
	28/06/2023 14:10	Total BTEX	1	µg/L	FALSE	REG	1	28/06/2023	30/06/2023	
	28/06/2023 14:10	C6-C10	20	µg/L	FALSE	REG	20	28/06/2023	30/06/2023	
	28/06/2023 14:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	28/06/2023	30/06/2023	
	28/06/2023 14:10	C6-C9	20	µg/L	FALSE	REG	20	28/06/2023	30/06/2023	
	30/06/2023 10:18	C10-C16	100	µg/L	FALSE	REG	100	30/06/2023	30/06/2023	
	30/06/2023 10:18	C16-C34	100	µg/L	FALSE	REG	100	30/06/2023	30/06/2023	
	30/06/2023 10:18	C34-C40	100	µg/L	FALSE	REG	100	30/06/2023	30/06/2023	
	30/06/2023 10:18	C10-C14	50	µg/L	FALSE	REG	50	30/06/2023	30/06/2023	
	30/06/2023 10:18	C15-C28	100	µg/L	FALSE	REG	100	30/06/2023	30/06/2023	
	30/06/2023 10:18	C29-C36	50	µg/L	FALSE	REG	50	30/06/2023	30/06/2023	
MBID28	17/07/2023 14:40	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID28	17/07/2023 14:40	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID23	17/07/2023 15:20	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
593	17/07/2023 17:00	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
593	17/07/2023 17:00	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
593	17/07/2023 17:00	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
593	17/07/2023 17:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
593	17/07/2023 17:00	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
593	17/07/2023 17:00	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
593	17/07/2023 17:00	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
593	17/07/2023 17:00	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
593	17/07/2023 17:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
593	17/07/2023 17:00	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
593	17/07/2023 17:00	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
593	17/07/2023 17:00	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
594	17/07/2023 17:40	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
594	17/07/2023 17:40	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
594	17/07/2023 17:40	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
594	17/07/2023 17:40	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
594	17/07/2023 17:40	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
594	17/07/2023 17:40	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
594	17/07/2023 17:40	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
594	17/07/2023 17:40	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
594	17/07/2023 17:40	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
594	17/07/2023 17:40	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
594	17/07/2023 17:40	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
594	17/07/2023 17:40	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID18	18/07/2023 8:30	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID08	18/07/2023 10:40	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID07	18/07/2023 12:00	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID05	18/07/2023 12:45	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID05	18/07/2023 12:45	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID04	18/07/2023 14:10	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID10	18/07/2023 15:10	>C10 - C40 Fraction (sum) (SG)	430	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID21A	18/07/2023 16:00	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID19A	18/07/2023 17:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID19A	18/07/2023 17:10	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
MBID17	19/07/2023 8:00	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	21/07/2023	24/07/2023	
	24/07/2023 13:53	Benzene	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
	24/07/2023 13:53	Toluene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
	24/07/2023 13:53	Ethylbenzene	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
	24/07/2023 13:53	Xylene (m & p)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
	24/07/2023 13:53	Xylene (o)	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
	24/07/2023 13:53	Xylene Total	2	µg/L	FALSE	REG	2	24/07/2023	24/07/2023	
	24/07/2023 13:53	Total BTEX	1	µg/L	FALSE	REG	1	24/07/2023	24/07/2023	
	24/07/2023 13:53	C6-C10	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
	24/07/2023 13:53	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
	24/07/2023 13:53	C6-C9	20	µg/L	FALSE	REG	20	24/07/2023	24/07/2023	
W5	25/07/2023 13:05	Benzene	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Toluene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	C6-C10	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	C10-C16	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	C16-C34	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	C34-C40	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	C6-C9	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W5	25/07/2023 13:05	C10-C14	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	C15-C28	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	C29-C36	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W5	25/07/2023 13:05	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	25/07/2023 13:33	Benzene	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Toluene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	C6-C10	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	C10-C16	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	C16-C34	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	C34-C40	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	C6-C9	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W4	25/07/2023 13:33	C10-C14	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	C15-C28	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	C29-C36	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W4	25/07/2023 13:33	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	Benzene	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Toluene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	C6-C10	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	C10-C16	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	C16-C34	130	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	C34-C40	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	C10-C40 (Sum of total)	130	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	C6-C9	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W7	25/07/2023 15:00	C10-C14	60	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	C15-C28	130	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	C29-C36	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W7	25/07/2023 15:00	C10-C36 (Sum of total)	190	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	Benzene	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Toluene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	C6-C10	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	C10-C16	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	C16-C34	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	25/07/2023 15:35	C34-C40	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	C6-C9	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W6	25/07/2023 15:35	C10-C14	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	C15-C28	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	C29-C36	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W6	25/07/2023 15:35	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	Benzene	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Toluene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	C6-C10	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	C10-C16	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	C16-C34	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	C34-C40	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	C6-C9	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
W6	25/07/2023 15:42	C10-C14	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	C15-C28	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	C29-C36	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
W6	25/07/2023 15:42	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
	29/07/2023 10:39	C10-C16	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
	29/07/2023 10:39	C16-C34	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
	29/07/2023 10:39	C34-C40	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
	29/07/2023 10:39	C10-C14	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
	29/07/2023 10:39	C15-C28	100	µg/L	FALSE	REG	100	29/07/2023	31/07/2023	
	29/07/2023 10:39	C29-C36	50	µg/L	FALSE	REG	50	29/07/2023	31/07/2023	
	31/07/2023 12:48	Benzene	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
	31/07/2023 12:48	Toluene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
	31/07/2023 12:48	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
	31/07/2023 12:48	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
	31/07/2023 12:48	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
	31/07/2023 12:48	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2023	31/07/2023	
	31/07/2023 12:48	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2023	31/07/2023	
	31/07/2023 12:48	C6-C10	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
	31/07/2023 12:48	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
	31/07/2023 12:48	C6-C9	20	µg/L	FALSE	REG	20	31/07/2023	31/07/2023	
SB2	27/08/2023 8:00	Benzene	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	Toluene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	Ethylbenzene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	Xylene (o)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	Xylene Total	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	Total BTEX	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	C6-C10	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
SB2	27/08/2023 8:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	C10-C16	100	µg/L	FALSE	REG	100		2/09/2023	
SB2	27/08/2023 8:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		2/09/2023	
SB2	27/08/2023 8:00	C16-C34	100	µg/L	FALSE	REG	100		2/09/2023	
SB2	27/08/2023 8:00	C34-C40	100	µg/L	FALSE	REG	100		2/09/2023	
SB2	27/08/2023 8:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		2/09/2023	
SB2	27/08/2023 8:00	C6-C9	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
SB2	27/08/2023 8:00	C10-C14	50	µg/L	FALSE	REG	50		2/09/2023	
SB2	27/08/2023 8:00	C15-C28	100	µg/L	FALSE	REG	100		2/09/2023	
SB2	27/08/2023 8:00	C29-C36	50	µg/L	FALSE	REG	50		2/09/2023	
SB2	27/08/2023 8:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		2/09/2023	
BC2	27/08/2023 9:24	Benzene	1	µg/L	FALSE	REG	1		1/09/2023	
BC2	27/08/2023 9:24	Toluene	2	µg/L	FALSE	REG	2		1/09/2023	
BC2	27/08/2023 9:24	Ethylbenzene	2	µg/L	FALSE	REG	2		1/09/2023	
BC2	27/08/2023 9:24	Xylene (m & p)	2	µg/L	FALSE	REG	2		1/09/2023	
BC2	27/08/2023 9:24	Xylene (o)	2	µg/L	FALSE	REG	2		1/09/2023	
BC2	27/08/2023 9:24	Xylene Total	2	µg/L	FALSE	REG	2		1/09/2023	
BC2	27/08/2023 9:24	Total BTEX	1	µg/L	FALSE	REG	1		1/09/2023	
BC2	27/08/2023 9:24	C6-C10	20	µg/L	FALSE	REG	20		1/09/2023	
BC2	27/08/2023 9:24	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20		1/09/2023	
BC2	27/08/2023 9:24	C10-C16	100	µg/L	FALSE	REG	100		2/09/2023	
BC2	27/08/2023 9:24	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		2/09/2023	
BC2	27/08/2023 9:24	C16-C34	100	µg/L	FALSE	REG	100		2/09/2023	
BC2	27/08/2023 9:24	C34-C40	100	µg/L	FALSE	REG	100		2/09/2023	
BC2	27/08/2023 9:24	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		2/09/2023	
BC2	27/08/2023 9:24	C6-C9	20	µg/L	FALSE	REG	20		1/09/2023	
BC2	27/08/2023 9:24	C10-C14	50	µg/L	FALSE	REG	50		2/09/2023	
BC2	27/08/2023 9:24	C15-C28	100	µg/L	FALSE	REG	100		2/09/2023	
BC2	27/08/2023 9:24	C29-C36	50	µg/L	FALSE	REG	50		2/09/2023	
BC2	27/08/2023 9:24	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		2/09/2023	
MB2	27/08/2023 10:55	Benzene	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Toluene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Ethylbenzene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Xylene (o)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Xylene Total	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	Total BTEX	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	C6-C10	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	C10-C16	100	µg/L	FALSE	REG	100		2/09/2023	
MB2	27/08/2023 10:55	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		2/09/2023	
MB2	27/08/2023 10:55	C16-C34	100	µg/L	FALSE	REG	100		2/09/2023	
MB2	27/08/2023 10:55	C34-C40	100	µg/L	FALSE	REG	100		2/09/2023	
MB2	27/08/2023 10:55	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		2/09/2023	
MB2	27/08/2023 10:55	C6-C9	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB2	27/08/2023 10:55	C10-C14	50	µg/L	FALSE	REG	50		2/09/2023	
MB2	27/08/2023 10:55	C15-C28	100	µg/L	FALSE	REG	100		2/09/2023	
MB2	27/08/2023 10:55	C29-C36	50	µg/L	FALSE	REG	50		2/09/2023	
MB2	27/08/2023 10:55	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		2/09/2023	
MB14	27/08/2023 13:00	Benzene	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB14	27/08/2023 13:00	Toluene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Ethylbenzene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Xylene (o)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Xylene Total	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	Total BTEX	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	C6-C10	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	C10-C16	100	µg/L	FALSE	REG	100	31/08/2023	1/09/2023	
MB14	27/08/2023 13:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/08/2023	1/09/2023	
MB14	27/08/2023 13:00	C16-C34	100	µg/L	FALSE	REG	100	31/08/2023	1/09/2023	
MB14	27/08/2023 13:00	C34-C40	100	µg/L	FALSE	REG	100	31/08/2023	1/09/2023	
MB14	27/08/2023 13:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/08/2023	1/09/2023	
MB14	27/08/2023 13:00	C6-C9	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB14	27/08/2023 13:00	C10-C14	50	µg/L	FALSE	REG	50	31/08/2023	1/09/2023	
MB14	27/08/2023 13:00	C15-C28	100	µg/L	FALSE	REG	100	31/08/2023	1/09/2023	
MB14	27/08/2023 13:00	C29-C36	50	µg/L	FALSE	REG	50	31/08/2023	1/09/2023	
MB14	27/08/2023 13:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/08/2023	1/09/2023	
MB12	27/08/2023 14:27	Benzene	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Toluene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Ethylbenzene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Xylene (o)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Xylene Total	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	Total BTEX	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	C6-C10	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	C10-C16	100	µg/L	FALSE	REG	100		2/09/2023	
MB12	27/08/2023 14:27	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		2/09/2023	
MB12	27/08/2023 14:27	C16-C34	100	µg/L	FALSE	REG	100		2/09/2023	
MB12	27/08/2023 14:27	C34-C40	100	µg/L	FALSE	REG	100		2/09/2023	
MB12	27/08/2023 14:27	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		2/09/2023	
MB12	27/08/2023 14:27	C6-C9	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB12	27/08/2023 14:27	C10-C14	50	µg/L	FALSE	REG	50		2/09/2023	
MB12	27/08/2023 14:27	C15-C28	100	µg/L	FALSE	REG	100		2/09/2023	
MB12	27/08/2023 14:27	C29-C36	50	µg/L	FALSE	REG	50		2/09/2023	
MB12	27/08/2023 14:27	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		2/09/2023	
MB7	27/08/2023 18:00	Benzene	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Toluene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Ethylbenzene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Xylene (o)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Xylene Total	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	Total BTEX	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	C6-C10	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	C10-C16	100	µg/L	FALSE	REG	100		2/09/2023	
MB7	27/08/2023 18:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		2/09/2023	
MB7	27/08/2023 18:00	C16-C34	100	µg/L	FALSE	REG	100		2/09/2023	
MB7	27/08/2023 18:00	C34-C40	100	µg/L	FALSE	REG	100		2/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB7	27/08/2023 18:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		2/09/2023	
MB7	27/08/2023 18:00	C6-C9	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB7	27/08/2023 18:00	C10-C14	50	µg/L	FALSE	REG	50		2/09/2023	
MB7	27/08/2023 18:00	C15-C28	100	µg/L	FALSE	REG	100		2/09/2023	
MB7	27/08/2023 18:00	C29-C36	50	µg/L	FALSE	REG	50		2/09/2023	
MB7	27/08/2023 18:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		2/09/2023	
MB9A	28/08/2023 9:00	Benzene	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Toluene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Ethylbenzene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Xylene (o)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Xylene Total	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	Total BTEX	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	C6-C10	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	C10-C16	100	µg/L	FALSE	REG	100		2/09/2023	
MB9A	28/08/2023 9:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		2/09/2023	
MB9A	28/08/2023 9:00	C16-C34	100	µg/L	FALSE	REG	100		2/09/2023	
MB9A	28/08/2023 9:00	C34-C40	100	µg/L	FALSE	REG	100		2/09/2023	
MB9A	28/08/2023 9:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		2/09/2023	
MB9A	28/08/2023 9:00	C6-C9	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB9A	28/08/2023 9:00	C10-C14	50	µg/L	FALSE	REG	50		2/09/2023	
MB9A	28/08/2023 9:00	C15-C28	100	µg/L	FALSE	REG	100		2/09/2023	
MB9A	28/08/2023 9:00	C29-C36	50	µg/L	FALSE	REG	50		2/09/2023	
MB9A	28/08/2023 9:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		2/09/2023	
MB8B	28/08/2023 11:48	Benzene	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Toluene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Ethylbenzene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Xylene (o)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Xylene Total	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	Total BTEX	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	C6-C10	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	C10-C16	100	µg/L	FALSE	REG	100		2/09/2023	
MB8B	28/08/2023 11:48	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		2/09/2023	
MB8B	28/08/2023 11:48	C16-C34	100	µg/L	FALSE	REG	100		2/09/2023	
MB8B	28/08/2023 11:48	C34-C40	100	µg/L	FALSE	REG	100		2/09/2023	
MB8B	28/08/2023 11:48	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		2/09/2023	
MB8B	28/08/2023 11:48	C6-C9	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
MB8B	28/08/2023 11:48	C10-C14	50	µg/L	FALSE	REG	50		2/09/2023	
MB8B	28/08/2023 11:48	C15-C28	100	µg/L	FALSE	REG	100		2/09/2023	
MB8B	28/08/2023 11:48	C29-C36	50	µg/L	FALSE	REG	50		2/09/2023	
MB8B	28/08/2023 11:48	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		2/09/2023	
	31/08/2023 10:04	C10-C16	100	µg/L	FALSE	REG	100	31/08/2023	2/09/2023	
	31/08/2023 10:04	C16-C34	100	µg/L	FALSE	REG	100	31/08/2023	2/09/2023	
	31/08/2023 10:04	C34-C40	100	µg/L	FALSE	REG	100	31/08/2023	2/09/2023	
	31/08/2023 10:04	C10-C14	50	µg/L	FALSE	REG	50	31/08/2023	2/09/2023	
	31/08/2023 10:04	C15-C28	100	µg/L	FALSE	REG	100	31/08/2023	2/09/2023	
	31/08/2023 10:04	C29-C36	50	µg/L	FALSE	REG	50	31/08/2023	2/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	31/08/2023 13:46	Benzene	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
	31/08/2023 13:46	Toluene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
	31/08/2023 13:46	Ethylbenzene	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
	31/08/2023 13:46	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
	31/08/2023 13:46	Xylene (o)	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
	31/08/2023 13:46	Xylene Total	2	µg/L	FALSE	REG	2	31/08/2023	31/08/2023	
	31/08/2023 13:46	Total BTEX	1	µg/L	FALSE	REG	1	31/08/2023	31/08/2023	
	31/08/2023 13:46	C6-C10	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
	31/08/2023 13:46	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
	31/08/2023 13:46	C6-C9	20	µg/L	FALSE	REG	20	31/08/2023	31/08/2023	
	18/09/2023 10:00	Benzene	1	µg/L	FALSE	REG	1	22/09/2023	23/09/2023	
	18/09/2023 10:00	Toluene	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Ethylbenzene	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Xylene (o)	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Xylene Total	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Total BTEX	1	µg/L	FALSE	REG	1	22/09/2023	23/09/2023	
	18/09/2023 10:00	C6-C10	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
	18/09/2023 10:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
	18/09/2023 10:00	C10-C16	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C16-C34	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C34-C40	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C6-C9	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
	18/09/2023 10:00	C10-C14	50	µg/L	FALSE	REG	50		26/09/2023	
	18/09/2023 10:00	C15-C28	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C29-C36	50	µg/L	FALSE	REG	50		26/09/2023	
	18/09/2023 10:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		26/09/2023	
	18/09/2023 10:00	Benzene	1	µg/L	FALSE	REG	1	22/09/2023	23/09/2023	
	18/09/2023 10:00	Toluene	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Ethylbenzene	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Xylene (o)	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Xylene Total	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	18/09/2023 10:00	Total BTEX	1	µg/L	FALSE	REG	1	22/09/2023	23/09/2023	
	18/09/2023 10:00	C6-C10	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
	18/09/2023 10:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
	18/09/2023 10:00	C10-C16	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C16-C34	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C34-C40	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C6-C9	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
	18/09/2023 10:00	C10-C14	50	µg/L	FALSE	REG	50		26/09/2023	
	18/09/2023 10:00	C15-C28	100	µg/L	FALSE	REG	100		26/09/2023	
	18/09/2023 10:00	C29-C36	50	µg/L	FALSE	REG	50		26/09/2023	
	18/09/2023 10:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		26/09/2023	
	22/09/2023 10:44	C10-C16	100	µg/L	FALSE	REG	100	22/09/2023	22/09/2023	
	22/09/2023 10:44	C16-C34	100	µg/L	FALSE	REG	100	22/09/2023	22/09/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/09/2023 10:44	C34-C40	100	µg/L	FALSE	REG	100	22/09/2023	22/09/2023	
	22/09/2023 10:44	C10-C14	50	µg/L	FALSE	REG	50	22/09/2023	22/09/2023	
	22/09/2023 10:44	C15-C28	100	µg/L	FALSE	REG	100	22/09/2023	22/09/2023	
	22/09/2023 10:44	C29-C36	50	µg/L	FALSE	REG	50	22/09/2023	22/09/2023	
	22/09/2023 14:10	Benzene	1	µg/L	FALSE	REG	1	22/09/2023	23/09/2023	
	22/09/2023 14:10	Toluene	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	22/09/2023 14:10	Ethylbenzene	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	22/09/2023 14:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	22/09/2023 14:10	Xylene (o)	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	22/09/2023 14:10	Xylene Total	2	µg/L	FALSE	REG	2	22/09/2023	23/09/2023	
	22/09/2023 14:10	Total BTEX	1	µg/L	FALSE	REG	1	22/09/2023	23/09/2023	
	22/09/2023 14:10	C6-C10	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
	22/09/2023 14:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
	22/09/2023 14:10	C6-C9	20	µg/L	FALSE	REG	20	22/09/2023	23/09/2023	
MBID23	23/10/2023 10:25	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID23	23/10/2023 10:25	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID23	23/10/2023 10:25	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID28	23/10/2023 11:30	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID28	23/10/2023 11:30	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
593	23/10/2023 13:40	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
593	23/10/2023 13:40	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
593	23/10/2023 13:40	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
593	23/10/2023 13:40	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
593	23/10/2023 13:40	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
593	23/10/2023 13:40	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
593	23/10/2023 13:40	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
593	23/10/2023 13:40	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
593	23/10/2023 13:40	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
593	23/10/2023 13:40	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
593	23/10/2023 13:40	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
593	23/10/2023 13:40	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
594	23/10/2023 14:35	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
594	23/10/2023 14:35	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
594	23/10/2023 14:35	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
594	23/10/2023 14:35	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
594	23/10/2023 14:35	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
594	23/10/2023 14:35	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
594	23/10/2023 14:35	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
594	23/10/2023 14:35	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
594	23/10/2023 14:35	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
594	23/10/2023 14:35	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
594	23/10/2023 14:35	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
594	23/10/2023 14:35	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID18	24/10/2023 7:35	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID18	24/10/2023 7:35	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID08	24/10/2023 9:25	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID08	24/10/2023 9:25	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	1/11/2023	
MBID08	24/10/2023 9:25	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	1/11/2023	
MBID07	24/10/2023 10:30	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID07	24/10/2023 10:30	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	1/11/2023	
MBID07	24/10/2023 10:30	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	1/11/2023	
	24/10/2023 10:35	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
	24/10/2023 10:35	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/10/2023 10:35	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:35	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:35	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:35	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:35	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
	24/10/2023 10:35	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
	24/10/2023 10:35	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
	24/10/2023 10:35	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
	24/10/2023 10:35	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
	24/10/2023 10:35	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
	24/10/2023 10:40	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
	24/10/2023 10:40	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:40	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:40	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:40	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:40	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
	24/10/2023 10:40	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
	24/10/2023 10:40	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
	24/10/2023 10:40	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
	24/10/2023 10:40	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
	24/10/2023 10:40	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
	24/10/2023 10:40	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID15	24/10/2023 11:50	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID15	24/10/2023 11:50	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID04	24/10/2023 13:50	Benzene	1	µg/L	FALSE	REG	1		3/11/2023	
MBID04	24/10/2023 13:50	Toluene	2	µg/L	FALSE	REG	2		3/11/2023	
MBID04	24/10/2023 13:50	Ethylbenzene	2	µg/L	FALSE	REG	2		3/11/2023	
MBID04	24/10/2023 13:50	Xylene (m & p)	2	µg/L	FALSE	REG	2		3/11/2023	
MBID04	24/10/2023 13:50	Xylene (o)	2	µg/L	FALSE	REG	2		3/11/2023	
MBID04	24/10/2023 13:50	Xylene Total	2	µg/L	FALSE	REG	2		3/11/2023	
MBID04	24/10/2023 13:50	Total BTEX	1	µg/L	FALSE	REG	1		3/11/2023	
MBID04	24/10/2023 13:50	C6-C10	20	µg/L	FALSE	REG	20		3/11/2023	
MBID04	24/10/2023 13:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20		3/11/2023	
MBID04	24/10/2023 13:50	C6-C9	20	µg/L	FALSE	REG	20		3/11/2023	
MBID04	24/10/2023 13:50	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	1/11/2023	
MBID04	24/10/2023 13:50	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID10	24/10/2023 14:30	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID10	24/10/2023 14:30	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	1/11/2023	
MBID10	24/10/2023 14:30	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	1/11/2023	
MBID21A	24/10/2023 15:00	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID21A	24/10/2023 15:00	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID21A	24/10/2023 15:00	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID19A	24/10/2023 16:15	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID19A	24/10/2023 16:15	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	31/10/2023	2/11/2023	
MBID01	25/10/2023 7:45	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	1/11/2023	2/11/2023	
MBID01	25/10/2023 7:45	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	3/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID17	25/10/2023 8:45	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	3/11/2023	
MBID17	25/10/2023 8:45	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	1/11/2023	2/11/2023	
MBID17	25/10/2023 8:45	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	1/11/2023	2/11/2023	
	2/11/2023 9:57	Benzene	1	µg/L	FALSE	REG	1	2/11/2023	2/11/2023	
	2/11/2023 9:57	Toluene	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
	2/11/2023 9:57	Ethylbenzene	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
	2/11/2023 9:57	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
	2/11/2023 9:57	Xylene (o)	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
	2/11/2023 9:57	Xylene Total	2	µg/L	FALSE	REG	2	2/11/2023	2/11/2023	
	2/11/2023 9:57	Total BTEX	1	µg/L	FALSE	REG	1	2/11/2023	2/11/2023	
	2/11/2023 9:57	C6-C10	20	µg/L	FALSE	REG	20	2/11/2023	2/11/2023	
	2/11/2023 9:57	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/11/2023	2/11/2023	
	2/11/2023 9:57	C6-C9	20	µg/L	FALSE	REG	20	2/11/2023	2/11/2023	
W2	27/11/2023 15:00	Benzene	1	µg/L	FALSE	REG	1		6/12/2023	
W2	27/11/2023 15:00	Toluene	2	µg/L	FALSE	REG	2		6/12/2023	
W2	27/11/2023 15:00	Ethylbenzene	2	µg/L	FALSE	REG	2		6/12/2023	
W2	27/11/2023 15:00	Xylene (m & p)	2	µg/L	FALSE	REG	2		6/12/2023	
W2	27/11/2023 15:00	Xylene (o)	2	µg/L	FALSE	REG	2		6/12/2023	
W2	27/11/2023 15:00	Xylene Total	2	µg/L	FALSE	REG	2		6/12/2023	
W2	27/11/2023 15:00	Total BTEX	1	µg/L	FALSE	REG	1		6/12/2023	
W2	27/11/2023 15:00	C6-C10	20	µg/L	FALSE	REG	20		6/12/2023	
W2	27/11/2023 15:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20		6/12/2023	
W2	27/11/2023 15:00	C10-C16	100	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
W2	27/11/2023 15:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
W2	27/11/2023 15:00	C16-C34	270	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
W2	27/11/2023 15:00	C34-C40	100	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
W2	27/11/2023 15:00	C10-C40 (Sum of total)	270	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
W2	27/11/2023 15:00	C6-C9	20	µg/L	FALSE	REG	20		6/12/2023	
W2	27/11/2023 15:00	C10-C14	50	µg/L	FALSE	REG	50	2/12/2023	5/12/2023	
W2	27/11/2023 15:00	C15-C28	220	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
W2	27/11/2023 15:00	C29-C36	100	µg/L	FALSE	REG	50	2/12/2023	5/12/2023	
W2	27/11/2023 15:00	C10-C36 (Sum of total)	370	µg/L	FALSE	REG	50	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	Benzene	1	µg/L	FALSE	REG	1		6/12/2023	
FG1	27/11/2023 15:30	Toluene	2	µg/L	FALSE	REG	2		6/12/2023	
FG1	27/11/2023 15:30	Ethylbenzene	2	µg/L	FALSE	REG	2		6/12/2023	
FG1	27/11/2023 15:30	Xylene (m & p)	2	µg/L	FALSE	REG	2		6/12/2023	
FG1	27/11/2023 15:30	Xylene (o)	2	µg/L	FALSE	REG	2		6/12/2023	
FG1	27/11/2023 15:30	Xylene Total	2	µg/L	FALSE	REG	2		6/12/2023	
FG1	27/11/2023 15:30	Total BTEX	1	µg/L	FALSE	REG	1		6/12/2023	
FG1	27/11/2023 15:30	C6-C10	20	µg/L	FALSE	REG	20		6/12/2023	
FG1	27/11/2023 15:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20		6/12/2023	
FG1	27/11/2023 15:30	C10-C16	100	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	C16-C34	120	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	C34-C40	100	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	C10-C40 (Sum of total)	120	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	C6-C9	20	µg/L	FALSE	REG	20		6/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FG1	27/11/2023 15:30	C10-C14	50	µg/L	FALSE	REG	50	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	C15-C28	110	µg/L	FALSE	REG	100	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	C29-C36	50	µg/L	FALSE	REG	50	2/12/2023	5/12/2023	
FG1	27/11/2023 15:30	C10-C36 (Sum of total)	110	µg/L	FALSE	REG	50	2/12/2023	5/12/2023	
FG2	28/11/2023 15:45	Benzene	1	µg/L	FALSE	REG	1		6/12/2023	
FG2	28/11/2023 15:45	Toluene	2	µg/L	FALSE	REG	2		6/12/2023	
FG2	28/11/2023 15:45	Ethylbenzene	2	µg/L	FALSE	REG	2		6/12/2023	
FG2	28/11/2023 15:45	Xylene (m & p)	2	µg/L	FALSE	REG	2		6/12/2023	
FG2	28/11/2023 15:45	Xylene (o)	2	µg/L	FALSE	REG	2		6/12/2023	
FG2	28/11/2023 15:45	Xylene Total	2	µg/L	FALSE	REG	2		6/12/2023	
FG2	28/11/2023 15:45	Total BTEX	1	µg/L	FALSE	REG	1		6/12/2023	
FG2	28/11/2023 15:45	C6-C10	20	µg/L	FALSE	REG	20		6/12/2023	
FG2	28/11/2023 15:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20		6/12/2023	
FG2	28/11/2023 15:45	C10-C16	100	µg/L	FALSE	REG	100	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	C16-C34	140	µg/L	FALSE	REG	100	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	C34-C40	100	µg/L	FALSE	REG	100	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	C10-C40 (Sum of total)	140	µg/L	FALSE	REG	100	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	C6-C9	20	µg/L	FALSE	REG	20		6/12/2023	
FG2	28/11/2023 15:45	C10-C14	50	µg/L	FALSE	REG	50	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	C15-C28	130	µg/L	FALSE	REG	100	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	C29-C36	50	µg/L	FALSE	REG	50	4/12/2023	6/12/2023	
FG2	28/11/2023 15:45	C10-C36 (Sum of total)	130	µg/L	FALSE	REG	50	4/12/2023	6/12/2023	
	2/12/2023 10:40	C10-C16	100	µg/L	FALSE	REG	100	2/12/2023	4/12/2023	
	2/12/2023 10:40	C10-C16	100	µg/L	FALSE	REG	100	2/12/2023	4/12/2023	
	2/12/2023 10:40	C16-C34	100	µg/L	FALSE	REG	100	2/12/2023	4/12/2023	
	2/12/2023 10:40	C16-C34	100	µg/L	FALSE	REG	100	2/12/2023	4/12/2023	
	2/12/2023 10:40	C34-C40	100	µg/L	FALSE	REG	100	2/12/2023	4/12/2023	
	2/12/2023 10:40	C34-C40	100	µg/L	FALSE	REG	100	2/12/2023	4/12/2023	
	2/12/2023 10:40	C10-C14	50	µg/L	FALSE	REG	50	2/12/2023	4/12/2023	
	2/12/2023 10:40	C10-C14	50	µg/L	FALSE	REG	50	2/12/2023	4/12/2023	
	2/12/2023 10:40	C15-C28	100	µg/L	FALSE	REG	100	2/12/2023	4/12/2023	
	2/12/2023 10:40	C15-C28	100	µg/L	FALSE	REG	100	2/12/2023	4/12/2023	
	2/12/2023 10:40	C29-C36	50	µg/L	FALSE	REG	50	2/12/2023	4/12/2023	
	2/12/2023 10:40	C29-C36	50	µg/L	FALSE	REG	50	2/12/2023	4/12/2023	
	4/12/2023 10:51	Benzene	1	µg/L	FALSE	REG	1	4/12/2023	4/12/2023	
	4/12/2023 10:51	Benzene	1	µg/L	FALSE	REG	1	4/12/2023	4/12/2023	
	4/12/2023 10:51	Toluene	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Toluene	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Ethylbenzene	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Ethylbenzene	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Xylene (m & p)	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Xylene (m & p)	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Xylene (o)	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Xylene (o)	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Xylene Total	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Xylene Total	2	µg/L	FALSE	REG	2	4/12/2023	4/12/2023	
	4/12/2023 10:51	Total BTEX	1	µg/L	FALSE	REG	1	4/12/2023	4/12/2023	
	4/12/2023 10:51	Total BTEX	1	µg/L	FALSE	REG	1	4/12/2023	4/12/2023	
	4/12/2023 10:51	C6-C10	20	µg/L	FALSE	REG	20	4/12/2023	4/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	4/12/2023 10:51	C6-C10	20	µg/L	FALSE	REG	20	4/12/2023	4/12/2023	
	4/12/2023 10:51	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	4/12/2023	4/12/2023	
	4/12/2023 10:51	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	4/12/2023	4/12/2023	
	4/12/2023 10:51	C6-C9	20	µg/L	FALSE	REG	20	4/12/2023	4/12/2023	
	4/12/2023 10:51	C6-C9	20	µg/L	FALSE	REG	20	4/12/2023	4/12/2023	
W6	4/12/2023 16:50	Benzene	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	Toluene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	Ethylbenzene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	Xylene (m & p)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	Xylene (o)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	Xylene Total	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	Total BTEX	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	C6-C10	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	C10-C16	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	C16-C34	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	C34-C40	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	C6-C9	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W6	4/12/2023 16:50	C10-C14	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	C15-C28	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	C29-C36	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W6	4/12/2023 16:50	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	Benzene	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Toluene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Ethylbenzene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Xylene (m & p)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Xylene (o)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Xylene Total	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	Total BTEX	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	C6-C10	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	C10-C16	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	C16-C34	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	C34-C40	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	C6-C9	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W7	4/12/2023 16:53	C10-C14	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	C15-C28	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	C29-C36	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W7	4/12/2023 16:53	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	Benzene	1	µg/L	FALSE	REG	1		11/12/2023	
W5	4/12/2023 16:56	Toluene	2	µg/L	FALSE	REG	2		11/12/2023	
W5	4/12/2023 16:56	Ethylbenzene	2	µg/L	FALSE	REG	2		11/12/2023	
W5	4/12/2023 16:56	Xylene (m & p)	2	µg/L	FALSE	REG	2		11/12/2023	
W5	4/12/2023 16:56	Xylene (o)	2	µg/L	FALSE	REG	2		11/12/2023	
W5	4/12/2023 16:56	Xylene Total	2	µg/L	FALSE	REG	2		11/12/2023	
W5	4/12/2023 16:56	Total BTEX	1	µg/L	FALSE	REG	1		11/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W5	4/12/2023 16:56	C6-C10	20	µg/L	FALSE	REG	20		11/12/2023	
W5	4/12/2023 16:56	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20		11/12/2023	
W5	4/12/2023 16:56	C10-C16	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	C16-C34	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	C34-C40	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	C6-C9	20	µg/L	FALSE	REG	20		11/12/2023	
W5	4/12/2023 16:56	C10-C14	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	C15-C28	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	C29-C36	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W5	4/12/2023 16:56	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	Benzene	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	Toluene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	Ethylbenzene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	Xylene (m & p)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	Xylene (o)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	Xylene Total	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	Total BTEX	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	C6-C10	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	C10-C16	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	C16-C34	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	C34-C40	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	C6-C9	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W1	4/12/2023 17:01	C10-C14	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	C15-C28	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	C29-C36	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W1	4/12/2023 17:01	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	Benzene	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Toluene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Ethylbenzene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Xylene (m & p)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Xylene (o)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Xylene Total	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	Total BTEX	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	C6-C10	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	C10-C16	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	C16-C34	140	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	C34-C40	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	C10-C40 (Sum of total)	140	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	C6-C9	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
W4	4/12/2023 17:03	C10-C14	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	C15-C28	120	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	C29-C36	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W4	4/12/2023 17:03	C10-C36 (Sum of total)	170	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	4/12/2023 20:55	C10-C16	100	µg/L	FALSE	REG	100	4/12/2023	5/12/2023	
	4/12/2023 20:55	C16-C34	100	µg/L	FALSE	REG	100	4/12/2023	5/12/2023	
	4/12/2023 20:55	C34-C40	100	µg/L	FALSE	REG	100	4/12/2023	5/12/2023	
	4/12/2023 20:55	C10-C14	50	µg/L	FALSE	REG	50	4/12/2023	5/12/2023	
	4/12/2023 20:55	C15-C28	100	µg/L	FALSE	REG	100	4/12/2023	5/12/2023	
	4/12/2023 20:55	C29-C36	50	µg/L	FALSE	REG	50	4/12/2023	5/12/2023	
	8/12/2023 21:30	Benzene	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
	8/12/2023 21:30	Toluene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
	8/12/2023 21:30	Ethylbenzene	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
	8/12/2023 21:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
	8/12/2023 21:30	Xylene (o)	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
	8/12/2023 21:30	Xylene Total	2	µg/L	FALSE	REG	2	8/12/2023	9/12/2023	
	8/12/2023 21:30	Total BTEX	1	µg/L	FALSE	REG	1	8/12/2023	9/12/2023	
	8/12/2023 21:30	C6-C10	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
	8/12/2023 21:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
	8/12/2023 21:30	C6-C9	20	µg/L	FALSE	REG	20	8/12/2023	9/12/2023	
	11/12/2023 10:16	C10-C16	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
	11/12/2023 10:16	C16-C34	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
	11/12/2023 10:16	C34-C40	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
	11/12/2023 10:16	C10-C14	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
	11/12/2023 10:16	C15-C28	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
	11/12/2023 10:16	C29-C36	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
	11/12/2023 10:42	C10-C16	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
	11/12/2023 10:42	C16-C34	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
	11/12/2023 10:42	C34-C40	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
	11/12/2023 10:42	C10-C14	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
	11/12/2023 10:42	C15-C28	100	µg/L	FALSE	REG	100	11/12/2023	12/12/2023	
	11/12/2023 10:42	C29-C36	50	µg/L	FALSE	REG	50	11/12/2023	12/12/2023	
W5	3/01/2024 11:32	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W5	3/01/2024 11:32	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W5	3/01/2024 11:32	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W5	3/01/2024 11:32	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W5	3/01/2024 11:32	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W5	3/01/2024 11:32	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W5	3/01/2024 11:32	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W5	3/01/2024 11:32	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W5	3/01/2024 11:32	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W5	3/01/2024 11:32	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W8	3/01/2024 11:36	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W8	3/01/2024 11:36	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W8	3/01/2024 11:36	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W2	3/01/2024 11:39	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W2	3/01/2024 11:39	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W4	3/01/2024 11:41	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W4	3/01/2024 11:41	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W4	3/01/2024 11:41	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W7	3/01/2024 11:44	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
W7	3/01/2024 11:44	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
	3/01/2024 11:57	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
	3/01/2024 11:57	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 11:57	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 11:57	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 11:57	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 11:57	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 11:57	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
	3/01/2024 11:57	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 11:57	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 11:57	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 11:57	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 11:57	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 11:57	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 11:57	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 11:57	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 11:57	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
	3/01/2024 11:57	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 11:57	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
	3/01/2024 11:57	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CC1	3/01/2024 12:02	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
CC1	3/01/2024 12:02	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
CC1	3/01/2024 12:02	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
W6	3/01/2024 12:06	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
W6	3/01/2024 12:06	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
	3/01/2024 12:10	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
	3/01/2024 12:10	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:10	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:10	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:10	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:10	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
	3/01/2024 12:10	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 12:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 12:10	C10-C16	150	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:10	C10-C16 (F2 minus Naphthalene)	150	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:10	C16-C34	350	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:10	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:10	C10-C40 (Sum of total)	500	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:10	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 12:10	C10-C14	100	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
	3/01/2024 12:10	C15-C28	360	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:10	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
	3/01/2024 12:10	C10-C36 (Sum of total)	510	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
	3/01/2024 12:15	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	3/01/2024 12:15	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:15	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:15	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:15	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:15	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	3/01/2024 12:15	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
	3/01/2024 12:15	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 12:15	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 12:15	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:15	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:15	C16-C34	190	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:15	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:15	C10-C40 (Sum of total)	190	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:15	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	3/01/2024 12:15	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
	3/01/2024 12:15	C15-C28	190	µg/L	FALSE	REG	100	10/01/2024	12/01/2024	
	3/01/2024 12:15	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
	3/01/2024 12:15	C10-C36 (Sum of total)	190	µg/L	FALSE	REG	50	10/01/2024	12/01/2024	
IR1A	4/01/2024 16:43	Benzene	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Toluene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Ethylbenzene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Xylene (m & p)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Xylene (o)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Xylene Total	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	Total BTEX	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	C6-C10	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	C10-C16	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	C16-C34	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	C34-C40	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	C6-C9	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR1A	4/01/2024 16:43	C10-C14	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	C15-C28	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	C29-C36	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR1A	4/01/2024 16:43	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR2	4/01/2024 17:15	Benzene	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Toluene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Ethylbenzene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Xylene (m & p)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Xylene (o)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Xylene Total	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	Total BTEX	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	C6-C10	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	C10-C16	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR2	4/01/2024 17:15	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR2	4/01/2024 17:15	C16-C34	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR2	4/01/2024 17:15	C34-C40	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR2	4/01/2024 17:15	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR2	4/01/2024 17:15	C6-C9	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR2	4/01/2024 17:15	C10-C14	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR2	4/01/2024 17:15	C15-C28	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR2	4/01/2024 17:15	C29-C36	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR2	4/01/2024 17:15	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	Benzene	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Toluene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Ethylbenzene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Xylene (m & p)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Xylene (o)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Xylene Total	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	Total BTEX	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	C6-C10	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	C10-C16	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	C16-C34	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	C34-C40	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	C6-C9	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR5	5/01/2024 6:56	C10-C14	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	C15-C28	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	C29-C36	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR5	5/01/2024 6:56	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
	5/01/2024 7:01	Benzene	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
	5/01/2024 7:01	Toluene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	5/01/2024 7:01	Ethylbenzene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	5/01/2024 7:01	Xylene (m & p)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	5/01/2024 7:01	Xylene (o)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	5/01/2024 7:01	Xylene Total	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	5/01/2024 7:01	Total BTEX	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
	5/01/2024 7:01	C6-C10	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
	5/01/2024 7:01	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
	5/01/2024 7:01	C10-C16	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	5/01/2024 7:01	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	5/01/2024 7:01	C16-C34	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	5/01/2024 7:01	C34-C40	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	5/01/2024 7:01	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	5/01/2024 7:01	C6-C9	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
	5/01/2024 7:01	C10-C14	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
	5/01/2024 7:01	C15-C28	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	5/01/2024 7:01	C29-C36	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
	5/01/2024 7:01	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	Benzene	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Toluene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Ethylbenzene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Xylene (m & p)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Xylene (o)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	Xylene Total	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR4	5/01/2024 7:36	Total BTEX	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	C6-C10	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	C10-C16	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	C16-C34	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	C34-C40	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	C6-C9	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
IR4	5/01/2024 7:36	C10-C14	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	C15-C28	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	C29-C36	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
IR4	5/01/2024 7:36	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
	9/01/2024 10:04	Benzene	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
	9/01/2024 10:04	Toluene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	9/01/2024 10:04	Ethylbenzene	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	9/01/2024 10:04	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	9/01/2024 10:04	Xylene (o)	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	9/01/2024 10:04	Xylene Total	2	µg/L	FALSE	REG	2	9/01/2024	9/01/2024	
	9/01/2024 10:04	Total BTEX	1	µg/L	FALSE	REG	1	9/01/2024	9/01/2024	
	9/01/2024 10:04	C6-C10	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	9/01/2024 10:04	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	9/01/2024 10:04	C6-C9	20	µg/L	FALSE	REG	20	9/01/2024	9/01/2024	
	10/01/2024 14:10	C10-C16	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
	10/01/2024 14:10	C16-C34	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
	10/01/2024 14:10	C34-C40	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
	10/01/2024 14:10	C10-C14	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
	10/01/2024 14:10	C15-C28	100	µg/L	FALSE	REG	100	10/01/2024	11/01/2024	
	10/01/2024 14:10	C29-C36	50	µg/L	FALSE	REG	50	10/01/2024	11/01/2024	
	15/01/2024 20:43	C10-C16	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	15/01/2024 20:43	C16-C34	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	15/01/2024 20:43	C34-C40	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	15/01/2024 20:43	C10-C14	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
	15/01/2024 20:43	C15-C28	100	µg/L	FALSE	REG	100	15/01/2024	19/01/2024	
	15/01/2024 20:43	C29-C36	50	µg/L	FALSE	REG	50	15/01/2024	19/01/2024	
	16/01/2024 13:44	Benzene	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
	16/01/2024 13:44	Toluene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	16/01/2024 13:44	Ethylbenzene	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	16/01/2024 13:44	Xylene (m & p)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	16/01/2024 13:44	Xylene (o)	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	16/01/2024 13:44	Xylene Total	2	µg/L	FALSE	REG	2	16/01/2024	16/01/2024	
	16/01/2024 13:44	Total BTEX	1	µg/L	FALSE	REG	1	16/01/2024	16/01/2024	
	16/01/2024 13:44	C6-C10	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
	16/01/2024 13:44	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
	16/01/2024 13:44	C6-C9	20	µg/L	FALSE	REG	20	16/01/2024	16/01/2024	
MBID23	6/02/2024 9:45	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID23	6/02/2024 9:45	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID23	6/02/2024 9:45	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID23	6/02/2024 9:45	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID28	6/02/2024 12:50	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID28	6/02/2024 12:50	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
593	6/02/2024 13:50	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
593	6/02/2024 13:50	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
593	6/02/2024 13:50	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
593	6/02/2024 13:50	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
593	6/02/2024 13:50	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
593	6/02/2024 13:50	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
593	6/02/2024 13:50	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
593	6/02/2024 13:50	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
593	6/02/2024 13:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
593	6/02/2024 13:50	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
593	6/02/2024 13:50	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
593	6/02/2024 13:50	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
594	6/02/2024 15:30	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
594	6/02/2024 15:30	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
594	6/02/2024 15:30	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
594	6/02/2024 15:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
594	6/02/2024 15:30	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
594	6/02/2024 15:30	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
594	6/02/2024 15:30	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
594	6/02/2024 15:30	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
594	6/02/2024 15:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
594	6/02/2024 15:30	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
594	6/02/2024 15:30	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
594	6/02/2024 15:30	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID17	6/02/2024 16:50	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID17	6/02/2024 16:50	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID17	6/02/2024 16:50	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID18	7/02/2024 7:50	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID18	7/02/2024 7:50	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID15	7/02/2024 9:45	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID15	7/02/2024 9:45	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
MBID07	7/02/2024 11:00	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID07	7/02/2024 11:00	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MBID04	7/02/2024 11:50	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
MBID04	7/02/2024 11:50	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID04	7/02/2024 11:50	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID10	7/02/2024 12:15	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID10	7/02/2024 12:15	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID10	7/02/2024 12:15	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID21A	7/02/2024 12:30	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID21A	7/02/2024 12:30	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
MBID19A	7/02/2024 13:10	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID19A	7/02/2024 13:10	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
	7/02/2024 13:15	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
	7/02/2024 13:15	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
	7/02/2024 13:15	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
	7/02/2024 13:15	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
	7/02/2024 13:15	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
	7/02/2024 13:15	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	16/02/2024	
	7/02/2024 13:15	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	16/02/2024	
	7/02/2024 13:15	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
	7/02/2024 13:15	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
	7/02/2024 13:15	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	16/02/2024	
	7/02/2024 13:15	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	7/02/2024 13:15	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
MBID01	7/02/2024 13:30	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
MBID01	7/02/2024 13:30	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	13/02/2024	14/02/2024	
	14/02/2024 15:20	Benzene	1	µg/L	FALSE	REG	1	14/02/2024	15/02/2024	
	14/02/2024 15:20	Toluene	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
	14/02/2024 15:20	Ethylbenzene	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
	14/02/2024 15:20	Xylene (m & p)	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
	14/02/2024 15:20	Xylene (o)	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
	14/02/2024 15:20	Xylene Total	2	µg/L	FALSE	REG	2	14/02/2024	15/02/2024	
	14/02/2024 15:20	Total BTEX	1	µg/L	FALSE	REG	1	14/02/2024	15/02/2024	
	14/02/2024 15:20	C6-C10	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
	14/02/2024 15:20	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
	14/02/2024 15:20	C6-C9	20	µg/L	FALSE	REG	20	14/02/2024	15/02/2024	
W4	15/02/2024 8:17	Benzene	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	Toluene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	Ethylbenzene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	Xylene (m & p)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	Xylene (o)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	Xylene Total	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	Total BTEX	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	C6-C10	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	C6-C9	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
W4	15/02/2024 8:17	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
W4	15/02/2024 8:17	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	Benzene	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	Toluene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	Ethylbenzene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	Xylene (m & p)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	Xylene (o)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	Xylene Total	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	Total BTEX	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	C6-C10	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W2	15/02/2024 9:12	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	C6-C9	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
W2	15/02/2024 9:12	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
W2	15/02/2024 9:12	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	Benzene	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	Toluene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	Ethylbenzene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	Xylene (m & p)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	Xylene (o)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	Xylene Total	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	Total BTEX	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	C6-C10	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	C6-C9	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
IR2	15/02/2024 10:49	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
IR2	15/02/2024 10:49	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	Benzene	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	Toluene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	Ethylbenzene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	Xylene (m & p)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	Xylene (o)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	Xylene Total	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	Total BTEX	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	C6-C10	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	C6-C9	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
IR1A	15/02/2024 12:15	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
IR1A	15/02/2024 12:15	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
W6	15/02/2024 14:45	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	15/02/2024 14:45	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 14:45	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 14:45	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 14:45	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 14:45	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 14:45	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W6	15/02/2024 14:45	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	23/02/2024	
W6	15/02/2024 14:45	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 14:45	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	23/02/2024	
W6	15/02/2024 14:45	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W6	15/02/2024 15:00	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	23/02/2024	
W6	15/02/2024 15:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	21/02/2024	23/02/2024	
W8	16/02/2024 10:04	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	C10-C16	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W8	16/02/2024 10:04	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W8	16/02/2024 10:04	C16-C34	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W8	16/02/2024 10:04	C34-C40	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W8	16/02/2024 10:04	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W8	16/02/2024 10:04	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W8	16/02/2024 10:04	C10-C14	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
W8	16/02/2024 10:04	C15-C28	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W8	16/02/2024 10:04	C29-C36	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
W8	16/02/2024 10:04	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
	16/02/2024 10:15	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	16/02/2024 10:15	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	16/02/2024 10:15	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	16/02/2024 10:15	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	16/02/2024 10:15	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	16/02/2024 10:15	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	16/02/2024 10:15	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	16/02/2024 10:15	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	16/02/2024 10:15	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	16/02/2024 10:15	C10-C16	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	16/02/2024 10:15	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	16/02/2024 10:15	C16-C34	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	16/02/2024 10:15	C34-C40	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	16/02/2024 10:15	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	16/02/2024 10:15	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	16/02/2024 10:15	C10-C14	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
	16/02/2024 10:15	C15-C28	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	16/02/2024 10:15	C29-C36	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
	16/02/2024 10:15	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	C10-C16	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	C16-C34	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	C34-C40	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
W5	16/02/2024 10:56	C10-C14	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	C15-C28	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	C29-C36	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
W5	16/02/2024 10:56	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR4	16/02/2024 11:41	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	C10-C16	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	C16-C34	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	C34-C40	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
IR4	16/02/2024 11:41	C10-C14	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	C15-C28	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	C29-C36	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
IR4	16/02/2024 11:41	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	C10-C16	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	C16-C34	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	C34-C40	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
IR5	16/02/2024 12:51	C10-C14	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	C15-C28	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	C29-C36	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
IR5	16/02/2024 12:51	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
	20/02/2024 17:35	Benzene	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
	20/02/2024 17:35	Benzene	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
	20/02/2024 17:35	Toluene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Toluene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Ethylbenzene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Ethylbenzene	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Xylene (m & p)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Xylene (m & p)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Xylene (o)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Xylene (o)	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Xylene Total	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Xylene Total	2	µg/L	FALSE	REG	2	20/02/2024	21/02/2024	
	20/02/2024 17:35	Total BTEX	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
	20/02/2024 17:35	Total BTEX	1	µg/L	FALSE	REG	1	20/02/2024	21/02/2024	
	20/02/2024 17:35	C6-C10	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
	20/02/2024 17:35	C6-C10	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
	20/02/2024 17:35	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
	20/02/2024 17:35	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	20/02/2024 17:35	C6-C9	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
	20/02/2024 17:35	C6-C9	20	µg/L	FALSE	REG	20	20/02/2024	21/02/2024	
	21/02/2024 13:54	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
	21/02/2024 13:54	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
	21/02/2024 13:54	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
	21/02/2024 13:54	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
	21/02/2024 13:54	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
	21/02/2024 13:54	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
	21/02/2024 13:54	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
	21/02/2024 13:54	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
	21/02/2024 13:54	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
	21/02/2024 13:54	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	22/02/2024	
	21/02/2024 13:54	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
	21/02/2024 13:54	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	22/02/2024	
	21/02/2024 21:05	C10-C16	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
	21/02/2024 21:05	C16-C34	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
	21/02/2024 21:05	C34-C40	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
	21/02/2024 21:05	C10-C14	50	µg/L	FALSE	REG	50	21/02/2024	23/02/2024	
	21/02/2024 21:05	C15-C28	100	µg/L	FALSE	REG	100	21/02/2024	23/02/2024	
	21/02/2024 21:05	C29-C36	50	µg/L	FALSE	REG	50	21/02/2024	23/02/2024	
	23/02/2024 11:08	C10-C16	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	23/02/2024 11:08	C10-C16	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	23/02/2024 11:08	C16-C34	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	23/02/2024 11:08	C16-C34	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	23/02/2024 11:08	C34-C40	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	23/02/2024 11:08	C34-C40	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	23/02/2024 11:08	C10-C14	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
	23/02/2024 11:08	C10-C14	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
	23/02/2024 11:08	C15-C28	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	23/02/2024 11:08	C15-C28	100	µg/L	FALSE	REG	100	23/02/2024	25/02/2024	
	23/02/2024 11:08	C29-C36	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
	23/02/2024 11:08	C29-C36	50	µg/L	FALSE	REG	50	23/02/2024	25/02/2024	
	23/02/2024 12:14	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 12:14	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 12:14	Benzene	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 12:14	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Toluene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Ethylbenzene	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene (m & p)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene (o)	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	
	23/02/2024 12:14	Xylene Total	2	µg/L	FALSE	REG	2	23/02/2024	23/02/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	23/02/2024 12:14	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 12:14	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 12:14	Total BTEX	1	µg/L	FALSE	REG	1	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C10	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
	23/02/2024 12:14	C6-C9	20	µg/L	FALSE	REG	20	23/02/2024	23/02/2024	
FG2	28/02/2024 12:36	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	C10-C16	100	µg/L	FALSE	REG	100		7/03/2024	
FG2	28/02/2024 12:36	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		7/03/2024	
FG2	28/02/2024 12:36	C16-C34	100	µg/L	FALSE	REG	100		7/03/2024	
FG2	28/02/2024 12:36	C34-C40	100	µg/L	FALSE	REG	100		7/03/2024	
FG2	28/02/2024 12:36	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		7/03/2024	
FG2	28/02/2024 12:36	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
FG2	28/02/2024 12:36	C10-C14	50	µg/L	FALSE	REG	50		7/03/2024	
FG2	28/02/2024 12:36	C15-C28	100	µg/L	FALSE	REG	100		7/03/2024	
FG2	28/02/2024 12:36	C29-C36	50	µg/L	FALSE	REG	50		7/03/2024	
FG2	28/02/2024 12:36	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		7/03/2024	
IR2	28/02/2024 12:40	Benzene	1	µg/L	FALSE	REG	1		5/03/2024	
IR2	28/02/2024 12:40	Toluene	2	µg/L	FALSE	REG	2		5/03/2024	
IR2	28/02/2024 12:40	Ethylbenzene	2	µg/L	FALSE	REG	2		5/03/2024	
IR2	28/02/2024 12:40	Xylene (m & p)	2	µg/L	FALSE	REG	2		5/03/2024	
IR2	28/02/2024 12:40	Xylene (o)	2	µg/L	FALSE	REG	2		5/03/2024	
IR2	28/02/2024 12:40	Xylene Total	2	µg/L	FALSE	REG	2		5/03/2024	
IR2	28/02/2024 12:40	Total BTEX	1	µg/L	FALSE	REG	1		5/03/2024	
IR2	28/02/2024 12:40	C6-C10	20	µg/L	FALSE	REG	20		5/03/2024	
IR2	28/02/2024 12:40	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20		5/03/2024	
IR2	28/02/2024 12:40	C10-C16	100	µg/L	FALSE	REG	100		7/03/2024	
IR2	28/02/2024 12:40	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		7/03/2024	
IR2	28/02/2024 12:40	C16-C34	100	µg/L	FALSE	REG	100		7/03/2024	
IR2	28/02/2024 12:40	C34-C40	100	µg/L	FALSE	REG	100		7/03/2024	
IR2	28/02/2024 12:40	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		7/03/2024	
IR2	28/02/2024 12:40	C6-C9	20	µg/L	FALSE	REG	20		5/03/2024	
IR2	28/02/2024 12:40	C10-C14	50	µg/L	FALSE	REG	50		7/03/2024	
IR2	28/02/2024 12:40	C15-C28	100	µg/L	FALSE	REG	100		7/03/2024	
IR2	28/02/2024 12:40	C29-C36	50	µg/L	FALSE	REG	50		7/03/2024	
IR2	28/02/2024 12:40	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		7/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR4	28/02/2024 12:42	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	C10-C16	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	C16-C34	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	C34-C40	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
IR4	28/02/2024 12:42	C10-C14	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	C15-C28	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	C29-C36	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
IR4	28/02/2024 12:42	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	C10-C16	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	C16-C34	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	C34-C40	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
IR5	28/02/2024 12:45	C10-C14	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	C15-C28	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	C29-C36	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
IR5	28/02/2024 12:45	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
	28/02/2024 12:47	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	28/02/2024 12:47	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:47	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:47	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:47	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:47	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:47	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	28/02/2024 12:47	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:47	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:47	C10-C16	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
	28/02/2024 12:47	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
	28/02/2024 12:47	C16-C34	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/02/2024 12:47	C34-C40	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
	28/02/2024 12:47	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
	28/02/2024 12:47	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:47	C10-C14	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
	28/02/2024 12:47	C15-C28	100	µg/L	FALSE	REG	100	6/03/2024	6/03/2024	
	28/02/2024 12:47	C29-C36	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
	28/02/2024 12:47	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	6/03/2024	6/03/2024	
MWD	28/02/2024 12:49	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	C10-C16	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
MWD	28/02/2024 12:49	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
MWD	28/02/2024 12:49	C16-C34	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
MWD	28/02/2024 12:49	C34-C40	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
MWD	28/02/2024 12:49	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
MWD	28/02/2024 12:49	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
MWD	28/02/2024 12:49	C10-C14	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
MWD	28/02/2024 12:49	C15-C28	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
MWD	28/02/2024 12:49	C29-C36	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
MWD	28/02/2024 12:49	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:51	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	28/02/2024 12:51	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:51	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:51	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:51	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:51	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:51	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	28/02/2024 12:51	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:51	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:51	C10-C16	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:51	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:51	C16-C34	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:51	C34-C40	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:51	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:51	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:51	C10-C14	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:51	C15-C28	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:51	C29-C36	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:51	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:54	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	28/02/2024 12:54	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:54	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:54	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:54	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/02/2024 12:54	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:54	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	28/02/2024 12:54	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:54	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:54	C10-C16	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:54	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:54	C16-C34	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:54	C34-C40	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:54	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:54	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:54	C10-C14	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:54	C15-C28	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:54	C29-C36	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:54	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:59	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	28/02/2024 12:59	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:59	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:59	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:59	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:59	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	28/02/2024 12:59	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	28/02/2024 12:59	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:59	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:59	C10-C16	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:59	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:59	C16-C34	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:59	C34-C40	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:59	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:59	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	28/02/2024 12:59	C10-C14	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:59	C15-C28	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	28/02/2024 12:59	C29-C36	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	28/02/2024 12:59	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
BC2	29/02/2024 9:41	Benzene	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Toluene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Ethylbenzene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Xylene (m & p)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Xylene (o)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Xylene Total	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	Total BTEX	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	C6-C10	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	C10-C16	100	µg/L	FALSE	REG	100		12/03/2024	
BC2	29/02/2024 9:41	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		12/03/2024	
BC2	29/02/2024 9:41	C16-C34	100	µg/L	FALSE	REG	100		12/03/2024	
BC2	29/02/2024 9:41	C34-C40	100	µg/L	FALSE	REG	100		12/03/2024	
BC2	29/02/2024 9:41	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		12/03/2024	
BC2	29/02/2024 9:41	C6-C9	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
BC2	29/02/2024 9:41	C10-C14	50	µg/L	FALSE	REG	50		12/03/2024	
BC2	29/02/2024 9:41	C15-C28	100	µg/L	FALSE	REG	100		12/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
BC2	29/02/2024 9:41	C29-C36	50	µg/L	FALSE	REG	50		12/03/2024	
BC2	29/02/2024 9:41	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		12/03/2024	
MB2	29/02/2024 11:08	Benzene	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Toluene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Ethylbenzene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Xylene (m & p)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Xylene (o)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Xylene Total	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	Total BTEX	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	C6-C10	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	C10-C16	100	µg/L	FALSE	REG	100		12/03/2024	
MB2	29/02/2024 11:08	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		12/03/2024	
MB2	29/02/2024 11:08	C16-C34	100	µg/L	FALSE	REG	100		12/03/2024	
MB2	29/02/2024 11:08	C34-C40	100	µg/L	FALSE	REG	100		12/03/2024	
MB2	29/02/2024 11:08	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		12/03/2024	
MB2	29/02/2024 11:08	C6-C9	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB2	29/02/2024 11:08	C10-C14	50	µg/L	FALSE	REG	50		12/03/2024	
MB2	29/02/2024 11:08	C15-C28	100	µg/L	FALSE	REG	100		12/03/2024	
MB2	29/02/2024 11:08	C29-C36	50	µg/L	FALSE	REG	50		12/03/2024	
MB2	29/02/2024 11:08	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		12/03/2024	
MB14	29/02/2024 13:25	Benzene	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Toluene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Ethylbenzene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Xylene (m & p)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Xylene (o)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Xylene Total	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	Total BTEX	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	C6-C10	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	C10-C16	100	µg/L	FALSE	REG	100		12/03/2024	
MB14	29/02/2024 13:25	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		12/03/2024	
MB14	29/02/2024 13:25	C16-C34	100	µg/L	FALSE	REG	100		12/03/2024	
MB14	29/02/2024 13:25	C34-C40	100	µg/L	FALSE	REG	100		12/03/2024	
MB14	29/02/2024 13:25	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		12/03/2024	
MB14	29/02/2024 13:25	C6-C9	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB14	29/02/2024 13:25	C10-C14	50	µg/L	FALSE	REG	50		12/03/2024	
MB14	29/02/2024 13:25	C15-C28	100	µg/L	FALSE	REG	100		12/03/2024	
MB14	29/02/2024 13:25	C29-C36	50	µg/L	FALSE	REG	50		12/03/2024	
MB14	29/02/2024 13:25	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		12/03/2024	
MB12	29/02/2024 15:13	Benzene	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Toluene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Ethylbenzene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Xylene (m & p)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Xylene (o)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Xylene Total	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	Total BTEX	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	C6-C10	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	C10-C16	100	µg/L	FALSE	REG	100		12/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB12	29/02/2024 15:13	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		12/03/2024	
MB12	29/02/2024 15:13	C16-C34	100	µg/L	FALSE	REG	100		12/03/2024	
MB12	29/02/2024 15:13	C34-C40	100	µg/L	FALSE	REG	100		12/03/2024	
MB12	29/02/2024 15:13	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		12/03/2024	
MB12	29/02/2024 15:13	C6-C9	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB12	29/02/2024 15:13	C10-C14	50	µg/L	FALSE	REG	50		12/03/2024	
MB12	29/02/2024 15:13	C15-C28	100	µg/L	FALSE	REG	100		12/03/2024	
MB12	29/02/2024 15:13	C29-C36	50	µg/L	FALSE	REG	50		12/03/2024	
MB12	29/02/2024 15:13	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		12/03/2024	
MB8B	1/03/2024 8:00	Benzene	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Toluene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Ethylbenzene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Xylene (o)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Xylene Total	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	Total BTEX	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	C6-C10	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	C10-C16	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB8B	1/03/2024 8:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB8B	1/03/2024 8:00	C16-C34	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB8B	1/03/2024 8:00	C34-C40	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB8B	1/03/2024 8:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB8B	1/03/2024 8:00	C6-C9	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB8B	1/03/2024 8:00	C10-C14	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
MB8B	1/03/2024 8:00	C15-C28	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB8B	1/03/2024 8:00	C29-C36	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
MB8B	1/03/2024 8:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	Benzene	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Toluene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Ethylbenzene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Xylene (m & p)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Xylene (o)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Xylene Total	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	Total BTEX	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	C6-C10	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	C10-C16	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	C16-C34	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	C34-C40	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	C6-C9	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB7	1/03/2024 8:55	C10-C14	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	C15-C28	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	C29-C36	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
MB7	1/03/2024 8:55	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	Benzene	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Toluene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Ethylbenzene	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	1/03/2024 11:35	Xylene (m & p)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Xylene (o)	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Xylene Total	2	µg/L	FALSE	REG	2	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	Total BTEX	1	µg/L	FALSE	REG	1	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	C6-C10	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	C10-C16	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	C16-C34	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	C34-C40	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	C6-C9	20	µg/L	FALSE	REG	20	5/03/2024	6/03/2024	
MB9A	1/03/2024 11:35	C10-C14	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	C15-C28	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	C29-C36	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
MB9A	1/03/2024 11:35	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
	2/03/2024 14:42	Benzene	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	2/03/2024 14:42	Toluene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	2/03/2024 14:42	Ethylbenzene	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	2/03/2024 14:42	Xylene (m & p)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	2/03/2024 14:42	Xylene (o)	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	2/03/2024 14:42	Xylene Total	2	µg/L	FALSE	REG	2	2/03/2024	3/03/2024	
	2/03/2024 14:42	Total BTEX	1	µg/L	FALSE	REG	1	2/03/2024	3/03/2024	
	2/03/2024 14:42	C6-C10	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	2/03/2024 14:42	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	2/03/2024 14:42	C6-C9	20	µg/L	FALSE	REG	20	2/03/2024	3/03/2024	
	5/03/2024 18:43	Benzene	1	µg/L	FALSE	REG	1	5/03/2024	5/03/2024	
	5/03/2024 18:43	Toluene	2	µg/L	FALSE	REG	2	5/03/2024	5/03/2024	
	5/03/2024 18:43	Ethylbenzene	2	µg/L	FALSE	REG	2	5/03/2024	5/03/2024	
	5/03/2024 18:43	Xylene (m & p)	2	µg/L	FALSE	REG	2	5/03/2024	5/03/2024	
	5/03/2024 18:43	Xylene (o)	2	µg/L	FALSE	REG	2	5/03/2024	5/03/2024	
	5/03/2024 18:43	Xylene Total	2	µg/L	FALSE	REG	2	5/03/2024	5/03/2024	
	5/03/2024 18:43	Total BTEX	1	µg/L	FALSE	REG	1	5/03/2024	5/03/2024	
	5/03/2024 18:43	C6-C10	20	µg/L	FALSE	REG	20	5/03/2024	5/03/2024	
	5/03/2024 18:43	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	5/03/2024	5/03/2024	
	5/03/2024 18:43	C6-C9	20	µg/L	FALSE	REG	20	5/03/2024	5/03/2024	
	6/03/2024 8:23	C10-C16	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	6/03/2024 8:23	C16-C34	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	6/03/2024 8:23	C34-C40	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	6/03/2024 8:23	C10-C14	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	6/03/2024 8:23	C15-C28	100	µg/L	FALSE	REG	100	6/03/2024	7/03/2024	
	6/03/2024 8:23	C29-C36	50	µg/L	FALSE	REG	50	6/03/2024	7/03/2024	
	7/03/2024 14:35	C10-C16	100	µg/L	FALSE	REG	100	7/03/2024	12/03/2024	
	7/03/2024 14:35	C16-C34	100	µg/L	FALSE	REG	100	7/03/2024	12/03/2024	
	7/03/2024 14:35	C34-C40	100	µg/L	FALSE	REG	100	7/03/2024	12/03/2024	
	7/03/2024 14:35	C10-C14	50	µg/L	FALSE	REG	50	7/03/2024	12/03/2024	
	7/03/2024 14:35	C15-C28	100	µg/L	FALSE	REG	100	7/03/2024	12/03/2024	
	7/03/2024 14:35	C29-C36	50	µg/L	FALSE	REG	50	7/03/2024	12/03/2024	
	8/03/2024 16:41	C10-C16	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
	8/03/2024 16:41	C16-C34	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/03/2024 16:41	C34-C40	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
	8/03/2024 16:41	C10-C14	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
	8/03/2024 16:41	C15-C28	100	µg/L	FALSE	REG	100	8/03/2024	11/03/2024	
	8/03/2024 16:41	C29-C36	50	µg/L	FALSE	REG	50	8/03/2024	11/03/2024	
SSD	13/03/2024 7:28	Benzene	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Toluene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Ethylbenzene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Xylene (m & p)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Xylene (o)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Xylene Total	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	Total BTEX	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	C6-C10	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	C10-C16	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
SSD	13/03/2024 7:28	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
SSD	13/03/2024 7:28	C16-C34	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
SSD	13/03/2024 7:28	C34-C40	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
SSD	13/03/2024 7:28	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
SSD	13/03/2024 7:28	C6-C9	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
SSD	13/03/2024 7:28	C10-C14	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
SSD	13/03/2024 7:28	C15-C28	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
SSD	13/03/2024 7:28	C29-C36	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
SSD	13/03/2024 7:28	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	Benzene	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Toluene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Ethylbenzene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Xylene (m & p)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Xylene (o)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Xylene Total	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	Total BTEX	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	C6-C10	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	C10-C16	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	C16-C34	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	C34-C40	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	C6-C9	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
ROM DAM	13/03/2024 7:54	C10-C14	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	C15-C28	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	C29-C36	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
ROM DAM	13/03/2024 7:54	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	Benzene	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Toluene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Ethylbenzene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Xylene (m & p)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Xylene (o)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Xylene Total	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	Total BTEX	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	C6-C10	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
FPD	13/03/2024 8:08	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	C10-C16	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	C16-C34	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	C34-C40	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	C6-C9	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
FPD	13/03/2024 8:08	C10-C14	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	C15-C28	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	C29-C36	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
FPD	13/03/2024 8:08	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	Benzene	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Toluene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Ethylbenzene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Xylene (m & p)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Xylene (o)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Xylene Total	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	Total BTEX	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	C6-C10	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	C10-C16	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	C16-C34	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	C34-C40	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	C6-C9	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
RWD	13/03/2024 8:27	C10-C14	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	C15-C28	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	C29-C36	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
RWD	13/03/2024 8:27	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	Benzene	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Toluene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Ethylbenzene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Xylene (m & p)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Xylene (o)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Xylene Total	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	Total BTEX	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	C6-C10	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	C10-C16	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	C16-C34	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	C34-C40	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	C6-C9	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
MIA DAM	13/03/2024 9:24	C10-C14	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	C15-C28	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	C29-C36	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
MIA DAM	13/03/2024 9:24	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
	13/03/2024 9:43	Benzene	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	13/03/2024 9:43	Toluene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	13/03/2024 9:43	Ethylbenzene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	13/03/2024 9:43	Xylene (m & p)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	13/03/2024 9:43	Xylene (o)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	13/03/2024 9:43	Xylene Total	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	13/03/2024 9:43	Total BTEX	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
	13/03/2024 9:43	C6-C10	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
	13/03/2024 9:43	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
	13/03/2024 9:43	C10-C16	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	13/03/2024 9:43	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	13/03/2024 9:43	C16-C34	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	13/03/2024 9:43	C34-C40	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	13/03/2024 9:43	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	13/03/2024 9:43	C6-C9	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
	13/03/2024 9:43	C10-C14	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
	13/03/2024 9:43	C15-C28	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	13/03/2024 9:43	C29-C36	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
	13/03/2024 9:43	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	Benzene	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Toluene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Ethylbenzene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Xylene (m & p)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Xylene (o)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Xylene Total	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	Total BTEX	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	C6-C10	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	C10-C16	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	C16-C34	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	C34-C40	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	C6-C9	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
MWD	13/03/2024 10:03	C10-C14	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	C15-C28	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	C29-C36	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
MWD	13/03/2024 10:03	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
	19/03/2024 15:06	Benzene	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
	19/03/2024 15:06	Toluene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	19/03/2024 15:06	Ethylbenzene	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	19/03/2024 15:06	Xylene (m & p)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	19/03/2024 15:06	Xylene (o)	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	19/03/2024 15:06	Xylene Total	2	µg/L	FALSE	REG	2	19/03/2024	19/03/2024	
	19/03/2024 15:06	Total BTEX	1	µg/L	FALSE	REG	1	19/03/2024	19/03/2024	
	19/03/2024 15:06	C6-C10	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
	19/03/2024 15:06	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
	19/03/2024 15:06	C6-C9	20	µg/L	FALSE	REG	20	19/03/2024	19/03/2024	
	19/03/2024 21:46	C10-C16	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	19/03/2024 21:46	C16-C34	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	19/03/2024 21:46	C34-C40	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	19/03/2024 21:46	C10-C14	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
	19/03/2024 21:46	C15-C28	100	µg/L	FALSE	REG	100	19/03/2024	20/03/2024	
	19/03/2024 21:46	C29-C36	50	µg/L	FALSE	REG	50	19/03/2024	20/03/2024	
BC2	17/04/2024 7:30	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C10-C16	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C16-C34	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C34-C40	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C10-C14	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C15-C28	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C29-C36	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
BC2	17/04/2024 7:30	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB2	17/04/2024 9:10	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	C10-C16	180	µg/L	FALSE	REG	100		1/05/2024	
MB2	17/04/2024 9:10	C10-C16 (F2 minus Naphthalene)	180	µg/L	FALSE	REG	100		1/05/2024	
MB2	17/04/2024 9:10	C16-C34	230	µg/L	FALSE	REG	100		1/05/2024	
MB2	17/04/2024 9:10	C34-C40	100	µg/L	FALSE	REG	100		1/05/2024	
MB2	17/04/2024 9:10	C10-C40 (Sum of total)	410	µg/L	FALSE	REG	100		1/05/2024	
MB2	17/04/2024 9:10	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB2	17/04/2024 9:10	C10-C14	50	µg/L	FALSE	REG	50		1/05/2024	
MB2	17/04/2024 9:10	C15-C28	330	µg/L	FALSE	REG	100		1/05/2024	
MB2	17/04/2024 9:10	C29-C36	80	µg/L	FALSE	REG	50		1/05/2024	
MB2	17/04/2024 9:10	C10-C36 (Sum of total)	410	µg/L	FALSE	REG	50		1/05/2024	
MB12	17/04/2024 9:40	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB12	17/04/2024 9:40	C10-C16	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C16-C34	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C34-C40	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C10-C14	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C15-C28	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C29-C36	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB12	17/04/2024 9:40	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C10-C16	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C16-C34	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C34-C40	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C10-C14	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C15-C28	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C29-C36	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB14	17/04/2024 11:25	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C10-C16	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C16-C34	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C34-C40	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C10-C14	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C15-C28	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C29-C36	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
Swamp Bore 2	17/04/2024 12:30	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	17/04/2024 14:25	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C10-C16	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C16-C34	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C34-C40	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C10-C14	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C15-C28	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C29-C36	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB9A	17/04/2024 14:25	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C10-C16	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C16-C34	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C34-C40	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C10-C14	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C15-C28	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C29-C36	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB8B	17/04/2024 16:40	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB7	17/04/2024 17:00	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C10-C16	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C16-C34	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C34-C40	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB7	17/04/2024 17:00	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C10-C14	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C15-C28	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C29-C36	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
MB7	17/04/2024 17:00	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
	24/04/2024 12:08	C10-C16	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
	24/04/2024 12:08	C16-C34	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
	24/04/2024 12:08	C34-C40	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
	24/04/2024 12:08	C10-C14	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
	24/04/2024 12:08	C15-C28	100	µg/L	FALSE	REG	100	24/04/2024	27/04/2024	
	24/04/2024 12:08	C29-C36	50	µg/L	FALSE	REG	50	24/04/2024	27/04/2024	
	26/04/2024 10:52	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	26/04/2024	
	26/04/2024 10:52	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	26/04/2024	
	26/04/2024 10:52	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	26/04/2024	
	26/04/2024 10:52	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	26/04/2024	
	26/04/2024 10:52	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	26/04/2024	
	26/04/2024 10:52	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	26/04/2024	
	26/04/2024 10:52	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	26/04/2024	
	26/04/2024 10:52	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	26/04/2024	
	26/04/2024 10:52	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	26/04/2024	
	26/04/2024 10:52	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	26/04/2024	
	26/04/2024 16:20	Benzene	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
	26/04/2024 16:20	Toluene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
	26/04/2024 16:20	Ethylbenzene	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
	26/04/2024 16:20	Xylene (m & p)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
	26/04/2024 16:20	Xylene (o)	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
	26/04/2024 16:20	Xylene Total	2	µg/L	FALSE	REG	2	26/04/2024	27/04/2024	
	26/04/2024 16:20	Total BTEX	1	µg/L	FALSE	REG	1	26/04/2024	27/04/2024	
	26/04/2024 16:20	C6-C10	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
	26/04/2024 16:20	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
	26/04/2024 16:20	C6-C9	20	µg/L	FALSE	REG	20	26/04/2024	27/04/2024	
W5	27/06/2024 9:53	Benzene	1	µg/L	FALSE	REG	1	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	Toluene	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	Ethylbenzene	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	Xylene (m & p)	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	Xylene (o)	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	Xylene Total	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	Total BTEX	1	µg/L	FALSE	REG	1	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C6-C10	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C10-C16	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C16-C34	260	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C34-C40	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C10-C40 (Sum of total)	260	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C6-C9	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C10-C14	50	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C15-C28	220	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C29-C36	90	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
W5	27/06/2024 9:53	C10-C36 (Sum of total)	360	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	27/06/2024 9:57	Benzene	1	µg/L	FALSE	REG	1	3/07/2024	4/07/2024	
	27/06/2024 9:57	Toluene	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
	27/06/2024 9:57	Ethylbenzene	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
	27/06/2024 9:57	Xylene (m & p)	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
	27/06/2024 9:57	Xylene (o)	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
	27/06/2024 9:57	Xylene Total	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
	27/06/2024 9:57	Total BTEX	1	µg/L	FALSE	REG	1	3/07/2024	4/07/2024	
	27/06/2024 9:57	C6-C10	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
	27/06/2024 9:57	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
	27/06/2024 9:57	C10-C16	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	27/06/2024 9:57	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	27/06/2024 9:57	C16-C34	240	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	27/06/2024 9:57	C34-C40	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	27/06/2024 9:57	C10-C40 (Sum of total)	240	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	27/06/2024 9:57	C6-C9	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
	27/06/2024 9:57	C10-C14	50	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
	27/06/2024 9:57	C15-C28	190	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	27/06/2024 9:57	C29-C36	80	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
	27/06/2024 9:57	C10-C36 (Sum of total)	270	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	Benzene	1	µg/L	FALSE	REG	1	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	Toluene	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	Ethylbenzene	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	Xylene (o)	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	Xylene Total	2	µg/L	FALSE	REG	2	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	Total BTEX	1	µg/L	FALSE	REG	1	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C6-C10	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C10-C16	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C16-C34	180	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C34-C40	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C10-C40 (Sum of total)	180	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C6-C9	20	µg/L	FALSE	REG	20	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C10-C14	50	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C15-C28	150	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C29-C36	60	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
W4	27/06/2024 10:10	C10-C36 (Sum of total)	210	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
	3/07/2024 13:58	Benzene	1	µg/L	FALSE	REG	1	3/07/2024	3/07/2024	
	3/07/2024 13:58	Toluene	2	µg/L	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 13:58	Ethylbenzene	2	µg/L	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 13:58	Xylene (m & p)	2	µg/L	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 13:58	Xylene (o)	2	µg/L	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 13:58	Xylene Total	2	µg/L	FALSE	REG	2	3/07/2024	3/07/2024	
	3/07/2024 13:58	Total BTEX	1	µg/L	FALSE	REG	1	3/07/2024	3/07/2024	
	3/07/2024 13:58	C6-C10	20	µg/L	FALSE	REG	20	3/07/2024	3/07/2024	
	3/07/2024 13:58	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	3/07/2024	3/07/2024	
	3/07/2024 13:58	C6-C9	20	µg/L	FALSE	REG	20	3/07/2024	3/07/2024	
	3/07/2024 15:57	C10-C16	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	3/07/2024 15:57	C16-C34	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	3/07/2024 15:57	C34-C40	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	3/07/2024 15:57	C10-C14	50	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
	3/07/2024 15:57	C15-C28	100	µg/L	FALSE	REG	100	3/07/2024	4/07/2024	
	3/07/2024 15:57	C29-C36	50	µg/L	FALSE	REG	50	3/07/2024	4/07/2024	
W8	5/07/2024 15:05	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	12/07/2024	
W8	5/07/2024 15:05	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/07/2024	12/07/2024	
W8	5/07/2024 15:05	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	12/07/2024	
W8	5/07/2024 15:05	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	12/07/2024	
W8	5/07/2024 15:05	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/07/2024	12/07/2024	
W8	5/07/2024 15:05	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W8	5/07/2024 15:05	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	12/07/2024	
W8	5/07/2024 15:05	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	12/07/2024	
W8	5/07/2024 15:05	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	12/07/2024	
W8	5/07/2024 15:05	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/07/2024	12/07/2024	
W8	5/07/2024 15:30	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	C10-C16	100	µg/L	FALSE	REG	100		16/07/2024	
W8	5/07/2024 15:30	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		16/07/2024	
W8	5/07/2024 15:30	C16-C34	330	µg/L	FALSE	REG	100		16/07/2024	
W8	5/07/2024 15:30	C34-C40	100	µg/L	FALSE	REG	100		16/07/2024	
W8	5/07/2024 15:30	C10-C40 (Sum of total)	330	µg/L	FALSE	REG	100		16/07/2024	
W8	5/07/2024 15:30	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W8	5/07/2024 15:30	C10-C14	50	µg/L	FALSE	REG	50		16/07/2024	
W8	5/07/2024 15:30	C15-C28	370	µg/L	FALSE	REG	100		16/07/2024	
W8	5/07/2024 15:30	C29-C36	50	µg/L	FALSE	REG	50		16/07/2024	
W8	5/07/2024 15:30	C10-C36 (Sum of total)	370	µg/L	FALSE	REG	50		16/07/2024	
W6	5/07/2024 16:25	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
W6	5/07/2024 16:25	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	C10-C16	100	µg/L	FALSE	REG	100		16/07/2024	
W6	5/07/2024 16:25	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		16/07/2024	
W6	5/07/2024 16:25	C16-C34	140	µg/L	FALSE	REG	100		16/07/2024	
W6	5/07/2024 16:25	C34-C40	100	µg/L	FALSE	REG	100		16/07/2024	
W6	5/07/2024 16:25	C10-C40 (Sum of total)	140	µg/L	FALSE	REG	100		16/07/2024	
W6	5/07/2024 16:25	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W6	5/07/2024 16:25	C10-C14	50	µg/L	FALSE	REG	50		16/07/2024	
W6	5/07/2024 16:25	C15-C28	120	µg/L	FALSE	REG	100		16/07/2024	
W6	5/07/2024 16:25	C29-C36	50	µg/L	FALSE	REG	50		16/07/2024	
W6	5/07/2024 16:25	C10-C36 (Sum of total)	120	µg/L	FALSE	REG	50		16/07/2024	
	5/07/2024 16:37	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
	5/07/2024 16:37	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	5/07/2024 16:37	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	5/07/2024 16:37	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	5/07/2024 16:37	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	5/07/2024 16:37	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	5/07/2024 16:37	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
	5/07/2024 16:37	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	5/07/2024 16:37	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	5/07/2024 16:37	C10-C16	100	µg/L	FALSE	REG	100		16/07/2024	
	5/07/2024 16:37	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100		16/07/2024	
	5/07/2024 16:37	C16-C34	100	µg/L	FALSE	REG	100		16/07/2024	
	5/07/2024 16:37	C34-C40	100	µg/L	FALSE	REG	100		16/07/2024	
	5/07/2024 16:37	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100		16/07/2024	
	5/07/2024 16:37	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	5/07/2024 16:37	C10-C14	50	µg/L	FALSE	REG	50		16/07/2024	
	5/07/2024 16:37	C15-C28	100	µg/L	FALSE	REG	100		16/07/2024	
	5/07/2024 16:37	C29-C36	50	µg/L	FALSE	REG	50		16/07/2024	
	5/07/2024 16:37	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50		16/07/2024	
W2	6/07/2024 7:02	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
W2	6/07/2024 7:02	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
W2	6/07/2024 7:02	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR1	6/07/2024 7:05	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR1	6/07/2024 7:05	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR1	6/07/2024 7:05	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
	6/07/2024 7:41	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
	6/07/2024 7:41	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	6/07/2024 7:41	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	6/07/2024 7:41	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	6/07/2024 7:41	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	6/07/2024 7:41	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	6/07/2024 7:41	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
	6/07/2024 7:41	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	6/07/2024 7:41	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	6/07/2024 7:41	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	6/07/2024 7:41	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	6/07/2024 7:41	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	6/07/2024 7:41	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	6/07/2024 7:41	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	6/07/2024 7:41	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	6/07/2024 7:41	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
	6/07/2024 7:41	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	6/07/2024 7:41	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
	6/07/2024 7:41	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
IR1A	6/07/2024 8:34	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR1A	6/07/2024 8:34	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR1A	6/07/2024 8:34	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
IR5	6/07/2024 9:39	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
IR5	6/07/2024 9:39	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
	9/07/2024 18:49	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
	9/07/2024 18:49	Benzene	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
	9/07/2024 18:49	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Toluene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Ethylbenzene	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Xylene (m & p)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Xylene (o)	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Xylene Total	2	µg/L	FALSE	REG	2	9/07/2024	10/07/2024	
	9/07/2024 18:49	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
	9/07/2024 18:49	Total BTEX	1	µg/L	FALSE	REG	1	9/07/2024	10/07/2024	
	9/07/2024 18:49	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	9/07/2024 18:49	C6-C10	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	9/07/2024 18:49	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	9/07/2024 18:49	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	9/07/2024 18:49	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	9/07/2024 18:49	C6-C9	20	µg/L	FALSE	REG	20	9/07/2024	10/07/2024	
	11/07/2024 10:34	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	11/07/2024 10:34	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	11/07/2024 10:34	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	11/07/2024 10:34	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	11/07/2024 10:34	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	11/07/2024 10:34	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	11/07/2024 10:34	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
	11/07/2024 10:34	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
	11/07/2024 10:34	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	11/07/2024 10:34	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	11/07/2024	
	11/07/2024 10:34	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
	11/07/2024 10:34	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	11/07/2024	
	11/07/2024 11:24	C10-C16	100	µg/L	FALSE	REG	100	11/07/2024	16/07/2024	
	11/07/2024 11:24	C16-C34	100	µg/L	FALSE	REG	100	11/07/2024	16/07/2024	
	11/07/2024 11:24	C34-C40	100	µg/L	FALSE	REG	100	11/07/2024	16/07/2024	
	11/07/2024 11:24	C10-C14	50	µg/L	FALSE	REG	50	11/07/2024	16/07/2024	
	11/07/2024 11:24	C15-C28	100	µg/L	FALSE	REG	100	11/07/2024	16/07/2024	
	11/07/2024 11:24	C29-C36	50	µg/L	FALSE	REG	50	11/07/2024	16/07/2024	
593	22/07/2024 12:55	Benzene	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
593	22/07/2024 12:55	Toluene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
593	22/07/2024 12:55	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
593	22/07/2024 12:55	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
593	22/07/2024 12:55	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
593	22/07/2024 12:55	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
593	22/07/2024 12:55	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
593	22/07/2024 12:55	C6-C10	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
593	22/07/2024 12:55	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
593	22/07/2024 12:55	C6-C9	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
593	22/07/2024 12:55	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
593	22/07/2024 12:55	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
594	22/07/2024 14:00	Benzene	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
594	22/07/2024 14:00	Toluene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
594	22/07/2024 14:00	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
594	22/07/2024 14:00	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
594	22/07/2024 14:00	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
594	22/07/2024 14:00	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
594	22/07/2024 14:00	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
594	22/07/2024 14:00	C6-C10	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
594	22/07/2024 14:00	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
594	22/07/2024 14:00	C6-C9	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
594	22/07/2024 14:00	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
594	22/07/2024 14:00	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	Benzene	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	Toluene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	C6-C10	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	C6-C9	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID28	22/07/2024 15:05	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
MBID28	22/07/2024 15:05	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
	22/07/2024 15:10	Benzene	1	µg/L	FALSE	REG	1		1/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	22/07/2024 15:10	Toluene	2	µg/L	FALSE	REG	2		1/08/2024	
	22/07/2024 15:10	Ethylbenzene	2	µg/L	FALSE	REG	2		1/08/2024	
	22/07/2024 15:10	Xylene (m & p)	2	µg/L	FALSE	REG	2		1/08/2024	
	22/07/2024 15:10	Xylene (o)	2	µg/L	FALSE	REG	2		1/08/2024	
	22/07/2024 15:10	Xylene Total	2	µg/L	FALSE	REG	2		1/08/2024	
	22/07/2024 15:10	Total BTEX	1	µg/L	FALSE	REG	1		1/08/2024	
	22/07/2024 15:10	C6-C10	20	µg/L	FALSE	REG	20		1/08/2024	
	22/07/2024 15:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20		1/08/2024	
	22/07/2024 15:10	C6-C9	20	µg/L	FALSE	REG	20		1/08/2024	
	22/07/2024 15:10	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
	22/07/2024 15:10	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
MBID23	22/07/2024 15:55	Benzene	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Toluene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	C6-C10	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	C6-C9	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID23	22/07/2024 15:55	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
MBID23	22/07/2024 15:55	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
MBID21	23/07/2024 13:45	Benzene	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Toluene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	C6-C10	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	C6-C9	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
MBID21	23/07/2024 13:45	TRH>C10-C16 minus Naphthalene	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
MBID21	23/07/2024 13:45	>C10 - C40 Fraction (sum) (SG)	100	µg/L	FALSE	REG	100	30/07/2024	2/08/2024	
MB8	24/07/2024 7:45	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB8	24/07/2024 7:45	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB8	24/07/2024 7:45	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB8	24/07/2024 7:45	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
BC2	24/07/2024 7:50	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
BC2	24/07/2024 7:50	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB2	24/07/2024 9:05	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB2	24/07/2024 9:05	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
	24/07/2024 9:10	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 9:10	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
	24/07/2024 9:10	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
	24/07/2024 9:10	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
	24/07/2024 9:10	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
	24/07/2024 9:10	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
	24/07/2024 9:10	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	31/07/2024	
	24/07/2024 9:10	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	31/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/07/2024 9:10	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	31/07/2024	
	24/07/2024 9:10	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	24/07/2024 9:10	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	24/07/2024 9:10	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	24/07/2024 9:10	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	24/07/2024 9:10	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	24/07/2024 9:10	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	31/07/2024	
	24/07/2024 9:10	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
	24/07/2024 9:10	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	24/07/2024 9:10	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
	24/07/2024 9:10	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB12	24/07/2024 10:25	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB12	24/07/2024 10:25	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	31/07/2024	
MB14	24/07/2024 11:35	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
MB14	24/07/2024 11:35	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
	24/07/2024 13:30	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	24/07/2024 13:30	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	24/07/2024 13:30	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	24/07/2024 13:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	24/07/2024 13:30	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	24/07/2024 13:30	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	24/07/2024 13:30	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	24/07/2024 13:30	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
	24/07/2024 13:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
	24/07/2024 13:30	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	24/07/2024 13:30	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	24/07/2024 13:30	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	24/07/2024 13:30	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	24/07/2024 13:30	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	24/07/2024 13:30	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
	24/07/2024 13:30	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
	24/07/2024 13:30	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	24/07/2024 13:30	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
	24/07/2024 13:30	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB7	24/07/2024 15:30	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
MB7	24/07/2024 15:30	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	C10-C16 (F2 minus Naphthalene)	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MB9A	24/07/2024 17:15	C10-C40 (Sum of total)	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
MB9A	24/07/2024 17:15	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
MB9A	24/07/2024 17:15	C10-C36 (Sum of total)	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
	30/07/2024 15:53	Benzene	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 15:53	Toluene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	30/07/2024 15:53	Ethylbenzene	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	30/07/2024 15:53	Xylene (m & p)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	30/07/2024 15:53	Xylene (o)	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	30/07/2024 15:53	Xylene Total	2	µg/L	FALSE	REG	2	30/07/2024	30/07/2024	
	30/07/2024 15:53	Total BTEX	1	µg/L	FALSE	REG	1	30/07/2024	30/07/2024	
	30/07/2024 15:53	C6-C10	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
	30/07/2024 15:53	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
	30/07/2024 15:53	C6-C9	20	µg/L	FALSE	REG	20	30/07/2024	30/07/2024	
	31/07/2024 8:54	Benzene	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	31/07/2024 8:54	Toluene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
	31/07/2024 8:54	Ethylbenzene	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
	31/07/2024 8:54	Xylene (m & p)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
	31/07/2024 8:54	Xylene (o)	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
	31/07/2024 8:54	Xylene Total	2	µg/L	FALSE	REG	2	31/07/2024	31/07/2024	
	31/07/2024 8:54	Total BTEX	1	µg/L	FALSE	REG	1	31/07/2024	31/07/2024	
	31/07/2024 8:54	C6-C10	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
	31/07/2024 8:54	C6-C10 (F1 minus BTEX)	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
	31/07/2024 8:54	C6-C9	20	µg/L	FALSE	REG	20	31/07/2024	31/07/2024	
	31/07/2024 13:51	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	31/07/2024 13:51	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	31/07/2024 13:51	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	31/07/2024 13:51	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
	31/07/2024 13:51	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	1/08/2024	
	31/07/2024 13:51	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	1/08/2024	
	31/07/2024 21:33	C10-C16	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	31/07/2024 21:33	C16-C34	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	31/07/2024 21:33	C34-C40	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	31/07/2024 21:33	C10-C14	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
	31/07/2024 21:33	C15-C28	100	µg/L	FALSE	REG	100	31/07/2024	2/08/2024	
	31/07/2024 21:33	C29-C36	50	µg/L	FALSE	REG	50	31/07/2024	2/08/2024	
	26/06/2023 12:57	Texture	1	-	FALSE	REG			3/07/2023	Medium Clay
	26/06/2023 12:57	Emerson Class Number	4	-	FALSE	REG			3/07/2023	
	26/06/2023 12:57	Color (Munsell)	1	-	FALSE	REG			3/07/2023	Brown (7.5YR 5/3)
	26/06/2023 12:57	Calcium/Magnesium Ratio	0.6	-	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:04	Texture	1	-	FALSE	REG			3/07/2023	Medium Clay
	26/06/2023 13:04	Emerson Class Number	2	-	FALSE	REG			3/07/2023	
	26/06/2023 13:04	Magnesium/Potassium Ratio	13.6	-	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:04	Color (Munsell)	1	-	FALSE	REG			3/07/2023	Brown (7.5YR 4/2)
	26/06/2023 13:04	Calcium/Magnesium Ratio	1.4	-	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:17	Texture	1	-	FALSE	REG			3/07/2023	Medium Heavy Clay
	26/06/2023 13:17	Emerson Class Number	2	-	FALSE	REG			3/07/2023	
	26/06/2023 13:17	Color (Munsell)	1	-	FALSE	REG			3/07/2023	Brown (7.5YR 5/2)

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	26/06/2023 13:17	Calcium/Magnesium Ratio	1	-	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:25	Texture	1	-	FALSE	REG			3/07/2023	Medium Clay
	26/06/2023 13:25	Emerson Class Number	2	-	FALSE	REG			3/07/2023	
	26/06/2023 13:25	Magnesium/Potassium Ratio	33.6	-	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:25	Color (Munsell)	1	-	FALSE	REG			3/07/2023	Brown (7.5YR 5/3)
	26/06/2023 13:25	Calcium/Magnesium Ratio	0.7	-	FALSE	REG	0.2	3/07/2023	4/07/2023	
	28/06/2023 11:56	Texture	1	-	FALSE	REG			5/07/2023	Loamy Sand
	28/06/2023 11:56	Emerson Class Number	2	-	FALSE	REG			5/07/2023	
	28/06/2023 11:56	Color (Munsell)	1	-	FALSE	REG			5/07/2023	Brown (10YR 5/3)
	28/06/2023 11:56	Calcium/Magnesium Ratio	4.5	-	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 11:58	Texture	1	-	FALSE	REG			5/07/2023	Loam
	28/06/2023 11:58	Magnesium/Potassium Ratio	2.4	-	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 11:58	Emerson Class Number	3	-	FALSE	REG			5/07/2023	
	28/06/2023 11:58	Color (Munsell)	1	-	FALSE	REG			5/07/2023	Very Dark Gray (5YR 3/1)
	28/06/2023 11:58	Calcium/Magnesium Ratio	3.4	-	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:01	Texture	1	-	FALSE	REG			5/07/2023	Clay Loam Sandy
	28/06/2023 12:01	Emerson Class Number	4	-	FALSE	REG			5/07/2023	
	28/06/2023 12:01	Color (Munsell)	1	-	FALSE	REG			5/07/2023	Brown (10YR 4/3)
	28/06/2023 12:03	Texture	1	-	FALSE	REG			5/07/2023	Sandy Loam
	28/06/2023 12:03	Emerson Class Number	3	-	FALSE	REG			5/07/2023	
	28/06/2023 12:03	Color (Munsell)	1	-	FALSE	REG			5/07/2023	Dark Yellowish Brown (10YR 3/4)
	28/06/2023 12:04	Texture	1	-	FALSE	REG			5/07/2023	Light Medium Clay
	28/06/2023 12:04	Emerson Class Number	5	-	FALSE	REG			5/07/2023	
	28/06/2023 12:04	Magnesium/Potassium Ratio	6.8	-	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 12:04	Color (Munsell)	1	-	FALSE	REG			5/07/2023	Dark Reddish Brown (5YR 3/4)
	28/06/2023 12:04	Calcium/Magnesium Ratio	1.6	-	FALSE	REG	0.1	7/07/2023	10/07/2023	
	8/07/2023 6:56	Texture	1	-	FALSE	REG			18/07/2023	Medium Clay
	8/07/2023 6:56	Emerson Class Number	2	-	FALSE	REG			18/07/2023	
	8/07/2023 6:56	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Dark Yellowish Brown (10YR 4/4)
	8/07/2023 6:56	Calcium/Magnesium Ratio	3.8	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:59	Texture	1	-	FALSE	REG			18/07/2023	Light Medium Clay
	8/07/2023 6:59	Emerson Class Number	4	-	FALSE	REG			18/07/2023	
	8/07/2023 6:59	Magnesium/Potassium Ratio	11	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:59	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Dark Brown (10YR 3/3)
	8/07/2023 6:59	Calcium/Magnesium Ratio	1.2	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:35	Texture	1	-	FALSE	REG			18/07/2023	Sandy Loam
	8/07/2023 7:35	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 7:35	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Brown (10YR 4/3)
	8/07/2023 7:53	Texture	1	-	FALSE	REG			18/07/2023	Sandy Loam
	8/07/2023 7:53	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 7:53	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Brown (10YR 4/3)
	8/07/2023 7:53	Calcium/Magnesium Ratio	3.3	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:07	Texture	1	-	FALSE	REG			18/07/2023	Clay Loam Sandy
	8/07/2023 8:07	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 8:07	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Brown (7.5YR 4/4)
	8/07/2023 8:07	Calcium/Magnesium Ratio	2.2	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:15	Texture	1	-	FALSE	REG			18/07/2023	Light Clay
	8/07/2023 8:15	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 8:15	Magnesium/Potassium Ratio	5.2	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:15	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Brown (10YR 4/3)

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 8:15	Calcium/Magnesium Ratio	2.8	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:26	Texture	1	-	FALSE	REG			18/07/2023	Sandy Loam
	8/07/2023 8:26	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 8:26	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Dark Grayish Brown (10YR 4/2)
	8/07/2023 8:41	Texture	1	-	FALSE	REG			18/07/2023	Medium Heavy Clay
	8/07/2023 8:41	Emerson Class Number	4	-	FALSE	REG			18/07/2023	
	8/07/2023 8:41	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Dark Yellowish Brown (10YR 3/4)
	8/07/2023 8:41	Calcium/Magnesium Ratio	2.3	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:52	Texture	1	-	FALSE	REG			18/07/2023	Heavy Clay
	8/07/2023 8:52	Emerson Class Number	4	-	FALSE	REG			18/07/2023	
	8/07/2023 8:52	Magnesium/Potassium Ratio	18.6	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:52	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Very Dark Gray (2.5Y 3/1)
	8/07/2023 8:52	Calcium/Magnesium Ratio	2.5	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 9:06	Texture	1	-	FALSE	REG			18/07/2023	Light Clay
	8/07/2023 9:06	Emerson Class Number	2	-	FALSE	REG			18/07/2023	
	8/07/2023 9:06	Magnesium/Potassium Ratio	4.2	-	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:06	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Dark Olive Brown (2.5Y 3/3)
	8/07/2023 9:06	Calcium/Magnesium Ratio	2.1	-	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:09	Magnesium/Potassium Ratio	0.8	-	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:09	Texture	1	-	FALSE	REG			18/07/2023	Sandy Clay Loam
	8/07/2023 9:09	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 9:09	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Brown (10YR 4/3)
	8/07/2023 9:09	Calcium/Magnesium Ratio	3.2	-	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 10:46	Texture	1	-	FALSE	REG			18/07/2023	Sandy Clay Loam
	8/07/2023 10:46	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 10:46	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Dark Grayish Brown (10YR 4/2)
	8/07/2023 10:46	Calcium/Magnesium Ratio	2.7	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:01	Texture	1	-	FALSE	REG			18/07/2023	Medium Heavy Clay
	8/07/2023 11:01	Emerson Class Number	4	-	FALSE	REG			18/07/2023	
	8/07/2023 11:01	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Dark Olive Brown (2.5Y 3/3)
	8/07/2023 11:01	Calcium/Magnesium Ratio	2.3	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:36	Texture	1	-	FALSE	REG			18/07/2023	Light Medium Clay
	8/07/2023 11:36	Emerson Class Number	4	-	FALSE	REG			18/07/2023	
	8/07/2023 11:36	Magnesium/Potassium Ratio	13.9	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:36	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Very Dark Grayish Brown (10YR 3/2)
	8/07/2023 11:36	Calcium/Magnesium Ratio	2.8	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:48	Texture	1	-	FALSE	REG			18/07/2023	Sandy Clay Loam
	8/07/2023 11:48	Magnesium/Potassium Ratio	1.2	-	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 11:48	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 11:48	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Dark Brown (10YR 3/3)
	8/07/2023 11:48	Calcium/Magnesium Ratio	4.4	-	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:01	Texture	1	-	FALSE	REG			18/07/2023	Clay Loam Sandy
	8/07/2023 12:01	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 12:01	Magnesium/Potassium Ratio	10.1	-	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:01	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Brown (10YR 4/3)
	8/07/2023 12:01	Calcium/Magnesium Ratio	2.1	-	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:10	Texture	1	-	FALSE	REG			18/07/2023	Clay Loam Sandy
	8/07/2023 12:10	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 12:10	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Very Dark Grayish Brown (2.5Y 3/2)
	8/07/2023 12:10	Calcium/Magnesium Ratio	3.6	-	FALSE	REG	0.2	18/07/2023	20/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 12:19	Texture	1	-	FALSE	REG			18/07/2023	Clay Loam Sandy
	8/07/2023 12:19	Magnesium/Potassium Ratio	1.1	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:19	Emerson Class Number	2	-	FALSE	REG			18/07/2023	
	8/07/2023 12:19	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Very Dark Grayish Brown (2.5Y 3/2)
	8/07/2023 12:19	Calcium/Magnesium Ratio	3.5	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:20	Magnesium/Potassium Ratio	1	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:20	Texture	1	-	FALSE	REG			18/07/2023	Light Clay
	8/07/2023 12:20	Emerson Class Number	3	-	FALSE	REG			18/07/2023	
	8/07/2023 12:20	Color (Munsell)	1	-	FALSE	REG			18/07/2023	Very Dark Grayish Brown (2.5Y 3/2)
	8/07/2023 12:20	Calcium/Magnesium Ratio	3	-	FALSE	REG	0.2	18/07/2023	20/07/2023	
	17/07/2024 7:30	Sodium Absorption Ratio	1.24	-	TRUE	REG	0.01	19/07/2024	21/07/2024	
	26/06/2023 12:57	Exchangeable Calcium	4	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 12:57	Exchangeable Magnesium	6.4	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 12:57	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 12:57	Exchangeable Sodium	2.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 12:57	CEC	12.8	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:04	Exchangeable Calcium	5.8	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:04	Exchangeable Magnesium	4.3	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:04	Exchangeable Potassium	0.3	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:04	Exchangeable Sodium	1.4	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:04	CEC	11.8	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:17	Exchangeable Calcium	3.1	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:17	Exchangeable Magnesium	3.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:17	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:17	Exchangeable Sodium	1.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:17	CEC	7.5	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:25	Exchangeable Calcium	4.8	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:25	Exchangeable Magnesium	6.8	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:25	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:25	Exchangeable Sodium	3	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	26/06/2023 13:25	CEC	14.7	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	28/06/2023 11:56	Exchangeable Calcium	0.9	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 11:56	Exchangeable Magnesium	0.2	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 11:56	Exchangeable Potassium	0.1	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 11:56	Exchangeable Sodium	0.1	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 11:56	CEC	1.3	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 11:58	Exchangeable Calcium	2.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 11:58	Exchangeable Magnesium	0.7	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 11:58	Exchangeable Potassium	0.3	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 11:58	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 11:58	CEC	3.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:01	Exchangeable Calcium	1.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:01	Exchangeable Magnesium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:01	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:01	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:01	CEC	1.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:03	Exchangeable Calcium	0.6	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:03	Exchangeable Magnesium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:03	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:03	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	28/06/2023 12:03	CEC	0.6	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	28/06/2023 12:04	Exchangeable Calcium	6.5	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 12:04	Exchangeable Magnesium	4	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 12:04	Exchangeable Potassium	0.6	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 12:04	Exchangeable Sodium	0.1	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	28/06/2023 12:04	CEC	11.2	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	3/07/2023 12:09	Exchangeable Calcium	0.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	3/07/2023 12:09	Exchangeable Magnesium	0.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	3/07/2023 12:09	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	3/07/2023 12:09	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	3/07/2023 12:09	CEC	0.2	meq/100g	FALSE	REG	0.2	3/07/2023	4/07/2023	
	7/07/2023 15:03	Exchangeable Calcium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	7/07/2023 15:03	Exchangeable Magnesium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	7/07/2023 15:03	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	7/07/2023 15:03	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	7/07/2023 15:03	CEC	0.2	meq/100g	FALSE	REG	0.2	7/07/2023	10/07/2023	
	7/07/2023 17:15	Exchangeable Calcium	0.1	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	7/07/2023 17:15	Exchangeable Magnesium	0.1	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	7/07/2023 17:15	Exchangeable Potassium	0.1	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	7/07/2023 17:15	Exchangeable Sodium	0.1	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	7/07/2023 17:15	CEC	0.1	meq/100g	FALSE	REG	0.1	7/07/2023	10/07/2023	
	8/07/2023 6:56	Exchangeable Calcium	6.6	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:56	Exchangeable Magnesium	1.7	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:56	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:56	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:56	CEC	8.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:59	Exchangeable Calcium	3.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:59	Exchangeable Magnesium	2.9	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:59	Exchangeable Potassium	0.3	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:59	Exchangeable Sodium	1.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 6:59	CEC	8	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:35	Exchangeable Calcium	1.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:35	Exchangeable Magnesium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:35	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:35	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:35	CEC	1.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:53	Exchangeable Calcium	1.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:53	Exchangeable Magnesium	0.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:53	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:53	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 7:53	CEC	1.8	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:07	Exchangeable Calcium	2.6	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:07	Exchangeable Magnesium	1.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:07	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:07	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:07	CEC	4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:15	Exchangeable Calcium	3.1	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:15	Exchangeable Magnesium	1.1	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:15	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:15	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 8:15	CEC	4.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:26	Exchangeable Calcium	1.8	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:26	Exchangeable Magnesium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:26	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:26	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:26	CEC	2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:41	Exchangeable Calcium	7	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:41	Exchangeable Magnesium	3	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:41	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:41	Exchangeable Sodium	1.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:41	CEC	11.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:52	Exchangeable Calcium	11	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:52	Exchangeable Magnesium	4.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:52	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:52	Exchangeable Sodium	0.3	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 8:52	CEC	16	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 9:06	Exchangeable Calcium	5	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:06	Exchangeable Magnesium	2.4	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:06	Exchangeable Potassium	0.6	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:06	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:06	CEC	8.2	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:09	Exchangeable Calcium	1.6	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:09	Exchangeable Magnesium	0.5	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:09	Exchangeable Potassium	0.6	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:09	Exchangeable Sodium	0.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 9:09	CEC	2.8	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 10:46	Exchangeable Calcium	1.3	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 10:46	Exchangeable Magnesium	0.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 10:46	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 10:46	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 10:46	CEC	1.8	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:01	Exchangeable Calcium	4.7	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:01	Exchangeable Magnesium	2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:01	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:01	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:01	CEC	7	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:36	Exchangeable Calcium	8.1	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:36	Exchangeable Magnesium	2.9	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:36	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:36	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:36	CEC	11.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 11:48	Exchangeable Calcium	3.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 11:48	Exchangeable Magnesium	0.7	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 11:48	Exchangeable Potassium	0.6	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 11:48	Exchangeable Sodium	0.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 11:48	CEC	4.4	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:01	Exchangeable Calcium	2.3	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:01	Exchangeable Magnesium	1.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:01	Exchangeable Potassium	0.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:01	Exchangeable Sodium	0.3	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
	8/07/2023 12:01	CEC	3.8	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	8/07/2023 12:10	Exchangeable Calcium	1.8	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:10	Exchangeable Magnesium	0.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:10	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:10	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:10	CEC	2.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:19	Exchangeable Calcium	3.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:19	Exchangeable Magnesium	1	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:19	Exchangeable Potassium	0.9	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:19	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:19	CEC	5.4	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:20	Exchangeable Calcium	1.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:20	Exchangeable Magnesium	0.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:20	Exchangeable Potassium	0.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:20	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	8/07/2023 12:20	CEC	2.5	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	18/07/2023 14:52	Exchangeable Calcium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	18/07/2023 14:52	Exchangeable Magnesium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	18/07/2023 14:52	Exchangeable Potassium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	18/07/2023 14:52	Exchangeable Sodium	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	18/07/2023 14:52	CEC	0.2	meq/100g	FALSE	REG	0.2	18/07/2023	20/07/2023	
	18/07/2023 17:28	Exchangeable Calcium	0.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	18/07/2023 17:28	Exchangeable Magnesium	0.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	18/07/2023 17:28	Exchangeable Potassium	0.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	18/07/2023 17:28	Exchangeable Sodium	0.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
	18/07/2023 17:28	CEC	0.1	meq/100g	FALSE	REG	0.1	18/07/2023	19/07/2023	
Rejects - Compos	5/07/2023 12:00	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:04	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	13/07/2023	13/07/2023	
Rejects - Compos	5/07/2023 12:05	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	13/07/2023	13/07/2023	
	13/07/2023 9:39	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	13/07/2023	13/07/2023	
Rejects - Compos	1/10/2023 7:14	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:19	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	12/10/2023	12/10/2023	
Rejects - Compos	1/10/2023 7:24	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	12/10/2023	12/10/2023	
	12/10/2023 10:17	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	12/10/2023	12/10/2023	
	12/12/2023 7:29	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	15/01/2024	15/01/2024	
	12/12/2023 7:30	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	15/01/2024	15/01/2024	
	4/01/2024 10:08	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	15/01/2024	15/01/2024	
	15/01/2024 8:53	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	15/01/2024	15/01/2024	
Rejects - Compos	23/04/2024 9:30	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	21/05/2024	21/05/2024	
Rejects - Compos	23/04/2024 9:30	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	21/05/2024	21/05/2024	
	21/05/2024 9:46	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	21/05/2024	21/05/2024	
Rejects Grab San	24/06/2024 11:28	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	4/07/2024	4/07/2024	
	4/07/2024 8:56	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	4/07/2024	4/07/2024	
	8/07/2024 13:45	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	24/07/2024	24/07/2024	
	8/07/2024 13:45	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	24/07/2024	24/07/2024	
	8/07/2024 13:45	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	24/07/2024	24/07/2024	
	22/07/2024 10:25	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	5/08/2024	5/08/2024	
	24/07/2024 9:55	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	24/07/2024	24/07/2024	
	5/08/2024 9:34	Titrateable Actual Acidity	2	mole H+/t	FALSE	REG	2	5/08/2024	5/08/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
CHPP STP	18/07/2023 10:03	pH (Lab)	7.61	pH Unit	FALSE	REG	0.01	20/07/2023	21/07/2023	
MIA STP	18/07/2023 10:44	pH (Lab)	7.54	pH Unit	FALSE	REG	0.01	25/07/2023	25/07/2023	
CHPP STP	18/07/2023 11:19	pH (Lab)	8.24	pH Unit	FALSE	REG	0.01	25/07/2023	25/07/2023	
Isaac Plains STP	18/07/2023 17:40	pH (Lab)	7.63	pH Unit	FALSE	REG	0.01	25/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:00	pH (Lab)	7.88	pH Unit	FALSE	REG	0.01	20/07/2023	21/07/2023	
Isaac Plains STP	19/07/2023 8:00	pH (Lab)	7.72	pH Unit	FALSE	REG	0.01	25/07/2023	25/07/2023	
Isaac Plains STP	19/07/2023 8:15	pH (Lab)	7.7	pH Unit	FALSE	REG	0.01	20/07/2023	21/07/2023	
CHPP STP	28/08/2023 15:40	pH (Lab)	7.63	pH Unit	FALSE	REG	0.01		1/09/2023	
CHPP STP	28/08/2023 15:40	pH (Lab)	7.77	pH Unit	FALSE	REG	0.01	31/08/2023	1/09/2023	
CHPP STP	28/08/2023 16:00	pH (Lab)	7.88	pH Unit	FALSE	REG	0.01		1/09/2023	
MIA STP	28/08/2023 16:30	pH (Lab)	7.82	pH Unit	FALSE	REG	0.01	31/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:45	pH (Lab)	7.79	pH Unit	FALSE	REG	0.01	31/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 16:55	pH (Lab)	7.95	pH Unit	FALSE	REG	0.01	30/08/2023	1/09/2023	
Isaac Plains STP	28/08/2023 17:00	pH (Lab)	7.97	pH Unit	FALSE	REG	0.01	30/08/2023	1/09/2023	
Isaac Plains STP	25/10/2023 3:33	pH (Lab)	8.11	pH Unit	FALSE	REG	0.01	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 14:45	pH (Lab)	8.34	pH Unit	FALSE	REG	0.01	27/10/2023	30/10/2023	
CHPP STP	25/10/2023 15:03	pH (Lab)	8.09	pH Unit	FALSE	REG	0.01	27/10/2023	30/10/2023	
MIA STP	25/10/2023 15:12	pH (Lab)	8.32	pH Unit	FALSE	REG	0.01	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:04	pH (Lab)	7.6	pH Unit	FALSE	REG	0.01	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:05	pH (Lab)	7.97	pH Unit	FALSE	REG	0.01	30/10/2023	31/10/2023	
Isaac Plains STP	25/10/2023 16:12	pH (Lab)	8.1	pH Unit	FALSE	REG	0.01	27/10/2023	30/10/2023	
	18/09/2023 10:00	Plate Count (36°C)	51000	CFU/mL	FALSE	REG	1		21/09/2023	Result value is an approximate.
	18/09/2023 10:00	Plate Count (36°C)	6900	CFU/mL	FALSE	REG	1		21/09/2023	Result value is an approximate.
	26/10/2023 10:30	Plate Count (36°C)	140	CFU/mL	FALSE	REG	1		27/10/2023	
	26/10/2023 10:30	Plate Count (36°C)	110	CFU/mL	FALSE	REG	1		27/10/2023	
	18/09/2023 10:00	PLATE COUNT 22C	2700	CFU/ML	FALSE	REG	1		21/09/2023	
	18/09/2023 10:00	PLATE COUNT 22C	1100	CFU/ML	FALSE	REG	1		21/09/2023	
	26/10/2023 10:30	PLATE COUNT 22C	82	CFU/ML	FALSE	REG	1		27/10/2023	
	26/10/2023 10:30	PLATE COUNT 22C	98	CFU/ML	FALSE	REG	1		27/10/2023	
Tailings Thickene	3/10/2023 6:15	Aluminium	0.1	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Arsenic	0.02	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	18/01/2024 8:10	Aluminium	0.1	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Arsenic	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	29/02/2024 9:00	Aluminium	0.2	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Arsenic	0.03	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	19/03/2024 9:00	Aluminium	0.1	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Arsenic	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	3/10/2023 6:15	Antimony	0.03	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Cadmium	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Barium	0.23	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Beryllium	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Boron	50	mg/kg	FALSE	REG	50	16/10/2023	19/10/2023	
Tailings Thickene	3/10/2023 6:15	Calcium	120	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Cobalt	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Copper	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Iron	19000	mg/kg	FALSE	REG	50	16/10/2023	19/10/2023	
Tailings Thickene	3/10/2023 6:15	Lead	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	3/10/2023 6:15	Magnesium	110	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Manganese	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	17/10/2023	19/10/2023	
Tailings Thickene	3/10/2023 6:15	Molybdenum	0.17	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Nickel	0.01	mg/kg	TRUE	REG	0.01	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Potassium	30	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Selenium	0.1	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Vanadium	0.1	mg/kg	TRUE	REG	0.1	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Zinc	0.05	mg/kg	TRUE	REG	0.05	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Acidity	5	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Alkalinity (Bicarbonate as CaCO3)	51200	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Alkalinity (Carbonate as CaCO3)	731	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Alkalinity (total) as CaCO3	51900	mg/kg	FALSE	REG	5	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Chloride	2930	mg/kg	FALSE	REG	10	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Sodium	1700	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Tailings Thickene	3/10/2023 6:15	Sulphate	1670	mg/kg	FALSE	REG	100	16/10/2023	17/10/2023	
Tailings Thickene	3/10/2023 6:15	Sulphate	860	mg/kg	TRUE	REG	10	17/10/2023	18/10/2023	
Tailings Thickene	18/01/2024 8:10	Antimony	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Cadmium	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Barium	0.16	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Beryllium	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Boron	1	mg/kg	TRUE	REG	1	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Calcium	80	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Cobalt	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Copper	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Iron	1	mg/kg	TRUE	REG	1	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Lead	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Magnesium	60	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Manganese	0.04	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Molybdenum	0.23	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Nickel	0.01	mg/kg	TRUE	REG	0.01	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Potassium	50	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Selenium	0.1	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Vanadium	0.1	mg/kg	TRUE	REG	0.1	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Zinc	0.05	mg/kg	TRUE	REG	0.05	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Acidity	5	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Alkalinity (Bicarbonate as CaCO3)	29200	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Alkalinity (Carbonate as CaCO3)	337	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Alkalinity (total) as CaCO3	29500	mg/kg	FALSE	REG	5	12/02/2024	12/02/2024	
Tailings Thickene	18/01/2024 8:10	Chloride	1860	mg/kg	FALSE	REG	10	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Sodium	1110	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Tailings Thickene	18/01/2024 8:10	Sulphate	1220	mg/kg	FALSE	REG	100	9/02/2024	9/02/2024	
Tailings Thickene	18/01/2024 8:10	Sulphate	930	mg/kg	TRUE	REG	10	12/02/2024	15/02/2024	
Tailings Thickene	29/02/2024 9:00	Antimony	0.02	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Barium	0.16	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	


Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	29/02/2024 9:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Boron	1	mg/kg	TRUE	REG	1	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Calcium	120	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Copper	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Iron	1	mg/kg	TRUE	REG	1	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Lead	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Magnesium	80	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Manganese	0.02	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Molybdenum	0.12	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Potassium	50	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Acidity	5	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Alkalinity (Bicarbonate as CaCO3)	23600	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Alkalinity (Carbonate as CaCO3)	156	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Alkalinity (total) as CaCO3	23700	mg/kg	FALSE	REG	5	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Chloride	3600	mg/kg	FALSE	REG	10	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Sodium	2150	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Sulphate	2160	mg/kg	FALSE	REG	100		10/05/2024	
Tailings Thickene	29/02/2024 9:00	Sulphate	1750	mg/kg	TRUE	REG	10	9/05/2024	10/05/2024	
Tailings Thickene	29/02/2024 9:00	Antimony	0.03	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Barium	0.07	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Boron	1	mg/kg	TRUE	REG	1	7/03/2024	14/03/2024	
Tailings Thickene	29/02/2024 9:00	Calcium	30	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Tailings Thickene	29/02/2024 9:00	Chromium (III+VI)	0.02	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Copper	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Iron	1	mg/kg	TRUE	REG	1	7/03/2024	14/03/2024	
Tailings Thickene	29/02/2024 9:00	Lead	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Magnesium	40	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Tailings Thickene	29/02/2024 9:00	Manganese	0.04	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	7/03/2024	14/03/2024	
Tailings Thickene	29/02/2024 9:00	Molybdenum	0.14	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Potassium	20	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Tailings Thickene	29/02/2024 9:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	7/03/2024	15/03/2024	
Tailings Thickene	29/02/2024 9:00	Acidity	5	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Tailings Thickene	29/02/2024 9:00	Alkalinity (Bicarbonate as CaCO3)	7860	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Tailings Thickene	29/02/2024 9:00	Alkalinity (Carbonate as CaCO3)	311	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Tailings Thickene	29/02/2024 9:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
Tailings Thickene	29/02/2024 9:00	Alkalinity (total) as CaCO3	8180	mg/kg	FALSE	REG	5	7/03/2024	8/03/2024	
Tailings Thickene	29/02/2024 9:00	Chloride	1090	mg/kg	FALSE	REG	10	7/03/2024	18/03/2024	
Tailings Thickene	29/02/2024 9:00	Sodium	780	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Tailings Thickene	29/02/2024 9:00	Sulphate	440	mg/kg	FALSE	REG	100	6/03/2024	7/03/2024	
Tailings Thickene	29/02/2024 9:00	Sulphate	560	mg/kg	TRUE	REG	10	7/03/2024	14/03/2024	
Tailings Thickene	19/03/2024 9:00	Antimony	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Cadmium	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Barium	0.19	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Beryllium	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Boron	1	mg/kg	TRUE	REG	1	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Calcium	90	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Chromium (III+VI)	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Cobalt	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Copper	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Iron	1	mg/kg	TRUE	REG	1	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Lead	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Magnesium	60	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Manganese	0.03	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Mercury	0.0005	mg/kg	TRUE	REG	0.0005	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Mercury	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Molybdenum	0.1	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Nickel	0.01	mg/kg	TRUE	REG	0.01	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Potassium	20	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Selenium	0.1	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Vanadium	0.1	mg/kg	TRUE	REG	0.1	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Zinc	0.05	mg/kg	TRUE	REG	0.05	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Acidity	5	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Tailings Thickene	19/03/2024 9:00	Alkalinity (Bicarbonate as CaCO3)	13200	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Tailings Thickene	19/03/2024 9:00	Alkalinity (Carbonate as CaCO3)	153	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Tailings Thickene	19/03/2024 9:00	Alkalinity (Hydroxide) as CaCO3	5	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Tailings Thickene	19/03/2024 9:00	Alkalinity (total) as CaCO3	13400	mg/kg	FALSE	REG	5	5/04/2024	5/04/2024	
Tailings Thickene	19/03/2024 9:00	Chloride	2240	mg/kg	FALSE	REG	10	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Sodium	1280	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
Tailings Thickene	19/03/2024 9:00	Sulphate	1020	mg/kg	FALSE	REG	100	5/04/2024	5/04/2024	
Tailings Thickene	19/03/2024 9:00	Sulphate	980	mg/kg	TRUE	REG	10	5/04/2024	9/04/2024	
Tailings Thickene	3/10/2023 6:15	Sulfur - Total as S (LECO)	1.21	%	FALSE	REG	0.01	10/10/2023	10/10/2023	
Tailings Thickene	18/01/2024 8:10	Sulfur - Total as S (LECO)	0.43	%	FALSE	REG	0.01	12/02/2024	12/02/2024	
Tailings Thickene	29/02/2024 9:00	Sulfur - Total as S (LECO)	0.97	%	FALSE	REG	0.01	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Sulfur - Total as S (LECO)	0.46	%	FALSE	REG	0.01	13/03/2024	14/03/2024	
Tailings Thickene	19/03/2024 9:00	Sulfur - Total as S (LECO)	0.51	%	FALSE	REG	0.01	8/04/2024	8/04/2024	
Tailings Thickene	3/10/2023 6:15	Chromium Reducible Sulfur	0.829	%S	FALSE	REG	0.005	10/10/2023	10/10/2023	
Tailings Thickene	18/01/2024 8:10	Chromium Reducible Sulfur	0.271	%S	FALSE	REG	0.005	12/02/2024	12/02/2024	
Tailings Thickene	29/02/2024 9:00	Chromium Reducible Sulfur	0.489	%S	FALSE	REG	0.005	9/05/2024	9/05/2024	
Tailings Thickene	29/02/2024 9:00	Chromium Reducible Sulfur	0.434	%S	FALSE	REG	0.005	11/03/2024	11/03/2024	
Tailings Thickene	19/03/2024 9:00	Chromium Reducible Sulfur	0.34	%S	FALSE	REG	0.005	8/04/2024	8/04/2024	
DD7	20/11/2023 13:56	Total Solids	190	mg/m2/d	FALSE	REG	3	29/11/2023	29/11/2023	
DD8	20/11/2023 14:42	Total Solids	63	mg/m2/d	FALSE	REG	3	29/11/2023	29/11/2023	
DD22	20/11/2023 14:51	Total Solids	40	mg/m2/d	FALSE	REG	3	29/11/2023	29/11/2023	
DD21	20/11/2023 14:57	Total Solids	50	mg/m2/d	FALSE	REG	3	29/11/2023	29/11/2023	
DD6	20/11/2023 15:27	Total Solids	296	mg/m2/d	FALSE	REG	3	29/11/2023	29/11/2023	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD9	20/11/2023 15:35	Total Solids	57	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD10	20/11/2023 15:50	Total Solids	100	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD4	20/11/2023 16:05	Total Solids	73	mg/m2/da	FALSE	REG	3	29/11/2023	29/11/2023	
DD4	20/12/2023 14:50	Total Solids	213	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD10	20/12/2023 15:09	Total Solids	223	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD9	20/12/2023 15:26	Total Solids	223	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD6	20/12/2023 15:31	Total Solids	306	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD22	20/12/2023 15:36	Total Solids	233	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD21	20/12/2023 15:42	Total Solids	253	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD8	20/12/2023 16:03	Total Solids	450	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD7	20/12/2023 17:12	Total Solids	410	mg/m2/da	FALSE	REG	3	10/01/2024	10/01/2024	
DD25	31/12/2023 9:00	Total Solids	103	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD24	31/12/2023 9:20	Total Solids	67	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD26	31/12/2023 9:50	Total Solids	163	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD27	31/12/2023 10:42	Total Solids	150	mg/m2/da	FALSE	REG	3	14/01/2024	14/01/2024	
DD7	18/01/2024 13:25	Total Solids	313	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD8	18/01/2024 14:40	Total Solids	403	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD22	18/01/2024 14:50	Total Solids	486	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD21	18/01/2024 15:00	Total Solids	313	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD6	18/01/2024 15:10	Total Solids	290	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD9	18/01/2024 15:30	Total Solids	286	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD10	18/01/2024 15:50	Total Solids	153	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD4	18/01/2024 16:10	Total Solids	183	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD27	18/01/2024 16:30	Total Solids	296	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD24	18/01/2024 16:55	Total Solids	216	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD25	18/01/2024 17:05	Total Solids	290	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD26	18/01/2024 17:15	Total Solids	519	mg/m2/da	FALSE	REG	3	2/02/2024	2/02/2024	
DD21	20/02/2024 10:38	Total Solids	113	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD4	20/02/2024 13:25	Total Solids	133	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD10	20/02/2024 13:40	Total Solids	126	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD9	20/02/2024 14:20	Total Solids	103	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD8	20/02/2024 14:35	Total Solids	283	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD22	20/02/2024 14:43	Total Solids	183	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD6	20/02/2024 15:06	Total Solids	246	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD23	20/02/2024 16:25	Total Solids	233	mg/m2/da	FALSE	REG	3	12/03/2024	12/03/2024	
DD4	19/03/2024 12:01	Total Solids	596	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD10	19/03/2024 12:10	Total Solids	220	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD9	19/03/2024 12:45	Total Solids	83	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD22	19/03/2024 13:09	Total Solids	106	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD22	19/03/2024 13:09	Total Solids	296	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD6	19/03/2024 13:41	Total Solids	240	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD21	19/03/2024 13:55	Total Solids	83	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD23	19/03/2024 14:46	Total Solids	70	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD8	21/03/2024 15:06	Total Solids	126	mg/m2/da	FALSE	REG	3	4/04/2024	4/04/2024	
DD4	18/04/2024 8:15	Total Solids	67	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD10	18/04/2024 8:35	Total Solids	86	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD9	18/04/2024 9:00	Total Solids	270	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD21	18/04/2024 9:40	Total Solids	526	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD6	18/04/2024 9:58	Total Solids	170	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	
DD8	18/04/2024 10:15	Total Solids	350	mg/m2/da	FALSE	REG	3	21/05/2024	21/05/2024	

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
DD4	22/05/2024 9:38	Total Solids	86	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD6	22/05/2024 9:58	Total Solids	76	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD8	22/05/2024 10:15	Total Solids	353	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD9	22/05/2024 10:45	Total Solids	100	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD22	22/05/2024 10:58	Total Solids	103	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD21	22/05/2024 11:08	Total Solids	80	mg/m2/da	FALSE	REG	3	13/06/2024	13/06/2024	
DD4	19/06/2024 13:30	Total Solids	96	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD10	19/06/2024 14:05	Total Solids	53	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD9	19/06/2024 14:05	Total Solids	83	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD22	19/06/2024 14:17	Total Solids	73	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD21	19/06/2024 14:23	Total Solids	183	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD6	19/06/2024 14:36	Total Solids	83	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD8	19/06/2024 14:50	Total Solids	1020	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD23	19/06/2024 15:20	Total Solids	206	mg/m2/da	FALSE	REG	3	3/07/2024	3/07/2024	
DD4	18/07/2024 9:07	Total Solids	126	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD10	18/07/2024 9:32	Total Solids	2720	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD9	18/07/2024 9:48	Total Solids	103	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD22	18/07/2024 10:47	Total Solids	113	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD21	18/07/2024 10:54	Total Solids	110	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD6	18/07/2024 11:04	Total Solids	116	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD8	18/07/2024 11:21	Total Solids	433	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD23	18/07/2024 11:48	Total Solids	313	mg/m2/da	FALSE	REG	3	5/08/2024	5/08/2024	
DD27	22/02/2024 9:24	Combustible Matter	0.5	g/m <sup>2</sup> /mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD25	22/02/2024 13:10	Combustible Matter	1.3	g/m <sup>2</sup> /mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD26	22/02/2024 13:23	Combustible Matter	0.8	g/m <sup>2</sup> /mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD24	22/02/2024 13:42	Combustible Matter	0.2	g/m <sup>2</sup> /mon	FALSE	REG	0.1	12/03/2024	12/03/2024	
DD24	20/03/2024 7:45	Combustible Matter	0.8	g/m <sup>2</sup> /mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD27	20/03/2024 9:17	Combustible Matter	0.6	g/m <sup>2</sup> /mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD26	20/03/2024 13:23	Combustible Matter	1.1	g/m <sup>2</sup> /mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD25	21/03/2024 14:36	Combustible Matter	0.9	g/m <sup>2</sup> /mon	FALSE	REG	0.1	4/04/2024	4/04/2024	
DD24	18/04/2024 11:32	Combustible Matter	0.8	g/m <sup>2</sup> /mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD25	18/04/2024 11:43	Combustible Matter	0.9	g/m <sup>2</sup> /mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD27	18/04/2024 12:36	Combustible Matter	0.6	g/m <sup>2</sup> /mon	FALSE	REG	0.1	21/05/2024	21/05/2024	
DD24	21/05/2024 13:40	Combustible Matter	0.5	g/m <sup>2</sup> /mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD25	21/05/2024 13:52	Combustible Matter	2.4	g/m <sup>2</sup> /mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD26	21/05/2024 14:02	Combustible Matter	1.2	g/m <sup>2</sup> /mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD27	21/05/2024 14:40	Combustible Matter	0.5	g/m <sup>2</sup> /mon	FALSE	REG	0.1	13/06/2024	13/06/2024	
DD24	19/06/2024 8:15	Combustible Matter	0.7	g/m <sup>2</sup> /mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD25	19/06/2024 8:24	Combustible Matter	0.5	g/m <sup>2</sup> /mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD26	19/06/2024 8:37	Combustible Matter	1	g/m <sup>2</sup> /mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD27	19/06/2024 9:03	Combustible Matter	0.7	g/m <sup>2</sup> /mon	FALSE	REG	0.1	3/07/2024	3/07/2024	
DD24	18/07/2024 12:55	Combustible Matter	0.2	g/m <sup>2</sup> /mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD25	18/07/2024 13:03	Combustible Matter	0.5	g/m <sup>2</sup> /mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD26	18/07/2024 13:13	Combustible Matter	1.4	g/m <sup>2</sup> /mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
DD27	18/07/2024 13:50	Combustible Matter	0.4	g/m <sup>2</sup> /mon	FALSE	REG	0.1	5/08/2024	5/08/2024	
CHPP STP	22/04/2024 12:30	Thermotolerant Coliforms	1	cfu/100 m	FALSE	REG	1		24/04/2024	~<10000
	22/04/2024 13:20	Thermotolerant Coliforms	1700000	cfu/100 m	FALSE	REG	1		24/04/2024	
	22/04/2024 13:30	Thermotolerant Coliforms	1100000	cfu/100 m	FALSE	REG	1		24/04/2024	
Isaac Plains STP	22/04/2024 13:30	Thermotolerant Coliforms	1100000	cfu/100 m	FALSE	REG	1		24/04/2024	
CHPP STP	21/05/2024 10:00	Thermotolerant Coliforms	700000	cfu/100 m	FALSE	REG	1		23/05/2024	Result value is an approximate.

Location Code	Sampled Date	Chem Name	Result (Numeric)	Unit	Filtered	Result Type	EQL	Extraction Date	Analysed Date	Lab Result Comments
MIA STP	21/05/2024 10:30	Thermotolerant Coliforms	2200000	cfu/100 m	FALSE	REG	1		23/05/2024	
	21/05/2024 11:00	Thermotolerant Coliforms	1000000	cfu/100 m	FALSE	REG	1		23/05/2024	
Isaac Plains STP	21/05/2024 11:05	Thermotolerant Coliforms	1100000	cfu/100 m	FALSE	REG	1		23/05/2024	
	21/05/2024 11:10	Thermotolerant Coliforms	1300000	cfu/100 m	FALSE	REG	1		23/05/2024	
CHPP STP	11/06/2024 7:00	Thermotolerant Coliforms	100000	cfu/100 m	FALSE	REG	1		13/06/2024	
	11/06/2024 12:45	Thermotolerant Coliforms	310000	cfu/100 m	FALSE	REG	1		13/06/2024	
Isaac Plains STP	11/06/2024 12:50	Thermotolerant Coliforms	300000	cfu/100 m	FALSE	REG	1		13/06/2024	
Isaac Plains STP	11/06/2024 13:10	Thermotolerant Coliforms	270000	cfu/100 m	FALSE	REG	1		13/06/2024	
	25/07/2024 8:45	Thermotolerant Coliforms	6200000	cfu/100 m	FALSE	REG	1		30/07/2024	
Isaac Plains STP	25/07/2024 9:00	Thermotolerant Coliforms	6000000	cfu/100 m	FALSE	REG	1		30/07/2024	
	25/07/2024 9:25	Thermotolerant Coliforms	11000	cfu/100 m	FALSE	REG	1		30/07/2024	
	17/07/2024 7:30	Total Coliforms (Colilert)	1	orgs/100m	FALSE	REG	1		18/07/2024	
	17/07/2024 7:30	Escherichia coli (Colilert)	1	orgs/100m	FALSE	REG	1		18/07/2024	



Making Sustainability Happen